

SC-Database

Software version = 5.81 Data version = 4.62

Experiment list contains 835 experiments for  
(no ligands specified)

Metal : Dy+++

(no references specified)

(no experimental details specified)

\*\*\*\*\*

e- HL Electron (442)  
Electron;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	oth	none	25°C	0.0	U			1974J0b (453)	1	
K(Dy+3e=Dy(s))=-117.1(-2.31V)										
K(Dy+e=Dy(II))=-44(-2.6V)										

Method: Literature evaluated data

Dy+++	oth	none	25°C	0.0	U			1952LAb (454)	2
K(Dy+3e)=-119.3(-2350 mV)									

\*\*\*\*\*

AsO4--- H3L Arsenate CAS 7778-39-4 (1557)  
Arsenate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sol	none	25°C	0.0	C			1992FIa (1137)	3	
Kso(DyAsO4)=-23.83										

Equilibrium monitored by EDTA and iodine titrations.

\*\*\*\*\*

CO3-- H2L Carbonate CAS 465-79-6 (268)  
Carbonate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.70M	C			K1=5.86 2004LBb (3192)	4	
K(Dy+HCO3=DyHCO3)=1.45										

Medium: 0.70 m NaClO4. Calculated for I=0, K1=7.56, B2=12.91,  
K(Dy+HCO3=DyHCO3)=2.50, K(Dy+HL=DyL+H)=-2.77, K(Dy+2HL=DyL2+2H)=-7.75

Dy+++	dis	NaClO4	25°C	0.70M	C	I		K1=5.83 B2=10.39 1998LBb (3193)	5
Method: H2O/tributylphosphate distribution and ICP-mass spectrometry. Values calculated for I=0.0 M, K1=7.81, B2=13.47.									

Dy+++	sol	none	25°C	0.0	C			1986FMa (3194)	6
Kso(Dy2(CO3)3)=-33.97									

Dy+++	sol	none	25°C	0.0	C			1986HMa (3195)	7
Kso(Dy2(CO3)3)=-33.97									

Method: spectrophotometry.

Dy+++ dis oth/un 20°C 2.5M C 1979DBb (3196) 8

B4=15.32

Media: 2.5 M (NH4)2NO3/hexane. Analysis by NAA. By competition with edta;  
K1(Dy(edta))=18.31 recalculated for I=2.5 from J.Am.Chem.Soc.,75 1953,4196

\*\*\*\*\*

C6N6Fe--- H3L Ferricyanide (2491)

Hexacyanoferrate (III); Fe(III)(CN)6---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ cal none 25°C 0.00 M H K1=3.68 1972SCd (3641) 9

DH(K1)=4.3 kJ mol-1, DS=84.9 J K-1 mol-1

\*\*\*\*\*

Cl- HL Chloride CAS 7647-01-0 (50)

Chloride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ dis NaCl 25°C 1.0M C K1=-0.12 1997HTb (4788) 10

Method: by solvent extraction from 1.0 M NaCl into CHCl3, 0.1 M

1,1,1-trifluoro-4-(2-thienyl)-2,4-pentanedione.

Dy+++ cal non-aq 25°C 100% U H K1=2.57 B2=4.76 1991ITa (4789) 11

K3=1.46

K4=1.43

Medium: DMF, 0.2 M Et4NClO4. DH(K1)=17.8 kJ mol-1, DH(K2)=25.8, DH(K3)=20

DH(K4)=24. DS(K1)=109, DS(K2)=129, DS(K3)=95 J K-1 mol-1

Dy+++ sol NaClO4 25°C ? U K1=0.31 1982MAa (4790) 12

Dy+++ cal non-aq 25°C 100% U K1=1.82 B2=3.98 1980VCa (4791) 13

Medium: diemthylacetamide

Dy+++ sp NaClO4 25°C 3.0M U K1=-0.01 1971KBF (4792) 14

Medium: LiClO4

Dy+++ sol none 25°C 0.0 U 1960ASd (4793) 15

Kso(Dy(OH)2Cl)=-17.8

Kso(Dy(OH)2.5Cl0.5)=-21.3

\*\*\*\*\*

F- HL Fluoride CAS 7644-39-3 (201)

Fluoride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ ix oth/un 25°C 0.02M C T H K1=3.88 B2= 6.29 2004LMA (6824) 16

Medium: 0.025 M HNO3. Applying Pitzer parameters: at I=0, K1=10.14.

Data for 5 to 45 C. DH(K1)=9.2 kJ mol-1, DH(B2)=22.2.

-----  
 Dy+++ ISE NaClO4 25°C 0.0 C I K1=4.39 2000LBa (6825) 17  
 Method: Fluoride ISE. Values calc. from data for I=0.015-0.70 M NaClO4.  
 At I=0.70 M, K1=3.457.  
 -----

Dy+++ ix KNO3 25°C 0.02M C K1=3.85 B2= 6.35 1999SBc (6826) 18  
 Medium: 0.025 M HNO3. Additional method: ICP-MS.  
 Assumed K1(HF) = 3.03, derived from literature values.  
 -----

Dy+++ ISE none 25°C 0.0 C H K1=3.38 B2=6.43 1989MJa (6827) 19  
 Kso=-15.1  
 Also by conductivity and radiometry. DH(Kso)=56.1 kJ mol<sup>-1</sup>; DS=-98  
 -----

Dy+++ ISE R4N.X 25°C 0.50M C K1=3.38 B2=6.43 1989MJb (6828) 20  
 -----

Dy+++ cal NaClO4 25°C 1.00M C H 1988GBa (6829) 21  
 DH(K1)=9.27 kJ mol<sup>-1</sup>; DS(K1)= 97.4 J mol<sup>-1</sup> K<sup>-1</sup>  
 -----

Dy+++ ISE NaCl 25°C 1.00M C K1=3.322 1985BBb (6830) 22  
 -----

Dy+++ gl KCl 25°C 1.00M U M 1981KTb (6831) 23  
 K(DyEDTA+F)=1.94  
 K(Dy(EDTA)F+F)=0.48  
 -----

Dy+++ EMF NaClO4 25°C 0.50M U K1=3.58 1968IZa (6832) 24  
 K(Dy+HF=DyF+H)=0.64  
 -----

Dy+++ EMF NaClO4 25°C 1.0M U H K1=3.46 1967WCa (6833) 25  
 By calorimetry: DH(K1)=29.4 kJ mol<sup>-1</sup>, DS=164.7 J K<sup>-1</sup> mol<sup>-1</sup>  
 -----

\*\*\*\*\*  
 I03- HL Iodate CAS 7782-68-5 (1257)  
 Iodate;  
 -----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sol	oth/un	25°C	0.0	U				1966FPb (8509)	26
									Kso=-10.92	

\*\*\*\*\*

I04- HL Periodate CAS 13444-71-8 (6063)  
 Periodate;  
 -----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sol	oth/un	25°C	dil	U				1974LOa (8601)	27
									Kso(Dy(H2IO6)(H2O)3)=-10.13	

\*\*\*\*\*

Mo04-- H2L Molybdate (443)  
 Molybdate;  
 -----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

-----  
Dy+++ con oth/un 25°C .001M U K1=4.49 1968DKc (8727) 28  
\*\*\*\*\*  
Mo12042U----- H8L (2922)  
Uranium-12-molybdate;  
-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	oth/un	20°C	0.10M	U		K1=5.46 B(DyHL)=8.55	1989SBb (8771)	29
*****									
N03-			HL	Nitrate			CAS 7697-37-2	(288)	
Nitrate;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	cal	NaCl04	25°C	2.0M	C	IH	K1=-0.70	1998BMb (9644)	30
DH(K1)=6.9 kJ mol-1. From Pitzer extrapolation to I=0.0, K1=0.08, DH(K1)=5.9 kJ mol-1									
Dy+++	dis	none	25°C	0.0	U		K1=1.32	1992MSb (9645)	31
Dy+++	dis	R4N.X	25°C	0.0	C		K1=1.32	1988MSg (9646)	32
Extraction into tributylphosphate from 0.1-2.74 M NH4NO3 medium.									
Dy+++	oth	oth/un	25°C	0.0	U		K1<0.9	1972SSc (9647)	33

Method:ultrasonic absorption

Dy+++	sp	KNO3	?	var	U		K(Dy+3L+HL)=-0.50 K(DyL3HL+2HL)=-1.59	1970KSf (9648)	34
-------	----	------	---	-----	---	--	--	----------------	----

Dy+++	dis	none	20°C	0.0	U		K1=-0.28	1967KOb (9649)	35
*****									
OH-			HL	Hydroxide			(57)		
Hydroxide;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaCl04	25°C	0.0	C	IH	*K1=-7.59	2000KBa (11270)	36
In 0.7 M NaCl04, *K1=-7.89. DH(*K1)=47 kJ mol-1.									
Dy+++	gl	NaCl	25°C	0.10M	U	I	*B(1,3)=-21.45	1999FBa (11271)	37
In 0.1 M Me4NCl, *B(1,3)=-22.14.									
Dy+++	EMF	alc/w	20°C	25%	U		*K1(DyA+H2O=DyAOH+H)=-6.85	1973SPe (11272)	38

Medium: ca.25 to 35% w/w MeOH or EtOH/H2O. H3A=NTA

Dy+++ dis NaClO4 ? 0.10M U 1971GDb (11273) 39  
\*K1=-5.6

Medium: LiClO4

Dy+++ oth oth/un rt 10% U 1967PBb (11274) 40  
Kso=-27.5  
K(DyL3(s)=DyL3)=-4.9

Medium: 10% sea water.

Dy+++ gl NaClO4 25°C 0.30M U 1966FKa (11275) 41  
\*K1=-8.10

Dy+++ vlt none 20°C 0.0 M 1966KAa (11276) 42  
Kso=-25.00

Dy+++ oth oth/un 20°C dil U 19660Pa (11277) 43  
Kso=-23.6

Dy+++ sp none 20°C 0.0 M 1964KBb (11278) 44  
Kso=-27.90

Dy+++ sol none 25°C 0.0 U 1960ASd (11279) 45  
Kso=-25.9 aged

Dy+++ sol oth/un 100°C var U 1932ENa (11280) 46  
Kso=y - 0.30

Kso: K(Dy(OH)3(s)=Dy+3OH); y=Kso for Y+++

\*\*\*\*\*

P04--- H3L Phosphate CAS 7664-38-2 (176)  
Phosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
Dy+++ sol none 25°C 0.0 M 1997LBd (13160) 47  
Kso(DyP04)=-25.18

Calculated from data for 0.10 M HClO4 solution.

Dy+++ sol oth/un 25°C 0.0 C I 1993FKb (13161) 48  
Kso(DyP04)=-26.31

In synthetic seawater, Ks(DyP04)=-23.66.

Dy+++ sol none 25°C 0.0 C 1991FBa (13162) 49  
Kso(DyP04)=-25.15

\*\*\*\*\*

P207---- H4L Pyrophosphate CAS 2466-09-3 (198)  
Diphosphate; from (HO)2PO.O.PO(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ kin none 25°C 0.0 U B2=20.64 1967SSo (13581) 50  
\*\*\*\*\*

P2W17061----- Polytungstate (2102)  
alpha-Heterodiphospho-polytungstate (usually alpha1 isomer)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp NaClO4 25°C 1.0M C K1=7.05 2003VCa (13710) 51  
Method: laser-induced fluorescence spectroscopy for Eu+++ as competing ion  
For P2W18062, K1=3.53.

-----  
Dy+++ cal NaClO4 25°C 1.0M C H 2002VCa (13711) 52  
DH(K1)=-3.15 kJ mol<sup>-1</sup>, DS(K1)=124.4 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
Dy+++ cal NaClO4 25°C 1.0M C H K1=3.11 2002VCa (13712) 53  
DH(K1)=-0.61 kJ mol<sup>-1</sup>, DS(K1)=64.5 J K<sup>-1</sup> mol<sup>-1</sup>.  
By entropy titration: DH(K1)=-1.08 kJ mol<sup>-1</sup>, DS(K1)=61.03 J K<sup>-1</sup> mol<sup>-1</sup>.  
\*\*\*\*\*

P3010----- H5L CAS 10380-08-2 (1001)  
Tripolyphosphate; from (HO)2PO.O.PO(OH).O.PO(OH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M U T H B2=9.2 1974KRa (13850) 54  
K(Dy+2HL)=7.2 and B2=9.5 (35 C), K(Dy+2HL)=6.7 and B2=9.0 (45 C)  
DH(Dy+2HL)=-20 kJ mol<sup>-1</sup>; DH(B2)=-20  
K(Dy+2HL)=6.9

-----  
Dy+++ gl NaClO4 ? 0.10M U B2=17.12 1962RKa (13851) 55  
K(Dy+HL)=4.94  
K(Dy+2HL)=8.84  
\*\*\*\*\*

SCN- HL Thiocyanate CAS 463-56-9 (106)  
Thiocyanate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ dis oth/un 25°C 1.0M C K1=0.45 1997HTb (14929) 56  
Method: by solvent extraction from 1.0 M NaSCN into CHCl3, 0.1 M  
1,1,1-trifluoro-4-(2-thienyl)-2,4-pentanedione.

-----  
Dy+++ sp NaClO4 ? 0.60M U K1=0.12 1964KSe (14930) 57  
\*\*\*\*\*  
S04-- H2L Sulfate CAS 7664-93-9 (15)  
Sulfate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sol oth/un 25°C 0.66M C K1=1.90 2004SBb (16139) 58

Method: solubility of BaSO4 in 0.117 m DyCl3 solution.  
 Calculated for I=0, K1=3.57.

-----  
 Dy+++ cal none 25°C 0.0 U H 1974POa (16140) 59  
 DH(K1)=20.3 kJ mol-1  
 -----

Dy+++ oth none 25°C 0.0 U K1=3.61 1973FPb (16141) 60  
 K1in=0.52  
 -----

Method: ultrasonic absorption

-----  
 Dy+++ con oth/un 25°C 0.0 U K1=3.63 1973FPb (16142) 61  
 Medium:D20  
 -----

Dy+++ oth none 25°C 0.0 U K1=3.63 1973FPb (16143) 62  
 K1is=0.46  
 -----

Method: ultrasonic absorption. Medium:D20

-----  
 Dy+++ kin none 25°C 0.0 U K1=3.61 1973RSb (16144) 63  
 -----

Dy+++ cal oth/un 25°C 0.0 U H 1969FPa (16145) 64  
 DH(K1)=16.0 kJ mol-1  
 -----

Dy+++ cal oth/un 25°C 0.0 U H K1=3.43 B2=5.18 1969IEa (16146) 65  
 DH(K1)=15.4 kJ mol-1, DH(K2)=5.73; DS(K1)=117.5 J K-1 mol-1, DS(K2)=52.3  
 -----

Dy+++ ISE NaClO4 25°C 2.0M U H K1=1.23 B2=1.72 1967CCd (16147) 66  
 By calorimetry: DH(K1)=18.4 kJ mol-1, DS=85.3 J K-1 m-1; DH(K2)=5.4, DS=27.6  
 \*\*\*\*\*

CH03F3S HL CAS 1493-13-6 (6755)  
 Trifluoromethanesulfonic acid; CF3SO3H  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Dy+++ sp non-aq 25°C 100% U 1993BCc (17460) 67  
 K3=2.53  
 -----

Medium: MeCN

\*\*\*\*\*

C2H2O3 HL Glyoxylic acid CAS 298-12-4 (1142)  
 Glyoxylic acid; OHC.COOH  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Dy+++ gl NaClO4 20°C 0.10M U K1=2.56 B2=4.46 1964PSd (18418) 68  
 K3=1.7  
 -----

\*\*\*\*\*

C2H2O4 H2L Oxalic acid CAS 144-62-7 (24)  
 Ethanedioic acid; (COOH)2  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Dy+++ ix R4N.X 25°C 0.05M C K1=5.82 B2=10.16 2001SBf (18859) 69  
 K(Dy+HL)=1.96  
 Medium: 0.05 M NH4NO3. At I=0, K1=6.74, B2=11.35.

-----  
 Dy+++ gl KCl 25°C 1.0M U M 1988Kta (18860) 70  
 K(Dy(edta)+L)=3.07

-----  
 Dy+++ gl KNO3 35°C 0.10M U M K1=6.72 1986RMb (18861) 71  
 B(DyL(cytidine))=10.09

\*\*\*\*\*  
 C2H3N3S2 HL CAS 2349-67-9 (6245)  
 2-Amino-5-mercapto-1,3,4-thiadiazole;

-----  

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	U	T H		K1=6.48 B2=11.71 K3=3.90	1983SSb (19253)	72

\*\*\*\*\*  
 C2H4O2 HL Acetic acid CAS 64-19-7 (36)  
 Ethanoic acid; CH3.COOH

-----  

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	alc/w	25°C	95%	U	H		K1=5.03 B2=9.01 B3=11.79 B4=13.18	1967Gwa (19938)	73

Medium:95% MeOH,0.5 M NaClO4. By calorimetry:DH(K1)=17.1 kJ mol<sup>-1</sup>,DS=153.4  
 DH(K2)=11.4,DS=114.5, DH(K3)=4.2,DS=66.9, DH(K4)=1.3,DS=29.3 J K<sup>-1</sup> mol<sup>-1</sup>

-----  
 Dy+++ cal NaClO4 25°C 2.0M C H 1964GRa (19939) 74  
 DH(K1)=12.24 kJ mol<sup>-1</sup>, DS(K1)=73.7 J K<sup>-1</sup> mol<sup>-1</sup>; DH(B2)=18.57, DS(B2)=120;  
 DH(B3)=18.03, DS(B3)=134.

-----  
 Dy+++ gl NaClO4 20°C 0.10M U K1=2.03 B2=3.64 1962KPa (19940) 75

-----  
 Dy+++ EMF NaClO4 20°C 2.0M U K1=1.67 B2=2.97 1958SOa (19941) 76  
 B3=3.79  
 B4=3.9

Method: quinhydrone electrode

\*\*\*\*\*  
 C2H4O2S H2L Thioglycolic CAS 68-11-1 (596)  
 Mercaptoethanoic acid; HS.CH2.COOH

-----  

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.20M	U			K1=5.61 B2=11.00	1998Pjb (20307)	77

-----  
 Dy+++ gl NaClO4 25°C 0.20M U K1=5.64 B2=11.03 1995Pjb (20308) 78

-----  
 Dy+++ gl NaClO4 20°C 0.10M U 1964PKa (20309) 79





K(Dy(phen)+L)=6.05

-----  
Dy+++ gl KNO3 35°C 0.10M U 1987RRc (21530) 89  
K(Dy+HL)=3.86  
-----

Dy+++ gl KNO3 35°C 0.10M U M 1986RMB (21531) 90  
K(Dy+HL)=3.86  
K(Dy+HL+cytidine)=8.59  
-----

Dy+++ EMF KCl 25°C 1.0M U M 1977GMa (21532) 91  
K(DyA+L)=4.14  
K(DyA+HL)=3.17  
K(DyA+H2L)=3.25

Method: Pt/H2 electrode. H3A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.

\*\*\*\*\*

C2H6OS L DMSO CAS 67-68-5 (329)  
Dimethylsulfoxide; (CH3)2.S0  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp non-aq 25°C 100% U 1992MBb (22095) 92  
K8=0.9  
K9=0.4

Medium: MeCN. Method: FT-IR and Raman spectroscopy

\*\*\*\*\*

C2H6O2 L Ethyleneglycol CAS 107-21-1 (924)  
1,2-Dihydroxyethane (Ethane-1,2-diol); HO.CH2.CH2.OH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 22°C 0.10M U 1972Mcd (22143) 93  
K(DyH-1L+H)=7.15  
-----

\*\*\*\*\*

C2H8N2 L Ethylenediamine CAS 107-15-7 (23)  
1,2-Diaminoethane; H2N.CH2.CH2.NH2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ ISE non-aq 25°C 100% C H K1=2.28 B2=4.12 1992CBa (23147) 94  
B3=5.49

Medium: DMSO, 0.10 M Et4NClO4. By calorimetry, DH(K1)=-18.1, DH(B2)=-38.6, DH(B3)=-77.8 kJ mol<sup>-1</sup>.

-----

Dy+++ gl KNO3 25°C 0.10M U TIH K1=5.63 B2=10.78 1986NSa (23148) 95  
B(DyAL)=9.33

H2A=phthalic acid. DH(DyAL)=-49.8 kJ mol<sup>-1</sup>, DS=11.55J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C3H4O2 HL Acrylic acid CAS 79-10-7 (2044)  
Propenoic acid; CH2:CH.COOH

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  NaClO4 25°C 0.10M C  H   K1=1.92  B2=3.65  1996HBa (23984) 96
                                     B3=5.2
DH(K1)=14.1 kJ mol-1, DS=84 J K-1 mol-1
*****
C3H4O3      HL   Pyruvic acid      CAS 127-17-3 (1152)
2-Oxopropanoic acid; CH3.CO.COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      nmr NaClO4 25°C 2.00M U  H   K1=1.27      1980CCa (24046) 97
DH=-4.51 kJ mol-1. Alternative method: Calorimetry.
*****
C3H4O4      H2L  Malonic acid      CAS 141-82-2 (79)
Propanedioic acid; CH2(COOH)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      ix  NaClO4 25°C 0.15M U                                     1968KKc (24425) 98
                                     K(Dy+HL)=2.0
                                     K(DyHL+HL)=1.1
-----

```

```

-----
Dy+++      gl  KNO3   25°C 0.10M U          K1=4.47  B2=7.17  1968PFa (24426) 99
*****
C3H4O6      H2L                                     CAS 560-27-0 (4233)
Dihydroxypropanedioic acid; HOOC.C(OH)2.COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KCl    25°C 0.20M U          K1=3.82      1973LPb (24623) 100
*****
C3H5NO2      HL                                     (4234)
Isonitrosoacetone; CH3.CO.CH:N.OH, anti-Pyruvic aldehyde oxime
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  diox/w 20°C 50% U          K1=5.88      1971MAf (24640) 101
Medium: 50% dioxan, 0.1 M NaClO4
*****
C3H6N2O2      L   Methylglyoxime    CAS 2140-03-6 (2981)
Methylglyoxime; CH3.C(:N.OH).CH:N.OH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  diox/w 20°C 50% U          K1=6.94  B2=12.93  1971MAf (24802) 102
Medium: 50% dioxan, 0.1 M NaClO4
*****
C3H6O2      HL   Propionic acid    CAS 79-09-4 (35)
-----

```

Propanoic acid; CH3.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaCl04	25°C	2.0M	U			K1=1.63 B2=2.97	1965CGa (24996)	103
Dy+++	gl	NaCl04	20°C	0.10M	U			K1=1.93 B2=3.45	1964PKa (24997)	104

\*\*\*\*\*  
C3H6O2S H2L Thiolactic acid CAS 79-42-5 (366)  
2-Mercaptopropanoic acid; CH3.CH(SH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaCl04	25°C	0.20M	U			K1=5.62 B2=12.04	1998PJb (25133)	105
Dy+++	gl	NaCl04	25°C	0.20M	U			K1=5.62 B2=11.04	1995PJb (25134)	106
Dy+++	gl	NaCl04	25°C	2.00M	U				1968CMA (25135)	107

K(Dy+HL)=1.58

\*\*\*\*\*  
C3H6O2S H2L CAS 107-96-0 (437)  
3-Mercaptopropanoic acid; HS.CH2.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaCl04	25°C	2.00M	U				1968CMA (25203)	108

K(Dy+HL)=1.60

\*\*\*\*\*  
C3H6O3 HL CAS 81598-26-7 (2521)  
3-Hydroxypropanoic acid; HO.CH2.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaCl04	25°C	2.00M	U			K1=1.45	1969JCC (25262)	109

\*\*\*\*\*  
C3H6O3 HL L-Lactic acid CAS 79-33-4 (82)  
L-2-Hydroxypropanoic acid; CH3.CH(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	30°C	0.10M	U				1983MPc (25427)	110

K(Dy+HL=DyL+H)=0.36

\*K(DyL)=-4.70

K(Dy+2HL=DyL2+2H)=-0.69

\*K(DyL2)=-4.11

Dy+++	gl	NaCl04	25°C	0.10M	U			K1=3.09 B2=5.38 B3=5.95	1966GGb (25428)	111
-------	----	--------	------	-------	---	--	--	-------------------------	-----------------	-----

Dy+++	gl	NaCl04	25°C	0.20M	U			K1=2.59 B2=4.82	1964DVa (25429)	112
-------	----	--------	------	-------	---	--	--	-----------------	-----------------	-----





-----  
Dy+++ gl oth/un 25°C 0.10M U T H K1=4.31 1987TSb (28909) 129  
30 C:K=3.80; 35 C: 3.44. DH=-151 kJ mol<sup>-1</sup>, DS=-426 J K<sup>-1</sup> mol<sup>-1</sup>  
\*\*\*\*\*  
C4H4O4 H2L Maleic acid CAS 110-16-7 (111)  
cis-Butenedioic acid; HOOC.CH:CH.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ EMF NaClO4 25°C 1.00M U M K1=2.91 B2=4.36 1991WPb (29065) 130  
B(DyLA)=5.01  
HA=glycolic acid  
-----

Dy+++ gl KNO3 25°C 0.10M U T HM K1=5.78 B2=9.21 1986NSa (29066) 131  
B(DyAL)=9.34  
H2A=phthalic acid. DH(DyAL)=-59.6 kJ mol<sup>-1</sup>, DS=-21.0 J K<sup>-1</sup> mol<sup>-1</sup>  
-----

Dy+++ gl NaClO4 25°C 0.10M U K1=3.74 1973CDc (29067) 132  
-----

Dy+++ gl NaClO4 25°C 0.10M U K1=3.75 B2=5.84 1970RFa (29068) 133  
\*\*\*\*\*  
C4H4O4 H2L Fumaric acid CAS 110-17-8 (289)  
trans-Butenedioic acid; HOOC.CH:CH.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M C K1=2.50 1986LCa (29191) 134  
B(DyHL)=6.02  
K(Dy+HL)=1.94  
-----

Dy+++ gl KNO3 25°C 0.10M U T HM K1=3.18 1986NSa (29192) 135  
B(DyAL)=6.41  
H2A=phthalic acid. DH(DyAL)=-48.6 kJ mol<sup>-1</sup>, DS=-40.4 J K<sup>-1</sup> mol<sup>-1</sup>  
-----

Dy+++ gl NaClO4 25°C 0.10M U K1=2.80 1973CDc (29193) 136  
\*\*\*\*\*  
C4H4O5 H2L Oxobutanedioic CAS 328-42-7 (1733)  
2-Oxosuccinic acid, Oxalacetic acid; HOOC.CH2.CO.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl oth/un 25°C ? U K1=5.7 B2=10.2 1956GNc (29264) 137  
\*\*\*\*\*  
C4H6O4 H2L Succinic acid CAS 110-15-6 (112)  
1,4-Butanedioic acid; HOOC.CH2.CH2.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M M H K1=3.33 1986CDb (29961) 138  
DH=16.6 kJ mol<sup>-1</sup>, DS=120 J K<sup>-1</sup> mol<sup>-1</sup>  
-----





K(DyL+ida)=2.59  
 K(DyL+gly)=2.74  
 B(DyLA)=8.86  
 B(DyLB)=9.74

H2A is tartaric acid, H2B is malic acid. Also data for quaternary systems:  
 DyLA+ida, DyLA+gly, DyLB+ida, DyLB+gly.

Dy+++	gl	KCl	25°C	1.0M	U	M		1988KTa (30861)	150
							K(Dy(edta)+L)=2.00		
Dy+++	EMF	NaClO4	20°C	1.00M	U	T	K1=5.42 B2=10.09 B3=13.51	1972G0a (30862)	151
							K1(5 C)=5.43, B2=10.16, B3=13.67; K1(35 C)=5.50, B2=10.08, B3=13.36; K1(50 C)=5.49, B2=10.05, B3=13.19		
Dy+++	cal	NaClO4	25°C	1.0M	C	H		1963GRd (30863)	152
							DH(K1)=5.535 kJ mol <sup>-1</sup> , DS(K1)=121 J K <sup>-1</sup> mol <sup>-1</sup> ; DH(B2)=-4.523, DS(B2)=176; DH(B3)=-18.46, DS(B3)=193.		
Dy+++	EMF	NaClO4	20°C	1.00M	U		K1=5.31 B2=9.98 B3=13.36	1963GTa (30864)	153

Method: quinhydrone electrode

\*\*\*\*\*

C4H6O6 H2L L-Tartaric acid CAS 87-69-4 (92)  
 L-Tartaric acid, L-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	oth/un	25°C	0.0	U	T H		K1=5.12	1975YBa (31225)	154
							DH(K1)=5.0 kJ mol <sup>-1</sup> , DS=112.9 J K <sup>-1</sup> mol <sup>-1</sup>			
Dy+++	gl	alc/w	25°C	40%	U	I		K1=5.00	1972SSj (31226)	155
							Medium: 0.05, 0-40% EtOH. At I=0, 40% EtOH: K1=6.42			
Dy+++	gl	KCl	24°C	0.20M	U			K1=3.28	1966DDa (31227)	156
							*****			
C4H7N04	H2L	Aspartic acid	CAS 56-84-8	(21)						
							Aminobutanedioic acid; H2N.CH(CH2.COOH).COOH			
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.20M	U			K1=5.61 B2=10.16	1995PJb (31844)	157
Dy+++	gl	NaClO4	30°C	0.10M	U			K1=5.54 B2=10.24	1984YLa (31845)	158
Dy+++	gl	KCl	25°C	0.10M	U			K1=5.85 B2=10.78	1968DRb (31846)	159
							*****			
C4H7N04	H2L	IDA	CAS 142-73-4	(118)						
							Iminodiethanoic acid; HN(CH2.COOH)2			

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KCl	25°C	1.0M	U	M			1988KTa (32218)	160
								K(Dy(edta)+L)=4.10		
Dy+++	gl	NaClO4	25°C	0.20M	U	M		K1=7.16 B2=12.90	1988VSc (32219)	161
								K(Dy(HEDTA)+L)=6.15		
								K(Dy(CDTA)+L)=5.11		
								K(Dy(DTPA)+L)=4.63		
Dy+++	gl	NaClO4	25°C	0.20M	U	M		K1=7.16 B2=12.90	1987VSb (32220)	162
								K(Dy(NTA)+L)=6.24		
								K(Dy(edta)+L)=4.85		
Dy+++	gl	KNO3	27°C	0.10M	M	M			1984KTb (32221)	163
								K(DyA+L)=5.61		
								K(DyB+L)=5.48		
H2A=Citraconic acid, H2B=Maleic acid										
Dy+++	gl	KNO3	27°C	0.10M	U	M			1980KTb (32222)	164
								K(DyA+L)=6.07		
								K(DyB+L)=5.83		
H2A=phthalic acid, H2B=malonic acid										
Dy+++	EMF	KCl	25°C	1.0M	U	M			1977GMa (32223)	165
								K(DyA+L)=5.41		
								K(DyA+H2L)=0.90		
								K(DyA+H3L)=2.38		
Method: Pt/H2 electrode. H3A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.										
Dy+++	cal	KNO3	20°C	0.10M	U	HM			1971GKb (32224)	166
								K(DyA+L)=3.84		
DH(DyA+L)=-31.21 kJ mol <sup>-1</sup> , DS=-33 J K <sup>-1</sup> mol <sup>-1</sup> . DH(DyAL)=-36.28, DS=300.0. H4A=EDTA										
Dy+++	gl	KNO3	25°C	0.10M	U	M		K1=6.88 B2=12.31	1962THa (32225)	167
Ternary complexes with N-(2-hydroxyethyl)diaminoethane-triethanoic acid										
*****										
C4H8N2O2 H2L Dimethylglyoxim CAS 95-45-4 (2032)										
2,3-Butanedione dioxime, Dimethylglyoxime; CH3.(C:NOH).(C:NOH).CH3										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	20°C	50%	U			K1=8.24 B2=15.52	1971MAf (32536)	168
Medium: 50% v/v dioxan, 0.1 M NaClO4										
*****										
C4H8N2O3 HL Asparagine CAS 70-47-3 (17)										
2-Aminobutanedioic acid 4-amide; H2N.CH(CH2.CO.NH2).COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaClO4	30°C	0.10M	U		K1=3.95 B2=6.90	1984YLa (32692)	169
*****									
C4H8N2O4		H2L	HDA				CAS 19247-05-3	(1025)	
Hydrazine-N,N'-diethanoic acid; HOOC.CH2.NH.NH.CH2.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	KCl	60°C	0.10M	U		K1=6.55 B2=11.16 B3=13.80	1978NBa (33082)	170
*****									
C4H8N2O4		H2L					CAS 39156-77-9	(3008)	
Hydrazine-N,N-diethanoic acid; H2N.N(CH2.COOH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	KNO3	30°C	0.10M	U	M	K(Dy(EDTA)+L)=2.542	1984AIa (33103)	171
*****									
C4H8O2		HL					CAS 79-31-2	(573)	
2-Methylpropanoic acid; CH3.CH(CH3).COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	2.00M	U	H	K1=1.65 B2=2.97	1965CGa (33223)	172
By calorimetry: DH(K1)=20.9 kJ mol-1, DS=102.4 J K-1 mol-1; DH(K2)=7.5,DS=50									
-----									
Dy+++	gl	NaClO4	25°C	0.50M	U		K1=1.74 B2=2.57	1964SPa (33224)	173
*****									
C4H8O3		HL					CAS 594-61-6	(81)	
2-Hydroxy-2-methylpropanoic acid; (CH3)2C(OH).COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.20M	U		K1=2.94 B2=5.45 K3=1.84 K4=1.2	1964DVa (33459)	174
-----									
Dy+++	EMF	NaClO4	25°C	1.0M	U		K1=2.83 B2=5.33 K3=1.72 K4=1.28	1964EVa (33460)	175

Method: quinhydrone electrode

Dy+++	gl	NaClO4	20°C	0.10M	U		K1=2.272 B2=5.90 B3=7.87	1964PKb (33461)	176
-----									
Dy+++	gl	NaClO4	25°C	0.50M	U		K1=2.95 B2=5.32 B3=7.16	1964SPa (33462)	177
*****									

C4H8O4 HL CAS 21620-60-0 (2326)  
2,3-Dihydroxy-2-methylpropanoic acid; HO.CH2.C(OH)(CH3).COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.10M C K1=3.07 B2=5.47 1975PFb (33676) 178  
K3=1.67

\*\*\*\*\*  
C4H8O5 HL CAS 56309-80-9 (2365)  
2,3-Dihydroxy-2-hydroxymethylpropanoic acid; HO.CH2.C(CH2.OH)(OH).COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ EMF KNO3 25°C 0.10M U K1=3.03 B2=5.48 1976PKb (33693) 179  
K3=2.00

-----  
Dy+++ gl NaClO4 25°C 0.50M U K1=2.66 B2=4.87 1964SPa (33694) 180  
B3=6.37

\*\*\*\*\*  
C4H9NO3 HL Threonine CAS 72-19-5 (48)  
2-Amino-3-hydroxybutanoic acid; H2N.CH(CH(OH).CH3)COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.0 M T H K1=5.41 2003MBa (34296) 181  
K(Dy+HL=DyL+H)=-4.26

Extrapolated from data for I=0.07-0.32 M KNO3. DH(K1)=-68.9 kJ mol<sup>-1</sup>,  
DS(K1)=-127.7 J K<sup>-1</sup> mol<sup>-1</sup>; DH(Dy+HL)=20.5, DS(Dy+HL)=-12.7.

\*\*\*\*\*  
C4H11N L Butylamine CAS 109-73-9 (159)  
1-Aminobutane; CH3.CH2.CH2.CH2.NH2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ cal non-aq 25°C 100% U H K1=4.11 B2=7.30 1997CDa (34763) 182  
B3=9.49  
B4=10.94

Medium: MeCN. DH(K1)=-34.4 kJ mol<sup>-1</sup>, DS=37; DH(B2)=-68.1, DS=89;  
DH(B3)=-101, DS=159; DH(B4)=-126, DS=213

\*\*\*\*\*  
C4H11O4P HL (4276)  
Diethylphosphoric acid; (C2H5O)2.PO.OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ kin oth/un 25°C U K1=1.96 1971MGb (35255) 183

\*\*\*\*\*  
C4H13N3 L Dien CAS 111-40-0 (584)  
1,4,7-Triazaheptane, 2,2'-Iminobis(ethylamine), diethylenetriamine;  
NH2.(CH2)2.NH.(CH2)2.NH2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ EMF NaClO4 25°C 100% C H K1=6.03 B2=10.08 2000CDa (35772) 184  
Medium: DMF, 0.10 M Et4N[CF3SO3]. Method: Ag/Ag+ electrode.  
By calorimetry: DH(K1)=-47.0, DH(B2)=-102.2 kJ mol-1.  
-----

Dy+++ ISE non-aq 25°C 100% C H K1=3.57 B2=6.40 1993CCb (35773) 185  
Medium: DMSO, 0.1 M Et4NClO4. Method: Ag+ ISE. By calorimetry, DH(K1)=-31.5  
kJ mol-1, DS=-37; DH(B2)=-73.0, DS-122.  
-----

C4H14N2O6P2 H2L EDDPO CAS 1733-49-9 (2435)  
1,2-Diaminoethane-N,N'-bis(methylenephosphonic) acid; (H2O3P.CH2.NH.CH2)2  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KCl 25°C 0.10M U K(Dy+HL)=8.79 1965DKb (35875) 186  
-----

C5H2O5 H2L Croconic acid CAS 488-86-8 (1643)  
4,5-Dihydroxycyclopent-4-ene-1,2,3-trione;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ cal NaClO4 25°C 0.10M U H K1=2.88 B2=4.64 1978COa (35939) 187  
DH(K1)=10.7 kJ mol-1, DS=91.1; DH(K2)=3.55, DS=45.6  
-----

C5H4NO2Cl H2L CAS 53223-89-9 (5916)  
5-Chloropyridine-2,3-diol;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 35°C 50% U K1=9.12 1984SSd (36032) 188  
-----

C5H4O3 HL CAS 488-93-7 (1166)  
Furan-3-carboxylic acid; C4H3O.COOH  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ cal NaClO4 25°C 2.00M U H K1=1.51 1976YCa (36301) 189  
DH=7.32 kJ mol-1 and DS=55.23 J mol-1 K-1.  
-----

C5H5O3F3 HL (7056)  
2-Oxa-6-trifluorohexa-3,5-dione; CH3.O.CO.CH2.CO.CF3  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 25°C 50% M I K1=6.03 B2=11.17 1994SSa (37062) 190  
K3=3.87  
Medium: 50% dioxan, I=0 corr. At 35 C: K1=5.95, K2=5.03, K3=3.70  
-----



-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KCl 25°C 0.20M U K1=4.83 1989ZPa (38239) 200  
In 70.4% v/v EtOH/H2O: K1 = 6.35  
\*\*\*\*\*  
C5H8O4 H2L CAS 498-21-5 (2234)  
Methylsuccinic acid; HOOC.CH2.CH(CH3).COOH  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M U K1=3.17 B2=5.13 1970RFa (38258) 201  
\*\*\*\*\*  
C5H8O4 H2L Glutaric acid CAS 110-94-1 (420)  
Pentanedioic acid; HOOC.CH2.CH2.CH2.COOH  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M M H K1=3.13 1986CDb (38315) 202  
DH=18.1 kJ mol<sup>-1</sup>, DS=121 J K<sup>-1</sup> mol<sup>-1</sup>  
\*\*\*\*\*  
C5H8O7 H2L CAS 40120-71-6 (3022)  
2,3,4-Trihydroxypentanedioic acid, Trihydroxyglutaric acid; HOOC.(CH(OH))3.COOH  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KCl 24°C 0.20M U K1=3.70 1966DDa (38418) 203  
\*\*\*\*\*  
C5H9NO2 HL Proline CAS 147-85-3 (44)  
Pyrrolidine-2-carboxylic acid; C4H8N.COOH  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M U T H K1=5.77 1984SGb (38607) 204  
35 C; K1=5.64; 45 C: 5.50. DH=-32.4 kJ mol<sup>-1</sup>, DS=2.3 J K<sup>-1</sup> mol<sup>-1</sup>  
-----

-----  
Dy+++ gl NaClO4 25°C 0.10M U B2=5.67 1981ZLa (38608) 205  
\*\*\*\*\*  
C5H9NO3 HL Hydroxyproline CAS 51-35-4 (416)  
4-Hydroxy-2-pyrrolidinecarboxylic acid; C4H7N(OH)(COOH)  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaCl 37°C 0.15M U K1=3.25 1997GMa (38724) 206  
-----  
Dy+++ gl NaClO4 25°C 0.10M U B2=5.31 1981ZLa (38725) 207  
\*\*\*\*\*  
C5H9NO4 H2L MIDA CAS 4408-64-4 (190)  
N-Methyliminodiethanoic acid; CH3.N(CH2.COOH)2  
-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KCl	25°C	0.10M	U			K1=7.00 B2=12.71 B3=15.48 B(Dy+20H+L)=18.58	1980MGc (39247)	208

\*\*\*\*\*  
 C5H10O3 HL CAS 3739-30-8 (3612)  
 2-Hydroxy-2-methylbutanoic acid, Methylene glycolic acid; CH3.CH2.C(OH)(CH3)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.10M	U			K1=3.16 B2=5.70 K3=1.72	1969PCa (40250)	209

Dy+++	EMF	NaClO4	25°C	1.0M	U			K1=3.03 B2=5.51 K3=1.66 K4=1.37	1964EVa (40251)	210
-------	-----	--------	------	------	---	--	--	--	-----------------	-----

Method: quinhydrone electrode.  
 \*\*\*\*\*  
 C5H10O3 HL CAS 617-31-2 (474)  
 2-Hydroxypentanoic acid; CH3.CH2.CH2.CH(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	1.0M	U			K1=2.63	1968GCa (40276)	211

\*\*\*\*\*  
 C5H10O4 HL CAS 4767-03-7 (4297)  
 2,2-Bis(hydroxymethyl)propanoic acid; CH3.C(CH2OH)2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	U			K1=2.27 B2=3.91	1970RDa (40294)	212

\*\*\*\*\*  
 C5H10O4 HL CAS 19860-56-1 (2327)  
 2,3-Dihydroxy-2-methylbutanoic acid; CH3.CH(OH).C(OH)(CH3).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.10M	C			K1=3.00 B2=5.36 K3=1.18 (?)	1975PFb (40309)	213

\*\*\*\*\*  
 C5H11NO2 HL Valine CAS 72-18-4 (43)  
 2-Amino-3-methylbutanoic acid; H2N.CH(CH(CH3)2)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.20M	U	M		K1=6.55 K(Dy(phen)+L)=6.35	1990LSb (40697)	214

Dy+++	gl	KCl	25°C	0.10M	U	T		K1=4.03	1974BFa (40698)	215
-------	----	-----	------	-------	---	---	--	---------	-----------------	-----



\*\*\*\*\*  
 C6H5NO2 HL Picolinic acid CAS 98-98-6 (391)  
 2-Pyridine-carboxylic acid; C5H4N.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	20°C	0.10M	U			K1=5.11	1987EGb (42515)	216
Soln. contains 0.5 M t-butanol										
Dy+++	gl	KNO3	25°C	0.20M	U	M		K1=4.91	1987LSc (42516)	217
K(Dy(nta)+L)=4.41, K(Dy(edta)+L)=4.35.										
Dy+++	gl	NaClO4	25°C	0.50M	U			K1=3.83 B2=7.14 B3=9.67	1977GGb (42517)	218
Dy+++	gl	KNO3	25°C	0.10M	U			K1=4.16 K3=2.74 K4=2.11	1968PIa (42518)	219
Dy+++	gl	NaClO4	25°C	2.0M	U			K1=3.83 B2=6.92	1965YCa (42519)	220
Dy+++	gl	KNO3	25°C	0.10M	U			K1=4.22 B2=7.76 B3=10.8	1964THb (42520)	221

\*\*\*\*\*  
 C6H5NO2 HL Nicotinic acid CAS 59-67-6 (419)  
 3-Pyridine-carboxylic acid; C5H4N.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.20M	U			K1=2.19	1973FDa (42668)	222
*****										
C6H5NO3 HHL CAS 824-40-8 (878) Pyridine-2-carboxylic acid N-oxide (Picolinic acid N-oxide); C5H4N(O)COO										
Dy+++	gl	NaClO4	25°C	2.0M	U			K1=3.00 B2=5.55	1965YCa (42831)	223
*****										
C6H5NO4 H2L 4-Nitrocatechol CAS 3316-09-4 (890) 1,2-Dihydroxy-4-nitrobenzene; O2N.C6H3(OH)2										
Dy+++	gl	KNO3	25°C	0.10M	U			K1=9.53 B2=16.73	1981BDa (42922)	224
*****										
C6H5NO4 H2L CAS 3163-07-3 (2711) 2,4-Dihydroxy-1-nitrobenzene; O2N.C6H3(OH)2										

\*\*\*\*\*  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Dy+++ sp KCl 25°C 0.10M M I K1=6.24 1989PEa (42950) 225  
\*\*\*\*\*

C6H5O4Br L CAS 40838-32-2 (1084)  
6-Bromo-5-hydroxy-2-(hydroxymethyl)-4H-pyran-4-one;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp KCl 25°C 0.10M U K1=5.47 1987PLa (43106) 226  
\*\*\*\*\*

C6H5O4Cl HL Chlorokojic aci (3086)  
3-Chloro-5-hydroxy-2-hydroxymethyl-4-pyrone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl oth/un 30°C 0.10M U K1=6.13 B2=11.51 1972DSd (43129) 227  
\*\*\*\*\*

C6H5O4I L (1085)  
6-Iodo-5-hydroxy-2-hydroxymethyl-4H-pyran-4-one;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp KCl 25°C 0.10M U K1=5.59 1987PLa (43148) 228  
\*\*\*\*\*

C6H6O2 H2L Catechol CAS 120-80-9 (534)  
1,2-Dihydroxybenzene, pyrocatechol; HO.C6H4.OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.20M U K1=9.88 1998Pjb (43743) 229

Dy+++ gl KNO3 25°C 0.10M U TIH K1=9.12 B2=15.94 1986NSa (43744) 230  
B(DyAL)=10.26

H2A=phthalic acid. DH(DyAL)=-46.4 kJ mol<sup>-1</sup>, DS=76.9 J K<sup>-1</sup> mol<sup>-1</sup>

-----  
Dy+++ gl KNO3 25°C 0.05M M I K1=10.39 B2=20.00 1981BDc (43745) 231  
Also data for I=0.2 and 0.35 M. At I=0, K1=10.95, K2=10.00.

-----  
Dy+++ gl NaClO4 25°C 0.10M U T K1=11.03 B2=20.83 1979NDa (43746) 232  
At 45 C, K1=10.31, K2=9.51. Medium ionic strength not stated.

-----  
Dy+++ EMF NaCl 25°C 0.10M U K1=11.34 1969PKe (43747) 233  
\*\*\*\*\*

C6H6O3 H3L Pyrogallol CAS 87-66-1 (696)  
1,2,3-Trihydroxybenzene; C6H3(OH)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.20M U K1=10.68 1998Pjb (43956) 234  
\*\*\*\*\*

C6H6O3 HL Maltol CAS 118-71-8 (2442)

3-Hydroxy-2-methyl-4H-pyran-4-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	30°C	0.10M	U	M		K1=6.42 B2=11.87 B(DyLA)=13.91 K(DyA+L)=7.03 K(DyB+L)=5.91 K(DyC+L)=5.30	1989NOB (44079)	235

H2A=iminodiacetic acid, H2B=hydroxyethyliminodiethanoic acid, H3C=nitrilo-triethanoic acid

Dy+++	gl	NaClO4	30°C	0.10M	U			K1=6.88 B2=12.49 K3=4.12	1970DSc (44080)	236
-------	----	--------	------	-------	---	--	--	-----------------------------	-----------------	-----

\*\*\*\*\*

C6H6O4 HL Kojic acid CAS 501-30-4 (1800)

5-Hydroxy-2-(hydroxymethyl)-4H-pyran-4-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	30°C	0.10M	U	M		K1=5.38 B2=10.51 B(DyLA)=12.96 K(DyA+L)=6.23 K(DyB+L)=5.75 K(DyC+L)=5.01	1989NOB (44201)	237

H2A=iminodiacetic acid, H2B=hydroxyethyliminodiethanoic acid, H3C=nitrilo-triethanoic acid

Dy+++	sp	KCl	25°C	0.10M	C	I		K1=6.215	1987PEa (44202)	238
-------	----	-----	------	-------	---	---	--	----------	-----------------	-----

In 0.087 M KCl, K1=6.224.

Dy+++	gl	oth/un	30°C	0.10M	U			K1=6.39 B2=11.86 K3=4.35	1972DSd (44203)	239
-------	----	--------	------	-------	---	--	--	-----------------------------	-----------------	-----

Dy+++	gl	NaClO4	25°C	2.0M	U			K1=5.74 B2=11.13	1964YCa (44204)	240
-------	----	--------	------	------	---	--	--	------------------	-----------------	-----

\*\*\*\*\*

C6H6O6 H3L cis-Aconitic CAS 585-84-2 (3064)

cis-1,2,3-Propenetricarboxylic acid, cis-Aconitic acid; HOOC.CH:C(COOH)CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaCl	20°C	0.10M	U			K1=4.48 K(Dy+HL)=3.46	1986SKb (44295)	241

\*\*\*\*\*

C6H6O8S2 H4L Tiron CAS 149-45-1 (104)

4,5-Dihydroxybenzene-1,3-disulfonic acid; (HO)2.C6H2(SO3H)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.10M	U	TIH		K1=14.76 B2=28.55	1980BDd (44417)	242

Data for I=0.05-0.2 M and for I=0.10 M (35 C). Also DH and DS values.

-----  
Dy+++ gl NaClO4 25°C 0.50M C K1=12.79 B2=21.96 1976LAb (44418) 243  
B(DyHL2)=29.69  
-----

Dy+++ gl NaClO4 25°C 0.10M U K1=14.36 1970SSi (44419) 244  
K(Dy+HL)=5.59  
-----

\*\*\*\*\*  
C6H7N L Aniline CAS 62-53-3 (583)  
Aminobenzene, aniline; C6H5.NH2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp non-aq 25°C 100% U HM 1982KNa (44868) 245  
K(DyA3+L)=2.06  
-----

Medium: CCl4. HA=dipivaloylmethane

\*\*\*\*\*  
C6H7NO HL 2-Aminophenol CAS 95-55-6 (2868)  
2-Amino-1-hydroxybenzene; HO.C6H4.NH2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M U TIH K1=6.30 B2=11.24 1986NSa (44924) 246  
B(DyAL)=13.72  
H2A=phthalic acid. DH(DyAL)=-71.8 kJ mol<sup>-1</sup>, DS=21.8 J K<sup>-1</sup> mol<sup>-1</sup>  
-----

Dy+++ gl mixed 25°C 50% U I K1=3.98 B2=7.14 1969BCa (44925) 247  
Medium: 50% DMSO, 0.12 M NaClO4. In 0.12 M NaClO4, 50% dioxan: K1=5.25,  
K2=4.32; Medium=0.12 NaClO4, 50% EtOH: K1=4.75, K2=3.66  
-----

\*\*\*\*\*  
C6H7N3O L Isonicotinic hy CAS 54-85-3 (1267)  
Pyridine-4-carboxylic acid hydrazide; C5H4N.CO.NH.NH2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 15°C 0.10M U K1=9.00 1980ZMa (45125) 248  
-----

\*\*\*\*\*  
C6H7O3F3 HL (7057)  
3-Oxa-7-trifluorohepta-4,6-dione; CH3CH2.O.CO.CH2.CO.CF3  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 25°C 50% M I K1=6.20 B2=11.57 1994SSa (45183) 249  
K3=4.20  
-----

Medium: 50% dioxan, I=0 corr. At 35 C: K1=6.02, K2=5.30, K3=3.83

\*\*\*\*\*  
C6H8O4 H2L CAS 2583-25-7 (958)  
2-Allylpropanedioic acid; HOOC.CH(CH2.CH:CH2).COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

-----  
Dy+++ gl KCl 25°C 0.20M U K1=4.05 1989ZPa (45465) 250  
In 70.4% v/v EtOH/H2O: K1 = 6.01

\*\*\*\*\*  
C6H8O6 H2L Ascorbic acid CAS 50-81-7 (285)  
Ascorbic acid (Vitamin C);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl NaClO4 25°C 2.00M U IH 1988HSa (45631) 251  
K(Dy+HL)=1.45

DH=4.6 kJ mol<sup>-1</sup>, DS=43.2 J K<sup>-1</sup> mol<sup>-1</sup>  
In 0.1 M NaClO4, K=1.3, DH=5.5 kJ mol<sup>-1</sup>, DS=43 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*  
C6H8O6S H3L CAS 99-68-3 (3692)  
(Carboxymethylthio)butanedioic acid; HOOC.CH(S.CH2.COOH).CH2.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl NaClO4 25°C 0.10M U TIH K1=4.69 B2=8.35 1986AJc (45690) 252  
DH(K1)=-5.6 kJ mol<sup>-1</sup>, DS=67.2 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=-6.1, DS=49.6

-----  
Dy+++ gl NaClO4 30°C 0.10M U IH K1=4.53 B2=7.90 1983ASa (45691) 253  
DH(K1)=-4.8 kJ mol<sup>-1</sup>, DH(K2)=-4.4

\*\*\*\*\*  
C6H8O7 H3L Citric acid CAS 77-92-9 (95)  
2-Hydroxypropane-1,2,3-tricarboxylic acid; HOOCCH2.CH(OH)(COOH).CH2COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl KNO3 25°C 1.0M M 1986SZb (46069) 254  
K(Dy+H3L=DyHL+2H)=-2.74  
K(Dy+H3L=DyL+3H)=-6.13  
K(Dy+H3L=DyH-1L+4H)=-11.77  
K(Dy+2H3L=DyH2L2+4H)=-7.21

K(Dy+2H3L=DyL2+6H)=-14.15, K(Dy+2H3L=DyH-2L2+8H)=-29.2,  
K(Dy+2H3L=DyH-3L2+9H)=-28.4, K(Dy+2H3L=DyH-4L2+10H)=-37.1.

-----  
Dy+++ gl KNO3 25°C 0.10M U M 1975TDa (46070) 255  
B(Dy(IDA)L)=11.4

-----  
Dy+++ dis oth/un 25°C 0.15M U 1973HHc (46071) 256  
K(Dy+HL+L)=11.13

-----  
Dy+++ sol NaClO4 25°C 0.10M U K1=7.58 1966SSg (46072) 257  
Kso=-11.49

\*\*\*\*\*  
C6H8O7 H3L (6770)  
Carboxymethoxysuccinic acid; HOOC.CH2.O.CH(COOH)CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	EMF	NaClO4	25°C	1.00M	U			K1=5.83 B2=9.94	1991WPb (46327)	258

\*\*\*\*\*  
 C6H9NO6 H3L NTA CAS 139-13-9 (191)  
 Nitriolotriethanoic acid; N(CH2.COOH)3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	ISE	NaClO4	25°C	0.10M	C	I		K1=11.54	1997LBb (46763)	259

Method: Cu ISE and competitive complexation by Cu. Data for 0.1-5.0 M.  
 At I=0.0 M, K1=13.45.

Dy+++	gl	alc/w	30°C	50%	C			K1=10.88	1994SOa (46764)	260
-------	----	-------	------	-----	---	--	--	----------	-----------------	-----

Medium: 50% v/v MeOH/H2O, 0.10 M NaClO4.

Dy+++	ISE	KNO3	25°C	0.10M	C			K1=11.68	1980NSf (46765)	261
-------	-----	------	------	-------	---	--	--	----------	-----------------	-----

Competitive method using Cd ion-selective electrode.

Dy+++	gl	KNO3	20°C	1.0M	C			K2=8.36	1978GHb (46766)	262
-------	----	------	------	------	---	--	--	---------	-----------------	-----

Dy+++	gl	diox/w	30°C	50%	U	M		K(DyL+A)=5.53	1978SGf (46767)	263
-------	----	--------	------	-----	---	---	--	---------------	-----------------	-----

HA=tropolone

Dy+++	gl	NaClO4	25°C	0.50M	U		T	K1=11.58	1977GGb (46768)	264
-------	----	--------	------	-------	---	--	---	----------	-----------------	-----

Dy+++	EMF	KCl	25°C	1.0M	U	M		K(DyA+L)=6.16 K(DyA+H2L)=1.49 K(DyA+H3L)=1.75 K(DyA+H4L)=3.45	1977GMa (46769)	265
-------	-----	-----	------	------	---	---	--	--	-----------------	-----

Method: Pt/H2 electrode. H3A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.

Dy+++	cal	KNO3	20°C	0.10M	U	HM		K(DyA+L)=4.28	1971GKb (46770)	266
-------	-----	------	------	-------	---	----	--	---------------	-----------------	-----

H4A=EDTA. DH(DyA+L)=-35.35 kJ mol<sup>-1</sup>, DS=-38.5 J K<sup>-1</sup> mol<sup>-1</sup>.  
 DH(DyAL)=-40.4 kJ mol<sup>-1</sup>, DS=295 J K<sup>-1</sup> mol<sup>-1</sup>

Dy+++	gl	KCl	20°C	0.10M	U			K1=11.61 B2=21.01	1965ANb (46771)	267
-------	----	-----	------	-------	---	--	--	-------------------	-----------------	-----

Dy+++	gl	KNO3	25°C	0.10M	U	T	H	T	K1=11.74 B2=21.15	1962MFb (46772)	268
-------	----	------	------	-------	---	---	---	---	-------------------	-----------------	-----

15 C: K1=11.73, K2=9.57; 20 C: 11.71, 9.48; 30 C: 11.79, 9.37; 35 C: 11.81, 9.27  
 40 C: 11.84, 9.21. DH(K1)=9.4 kJ mol<sup>-1</sup>, DS=256 J K<sup>-1</sup> m<sup>-1</sup>; DH(K2)=-23.4, DS=101

Dy+++	vlt	KNO3	20°C	0.10M	U			B(Dy2L3)=37.43	1957NOa (46773)	269
-------	-----	------	------	-------	---	--	--	----------------	-----------------	-----

Dy+++	vlt	KNO3	20°C	0.10M	U		T	K1=11.62	1956SGa (46774)	270
-------	-----	------	------	-------	---	--	---	----------	-----------------	-----

\*\*\*\*\*

C6H9N3O2 HL Histidine CAS 71-00-1 (1)  
2-Amino-3-(4'-imidazolyl)propanoic acid; H2N.CH(CH2.C3H3N2)COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 35°C 0.10M U 1987RRc (47541) 271  
K(Dy+HL)=3.99

Dy+++ gl KNO3 35°C 0.10M U M 1986RMb (47542) 272  
K(Dy+HL)=3.99

K(Dy+HL+cytidine)=8.76

-----  
Dy+++ gl NaClO4 37°C 3.00M U T K1=5.09 B2=9.85 1971JWa (47543) 273  
B(DyHL)=11.56

-----  
Dy+++ gl NaClO4 25°C 3.00M U T K1=4.40 B2=9.14 1970JWa (47544) 274  
B(DyHL)=11.16

\*\*\*\*\*

C6H10O2S HL (4370)  
Ethyl thioacetoacetate; CH3.CS.CH2.CO.OCH2.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl mixed 30°C 75% U K1=7.40 B2=13.45 1970DRa (47960) 275  
K3=5.77

Medium: 75% acetone, 0.1 M

\*\*\*\*\*

C6H10O3 HL CAS 16841-19-3 (3649)  
1-Hydroxycyclopentanecarboxylic acid; HO.C5H8.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U K1=2.981 B2=5.45 1966PRb (47986) 276  
K3=1.77  
K4=1.67

\*\*\*\*\*

C6H10O3 HL CAS 141-97-9 (3068)  
Ethyl acetoacetate; CH3.CO.CH2.CO2.C2H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl mixed 30°C 75% U K1=6.78 B2=12.58 1969DRa (48010) 277  
Medium: 75% acetone, 0.1 M NaClO4

\*\*\*\*\*

C6H10O4 H2L Adipic acid CAS 124-04-9 (401)  
1,6-Hexanedioic acid; HOOC.(CH2)4.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M M H K1=3.04 1986CDb (48068) 278  
DH=19.2 kJ mol<sup>-1</sup>, DS=123 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*  
C6H1004S2 H2L CAS 7244-02-2 (438)  
1,2-Bis(carboxymethylthio)ethane; HOOC.CH2.S.CH2.CH2.S.CH2.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 1.00M C H K1=2.09 B2=3.48 1974GGa (48239) 279  
B(DyHL)=5.28

\*\*\*\*\*  
C6H1006 H2L CAS 23243-68-7 (242)  
1,2-Bis(carboxymethoxy)ethane; HOOC.CH2.O.CH2.CH2.O.CH2.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ oth NaClO4 25°C 0.10M U K1=4.54 1984AFa (48334) 280  
Laser excitation spectroscopy, competition method.

Dy+++ gl NaClO4 25°C 1.00M C H K1=4.67 B2=7.93 1974GGa (48335) 281  
B3=8.78  
B(DyHL2)=9.95

\*\*\*\*\*  
C6H1008 H2L Saccharic acid CAS 87-73-0 (1191)  
D-2,3,4,5-Tetrahydroxy-1,6-hexanedioic acid, Glucaric acid; HOOC.(CHOH)4.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U M K1=4.57 1997PPb (48470) 282  
K(Dy(edta)+L)=4.13

\*\*\*\*\*  
C6H11N05 H2L HIMDA CAS 93-62-9 (192)  
N-(2-Hydroxyethyl)iminodiethanoic acid; HO.CH2.CH2.N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 30°C 50% C K1=9.08 1994SOa (48710) 283  
Medium: 50% v/v MeOH/H2O, 0.10 M NaClO4.

Dy+++ gl KNO3 20°C 1.00M U K1=8.22 B2=16.18 1974CMD (48711) 284  
K(DyL2(OH)+H)=10.18

Dy+++ oth NaNO3 20°C 0.10M U M K1=9.1 B2=17.20 1966JMc (48712) 285  
Method: paper electrophoresis. Mixed complexes with HEDTA

Dy+++ gl KCl 25°C 0.10M U K1=8.88 B2=16.40 1965DTa (48713) 286

Dy+++ ISE KNO3 25°C 0.10M U K1=9.08 B2=17.38 1963TLA (48714) 287

\*\*\*\*\*  
C6H12N2O4 H2L EDDA CAS 5657-17-0 (119)



1,2-Diaminoethane-N,N'-diethanoic acid; HOOC.CH2.NH.CH2.CH2.NH.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	R4N.X	25°C	0.10M	C			K1=8.31	1988CCb (49230)	288
Dy+++	gl	KNO3	25°C	0.10M	U			K1=8.31 B2=15.09	1962THb (49231)	289
C6H12O2		HL						CAS 142-62-1	(964)	
Hexanoic acid; CH3.(CH2)4.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaCl	20°C	0.10M	U			K1=2.94	1986GKb (49423)	290
C6H12O3		HL						(3662)		
2-Hydroxy-2-methylpentanoic acid; (Methylpropylglycolic acid)										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	EMF	NaCl04	25°C	1.0M	U			K1=3.00 B2=5.47 K3=1.86 K4=1.12	1964EVa (49480)	291

Method: quinhydrone electrode.

\*\*\*\*\*  
C6H12O7 HL Gluconic acid CAS 526-95-4 (904)  
D-Gluconic acid, 2,3,4,5,6-Pentahydroxyhexanoic acid; HO.CH2(CHOH)4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	EMF	alc/w	25°C	80%	U	I		K1=5.49	1966KRb (49705)	292
Medium: 80% MeOH. K1=4.67(50%)										
Dy+++	gl	KCl	25°C	0.20M	U			K1=2.30 B2=4.57	1963K0c (49706)	293
C6H13NO2		HL						CAS 61-90-5	(47)	
2-Amino-4-methylpentanoic acid; H2N.CH(CH2.CH(CH3)2).COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.20M	U	M		K1=6.17 K(Dy(phen)+L)=6.05	1990LSb (50070)	294
C6H13NO2		HL						CAS 616-06-8	(602)	
2-Amino-4-methylpentanoic acid (2-Aminocaproic acid) CH3.(CH2)3.CH(NH2).COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaCl04	22°C	0.10M	M	M		K1=4.93 B2=9.56 B3=13.45	1991DTa (50173)	295



-----  
Dy+++ gl oth/un 25°C 0.10M U K1=15.17 1976MDa (51950) 304  
K(Dy+HL)=11.98  
K(Dy+H2L)=8.12

\*\*\*\*\*

C6H18N4 L Tren CAS 4097-89-6 (817)  
2,2',2''-Triaminotriethylamine; (H2N.CH2.CH2)3N

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ ISE non-aq 25°C 100% C H K1=5.02 B2=6.20 1993CCb (52193) 305  
Medium: DMSO, 0.1 M Et4NClO4. Method: Ag+ ISE. By calorimetry, DH(K1)=-46.8  
kJ mol<sup>-1</sup>, DS=-61; DH(B2)=-70.3, DS=-117.

\*\*\*\*\*

C6H20N2O12P4 H8L EDTPA CAS 1429-50-1 (434)  
Ethane-1,2-bis(iminobis(methylenephosphonic acid)); ((H2O3PCH2)2NCH2.)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M C 1991SKb (52328) 306  
K(DyL+H)=7.36  
K(DyHL+H)=6.07

\*\*\*\*\*

C7H4N2O7 H2L CAS 609-99-4 (400)  
3,5-Dinitrosalicylic acid; (O2N)2.C6H2(OH).COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl oth/un 24°C 0.20M U K1=5.48 1972PSd (52474) 307  
Medium: LiCl

\*\*\*\*\*

C7H5N04 H2L Dipicolinic aci CAS 449-83-2 (418)  
2,6-Pyridinedicarboxylic acid; C5H3N.(COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ cal NaClO4 25°C 0.50M C H 1963GRd (52762) 308  
DH(K1)=-9.075 kJ mol<sup>-1</sup>, DS(K1)=136 J K<sup>-1</sup> mol<sup>-1</sup>; DH(B2)=-29.95,  
DS(B2)=208; DH(B3)=-57.82, DS(B3)=227.

-----  
Dy+++ EMF oth/un 20°C 0.50M U K1=8.69 B2=16.18 1961GRa (52763) 309  
K3=5.95

\*\*\*\*\*

C7H5N04 HL CAS 121-92-6 (490)  
3-Nitrobenzoic acid; O2N.C6H4.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M C H K1=1.62 1986CLc (52863) 310  
DH=8.1 kJ mol<sup>-1</sup>, DS=58 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*  
 C7H5N04 HL CAS 62-23-7 (489)  
 4-Nitrobenzoic acid; O2N.C6H4.COOH

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl NaCl04 25°C 0.10M M H K1=1.63 1999YKa (52904) 311  
 By calorimetry: DH(K1)=8.69 kJ mol<sup>-1</sup>, DS(K1)=60.4 J K<sup>-1</sup> mol<sup>-1</sup>.  
 \*\*\*\*\*

C7H5O2F HL CAS 445-29-4 (5711)  
 3-Fluorobenzoic acid; F.C6H4.COOH

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl NaCl04 25°C 0.10M C H K1=1.73 1986CLc (53232) 312  
 DH=8.5 kJ mol<sup>-1</sup>, DS=62 J K<sup>-1</sup> mol<sup>-1</sup>  
 \*\*\*\*\*

C7H5O2F HL CAS 456-22-4 (5710)  
 4-Fluorobenzoic acid; F.C6H4.COOH

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl NaCl04 25°C 0.10M C H K1=1.89 1986CLc (53252) 313  
 DH(K1)=10.1 kJ mol<sup>-1</sup>, DS=70 J K<sup>-1</sup> mol<sup>-1</sup>  
 \*\*\*\*\*

C7H5O6BrS H2L (1626)  
 3-Bromo-5-sulfosalicylic acid; Br.C6H2(OH)(COOH).SO3H

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl NaCl04 25°C 0.10M C H T 1993ALa (53365) 314  
 B(1,1,1)=12.28  
 B(1,0,1)=7.58  
 B(1,0,2)=12.85  
 B(1,-2,1)=-8.42

B(p,q,r); pDy+qH+rL=(Dy)pHqLr  
 \*\*\*\*\*

C7H6OS HL Thiotropolone CAS 1073-38-7 (8477)  
 2-Mercapto-2,4,6-cycloheptatrien-1-one;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl diox/w 30°C 50% M I K1=4.82 B2= 9.48 1978SSi (53543) 315  
 K3=3.19  
 Medium: 50% v/v dioxane/H2O, 0.10 M NaCl04. Data for 0.005 and 0.2 M NaCl04.  
 \*\*\*\*\*

C7H6O2 HL Tropolone CAS 533-75-5 (3129)  
 2-Hydroxycyclohepta-2,4,6-trien-1-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.10M	U			K1=7.23 K3=5.02 K4=3.72	1969CMb (53669)	316

\*\*\*\*\*

C7H6O2 HL Benzoic Acid CAS 65-85-0 (462)  
Benzenecarboxylic acid; C6H5.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	cal	NaClO4	25°C	0.10M	U	H		K1=1.96 B2=3.64	1982CBc (53828)	317

DH1= 10.3 kJ mol<sup>-1</sup>, DS1= 72 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C7H6O3 H2L Salicylic acid CAS 69-72-7 (14)  
2-Hydroxybenzoic acid, Salicylic acid; HO.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.1M	C	H			1996HYa (54184)	318

By calorimetry: DH(K1)=3.32 kJ mol<sup>-1</sup>, DH(B2)=8.77 J K<sup>-1</sup> mol<sup>-1</sup>

Dy+++	gl	NaClO4	25°C	0.10M	C		T		1989HMa (54185)	319
-------	----	--------	------	-------	---	--	---	--	-----------------	-----

K(Dy+HL)=1.71  
K(DyHL+HL)=2.05

Dy+++	gl	KNO3	25°C	0.10M	U	TIH	T	K1=10.26 B(DyAL)=15.80	1986NSa (54186)	320
-------	----	------	------	-------	---	-----	---	---------------------------	-----------------	-----

H2A=phthalic acid. DH(DyAL)=-47.9 kJ mol<sup>-1</sup>, DS=141.9 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C7H6O3 H2L CAS 99-06-9 (1370)  
3-Hydroxybenzoic acid; HO.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	C	H			1988LLa (54376)	321

K(Dy+HL)=2.00

DH=10.97 kJ mol<sup>-1</sup>, DS=75.0 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C7H6O3 H2L CAS 99-96-7 (1371)  
4-Hydroxybenzoic acid; HO.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	M	H		K1=1.64	1999YKa (54409)	322

By calorimetry: DH(K1)=12.44 kJ mol<sup>-1</sup>, DS(K1)=73.1 J K<sup>-1</sup> mol<sup>-1</sup>.

Dy+++	gl	NaClO4	25°C	0.10M	C	H			1988LLa (54410)	323
-------	----	--------	------	-------	---	---	--	--	-----------------	-----

K(Dy+HL)=2.13  
DH=12.25 kJ mol<sup>-1</sup>, DS=81.8 J K<sup>-1</sup> mol<sup>-1</sup>



Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ gl NaClO4 25°C 0.10M M H K1=1.98 1999YKa (55374) 334  
By calorimetry: DH(K1)=11.57 kJ mol<sup>-1</sup>, DS(K1)=76.8 J K<sup>-1</sup> mol<sup>-1</sup>.

Dy+++ gl KCl 25°C 0.20M U K1=2.37 1977EBa (55375) 334  
\*\*\*\*\*  
C7H7NO3 H2L CAS 89-73-6 (204)  
2-Hydroxybenzohydroxamic acid (salicylhydroxamic acid); HO.C6H4.CO.NHOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ gl mixed 25°C 75% U 1970SEa (55590) 335  
K(Dy+HL)=7.72  
K(DyHL+HL)=7.00  
K(Dy(HL)2+HL)=5.06

Medium: 75% acetone, 0.1 M NaClO4

\*\*\*\*\*  
C7H7NO6S H3L CAS 6201-86-1 (7899)  
3-Amino-5-sulfosalicylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ gl KCl 25°C 0.20M M T H K1=8.43 1991BPb (55685) 336  
K(Dy+OH+L)=15.81  
DH(K1)=-99 kJ mol<sup>-1</sup>, DS(K1)=-168 J K<sup>-1</sup> mol<sup>-1</sup>. DH(Dy(OH)L)=-261,  
DS(Dy(OH)L)=-570. Also data for 35, 45 and 55 C.

\*\*\*\*\*  
C7H8O2 H2L Methylcatechol CAS 452-86-8 (525)  
1,2-Dihydroxy-4-methylbenzene; CH3.C6H3(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ gl mixed 25°C 50% U I K1=4.40 B2=8.48 1969BCb (56064) 337  
Medium: 50% DMSO, 0.1 M 2NaClO4. In 50% dioxan, 0.12 M NaClO4: K1=5.67,  
K2=4.48; 50% EtOH, 0.12 M NaClO4: K1=5.09, K2=3.86

\*\*\*\*\*  
C7H8O4 HL Methyl kojic CAS 1506-07-8 (2686)  
3-Hydroxy-6-(hydroxymethyl)-2-methyl-4H-pyran-4-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ sp KCl 25°C 0.10M M I K1=6.62 1986PLb (56124) 338  
\*\*\*\*\*  
C7H8O5 HL CAS 2029-29-4 (2687)  
3-Hydroxy-2,6-bis(hydroxymethyl)-4H-pyran-4-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Dy+++ sp KCl 25°C 0.10M M I K1=6.26 1986PLb (56143) 339

\*\*\*\*\*

C7H10O4 H2L CAS 5802-62-3 (71)  
Cyclopentane-1,1-dicarboxylic acid; C5H8.(COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.10M U K1=4.29 B2=6.81 1971PJb (56729) 340  
\*\*\*\*\*

C7H11NO4 H2L CAS 499-82-1 (3163)  
Piperidine-2,6-dicarboxylic acid; C5H9N(COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.10M U K1=6.26 B2=11.82 1963THb (56803) 341  
\*\*\*\*\*

C7H11NO6 H3L (2926)  
2-Aminobutanoic-N-propane-1,3-dioic acid; HOOC.CH(C2H5)NH.CH(COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.1M U K1=9.00 1982KKc (56841) 342  
\*\*\*\*\*

C7H11NO6 H3L MNTA (1026)  
Nitrilo(2-propanoic)-diethanoic acid; HOOC.CH(CH3).N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 20°C 0.10M U K1=12.45 B2=22.09 1974RMg (56908) 343  
\*\*\*\*\*

C7H12N2O3 HL Gly-Pro CAS 704-15-4 (257)  
Glycyl-proline; H2N.CH2.CO.NC4H7.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.15M M T H K1=3.94 1983SKb (57117) 344  
Data for 35 and 45 C. At 35 C, DH(K1)=22 kJ mol<sup>-1</sup>, DS(K1)=149 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
Dy+++ gl KNO3 25°C 0.15M U T H K1=3.98 1979SKe (57118) 345  
At 35 C, K1=4.04; at 45 C, K1=4.08. At 35 C, DH(K1)=9.0 kJ mol<sup>-1</sup>,  
DS(K1)=107 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*  
C7H12O3 HL CAS 609-69-8 (3731)  
2-Hydroxycyclohexanecarboxylic acid; HO.C6H10.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 1.0M U K1=2.43 B2=4.33 1967STd (57258) 346  
\*\*\*\*\*

C7H12O3 HL (4422)  
3-Methyl ethylacetoacetate; CH3.CO.CH(CH3).CO.OCH2.CH3



```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  mixed  30°C  75%  U          K1=8.36      1971DRb (57271) 347
Medium: 75% acetone, 0.1 M
*****
C7H12O4          H2L                      CAS 510-20-3 (482)
Diethylpropanedioic acid (Diethylmalonic acid); HOOC.C(C2H5)2.COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KNO3   25°C  0.10M U          K1=4.61  B2=7.29  1968PFa (57360) 348
*****
C7H12O6          HL    Quinic acid      CAS 77-95-2 (2578)
1,3,4,5-Tetrahydroxycyclohexane-1-carboxylic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  NaCl   20°C  0.10M U          K1=2.94      1977SSc (57393) 349
-----
Dy+++      EMF NaClO4 25°C  1.0M U          K1=2.76  B2=4.85  19670Ta (57394) 350
K3=1.53
K4=0.90
-----

```

Method: quinhydrone electrode

```

*****
C7H13NO6          H2L                      CAS 32013-58-4 (6079)
N-(2,3-Dihydroxypropyl)iminodiethanoic acid; HO.CH2.CH(OH).CH2.N(CH2.COOH)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KNO3   20°C  0.10M U          K1=8.82  B2=16.81  1980RPa (57609) 351
*****
C7H14O3          HL                      CAS 63204-98-9 (3738)
2-Hydroxy-2,4-dimethylpentanoic acid; (CH3)2.CH.CH2.C(CH3)(OH).COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      EMF NaClO4 25°C  1.0M U T          K1=3.18  B2=5.64  1965TVa (57859) 352
K3=1.75
K4=1.18
-----

```

Method: quinhydrone electrode

```

*****
C7H14O3          HL                      CAS 65311-45-1 (6266)
3-Hydroxy-3,4-dimethyl-pentanoic acid; CH3.CH2.C(OH)(CH3).CH(CH3).COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  NaClO4 25°C  0.10M C          K1=2.86  B2=4.68  1976SPa (57871) 353
*****
C7H15NO4          HL                      CAS 41244-51-3 (4459)
-----

```

N,N-Bis(2'-hydroxyethyl)alanine; (HO.CH2.CH2)2.N.CH(CH3)COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 20°C 0.10M U K1=5.18 B2=9.88 1982RFa (57933) 354  
\*\*\*\*\*  
C7H21N2O10P3 H6L (7004)  
N-(2-Hydroxyethyl)-1,2-diaminoethane-N,N'N'-trimethylenephosphonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KCl 25°C 0.10M U K1=11.75 1974KRd (58371) 355  
K(Dy+HL)=8.44  
K(Dy+H2L)=5.70

\*\*\*\*\*  
C8H5N5O6 H3L Murexide (453)  
Purpuric acid (Murexide is ammonium salt);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ sp alc/w 12°C 50% U 1972BLa (58495) 356  
K(Dy+H2L)=4.52

Medium: 50% EtOH, 0.1 M NaClO4

-----  
Dy+++ sp KNO3 12°C 0.10M U 1965GEa (58496) 357  
K(Dy+H2L)=3.78

\*\*\*\*\*  
C8H5O2F3S HL TTA CAS 326-91-0 (165)  
4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione; F3C.CO.CH2.CO.C4H3S

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ cal non-aq 25°C 100% C H 2004MIa (58610) 358  
Method: calorimetric titration. Medium: chloroform. DH(DyL3+A)=6.9 kJ  
mol-1, DS=79 J K-1 mol-1; DH(DyL3+2A)=3.7, DS=116. HA is benzoic acid.

-----  
Dy+++ gl alc/w 22°C 80% U K1=6.42 B2=12.22 1995MTa (58611) 359  
K3=4.83

Medium: 0.1 M NaClO4 in 80% (v/v) EtOH/H2O.

\*\*\*\*\*  
C8H6O4 H2L Phthalic acid CAS 88-99-3 (113)  
Benzene-1,2-dicarboxylic acid; C6H4(COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.10M U K1=4.31 B2=7.52 1986NSa (58964) 360

-----  
Dy+++ gl NaClO4 30°C 0.10M U K1=4.53 B2=8.02 1966KPb (58965) 361

\*\*\*\*\*  
C8H6O4 H2L Isophthalic aci CAS 212-91-5 (1619)

## Benzene-1,3-dicarboxylic acid; C6H4(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	cal	NaClO4	25°C	0.10M	U	H		K1=2.67	1982CBc (59049)	362

DH= 13.11 kJ mol<sup>-1</sup>, DS= 94 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C8H7NO2 HL CAS 532-54-7 (4363)

Isonitrosoacetophenone, Phenylglyoxal 2-oxime;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	20°C	50%	U			K1=6.18 B2=11.84	1971MAf (59098)	363

Medium: 50% v/v dioxan, 0.1 M NaClO4

\*\*\*\*\*

C8H7O2Cl HL CAS 1450-74-4 (6325)

2-Hydroxy-5-chloro-acetophenone; Cl(HO)C6H3.CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	alc/w	25°C	20%	M	TIH		K1=6.362	2000KDa (59215)	364

K(Dy(egta)+L)=3.516

Medium contains 0.1 M NaNO3. Data for 0.05, 0.15 M NaNO3 and 35 and 45 C.

At I=0, K1=6.571, K(Dy(egta)+L)=3.696. DH(Dy(egta)L)=-16.5 kJ mol<sup>-1</sup>.

\*\*\*\*\*

C8H8N2O L CAS 4856-97-7 (3820)

2-(Hydroxymethyl)benzimidazole;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	30°C	50%	U	T H		B2=16.79	1988NOa (59309)	365

40 C: B2=16.63; 50 C: B2=16.48. DH(B2)=-28.9 kJ mol<sup>-1</sup>, DS=226.1 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C8H8N2O2 HL Phenylglyoxime (3222)

Phenylglyoxime; C6H5.C(:N.OH).CH:N.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	20°C	50%	U			K1=7.23 B2=13.62	1971MAf (59333)	366

Medium: 50% dioxan, 0.1 M NaClO4

\*\*\*\*\*

C8H8N4OS L (6097)

2-Acetylpyridinethiosemicarbazone; C5H4N.CO.CH:N.NH.CS.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	alc/w	25°C	75%	C	I		K1=7.93 B2=15.36	1988GSa (59406)	367

In 75%(v/v) ethanol/water; 0.1 M NaClO4. I=0.2 M: K1=7.88, K2=7.31;

I=0.05 M: K1=8.08, K2=7.52; I=0.02 M: K1=8.24, K2=7.77

\*\*\*\*\*

C8H8O2 HL 2-Acetylphenol CAS 118-93-4 (1888)  
2-Hydroxyacetophenone; HO.C6H4.CO.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 25°C 20% M TIH K1=6.715 2000KDa (59459) 368  
K(Dy(egta)+L)=4.512

Medium contains 0.1 M NaNO3. Data for 0.05, 0.15 M NaNO3 and 35 and 45 C.  
At I=0, K1=6.945, K(Dy(egta)+L)=4.720. DH(Dy(egta)L)=-19.6 kJ mol-1.

\*\*\*\*\*

C8H8O2 HL Phenylacetic CAS 103-82-2 (1361)  
Phenylethanoic acid; C6H5.CH2.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.1M C H K1=1.77 1996HYa (59539) 369  
By calorimetry: DH(K1)=15.57 kJ mol-1

Dy+++ gl NaClO4 25°C 0.10M C H K1=1.77 1990HYa (59540) 370  
By calorimetry: DH(K1)=15.6 J K-1 mol-1

\*\*\*\*\*

C8H8O2 HL CAS 583-80-2 (3191)  
beta-Methyltropolone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp alc/w ? 3% U K1=7.36 1967GDb (59594) 371  
Medium: 3% EtOH, 0.2 M NaClO4

\*\*\*\*\*

C8H8O3 H2L CAS 490-78-8 (6324)  
2,5-Dihydroxyacetophenone; (HO)2C6H3.CO.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 25°C 20% M TIH K1=6.508 2000KDa (59676) 372  
K(Dy(egta)+L)=4.686

Medium contains 0.1 M NaNO3. Data for 0.05, 0.15 M NaNO3 and 35 and 45 C.  
At I=0, K1=6.720, K(Dy(egta)+L)=4.905. DH(Dy(egta)L)=-18.9 kJ mol-1..

\*\*\*\*\*

C8H8O3 HL o-Anisic acid CAS 579-75-9 (2337)  
2-Methoxybenzoic acid; CH3O.C6H4.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M M H K1=1.89 1988CLb (59724) 373  
DH=9.85 kJ mol-1, DS=69 J K-1 mol-1

Dy+++ gl alc/w 25°C 42% U K1=2.5 1983PMa (59725) 374

Dy+++ gl diox/w 30°C 76% M K1=7.59 1978PMa (59726) 375

Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.

\*\*\*\*\*

C8H803 HL Mandelic Acid CAS 611-72-3 (80)  
2-Phenyl-2-hydroxyethanoic acid; C6H5.CH(OH).COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M C K1=3.03 B2=5.29 1989HMa (59820) 376  
-----

Dy+++ gl NaClO4 25°C 2.0M U T K1=2.57 1972DCb (59821) 377  
\*\*\*\*\*

C8H803 HL m-Anisic acid CAS 586-38-9 (2804)  
3-Methoxybenzoic acid; CH3O.C6H4.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M M H K1=2.01 1988CLb (59908) 378  
DH=12.0 kJ mol<sup>-1</sup>, DS=79 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C8H803 HL p-Anisic acid CAS 100-09-4 (1373)  
4-Methoxybenzoic acid; CH3O.C6H4.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M M H K1=2.00 1988CLb (59948) 379  
DH=12.6 kJ mol<sup>-1</sup>, DS=81 J K<sup>-1</sup> mol<sup>-1</sup>

-----  
Dy+++ gl diox/w 30°C 76% M K1=7.51 1978PMa (59949) 380  
Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.

\*\*\*\*\*

C8H804 HL CAS 520-45-6 (4478)  
3-Acetyl-2-hydroxy-6-methylpyran-4-one, Dehydroethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 35°C 50% U K1=4.72 B2=8.68 1971MAa (60084) 381  
Medium: 50% dioxan, 0.1 M NaClO4

\*\*\*\*\*

C8H809 H4L (6951)  
Tetrahydrofuran-2,3,4,5-tetracarboxylic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ cal NaClO4 25°C 0.10M C H 2000MNa (60129) 382  
DH(Dy+H2L)=2.71 kJ mol<sup>-1</sup>, DS=132 J K<sup>-1</sup> mol<sup>-1</sup>. DH(Dy+2H2L)=-17.7, DS=130.

-----  
Dy+++ gl NaClO4 25°C 0.10M C K1=10.46 B2=15.67 1995JNa (60130) 383  
B(DyH2L)=17.59  
B(DyHL)=14.79  
B(DyH-1L)=2.19

B(DyH-2L)=-8.07

B(DyH4L2)=32.20, B(DyH3L2)=29.11, B(DyH2L2)=25.70, B(DyHL2)=20.66

\*\*\*\*\*

C8H9NO2 HL CAS 5330-97-2 (6248)

Phenylacetohydroxamic acid; C6H5.CH2.CO.NH.OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 30°C 0.10M C M K1=6.25 B2=12.05 1987RSc (60340) 384

K3=4.95

K(Dy(hedta)+L)=4.60

hedta is N-hydroxyethyl diaminoethane-N,N',N'-triethanoic acid.

-----  
Dy+++ gl KNO3 20°C 0.10M M T K1=6.32 B2=12.20 1986RSc (60341) 385

K3=5.04

Data for 20-50 C. At 30 C, K1=6.25, K2=5.80, K3=4.95.

\*\*\*\*\*

C8H9NO4 H2L (4520)

Dehydroethanoic acid oxime;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 35°C 50% U 1971MAa (60490) 386

K(Dy+HL)=4.57

K(Dy+2HL)=8.35

Medium: 50% dioxan, 0.01 M NaClO4

\*\*\*\*\*

C8H9N3O2 L CAS 7254-31-4 (1266)

Acylnicotinoyl hydrazide; C5H4N.CO.NH.NH.CO.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M U K1=13.85 B2=25.00 1980ZMa (60566) 387

\*\*\*\*\*

C8H10N6P H3L Codecarboxylase CAS 41468-25-1 (2555)

Pyridoxal-5-phosphoric acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 25°C 0.50M U 1978AAa (60702) 388

K(Dy+H3L)=0.54

K(Dy+H2L)=2.10

\*\*\*\*\*

C8H10N6O2S2 H2L (2746)

2,5-Dihydroxybenzoquinone bis-thiosemicarbazone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 50% C TIH K1=5.15 B2=9.32 1989GDa (60813) 389

DH(K1)=-87.03 kJ mol-1

\*\*\*\*\*

C8H10O4 L CAS 34241-51-5 (5701)  
3-Acetyl-6-methylhydropyrane-2,4-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl alc/w 22°C 20% U K1=4.71 B2=8.40 1988ZTa (60845) 390  
K3=3.22

\*\*\*\*\*

C8H10O5 H2L CAS 145-73-7 (138)  
7-Oxa-bicyclo[2.2.1]-heptan-2,3-dicarboxylic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KCl 30°C 0.10M C K1=5.86 B2=9.87 1996SZa (60865) 391  
For the -5-en-2-exo isomer, K1=6.19, B2=11.00.

\*\*\*\*\*

C8H11NO8 H4L CAS 7408-20-0 (2608)  
Amino-di(butanedioic acid);HN(CH(COOH)CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KCl 25°C 0.10M U K1=10.93 B2=17.80 1979BEb (61203) 392  
B(DyHL)=15.37

\*\*\*\*\*

C8H11O4P H2L (4536)  
(alpha-Hydroxy-alpha-methylbenzyl)phosphonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaCl 25°C 0.10M U 1973BSg (61308) 393  
K(Dy+HL)=2.74

\*\*\*\*\*

C8H12N2O3 H2L Barbitol CAS 57-44-3 (2744)  
5,5-Diethylbarbituric acid, Veronal, Barbitone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl oth/un 25°C 0.10M U K1=2.880 1987TSb (61433) 394

\*\*\*\*\*

C8H12N2O8 H4L CAS 35039-85-1 (4537)  
1,2-Diaminoethane-N,N'-dimalonic acid; (HOOC)2.CH.NH.CH2.CH2.NH.CH(COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 20°C 0.10M U K1=12.54 B2=17.66 1975DPa (61498) 395  
-----  
Dy+++ gl KNO3 25°C 0.10M U K1=11.28 1972GBd (61499) 396

\*\*\*\*\*

C8H12O2 HL CAS 874-23-7 (3203)

2-Acetylcyclohexanone;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  mixed  25°C  75%  U          K1=8.96  B2=17.17  1971DRa (61667) 397
                                         K3=7.95
```

Medium: 75% acetone, 0.1 M NaClO4

```
*****
C8H12O4          H2L                      CAS 1076-97-9 (2224)
Cyclohexane-1,4-dicarboxylic acid; C6H10.(COOH)2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  NaClO4 25°C 0.10M M  H      K1=4.30          1986CDb (61706) 398
DH=16.6 kJ mol-1, DS=138 J K-1 mol-1
```

```
*****
C8H13NO6          H3L                      (3835)
2-Amino-2-carboxypropane-N,N-diethanoic acid; H00CC(CH3)2N(CH2COOH)2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KNO3   20°C 0.10M U          K1=9.81  B2=17.21  1974RMg (61761) 399
*****
```

```
C8H13NO6          H3L                      (5681)
2-Aminobutanoic-N,N-diethanoic acid; CH3CH2CH(COOH)N(CH2COOH)2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KNO3   20°C 0.10M U          K1=11.45 B2=20.12  1974RMg (61785) 400
*****
```

```
C8H14O3          HL                      CAS 607-97-6 (4489)
3-Ethylethylacetoacetate; CH3.CO.CH(C2H5).CO.OC2H5
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  mixed  30°C  75%  U          K1=9.10          1971DRb (62075) 401
Medium: 75% acetone, 0.1 M
```

```
*****
C8H16O3          HL                      CAS 58888-84-9 (3807)
2-Hydroxy-2-propylpentanoic acid; CH3.CH2.CH2.C(OH)(CH2.CH2.CH3).COOH
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      EMF NaClO4 25°C 1.0M U          K1=3.08  B2=5.57  1965TVa (62631) 402
Method: quinhydrone electrode
```

```
*****
C8H16O4          L      12-Crown-4          CAS 294-93-9 (174)
1,4,7,10-Tetraoxacyclododecane; cyclo(-O.(CH2.CH2.O)3.CH2.CH2-)
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
```



-----  
Dy+++ gl non-aq 25°C 100% C K1=5.13 B2=6.30 1989BPa (62668) 403  
Medium: anhydrous propylene carbonate, 0.1 M Et4NClO4

\*\*\*\*\*  
C8H18O4 L Triglyme CAS 112-49-2 (2358)  
1,2-Bis(methoxyethoxy)ethane; CH3O.C2H4O.CH2.CH2.OC2H4.OCH3  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl non-aq 25°C 100% C K1=3.58 1989BPa (62984) 404  
Medium: anhydrous propylene carbonate, 0.1 M Et4NClO4

\*\*\*\*\*  
C8H19NO5 L Bis-tris CAS 6976-37-0 (2827)  
Bis-(2-hydroxyethyl)imino-tris(hydroxymethyl)methane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaCl 30°C 0.10M C K1=5.48 B2= 8.76 2002NWa (63057) 405  
Constants expressed on the molality scale.

\*\*\*\*\*  
C8H19O4P HL CAS 107-66-4 (2130)  
Dibutylphosphoric acid; (C4H9O)2P(O)OH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ kin oth/un 25°C ? U K1=2.97 1971MGb (63180) 406  
\*\*\*\*\*

C8H22N2O6P2 H4L CAS 13516-59-1 (3850)  
2,2'-(Ethylenedi-imino)bis(propylphosphonic acid);  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 25°C 0.10M U K1=12.89 1965DKb (63336) 407  
K(Dy+HL)=6.40

\*\*\*\*\*  
C8H22N2O6P2 H4L EDDIPH CAS 13516-59-1 (1355)  
Diaminoethane-N,N'-di(isopropylphosphonic)acid;(CH2.NH.C(CH3)2.PO3H2)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl oth/un 25°C 0.10M U K1=12.89 1976MDa (63353) 408  
K(Dy+H2L)=6.20

\*\*\*\*\*  
C8H22N2O6P2 H4L (1365)  
N,N'-Dimethyl-diaminoethane-N,N'-diethylphosphonic acid;  
(CH3.N(CH2.CH2.PO3H2).CH2)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl oth/un 25°C 0.10M U 1976MDa (63365) 409

K(Dy+HL)=10.4

\*\*\*\*\*

C8H22N2O8P2 H4L CAS 55703-43-0 (1354)  
N,N'-Di-(2-hydroxyethane)ethylenediamine-N,N'-dimethylphosphonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl oth/un 25°C 0.10M M K1=11.95 1976MRa (63369) 410  
K(Dy+HL)=8.89  
K(Dy+H2L)=5.29

\*\*\*\*\*

C9H5NOI2 HL CAS 83-73-8 (3280)  
5,7-Di-iodo-8-hydroxyquinoline;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 35°C 75% U K1=7.20 B2=13.25 1971MAb (63559) 411  
K3=5.40

Medium: 75% v/v dioxan, 0.1 M NaClO4

\*\*\*\*\*

C9H5NO4 HL CAS 22308-86-7 (4607)  
3-Nitroso-4-hydroxycoumarin (oximidobenzotetronic acid);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp diox/w 20°C 50% U K1=2.62 B2=4.51 1977MBb (63604) 412

\*\*\*\*\*

C9H6NO4BrS H2L CAS 3062-37-1 (3889)  
7-Bromo-8-hydroxyquinoline-5-sulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U K1=5.45 B2=10.30 1973MAa (63692) 413  
K3=4.1

\*\*\*\*\*

C9H6NO4IS H2L Ferron CAS 547-91-1 (275)  
7-Iodo-8-hydroxyquinoline-5-sulfonic acid; (HO)(HO3S)C9H4NI

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U I K1=5.86 B2=10.96 1987BCd (63785) 414  
B3=15.70

Data also in 42% MeOH, 51.1% EtOH and 61.2% dioxan

-----  
Dy+++ gl oth/un 20°C 0.10M U K1=6.31 1977SKd (63786) 415

\*\*\*\*\*

C9H6N3OClS HL CAS 27004-41-7 (216)  
2-(2'-Thiazolylazo)-4-chlorophenol; C3H2NS.N:N.C6H3(Cl).OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
 Dy+++ gl KNO3 25°C 0.10M U K1=8.38 1974KSa (63921) 416  
 \*\*\*\*\*  
 C9H6O6 H3L Hemimellitic ac CAS 569-51-7 (1621)  
 1,2,3-Benzenetricarboxylic acid; C6H3.(COOH)3  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Dy+++ gl NaClO4 25°C 0.10M U H K1=4.92 1994CRa (63965) 417  
 K(Dy+HL)=2.81

DH(K1)=21.4 kJ mol<sup>-1</sup>; DS=166 J K<sup>-1</sup> mol<sup>-1</sup>  
 \*\*\*\*\*  
 C9H7N L CAS 91-22-5 (1538)  
 Quinoline;  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Dy+++ gl NaClO4 25°C 0.5M M H K1=3.78 1991KBb (64058) 418  
 By calorimetry: DH(K1)=4.18 kJ mol<sup>-1</sup>, DS(K1)=86.3 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*  
 C9H7NO HL Oxine CAS 148-24-3 (504)  
 8-Hydroxyquinoline (8-quinolinol);  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Dy+++ gl KNO3 25°C 0.10M U TIH K1=7.60 B2=14.27 1986NSa (64247) 419  
 B(DyAL)=16.16

H2A=phthalic acid. DH(DyAL)=-68.2 kJ mol<sup>-1</sup>, DS=80.4 J K<sup>-1</sup> mol<sup>-1</sup>  
 -----

Dy+++ sol none RT 0.0 U 1981FCa (64248) 420  
 Kso(DyL3)=-32.38

Method: spectrophotometry.  
 -----

Dy+++ gl oth/un 20°C 0.10M U K1=7.48 1977SKd (64249) 421  
 -----

Dy+++ gl diox/w 30°C 50% U K1=9.20 B2=17.51 1970Gmb (64250) 422  
 Medium: 50% dioxan, 0.3 M NaClO4

\*\*\*\*\*  
 C9H7NO2 HL CAS 1127-45-3 (4614)  
 8-Hydroxyquinoline-N-oxide;  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Dy+++ gl diox/w 30°C 50% U K1=7.08 1970Gmb (64401) 423  
 Medium: 50% dioxan, 0.3 M NaClO4

\*\*\*\*\*  
 C9H7NO4S H2L Sulfoxine CAS 84-88-8 (448)  
 8-Hydroxyquinoline-5-sulfonic acid;  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ cal KNO3 20°C 0.10M U HM 1971GKb (64530) 424  
K(DyA+L)=4.56

DH(DyA+L)=-23.0 kJ mol<sup>-1</sup>, DS=8.77 J K<sup>-1</sup> mol<sup>-1</sup>

DH(DyAL): DH=-28.05, DS=341.5. H4A=EDTA

\*\*\*\*\*

C9H7N3O2S H2L TAR CAS 2246-46-0 (707)

4-(2'-Thiazolylazo)-resorcinol; C3H2NS.N:N.C6H3(OH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp NaNO3 25°C 0.10M C K1=8.10 19850Hb (64700) 425

K(Dy+HL)=4.71

K(DyL+H)=6.05

\*\*\*\*\*

C9H8O4 H2L CAS 97652-17-0 (3855)

3-Carboxy-4-methyltropolone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.20M U K1=8.28 B2=15.06 1966GDa (64936) 426

K3=4.00

\*\*\*\*\*

C9H8O4 H2L CAS 15872-28-3 (8407)

Bicyclo[2.2.1]hepta-2,5-diene-2,3-dicarboxylic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 30°C 0.10M U K1=4.20 B2= 7.85 1996SZa (64972) 427

\*\*\*\*\*

C9H9O2Br HL CAS 56609-15-5 (1417)

3-Bromo-2-hydroxy-5-methyl-acetophenone; CH3.CO.C6H2(OH)(Br)CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 27°C 0.10M U K1=4.58 1982LMA (65159) 428

\*\*\*\*\*

C9H10O2 HL Benzylacetic CAS 501-52-0 (1362)

3-Phenylpropanoic acid; C6H5.CH2.CH2.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.1M C H K1=1.96 B2= 3.62 1996HYa (65363) 429

By calorimetry: DH(K1)=13.60 kJ mol<sup>-1</sup>, DH(B2)=17.48 J K<sup>-1</sup> mol<sup>-1</sup>

-----  
Dy+++ gl NaClO4 25°C 0.10M C H K1=1.96 B2=3.62 1990HYa (65364) 430

By calorimetry: DH(K1)=13.6 J K<sup>-1</sup> mol<sup>-1</sup>, DH(K2)=3.9

\*\*\*\*\*

C9H10O3 HL CAS 1878-49-5 (1600)

2-Phenyl-2-methoxyethanoic acid; C6H5.CH(OCH3)COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M C K1=2.19 B2=3.82 1989HMa (65457) 431  
\*\*\*\*\*  
C9H1003 HL Tropic acid CAS 529-64-6 (1601)  
2-Phenyl-3-hydroxypropanoic acid; HO.CH2.CH(COOH)C6H5  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M C K1=2.10 B2=3.92 1989HMa (65471) 432  
\*\*\*\*\*  
C9H1004 HL CAS 1521-38-6 (8489)  
2,3-Dimethoxybenzoic acid;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 25°C 76% M K1=7.35 1978PMa (65529) 433  
Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.  
\*\*\*\*\*  
C9H1004 HL CAS 91-52-1 (8490)  
2,4-Dimethoxybenzoic acid;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 25°C 76% M K1=7.78 1978PMa (65536) 434  
Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.  
\*\*\*\*\*  
C9H1004 HL CAS 1466-76-8 (8491)  
2,6-Dimethoxybenzoic acid;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 25°C 76% M K1=7.01 1978PMa (65543) 435  
Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.  
\*\*\*\*\*  
C9H1004 H2L (7232)  
Bicyclo[2.2.1]hept-5-en-2-endo,3-cis-dicarboxylic acid;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KCl 30°C 0.10M C K1=4.16 B2=7.07 1996SZa (65568) 436  
For the -2,5-dien-2-exo isomer, K1=4.20, B2=7.85.  
\*\*\*\*\*  
C9H1004 H2L CAS 3853-88-1 (5687)  
endo-cis-Bicyclo-[2,2,1]-5-hepten-2,3-dicarboxylic acid;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 24°C 0.10M U K1=4.42 1986ZBa (65583) 437  
-----

K(Dy+HL)=1.60

\*\*\*\*\*

C9H10O5 H2L CAS 54384-22-4 (8406)  
1-Methyl-(exo,exo)-7-oxabicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 30°C 0.10M U K1=5.17 B2= 8.43 1996SZa (65600) 438

\*\*\*\*\*

C9H10O5 H2L (7233)  
1-Methyl-7-oxa-bicyclo[2.2.1]hept-5-en-2-exo,3-cis-dicarboxylic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 30°C 0.10M C K1=5.17 B2=8.43 1996SZa (65615) 439

\*\*\*\*\*

C9H10O8 H4L CAS 3724-52-5 (1264)  
cis-1,2,3,4-Cyclopentanetetracarboxylic acid; C5H6.(COOH)4

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 30°C 0.20M U T K1=10.60 1979NSb (65641) 440  
K1=10.75 when T=40.  
K1=10.95 when T=50.

\*\*\*\*\*

C9H11NO2 HL Phenylalanine CAS 63-91-2 (2)  
2-Amino-3-phenylpropanoic acid; H2N.CH(CH2.C6H5)COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaCl 25°C 0.15M U H K1=3.67 1992ZNa (65929) 441  
By calorimetry: DH(K1)=3.73 kJ mol<sup>-1</sup>, DS(K1)=82.79 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
Dy+++ gl KNO3 35°C 0.10M U K1=5.09 1990RSe (65930) 442

\*\*\*\*\*

C9H11NO3 H2L Tyrosine CAS 60-18-4 (4)  
2-Amino-3-(4-hydroxyphenyl)propanoic acid; HO.C6H4.CH2.CH(NH2).COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M U I 1976SAc (66214) 443  
K(Dy+HL)=5.04  
K(DyHL+HL)=4.57

-----  
Dy+++ gl KNO3 25°C 0.10M U T H 1976SAe (66215) 444

K(Dy+H2L)=4.74  
K(DyH2L+H2L)=4.30

\*\*\*\*\*

C9H11N3O2S HL CAS 51146-75-9 (6170)  
N-(2-Hydroxy-3-methoxybenzylidene)thiosemicarbazide; CH3O(OH)C6H3.CH:N.CS.NH.NH2

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  diox/w 30°C 75% U      K1=7.10      1988MKd (66504) 445
*****
C9H11N3O3      HL      CAS 58336-41-7 (6169)
N-(2-Hydroxy-3-methoxybenzylidene)semicarbazide; CH3O(OH)C6H3.CH:N.CO.NH.NH2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  diox/w 30°C 75% U      K1=10.95     1988MKd (66514) 446
*****
C9H12N2O6      HL      Uridine      CAS 58-96-8 (828)
Uracil-1-beta-D-ribofuranoside;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KNO3    35°C 0.10M U      M      K1=4.88      1990RSc (66692) 447
                        K(DyA+L)=4.68
                        K(DyB+L)=4.61
                        K(DyC+L)=4.24
H2A=Iminodiethanoic acid, H3B=NTA, H4C=EDTA
-----

```

```

-----
Dy+++      gl  KNO3    35°C 0.10M U      M      K1=4.32      1990RSe (66693) 448
                        K(DyL+Ala)=9.31
                        K(DyL+Phe)=9.07
                        K(DyL+Trp)=9.29
*****
C9H12N2O10     H5L      CAS 80921-06-8 (2924)
2,3-Diaminopropanoic-N,N'-di-1,3-propanedioic acid;
(HOOC)2CH.NH.CH(COOH).CH2.NH.CH(COOH)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      ISE KNO3  25°C 0.10M U      K1=12.25     1983KBd (66732) 449
Hg-electrode.
*****
C9H13NO6      H3L      (3881)
2,6-Dicarboxypiperidyl-N-ethanoic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KNO3    25°C 0.10M U      K1=10.98 B2=19.11 1968TKe (66882) 450
*****
C9H13N2O9P     H3L      UMP-5      CAS 58-97-9 (2948)
Uridine-5'-monophosphoric acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KNO3    35°C 0.10M U      M      1992RAd (66972) 451
-----

```

K(Dy+HL)=4.33  
 K(DyHL+Gly)=4.52  
 K(Dy+HL+His)=9.06  
 K(Dy+HL+histamine)=8.49

\*\*\*\*\*

C9H13N3O5 L Cytidine CAS 65-46-3 (2152)  
 Cytidine, Cytosine-1-beta-D-ribofuranoside;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	35°C	0.10M	U	M		K1=3.17 K(Dy+HA+L)=8.18 B(DyBL)=15.27 B(DyCL)=20.21	1990RSc (67051)	452

H2A=Iminodiethanoic acid, H3B=NTA, H4C=EDTA

Dy+++	gl	KNO3	35°C	0.10M	U	M		K1=2.57 K(DyL+Ala)=5.09 K(DyL+Phe)=5.16 K(DyL+Trp)=5.43	1990RSe (67052)	453
-------	----	------	------	-------	---	---	--	--	-----------------	-----

Dy+++	gl	KNO3	35°C	0.10M	U	M		K1=3.17 K(Dy+L+HGly)=8.41, K(Dy+L+HHis)=8.54, K(Dy+L+oxalate)=9.89	1986Rmb (67053)	454
-------	----	------	------	-------	---	---	--	---	-----------------	-----

C9H14N4O3 HL Carnosine CAS 305-84-0 (272)  
 3-Alanyl-histidine; H2N.CH2.CH2.CO.NH.CH(CH2.C3H3N2).COOH

Dy+++	nmr	KCl	25°C	2.00M	U			K(Dy+H2L)=0.82	1983MAa (67316)	455
-------	-----	-----	------	-------	---	--	--	----------------	-----------------	-----

C9H15N06 H3L (7177)  
 2-Aminopentanoic-N,N-diethanoic acid; C3H7C(COOH)N(CH2COOH)2

Dy+++	gl	KNO3	20°C	0.10M	U			K1=11.23 B2=19.76	1974RMg (67405)	456
-------	----	------	------	-------	---	--	--	-------------------	-----------------	-----

C9H16N2O6 H3L MEDTA CAS 40423-02-7 (5717)  
 N-Methyldiaminoethane-N,N',N'-triethanoic acid; HOOC.CH2.N(CH3)CH2.CH2.N(CH2.COOH)2

Dy+++	cal	NaClO4	25°C	0.50M	M	IH		K1=13.17	1986RCa (67635)	457
-------	-----	--------	------	-------	---	----	--	----------	-----------------	-----

DH=-11.6 kJ mol<sup>-1</sup>, DS=213 J K<sup>-1</sup> mol<sup>-1</sup>

C9H16O4 H2L CAS 1636-27-7 (485)  
 Dipropylpropanedioic acid (Di-n-propylmalonic acid);



Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.10M	U			K1=4.78 B2=7.47	1968PFa (67769)	458

\*\*\*\*\*  
 C10H5O2F7S L (6996)  
 1-(2-Thienyl)-3-heptafluoropropylpropane-1,3-dione; C3F7.C(O)CH2C(O)C4H3S

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	alc/w	22°C	80%	U			K1=6.31 B2=11.71 K3=5.36	1995MTa (68423)	459

Medium: 0.1 M NaClO4 in 80% (v/v) EtOH/H2O.  
 \*\*\*\*\*  
 C10H6O3 HL CAS 481-39-0 (3295)  
 5-Hydroxy-1,4-naphthoquinone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	25°C	50%	C T H			K1=8.22 B2=15.90 K3=6.75	1992SAa (68473)	460

At 35 C: K1=8.01, K2=6.87, K3=5.70; DH(K1)=-37.0 kJ mol-1  
 \*\*\*\*\*  
 C10H6O8 H4L Pyromellitic Ac CAS 89-05-4 (519)  
 Benzene-1,2,4,5-tetracarboxylic acid; C6H2.(COOH)4

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	U H			K1=4.69 K(Dy+HL)=3.72	1994CRa (68511)	461

DH(K1)=27.2 kJ mol-1, SD=181 J K-1 mol-1; DH(Dy+HL)=14.1, DS=119  
 \*\*\*\*\*  
 C10H7NO2 HL CAS 131-91-9 (2668)  
 1-Nitroso-2-naphthol, alpha-Nitroso-beta-naphthol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	KCl	25°C	0.10M	M I			K1=4.30	1976PEa (68574)	462

\*\*\*\*\*  
 C10H7NO2 HL CAS 132-53-6 (2524)  
 2-Nitroso-1-naphthol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.10M	U			K1=5.83 B2=11.08	1982LPc (68642)	463

\*\*\*\*\*  
 C10H7NO2 HL Quinaldic acid CAS 93-10-7 (2209)  
 Quinoline-2-carboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Dy+++ gl NaClO4 30°C 0.10M U K1=2.62 B2=5.15 1969Dnc (68703) 464

\*\*\*\*\*

C10H7NO5S H2L CAS 14090-74-5 (2676)

1-Nitroso-2-hydroxynaphalene-7-sulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 25°C 0.10M M K1=4.36 1979LSb (68808) 465

\*\*\*\*\*

C10H7NO5S H2L (4766)

1-Nitroso-2-hydroxynaphthalene-6-sulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp KCl 25°C 0.10M C K1=4.38 1973PMb (68840) 466

\*\*\*\*\*

C10H7NO5S H2L CAS 3682-32-4 (1812)

2-Nitroso-1-hydroxynaphthalene-4-sulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 25°C 0.10M U I K1=3.18 1967MAi (68881) 467

K1=4.27(I=0)

\*\*\*\*\*

C10H7NO5S H2L CAS 31005-79-9 (1814)

2-Nitroso-1-hydroxynaphthalene-8-sulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp KCl 25°C 0.10M M K1=5.21 1978PPb (68941) 468

\*\*\*\*\*

C10H7NO8S2 H3L Nitroso-R acid CAS 525-05-3 (1811)

1-Nitroso-2-hydroxynaphthalene-3,6-disulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 25°C 0.10M U K1=4.73 1968MAe (69004) 469

\*\*\*\*\*

C10H7NO8S2 H3L CAS 52664-45-6 (1627)

2-Nitroso-1-hydroxynaphthalene-4,6-disulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaCl 25°C 0.10M U K1=3.389 B2=6.015 1974SAa (69049) 470

\*\*\*\*\*

C10H7NO8S2 H3L CAS 50332-99-3 (1628)

2-Nitroso-1-hydroxynaphthalene-4,7-disulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaCl 25°C 0.10M U K1=3.589 B2=6.053 1974SAa (69059) 471  
\*\*\*\*\*

C10H7N5O5 HL CAS 102964-51-2 (6212)  
5-(2'-Nitrophenylazo)barbituric acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 25°C 75% U K1=5.46 B2=10.59 1986MIa (69093) 472  
\*\*\*\*\*

C10H7O2F3 HL CAS 326-06-7 (196)  
3-Benzoyl-1,1,1-trifluoroacetone; CF3.CO.CH2.CO.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 22°C 80% U K1=7.26 B2=12.91 1995MTa (69140) 473  
K3=5.84

Medium: 0.1 M NaClO4 in 80% (v/v) EtOH/H2O.

\*\*\*\*\*

C10H8N2 L 2,2'-Bipyridyl CAS 366-18-7 (25)  
2,2'-Bipyridine; (C5H4N)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp non-aq 25°C 100% C T K1=2.99 2005SYa (69546) 474  
In ethylacetate; At 50 C K1=2.42

-----  
Dy+++ gl KNO3 25°C 0.10M U TIH K1=4.33 B2=7.32 1986NSa (69547) 475  
B(DyAL)=11.57

H2A=phthalic acid. DH(DyAL)=-53.3 kJ mol<sup>-1</sup>, DS=42.8 J K<sup>-1</sup> mol<sup>-1</sup>

-----  
Dy+++ gl NaNO3 25°C 0.50M U K1=0.9 1979HJa (69548) 476  
\*\*\*\*\*

C10H8N4O3 HL CAS 43168-60-1 (6209)  
5-Phenylazobarbituric acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 25°C 75% U K1=5.80 B2=11.20 1986MIa (69727) 477  
\*\*\*\*\*

C10H8O2 H2L CAS 92-44-4 (1658)  
2,3-Dihydroxynaphthalene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 20°C 0.10M U M 1973PAc (69766) 478  
K(DyA+L)=7.80, H4A=EDTA

\*\*\*\*\*

C10H8O5S H3L DHNSA (877)  
2,3-Dihydroxynaphthalene-6-sulfonic acid;

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.50M	C			K1=10.25 B2=18.29 B(DyHL2)=25.17	1976LAd (69839)	479

\*\*\*\*\*  
 C10H8O8S2 H4L Chromotropic ac CAS 148-25-4 (1875)  
 1,8-Dihydroxynaphthalene-3,6-disulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KCl	25°C	0.10M	M	I		K(Dy+HL)=2.35	1974MLa (69941)	480

\*\*\*\*\*  
 C10H9NO4S H2L CAS 29021-67-8 (3926)  
 2-Methyl-8-hydroxyquinoline-5-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	30°C	0.10M	U	TI		K1=5.57 B2=10.70 B3=14.69	1988BCd (70196)	481

in 42.5% MeOH-water: K1=6.48, B2=12.48, B3=17.16  
 51.8% EtOH-water: K1=6.91, B2=13.16, B3=18.01  
 \*\*\*\*\*  
 C10H9N3OS HL CAS 1823-44-5 (4780)  
 2-(2'-Thiazolylazo)-4-methylphenol; CH3.C6H3(OH).N:N.C3H3NS

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	alc/w	25°C	100%	U			K1eff=4.21	1989OKb (70345)	482

At pH 3.4 by competition with 18-crown-6. Medium: MeOH, 0.03 M Et4NC1O4  
 \*\*\*\*\*  
 C10H9N3OS HL CAS 60321-26-8 (4671)  
 2-(2-Thiazolylazo)methylphenol; C3H2NS.N:N.C6H3(CH3)OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	diox/w	25°C	10%	U			K1=9.71 B2=18.40	1973KSd (70357)	483

Medium: 10% dioxan, 0.1 M KNO3  
 \*\*\*\*\*  
 C10H9N3O2S HL CAS 3012-52-0 (217)  
 2-(2'-Thiazolylazo)-4-methoxyphenol; CH3O.C6H3(OH).N:N.C3H2N2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	KNO3	25°C	0.10M	U			K1=9.39	1974KSa (70396)	484

\*\*\*\*\*  
 C10H10OS HL CAS 13522-48-0 (4722)  
 3-Mercapto-1-phenylbut-2-en-1-one; C6H5.CO.CH:CH.C(SH).CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	mixed	30°C	75%	U		K1=4.0 B2=7.57 K3=3.28	1969DNb (70633)	485

Medium: 75% acetone, 0.1 M NaClO4

\*\*\*\*\*

C10H10O2 HL Benzoylacetone CAS 93-91-4 (197)  
1-Phenylbutane-1,3-dione; C6H5.CO.CH2.CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	alc/w	25°C	80%	U		K1=8.36 B2=14.83 K3=4.45	1967DZa (70717)	486

Medium: 80% MeOH, 0.1 M NaCl

Dy+++	gl	alc/w	24°C	80%	U		K1=8.36 B2=14.83 K3 = 4.43	1967DZb (70718)	487
-------	----	-------	------	-----	---	--	----------------------------------	-----------------	-----

Medium: 80% v/v MeOH/H2O, 0.1 M NaCl

\*\*\*\*\*

C10H10O6 H2L CAS 5411-14-3 (2394)  
1,2-Phenylenedioxodiethanoic acid; C6H4(O.CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	M		K1=4.26	1977HCb (70847)	488

\*\*\*\*\*

C10H11NOS L (2831)  
Acetothioacetanilide; CH3.CO.CH2.CS.NH.C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	25°C	50%	U		K1=5.47 B2=10.42	1986NBa (70879)	489

\*\*\*\*\*

C10H11NO2 L CAS 102-01-2 (250)  
Acetoacetanilide; CH3.CO.CH2.CO.NH.C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	25°C	50%	U		K1=6.05	1986NBa (70908)	490

\*\*\*\*\*

C10H11N5O L CAS 105507-56-0 (8131)  
N-Methylisatin-beta-amidinohydrazone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	30°C	50%	C	TIH	K1=5.66 B2= 9.95	1986SGc (71089)	491

Medium: 50% v/v dioxan/H2O, 0.10 M NaClO4. Data for 0.02-0.20 M NaClO4

and 30-50 C. DH(K1)=69.9 kJ mol<sup>-1</sup>, DS=339 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=79.5, DS=344

\*\*\*\*\*

C10H12N2O4 H2L CAS 16598-05-3 (967)

2-Pyridylmethyliminodiethanoic acid; C5H4N.CH2.N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.10M U K1=9.00 B2=17.03 1964THa (71255) 492  
\*\*\*\*\*  
C10H12N4O5 HL Inosine CAS 58-63-9 (2344)  
Hypoxanthine-9-beta-D-ribofuranoside;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 35°C 0.10M U M K1=4.52 1987RRc (71385) 493  
B(Dy(gly)L)=10.58  
B(Dy(his)L)=11.02  
\*\*\*\*\*  
C10H12N4O6 H2L Xanthosine CAS 5968-90-1 (1176)  
3,9-Dihydro-9-ribofuranosyl-1H-purine-2,6-dione;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 35°C 0.10M U M 1987RRc (71485) 494  
K(Dy+HA+HL)=5.42  
K(Dy+HB+HL)=6.07  
K(Dy+HL)=4.58  
-----

HA=glycine, HB=histidine.

\*\*\*\*\*  
C10H12O2 HL CAS 1946-74-3 (202)  
3-Isopropyltropolone;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 30°C 50% U M K1=7.90 B2=15.48 1980SGa (71575) 495  
K3=6.08  
K(Dy(NTA)+L)=6.57  
-----

Dy+++ gl alc/w 24°C 80% U K1=9.2 B2=16.90 1968DZb (71576) 496  
K3=6.4  
K4=5.0  
-----

Medium: 80% MeOH, 0.1 M NaCl

-----  
Dy+++ sp alc/w ? 3% U K1=7.33 1967GDb (71577) 497  
Medium: 3% EtOH, 0.2 M NaClO4  
-----

\*\*\*\*\*  
C10H12O4 HL CAS 5936-18-9 (2743)  
2-Hydroxy-3,4-dimethoxyacetophenone; (HO)(CH3O)2C6H2.CO.CH3  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 15°C 50% C T H K1=9.56 B2=16.84 1987GBa (71651) 498  
K1(35, 40, 50 C) = 8.02, 8.00, 7.79 respectively. DH(K1)=-95.60 kJ mol-1  
-----

\*\*\*\*\*  
 C10H12O5 HL CAS 490-64-2 (8492)  
 2,4,5-Trimethoxybenzoic acid;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl diox/w 25°C 76% M K1=7.72 1978PMa (71671) 499  
 Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.

\*\*\*\*\*  
 C10H12O5 HL CAS 570-02-5 (8493)  
 2,4,6-Trimethoxybenzoic acid;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl diox/w 25°C 76% M K1=7.14 1978PMa (71678) 500  
 Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.

\*\*\*\*\*  
 C10H14N5O7P H2L AMP-5 CAS 18422-05-4 (842)  
 Adenosine-5'-monophosphoric acid, 5-Adenylic acid;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl R4N.X 25°C 0.10M C T K1=4.70 1991SMa (72450) 501  
 K(Dy+HL)=2.71

IUPAC evaluation

\*\*\*\*\*  
 C10H16N2O8 H4L EDDS CAS 52759-67-8 (1100)  
 1,2-Diaminoethane-N,N'-di-1,4-butanedioic acid; (CH2.NH.CH(COOH)CH2.COOH)2

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl KCl 25°C 0.10M U K1=13.04 1980MMe (73118) 502  
 K(Dy+HL)=6.67

-----  
 Dy+++ gl KNO3 20°C 0.10M U K1=13.75 1975DPa (73119) 503

-----  
 Dy+++ gl NaClO4 30°C 0.10M U 1974STb (73120) 504  
 K(Dy+H2L=DyL+2H)=9.35

-----  
 Dy+++ vlt KNO3 25°C 0.10M U K1=13.59 1971BGB (73121) 505

\*\*\*\*\*  
 C10H16N2O8 H4L EDTA CAS 60-00-4 (120)  
 1,2-Diaminoethane-N,N',N'-tetraethanoic acid, Sequestric acid;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ cal NaClO4 25°C 0.10M C H 1987YJa (73687) 506  
 DH(K1)=-4.40 kJ mol<sup>-1</sup>, DS(K1)=326 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
 Dy+++ gl KCl 25°C 1.0M U 1984BKc (73688) 507

$$K(\text{DyL}+\text{H})=0.70$$

-----  
 Dy+++ gl NaClO4 20°C 0.02M U M 1982MPd (73689) 508  
 $K(\text{DyL}+\text{PO}_4)=3.54$   
 -----

Dy+++ vlt KNO3 20°C 0.10M U K1=18.46 1978NLb (73690) 509  
 -----

Dy+++ gl NaClO4 25°C 0.50M U K1=16.79 1977GGb (73691) 510  
 -----

Dy+++ gl KCl 25°C 1.00M U K2=3.13 1976BKa (73692) 511  
 $K(\text{DyL}+\text{HL})=2.00$   
 $K(2\text{DyL}+\text{L})=5.43$   
 -----

Dy+++ gl KCl 25°C 1.0M U K(DyL+H)=1.44 1976GMb (73693) 512  
 -----

Dy+++ sp KCl 25°C 0.10M U K2=3.13 1975BKa (73694) 513  
 $K(2\text{DyL}+\text{L})=5.43$   
 $K(\text{DyL}+\text{HL})=2.00$   
 -----

Dy+++ EMF KCl 25°C 0.10M U T K(DyL+H)=1.1 1974BKb (73695) 514  
 -----

Dy+++ gl KCl 25°C 1.0M C K2=3.13 1974BKe (73696) 515  
 $K(\text{DyL}+\text{HL})=2.00$   
 $K(2\text{DyL}+\text{L}=\text{Dy}2\text{L}3)=5.43$   
 -----

Dy+++ gl KNO3 25°C 0.10M U T M 1973TRb (73697) 516  
 $K(\text{DyL}+\text{HA})=4.18$   
 $K(\text{DyL}+\text{A})=5.71$   
 $K(\text{DyL}+\text{A})=5.70$

Also at 2, 35, 45 C. H5A=tripolyphosphoric acid.  $K(\text{DyL}+\text{B})=5.7$   
 H4B=ATP.  $K(2\text{ C})=5.8$ ,  $K(35\text{ C})=5.5$ ,  $K(45\text{ C})=5.4$   
 -----

Dy+++ gl NaClO4 25°C 0.10M U M 1969AIb (73698) 517  
 $K(\text{DyL}+\text{A})=7.31$ , H4A=tiron  
 -----

Dy+++ dis oth/un 25°C ? U K1=17.50 1969PJa (73699) 518  
 Method: paper electrophoresis, Medium: pH=1.86  
 -----

Dy+++ ix KCl 25°C 0.10M U H K1=17.78 1959BDb (73700) 519  
 $\text{DH}(K1)=6.3\text{ kJ mol}^{-1}$ ,  $\text{DS}=361\text{ J K}^{-1}\text{ mol}^{-1}$   
 -----

Dy+++ gl oth/un 20°C 0.10M U K1=18.17 1955WSa (73701) 520  
 -----

Dy+++ gl KCl 20°C 0.10M U I T K1=18.00 1954SGa (73702) 521  
 By polarography:  $K1=18.18$ . In 0.1 M KNO3,  $K1=18.30$   
 -----

Dy+++ gl KCl 20°C 0.10M U T K1=17.57 1953WSa (73703) 522  
 By polarography  $K1=17.75$



-----  
Dy+++ gl KCl 20°C 0.10M U K1=17.75 1952VIa (73704) 523  
\*\*\*\*\*  
C10H16N5O13P3 H4L ATP CAS 56-65-5 (403)  
Adenosine-5'-triphosphoric acid;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 20°C 0.20M U T H K1=7.43 B2=11.53 1993VLa (74713) 524  
K(Dy(nta)+L)=4.67  
K(Dy(edta)+L)=4.27

Data for 30, 40 C. DH(K1)=17.2 kJ mol<sup>-1</sup>, DS(K1)=201 J K<sup>-1</sup> mol<sup>-1</sup>. DH(K2)=  
18.2, DS(K2)=141; DH(Dy(nta)+L)=20.1, DS=158; DH(Dy(edta)+L)=21.1, DS=154.  
-----

Dy+++ gl R4N.X 25°C 0.10M C T K1=6.72 1991SMa (74714) 525  
K(Dy+HL)=3.66

IUPAC evaluation  
-----

Dy+++ gl KCl 25°C 0.10M U K1=6.44 B2=10.33 1988SSd (74715) 526  
K(Dy+HL)=4.16  
-----

Dy+++ kin oth/un 25°C 0.05M C K1=7.31 1983Mcc (74716) 527  
Method: inhibition of the hexokinase reaction, pH 8.0 (0.05 M TAPS).  
-----

Dy+++ gl KNO3 35°C 0.10M U M K1=7.31 1972TRc (74717) 528  
K(Dy(EDTA)+L)=5.5

\*\*\*\*\*  
C10H16O2 HL CAS 100563-25-5 (4706)  
2-Butanoylcyclohexanone; CH3.CH2.CH2.CO.C6H9O  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl oth/un 30°C 0.10M U K1=9.88 B2=18.90 1972DSe (74918) 529  
K3=8.63

\*\*\*\*\*  
C10H17N3O6S H3L Glutathione CAS 70-18-8 (333)  
Glutamyl-cysteinyl-glycine;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U TIH K1=7.498 2003GSb (75117) 530  
Values for 0.05-0.2 M NaClO4, 15-45 C and 10-30% MeOH/H2O, 20% EtOH/H2O,  
20% DMF/H2O. At I=0, K1=8.520. DH(K1)=-34.3 kJ mol<sup>-1</sup>, DS(K1)=-48.  
\*\*\*\*\*

C10H18N2O7 H3L HEDTA CAS 150-39-0 (392)  
N-(Hydroxyethyl)diaminoethane-N,N',N'-triethanoic acid;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.50M U K1=14.79 1977GGb (75353) 531



-----  
Dy+++ ISE non-aq 25°C 100% C K1=5.66 1983ANb (75997) 542  
The equilibration took 7-12 days. Medium: PC, 0.10 M Et4NClO4  
\*\*\*\*\*  
C10H22O5 L Tetraglyme CAS 143-24-8 (121)  
2,5,8,11,14-Pentaoxapentadecane; (CH3.O.CH2.CH2.O.CH2.CH2.)20  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ ISE non-aq 25°C 100% C K1=3.75 1986BDa (76445) 543  
Medium: propylene carbonate, 0.1 M Et4NClO4  
\*\*\*\*\*  
C11H8O3 L CAS 1133-72-8 (2614)  
2-Aceto-1,3-indandione;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 75% U T K1=4.02 B2=7.87 1984APa (77027) 544  
-----  
Dy+++ gl mixed 22°C 60% U K1=3.97 B2=7.56 1979JMa (77028) 545  
K3=3.21  
Medium: 60% acetone/H2O  
\*\*\*\*\*

C11H8O3 H2L CAS 92-70-6 (1130)  
2-Hydroxy-3-naphthoic acid (3-Hydroxy-2-naphthoic acid);  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 20°C 50% U T K1=8.08 B2=16.55 1977SKf (77120) 546  
B3=24.67  
K3=8.12  
\*\*\*\*\*

C11H8O4 HL CAS 7555-37-5 (4812)  
3-Acetyl-4-hydroxycoumarin  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 35°C 50% U K1=3.98 B2=7.02 1971MAa (77172) 547  
Medium: 50% dioxan, 0.01 M NaClO4  
\*\*\*\*\*

C11H8O4 HL CAS 6724-42-1 (6183)  
8-Formyl-7-hydroxy-4-methyl-2H-1-benzopyran-2-one; CHO.C9H3O(:O)(CH3)(OH)  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 50% U TI M K1=5.33 B2=9.26 1985ECa (77198) 548  
K3=2.91  
20 C: K1=5.67, K2=4.21, K3=3.13; 40C: K1=5.01, K2=3.67, K3=2.69  
\*\*\*\*\*

C11H8O6S H3L CAS 66695-90-7 (1996)  
-----

1-Hydroxy-4-sulfo-2-naphthoic acid;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	C			K1=8.87 B2=15.15 K(Dy+HL)=2.19	1979LAb (77222)	549

---

\*\*\*\*\*  
C11H8O6S H3L CAS 15509-36-1 (2658)

3-Hydroxy-7-sulfo-2-naphthoic acid;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	C			K1=7.68 K(Dy+HL)=2.32	1976MLb (77249)	550

---

\*\*\*\*\*  
C11H8O9S2 H4L CAS 67097-84-1 (1995)

1-Hydroxy-4,7-disulfo-2-naphthoic acid;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	cal	NaClO4	25°C	0.10M	C	H		K1=8.95 B2=14.7 K(Dy+HL)=1.89	1986LLc (77276)	551

---

DH(Dy+HL)=6.7 kJ mol<sup>-1</sup>, DS=59 J K<sup>-1</sup> mol<sup>-1</sup>  
\*\*\*\*\*  
C11H9NO2 H2L CAS 7470-09-9 (8481)

2-Hydroxy-1-naphthaldoxime;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	25°C	75%	U			K1=8.89 B2=16.45	1978MCd (77315)	552

---

Medium: 75% v/v dioxane/H2O, 0.10 M NaClO4.  
\*\*\*\*\*  
C11H9NO4 H2L CAS 4321-82-7 (4829)

3-Acetyl-4-hydroxycoumarin oxime;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	35°C	50%	U			K(Dy+HL)=3.73 K(Dy+2HL)=6.61	1971MAa (77415)	553

---

Medium: 50% dioxan, 0.01 M NaClO4  
\*\*\*\*\*  
C11H9N3O2 H2L PAR CAS 1141-59-9 (636)

4-(2'-Pyridylazo)-1,3-dihydroxybenzene; C5H4N.N:N.C6H3(OH)2

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	NaNO3	25°C	0.10M	C			K1=10.36 K(Dy+HL)=4.29 *K(DyHL)=-6.23	19840Ha (77532)	554

---

Medium pH 4.8-6.3.

-----  
Dy+++ sp KCl 20°C 0.10M U 1971EKa (77533) 555  
K(Dy+HL)=3.48  
-----

Dy+++ sp NaClO4 20°C 0.10M U K1=10.6 1967SNb (77534) 556  
K(Dy+HL)=11.2  
-----

\*\*\*\*\*  
C11H10N4O3 HL CAS 92265-24-2 (6211)  
5-(2'-Methylphenylazo)barbituric acid;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 25°C 75% U K1=5.60 B2=10.65 1986MIa (77726) 557  
-----

\*\*\*\*\*  
C11H10N4O4 HL CAS 92265-26-4 (6210)  
5-(2'-Methoxyphenylazo)barbituric acid;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 25°C 75% U K1=5.87 B2=11.25 1986MIa (77740) 558  
-----

\*\*\*\*\*  
C11H12N2O2 HL CAS 103314-23-4 (6182)  
2-(N-2-Pyrrolidimino)benzoic acid; C4H7N:N.C6H4.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U TIH B2=13.92 1986GSb (78016) 559  
35 C: B2=14.05; 45 C: B2=14.17. DH(B2)=-22.9 kJ mol<sup>-1</sup>, DS=195 J K<sup>-1</sup> mol<sup>-1</sup>  
-----

\*\*\*\*\*  
C11H12N2O2 HL Tryptophan CAS 73-22-3 (3)  
2-Amino-3-(3-indolyl)propanoic acid; H2N.CH(CH2.C8H6N)COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 35°C 0.10M U K1=5.33 1990RSe (78195) 560  
-----

Dy+++ gl KCl 25°C 0.10M U T H K1=4.83 1976BFc (78196) 561  
For 55C K1= 4.32  
-----

\*\*\*\*\*  
C11H12N2O5S HL CAS 56475-09-3 (8410)  
3-(4'-Sulfophenylhydrazo)-pentane-2,4-dione;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl oth/un 30°C 0.10M U B2=22.04 1985EEb (78316) 562  
Medium: not stated. For 3'-sulfophenylhydrazo-, B2=22.12; for 2'-sulfo-  
phenylhydrazo-, B2=24.26; for 4'-methyl-2'-sulfophenylhydrazo-, B2=23.42.  
-----

\*\*\*\*\*  
C11H12O3 HL CAS 94-02-0 (3351)  
-----

Ethyl benzoylacetate; C6H5.CO.CH2.CO2.C2H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl mixed 25°C 75% U K1=8.62 B2=15.82 1971DRa (78397) 563  
Medium: 75% acetone, 0.1 M NaClO4

\*\*\*\*\*

C11H13NO4S HL CAS 58943-48-9 (1411)  
N-Acetylacetylidene-orthanilic acid; HO3S.C6H4.N:C(CH3).CH2.CO.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ EMF NaClO4 25°C 0.10M U K1=19.70 1982MSc (78590) 564

\*\*\*\*\*

C11H13NO5 H3L HBIDA CAS 7372-13-6 (1603)  
N-(2-Hydroxybenzyl)iminodiethanoic acid; HO.C6H4.CH2.N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M C K1=14.07 B2=25.18 1989YSa (78618) 565  
K(Dy+HL)=5.91  
K(Dy+2HL)=12.51

-----  
Dy+++ gl KNO3 20°C 0.10M U K1=14.25 B2=25.08 1983MSc (78619) 566

\*\*\*\*\*

C11H14N2O4 H2L (1880)  
N-(6-Methyl-2-pyridylmethyl)iminodiethanoic acid; CH3C5H3NCH2N(CH2COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M U K1=7.23 B2=12.15 1964THa (78879) 567

\*\*\*\*\*

C11H18N2O8 H4L PDTA CAS 4408-81-5 (1655)  
1,2-Diaminopropane-N,N,N',N'-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=14.77 1981NSc (79273) 568

-----  
Dy+++ EMF KNO3 25°C 0.10M U K1=16.27 1980KBc (79274) 569

-----  
Dy+++ vlt KNO3 20°C 0.10M U K1=19.08 1978NLb (79275) 570

-----  
Dy+++ vlt KNO3 20°C 0.10M U K1=19.05 1964ICb (79276) 571

\*\*\*\*\*

C11H18N2O8 H4L CAS 38539-29-0 (2573)  
1,3-Diaminopropane-N,N'-di(1,4-butanedioic acid)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M U K1=10.55 1976GKd (79360) 572  
\*\*\*\*\*

C11H18N2O8 H4L CAS 4408-81-5 (923)  
1,3-Diaminopropane-N,N,N',N'-tetraethanoic acid; ((HOOC.CH2)2N.CH2.)2.CH2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 20°C 0.10M U K1=14.72 1964LAa (79434) 573  
Also K1=14.67. By polarography: K1=14.60  
\*\*\*\*\*

C11H18N2O9 H4L HDPTA CAS 3148-72-9 (431)  
1,3-Diamino-2-hydroxypropane-N,N,N',N'-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M M K1=14.83 1986PLc (79548) 574  
\*\*\*\*\*

C11H18N2O9 H4L CAS 668-21-1 (2562)  
2-Hydroxy-1,3-diaminopropane-N,N'-di(1,4-butanedioic) acid

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M U K1=11.99 1976GKd (79592) 575  
\*\*\*\*\*

C11H18O2 HL CAS 40072-58-3 (4820)  
2-(3'-Methylbutanoyl)cyclohexanone (2-isovaleryl cyclohexanone);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl mixed 30°C 75% U K1=9.43 B2=18.44 1972DSd (79650) 576  
K3=8.30

Medium: 75% acetone  
\*\*\*\*\*

C11H18O2 HL CAS 5601-52-5 (4821)  
2-Butanoyl-6-methylcyclohexanone (2-butyryl-6-methylcyclohexanone);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl mixed 30°C 75% U K1=10.62 B2=20.69 1972DSd (79661) 577  
Medium: 75% acetone  
\*\*\*\*\*

C11H20O4 H2L CAS 2283-16-1 (2854)  
2,2-Dibutylpropanedioic acid; HOOC.C(C4H9)2.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M U K1=4.75 B2=7.43 1968PFa (79765) 578  
\*\*\*\*\*

C11H26N2O6 L Bistris-propane CAS 64431-96-5 (7920)  
1,3-Bis[tris(hydroxymethyl)methylamino]propane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M C 2001GYb (79953) 579  
K(2Dy+20H+2L)=23.86  
K(2Dy+40H+2L)=38.12  
K(2Dy+60H+2L)=48.73  
\*\*\*\*\*

C12H7O2F7 L (6994)  
1-Heptafluoropropyl-3-phenylpropane-1,3-dione; C3F7.CO.CH2.CO.C6H5  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl alc/w 22°C 80% U K1=6.28 B2=11.70 1995MTa (80180) 580  
K3=5.08

Medium: 0.1 M NaClO4 in 80% (v/v) EtOH/H2O.  
\*\*\*\*\*  
C12H8N2 L Phenanthroline CAS 66-71-7 (144)  
1,10-Phenanthroline;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ sp non-aq 25°C 100% C H K1=1.85 2002KNc (80422) 581  
Medium: N,N-dimethylformamide, 0.20 M Et4NClO4.  
By calorimetry: DH(K1)=-6.8 kJ mol<sup>-1</sup>.  
-----

Dy+++ dis non-aq 25°C 100% C HM 1998YHa (80423) 582  
K(DyA3+L)=7.85  
Method: solvent extraction from 0.10 M NaClO4 into CHCl3. HA is  
1-(2-thienyl)-4,4,4-trifluoro-1,3-butanedione. DH(DyA3+L)=3.3 kJ mol<sup>-1</sup>  
\*\*\*\*\*

C12H10N6O4S H2L CAS 77327-19-6 (8343)  
2-[4-Amino-3-(1,2,4-triazolylazo)]naphthol-4-sulphonic acid;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 30°C 0.10M U T H B2=13.74 1982GMb (80780) 583  
B3=19.11

Data for 40 and 50 C. Also DH and DS values.  
\*\*\*\*\*  
C12H11N3OS HL (6787)  
2-Hydroxy-1-naphthaldehyde thiosemicarbazone;  
-----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 20°C 75% U I K1=7.90 B2=14.99 1992SSc (80887) 584  
Medium: 75% v/v dioxan/H2O; 0.1 M NaClO4  
\*\*\*\*\*

C12H11N3O2 HL CAS 50536-09-5 (6323)  
2-Hydroxy-1-naphthaldehyde-semicarbazone; HO.C10H6.CH:N.NH.CO.NH2



Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	20°C	75%	U	I		K1=9.552 B2=17.344	1992SSc (80915)	585
Medium: 75% v/v dioxan/H2O; 0.1 M NaClO4										
*****										
C12H12NO3Cl		HL						(1055)		
2-Chloro-4-dimethylamino-benzylidenepyruvic acid; (CH3)2N.C6H3Cl.CH:CH.CO.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	NaClO4	25°C	0.50M	U			K1=2.024	1987MSa (80963)	586
*****										
C12H12N2O3		HL						Nalidixic acid CAS 389-08-2 (1401)		
1-Ethyl-1,4-dihydro-7-methyl-4-oxo-1,8-naphthyridine-3-carboxylic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	alc/w	22°C	0.1M	U			K1=6.53 B2=12.24 K3=4.55	2000TBb (81069)	587
Medium: 0.1 M NaClO4 in 70% v/v EtOH/H2O										
*****										
C12H13NO3		HL						(1054)		
4-Dimethylamino-benzylidenepyruvic acid; (CH3)2N.C6H4.CH:CH.CO.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	NaClO4	25°C	0.50M	U			K1=2.185	1987MSa (81193)	588
*****										
C12H16O7S		HL						CAS 204931-01-1 (7817)		
2,3-Benzo-1,4,7,10-tetraoxacyclododeca-2-ene-4'-sulfonic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	dis	R4N.X	25°C	0.12M	C			K1=1.77	1998SUa (81694)	589
Medium: 0.12 M Et4NBr.										
Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid										
*****										
C12H18N2O5S		H2L						CAS 80459-15-0 (1595)		
2-Nitroso-5-(N-propyl-3-sulfopropylamino)phenol;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.10M	C			K1=5.85	1988YSa (81807)	590
*****										
C12H18N2O8		H2L						CAS 93031-52-8 (5829)		
1,4-Dioxa-7,10-diazacyclododecane-5,12-dione-7,10-diethanoic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Dy+++ gl R4N.X 25°C 0.10M C K1=6.40 1988CCb (81833) 591  
\*\*\*\*\*

C12H18N2O8 H4L CAS 76079-31-7 (2587)  
trans-1,2-Diaminocyclohexane-N,N'-di(propanedioic acid)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ EMF KNO3 25°C 0.10M U K1=14.04 1985SGa (81858) 592  
-----

Dy+++ EMF KNO3 25°C 0.10M U K1=15.59 1980SGb (81859) 593  
\*\*\*\*\*

C12H20N2O8 H4L CAS 1798-13-6 (4935)  
1,2-Diaminobutane-N,N,N',N'-tetraethanoic acid;  
(HOOC.CH2)2N.CH2.CH(C2H5).N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=19.48 1968NLa (82022) 594  
\*\*\*\*\*

C12H20N2O8 H4L CAS 40623-42-5 (1101)  
1,2-Diaminoethane-N,N'-di(2-pentane-1,5-dioic acid); (CH2NHCH(COOH)CH2CH2COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 20°C 0.10M U K1=9.06 B2=13.56 1975DPa (82062) 595  
-----

Dy+++ gl NaClO4 30°C 0.10M U 1974STb (82063) 596  
K(Dy+H2L=DyL+2H)=13.8

-----  
Dy+++ gl KNO3 25°C 0.10M U K1=8.80 1973GBd (82064) 597  
\*\*\*\*\*

C12H20N2O8 H4L CAS 61368-60-3 (3389)  
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-propanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=17.98 1976NKa (82129) 598  
\*\*\*\*\*

C12H20N2O8 H4L CAS 40623-42-5 (3388)  
1,2-Diaminoethane-N,N'-diethanoic-N,N'-dipropanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U IH K1=13.76 1988RNa (82160) 599  
B(Dy+HL)=6.32

DH(K1)=1.19 kJ mol<sup>-1</sup>, DH(Dy+HL)=31.0, DS(K1)=267 J K<sup>-1</sup> mol<sup>-1</sup>

-----  
Dy+++ vlt R4N.X 30°C 0.01M C K1=15.80 1981GMh (82161) 600  
Method: polarography, using Cd as indicator ion. Medium: 0.01 M Et4NBr.  
\*\*\*\*\*

C12H20N2O8 H4L CAS 2458-58-4 (922)  
1,4-Diaminobutane-N,N,N',N'-tetraethanoic acid; (HOOC.CH2)2N.(CH2)4.N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaCl04 25°C 0.50M M H K1=10.55 1985CBa (82215) 601  
K(DyL+H)=6.40  
K(DyHL+H)=5.16

DH(K1)=28.4 kJ mol<sup>-1</sup>, DS=297 J K<sup>-1</sup> mol<sup>-1</sup> (by calorimetry)

\*\*\*\*\*

C12H20N2O8 H4L BDTA CAS 868-43-9 (1742)

DL-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid;  
(HOOC.CH2)2N.CH(CH3).CH(CH3).N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp NaCl04 20°C 0.10M U K1=19.83 1971ISa (82290) 602

Dy+++ vlt oth/un 20°C 0.10M U K1=19.93 1966DMa (82291) 603

Dy+++ vlt KNO3 20°C 0.10M U K1=19.93 1966NSb (82292) 604

\*\*\*\*\*

C12H20N2O8 H4L CAS 22968-57-6 (3992)

meso-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid;  
(HOOC.CH2)2N.CH(CH3).CH(CH3).N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp NaCl04 20°C 0.10M U K1=17.16 1971ISa (82388) 605

Dy+++ vlt oth/un 20°C 0.10M U K1=17.01 1966DMa (82389) 606

\*\*\*\*\*

C12H20N2O8S H4L TEDTA CAS 923-74-0 (3394)

2,2'-Thiobis(ethyliminodiethanoic acid); S(CH2.CH2.N(CH2.COOH)2)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M C K1=14.83 1985TPa (82450) 607

\*\*\*\*\*

C12H20N2O9 H4L EEDTA CAS 923-73-9 (2112)

Oxa-bis(ethyleneimino)diethanoic acid; ((HOOC.CH2)2N.CH2.CH2)2O

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ EMF KNO3 20°C 0.10M U K1=18.21 1962MMc (82527) 608

\*\*\*\*\*

C12H20N2O10 H4L CAS 10258-50-1 (3993)

(2,3-Dihydroxytetramethylenedinitrilo)tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

-----  
Dy+++ oth oth/un ? ? U 1967Lda (82585) 609  
B(Dy2L)=27.23

Method: high-frequency titration

\*\*\*\*\*

C12H20O8N2 H4L (6908)  
2-Methyl-1,2-diaminopropane-N,N,N',N'-tetraethanoic acid;  
(HOOC.CH2)2N.CH2.C(CH3)2.N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M C K1=17.28 1978NLa (82671) 610

\*\*\*\*\*

C12H21NO6 H3L (7209)  
1-Carboxy-1-aminoheptane-N,N-diethanoic acid; HOOC.CH(C6H13)N(CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 20°C 40% U K1=11.34 1985Lbc (82694) 611

Medium: 40% v/v MeOH/H2O, 0.1 M KNO3

\*\*\*\*\*

C12H24N4O4 H2L (7343)  
1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl R4N.X 25°C 0.10M C K1=13.13 1998CCb (83080) 612

\*\*\*\*\*

C12H24O6 L 18-Crown-6 CAS 17455-13-9 (577)  
1,4,7,10,13,16-Hexaoxacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ dis R4N.X 25°C 0.12M C K1=<0.2 1998SUa (83343) 613

Medium: 0.12 M Et4NBr.

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid

-----  
Dy+++ dis non-aq 25°C 100% U B2=8.06 1990NIa (83344) 614

B2=extraction eq.constant: M+3P+2(S)=ML2P3(S); solvent(S)=CH2Cl2, P=picrate

-----  
Dy+++ sp alc/w 25°C 100% U 19890Kb (83345) 615

K1eff=2.17

At pH 3.4 by competition with 18-crown-6. Medium: MeOH, 0.03 M Et4NClO4

-----  
Dy+++ ISE non-aq 25°C 100% C K1=7.90 1983ANb (83346) 616

The equilibration took 7-12 days. Medium: PC, 0.10 M Et4NClO4

\*\*\*\*\*

C12H26N2O4 L Cryptand 2,2 CAS 23978-55-4 (925)  
4,7,13,16-Tetraoxa-1,10-diazacyclooctadecane;

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	ISE	non-aq	25°C	100%	C		K1=16.9	1986ALa (83831)	617

Medium: propylene carbonate, 0.1 M Et4NClO4

Dy+++	gl	alc/w	25°C	100%	C I		K1=8.96	1983ANb (83832)	618
-------	----	-------	------	------	-----	--	---------	-----------------	-----

The equilibration took 7-12 days. Medium: MeOH, 0.05 M Et4NClO4  
In propylene carbonate, 0.1 M Et4NClO4, K1=15.1.

\*\*\*\*\*  
C12H28N2O9P2 H4L (7242)  
1,4,10-Trioxa-7,13-diazacyclopentadecane-7,13-diylldimethylenediphosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	R4N.X	25°C	0.10M	U		K1=12.48 K(Dy+HL)=9.64 K(Dy+H2L)=5.53	1996BJa (84153)	619

Medium: 0.1 M Me4NCl

\*\*\*\*\*  
C12H30N6 L CAS 296-35-5 (143)  
1,4,7,10,13,16-Hexaazacyclooctadecane; cyclo(-(NH.CH2.CH2)6-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaCl	20°C	0.10M	C		K1=10.1	1988SJB (84325)	620

\*\*\*\*\*  
C13H50F13S L (6997)  
1-(2-Thienyl)-3-tridecafluorohexylpropane-1,3-dione; C6F13.CO.CH2.CO.C4H3S

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	alc/w	22°C	80%	U		K1=5.61 B2=11.08 K3=4.53	1995MTa (84451)	621

Medium: 0.1 M NaClO4 in 80% (v/v) EtOH/H2O.

\*\*\*\*\*  
C13H9F02S HL CAS 43191-66-8 (6154)  
1-(2'-Thienyl)-3"-fluoro-2"-hydroxyphenyl)-prop-1-one-2-ene;  
C4H3S.CH:CH.CO.C6H3(OH)F

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaClO4	30°C	0.10M	U		K1=5.00	1989SHa (84513)	622

\*\*\*\*\*  
C13H9N3OS L (6217)  
Acenaphthenequinone Monothiosemicarbazone; C12H6O:N.NH.CS.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	25°C	75%	U TI		K1=9.15 B2=17.66	1986SSd (84620)	623

Medium: 0.1 M NaClO4. 30 C: K1=9.37, K2=8.70; 40 C: K1=9.11, K2=8.58; 50 C:

K1=8.81,K2=8.08; I=0.01 M: K1=10.04,K2=9.46; I=0.05: K1=9.58,K2=9.07

\*\*\*\*\*

C13H11NOS H2L (7306)  
2-(Salicylideneamino)thiophenol, Salicylaldehyde-2-mercaptoanil;  
HO.C6H4.CH:N.C6H4.SH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl alc/w 25°C 70% U K1=11.12 B2=22.15 1995IFa (85041) 624  
Medium: 70% v/v EtOH/H2O, 0.10 M NaCl.

\*\*\*\*\*

C13H11NO2 HL CAS 304-88-1 (181)  
N-Phenylbenzohydroxamic acid; C6H5.CO.N(C6H5).OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ dis oth/un 23°C 0.01M C 1997AAa (85141) 625  
Method: extraction of 165Dy from 0.01 M borate buffer into  
benzene-ligand solution. K(Dy+3HL(org)=DyL3(org)+3H)=-15.40.

-----  
Dy+++ gl mixed 25°C 75% U K1=8.60 B2=15.10 1969DSb (85142) 626  
K3=5.50

Medium: 75% dioxan, 0.1 M NaClO4

\*\*\*\*\*

C13H11NS HL CAS 42152-36-3 (8401)  
2-[(Phenylmethylene)amino]benzenethiol;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl alc/w 25°C 70% U K1=8.36 B2=15.69 1995IFa (85226) 627  
Medium: 70% v/v EtOH/H2O, 0.10 M NaCl. Also data for p-Cl, p-NMe2, p-OH,  
p-OCH3, p-CH3, p-NO2 substituted benzaldehyde Schiff bases.

\*\*\*\*\*

C13H11N2O3F3 HL (5563)  
3-(2-Acetylphenylhydrazone)-1,1,1-trifluoropentane-2,4-dione;  
CF3.CO.C(CO.CH3):N.HN.C6H4.COCH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 30°C 75% U K1=8.85 B2=16.41 1988ESb (85242) 628

\*\*\*\*\*

C13H12N2O3S HL (6203)  
Salicylidenesulfanilamide, 4-(N-(2-Hydroxybenzylene))aminosulanilamide;  
H2NSO2C6H4N:CHC6H4OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl oth/un 25°C 0.10M U K1=12.800 1987KSc (85356) 629

\*\*\*\*\*

C13H12N4O L Diphenylcarbaz. CAS 538-62-5 (1195)

Diphenylcarbazone; C6H5.NH.NH.CO.N:N.C6H5

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      EMF alc/w  20°C  50%  U          K1=3.65      1971MAc (85408) 630
Medium: 50% EtOH, 0.1 M NaClO4
*****
```

C13H12N4S L Dithizone CAS 60-10-6 (1801)  
Diphenylthiocarbazon; C6H5.NH.NH.CS.N:N.C6H5

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      EMF alc/w  20°C  50%  U          K1=2.05      1971MAc (85454) 631
Medium: 50% EtOH, 0.1 M NaClO4
*****
```

C13H14N2O3 HL (4940)  
3-(2-Acetylphenylhydrazone)pentane-2,4-dione; (CH3.CO)2C:N.NH.C6H4(CO.CH3)

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  diox/w 30°C  75%  U          K1=11.10 B2=21.08 1988ESb (85605) 632
*****
```

C13H19NO3 H2L (2031)  
2-(1-(2-Hydroxyphenyl)-ethylimine)-3-methylbutanoic acid;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  NaClO4 25°C  0.10M U TIH   K1=12.25 B2=22.45 1980SSc (86053) 633
*****
```

C13H20N2O8 H4L CAS 123064-92-6 (7929)  
trans-1,3-Cyclopentanediaminotetraethanoic acid;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KCl    25°C  1.0M  U          K1=13.56      1989CMB (86118) 634
                    K(DyHL+H)=3.33
                    K(DyL+H)=4.05
*****
```

C13H22N2O8 H4L CAS 1798-14-7 (921)  
(Pentamethylenedinitrilo)tetraethanoic acid; ((HOOCH2)2N.CH2.CH2)2CH2

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  KNO3   25°C  0.10M C          K1=10.75      1982PPd (86191) 635
                    K(Dy+HL)=6.98
*****
```

C13H22N2O8 H4L CAS 1198-14-7 (5004)  
1,2-Diaminopentane-N,N,N',N'-tetraethanoic acid; (HOOCH2)2NCH2CH(C3H7)N(CH2COOH)2

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
```

-----  
Dy+++ vlt KNO3 20°C 0.10M U K1=19.48 1974NLa (86224) 636  
\*\*\*\*\*  
C13H22N2O8 H4L (7164)  
2,4-Diaminopentane-N,N,N',N'-tetraethanoic acid;  
(HOOCCH2)2NCH(CH3)CH2CH(CH3)N(CH2COOH)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=12.88 1981NSc (86251) 637  
\*\*\*\*\*  
C13H22N2O8 H4L (5003)  
3-Methyl-1,2-diaminobutane-N,N,N',N'-tetraethanoic acid;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=19.39 1968NLb (86279) 638  
\*\*\*\*\*  
C13H22N2O9 H4L DETAP CAS 36829-96-6 (5602)  
Bis(2-aminoethyl)ether-N,N,N'-triethanoic acid-N'-(3-propanoic acid);  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M C K1=15.11 1985PLa (86300) 639  
K(Dy+HL)=9.31  
\*\*\*\*\*  
C14H8O4 H2L Alizarin CAS 72-48-0 (1058)  
1,2-Dihydroxyanthraquinone;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl oth/un 25°C 0.10M U K1=12.33 1981EIa (86639) 640  
\*\*\*\*\*  
C14H8O7S H3L DASA CAS 83-61-4 (950)  
1,2-Dihydroxyanthraquinone-3-sulfonic acid, Alizarin Red S;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.20M U M K1=10.37 1987V5a (86724) 641  
K(Dy(cdta)+L)=6.80, K(Dy(dtpa)+L)=5.32.  
-----

Dy+++ sp mixed ? 50% U 1973KTb (86725) 642  
K1eff=7.05  
B3eff=17.50  
-----

Medium: 50% v/v acetone. Borax buffers.

\*\*\*\*\*  
C14H10N2O2F HL CAS 87221-43-0 (6155)  
1-(2'-Pyridyl)-3-(3-fluoro-2-hydroxyphenyl)-prop-1-ene-2-ene;  
C5H4N.CH:CH.CO.C6H3(OH)F  
-----



Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaClO4	30°C	0.10M	U		K1=5.20	1989SHa (86883)	643
*****									
C14H11N3O		HL					CAS 24854-76-0	(1380)	
2-(1H-Benzimidazol-2-yl-methylene-amino) phenol;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	25°C	50%	U		K1=7.06 B2=13.94	19820Ca (86993)	644
*****									
C14H12N2O3		H2L					CAS 4870-46-6	(3432)	
2-Hydroxy-5-methyl-2'-carboxy-azobenzene; HO.C6H3(CH3).N:N.C6H4.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	25°C	50%	U I		K1=3.84 B2=7.63	1985ANa (87212)	645
*****									
C14H13NO2		HL		DPAHA			CAS 4463-22-3	(880)	
2,2'-Diphenylacetohydroxamic acid; (C6H5)2.CH.CO.NH.OH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	alc/w	30°C	50%	U T H		K1=7.12	1981RSb (87403)	646
Medium: 50% v/v EtOH, 0.1 M KNO3. K1=8.17(I=0), 7.48(I=0.05)									
*****									
C14H13NO4S		H2L					(3660)		
2-Aminobenzenesulfonic acid 2-hydroxyacetophenone Schiff base; HSO3.C6H4.N:C(CH3).C6H4.OH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	U T H		K1=6.78 B2=11.74	1978GKb (87574)	647
Data for 25-35 C and I=0.01-0.10 M. At I=0.0 M, DH(K1)=38.7 kJ mol <sup>-1</sup> , DS(K1)=350 J K <sup>-1</sup> mol <sup>-1</sup> .									
*****									
C14H14N2O2		HL					(6168)		
N-(2-Hydroxy-3-methoxybenzylidene)phenylhydrazine; C6H5.NH.N:CH.C6H3(OH)OCH3									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	30°C	75%	U		K1=8.93	1988MKd (87655)	648
*****									
C14H15N2O3Cl		H2L					(8285)		
5,5'-Dimethylcyclohexane-2-(2'-hydroxy-4'-chlorophenyl)hydrazono-1,3-dione;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	mixed	30°C	0.10M	U T H		K1=12.06 B2=22.33	1988TRb (87716)	649
Medium: 0.1 M KNO3 in 75% v/v isopropanol/water									

\*\*\*\*\*

C14H16N2O2S HL CAS 189231-67-2 (8475)  
2-Thiophenylhydrazodimedone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 25°C 75% C T H K1=13.49 B2=25.32 1997E1a (87865) 650  
Medium: 75% v/v dioxane/H2O, 0.10 M KNO3. Data for 10-40 C. DH(K1)=-7.71  
kJ mol<sup>-1</sup>, DS(K1)=-11.23 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=-6.61, DS(K2)=-9.34.  
\*\*\*\*\*

C14H16N2O3 H2L (8284)  
5,5'-Dimethylcyclohexane-2-(2'-hydroxyphenyl)hydrazono-1,3-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl mixed 30°C 0.10M U T H K1=12.31 B2=22.77 1988TRb (87883) 651  
Medium: 0.1 M KNO3 in 75% v/v isopropanol/water  
\*\*\*\*\*

C14H16N2O8 H4L CAS 40774-59-2 (1901)  
1,2-Diaminobenzene-N,N,N',N'-tetraethanoic acid; C6H4(N(CH2.COOH)2)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 1.00M C H K1=14.89 1992YNa (87947) 652  
By calorimetry: DH(K1)=11.6 kJ mol<sup>-1</sup>, DS=324 J K<sup>-1</sup> mol<sup>-1</sup>  
\*\*\*\*\*

C14H19N07 HL (6775)  
16-Nitro-3,6,9,12-tetraoxabicyclo[12.3.1]octadeca-1(18),14,16-trien-18-ol;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl R4N.X 25°C 0.10M C K1=3.22 1990CBe (88145) 653  
\*\*\*\*\*  
C14H20O5 L Benzo15-crown-5 CAS 14098-44-3 (608)  
2,3-Benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ dis non-aq 25°C 100% U B2=7.58 1990NIa (88264) 654  
B2=extraction eq.constant: M+3P+2(S)=ML2P3(S); solvent(S)=CH2Cl2, P=picrate

-----  
Dy+++ ISE R4N.X 25°C 0.10M C K1=2.60 1986XJa (88265) 655  
\*\*\*\*\*  
C14H20O8S HL CAS 127461-53-4 (7818)  
2,3-Benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene-4'-sulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ dis R4N.X 25°C 0.12M C K1=1.21 1998SUa (88390) 656  
Medium: 0.12 M Et4NBr.

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid  
 \*\*\*\*\*

C14H22N2O8                    H4L    cis-1,2-CDTA        CAS 92761-75-6 (2846)  
 cis-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KCl	25°C	1.0M	U			K1=4.70 K(DyHL+H)=4.48 K(DyL+H)=6.72	1987CMe (88429)	657

\*\*\*\*\*  
 C14H22N2O8                    H4L    cis-1,3-CDTA        CAS 92681-23-7 (2847)  
 cis-1,3-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KCl	25°C	1.0M	U			K1=8.18 K(DyHL+H)=5.21 K(DyL+H)=7.08	1987CMe (88439)	658

\*\*\*\*\*  
 C14H22N2O8                    H4L    cis-1,4-CDTA        CAS 92681-25-9 (2848)  
 cis-1,4-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KCl	25°C	1.0M	U			K1=8.96 K(DyHL+H)=5.78 K(DyL+H)=6.15	1987CMe (88454)	659

\*\*\*\*\*  
 C14H22N2O8                    H4L    CDTA                    CAS 482-54-2 (200)  
 trans-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KCl	25°C	1.0M	U			K1=19.98 K(DyL+H)=1.35	1987CMe (88621)	660

Dy+++	gl	KCl	25°C	1.00M	U			K1=19.98	1984MHa (88622)	661
-------	----	-----	------	-------	---	--	--	----------	-----------------	-----

Dy+++	gl	KNO3	27°C	0.10M	U	M		K(Dy+L+HA)=13.32 K(DyL+HA)=5.79	1981KSe (88623)	662
-------	----	------	------	-------	---	---	--	------------------------------------	-----------------	-----

H2A=Citraconic acid

Dy+++	gl	NaClO4	25°C	0.50M	U			K1=18.70	1977Ggb (88624)	663
-------	----	--------	------	-------	---	--	--	----------	-----------------	-----

Dy+++	EMF	KNO3	25°C	0.10M	U	T H		K1=19.69 DH(K1)=13.0 kJ mol <sup>-1</sup> , DS=414 J K <sup>-1</sup> mol <sup>-1</sup> . At 20 C: K(DyL+H)=2.16	1962MHa (88625)	664
-------	-----	------	------	-------	---	-----	--	--	-----------------	-----

Dy+++	vlt	KNO3	20°C	0.10M	U			K1=19.69	1954SGa (88626)	665
-------	-----	------	------	-------	---	--	--	----------	-----------------	-----

\*\*\*\*\*  
 C14H22N2O8 H4L trans-1,3-CDTA CAS 92681-24-8 (2849)  
 trans-1,3-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl KCl 25°C 1.0M U K1=8.41 1987CMe (88834) 666  
 K(DyHL+H)=4.83  
 K(DyL+H)=7.28

\*\*\*\*\*  
 C14H22N2O8 H4L trans-1,4-CDTA CAS 92681-26-0 (2843)  
 trans-1,4-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl KCl 25°C 1.0M U K1=9.03 1987CMe (88851) 667  
 K(DyHL+H)=5.75  
 K(DyL+H)=6.14

-----  
 Dy+++ gl KCl 25°C 1.00M U K1=9.03 1984MFb (88852) 668

\*\*\*\*\*  
 C14H22N2O9 H2L CAS 93031-53-9 (5830)  
 1,4,7-Trioxa-10,13-diazacyclopentadecane-8,15-dione-10,13-diethanoic acid;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl R4N.X 25°C 0.10M C K1=8.73 1988CCb (88877) 669

\*\*\*\*\*  
 C14H23N3O10 H5L DTPA CAS 67-43-6 (238)  
 Diethylenetriamine-pentaethanoic acid; HOOC.CH2.N(CH2.CH2.N(CH2.COOH)2)2

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Dy+++ gl NaNO3 25°C 0.10M U I 2003ADb (89201) 670  
 K(DyL+val)=3.889  
 K(DyL+leu)=3.782

Data for 0.15 and 0.05 M NaNO3. At I=0, K(DyL+val)=4.006, K(DyL+leu)=3.900

-----  
 Dy+++ gl NaNO3 25°C 0.10M M I M 2002ADa (89202) 671  
 K(DyL+ser)=3.652  
 K(DyL+thr)=3.575

Data for 0.05 and 0.15 M NaNO3.

-----  
 Dy+++ cal KNO3 25°C 0.10M C T 1988MIa (89203) 672  
 DH(K1)=-30.35 kJ mol<sup>-1</sup>, DS=335.0 J mol<sup>-1</sup> K<sup>-1</sup>. Also data for 283 and 313 K

-----  
 Dy+++ cal NaClO4 25°C 0.10M C H 1987YJa (89204) 673  
 DH(K1)=-27.9 kJ mol<sup>-1</sup>, DS(K1)=344 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
 Dy+++ cal NaClO4 25°C 0.50M U H 1977CGc (89205) 674

DH(K1)=-44.7 kJ mol<sup>-1</sup>

-----  
Dy+++ gl NaClO4 25°C 0.50M U K1=21.11 1977GGb (89206) 675  
-----

Dy+++ cal KNO3 27°C 0.10M U H 1968CLd (89207) 676  
DH(K1)=-33.0 kJ mol<sup>-1</sup>, DS=326 J K<sup>-1</sup> mol<sup>-1</sup>  
-----

Dy+++ EMF KNO3 25°C 0.10M U H K1=22.82 1962MTc (89208) 677  
DH(K1)=-33.5 kJ mol<sup>-1</sup>, DS=325 J K<sup>-1</sup> mol<sup>-1</sup>  
-----

Dy+++ gl oth/un 25°C 0.10M U K1=23.46 1959HCa (89209) 678  
\*\*\*\*\*  
C14H24N2O8 H4L (5075)  
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-butyric acid;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=17.58 1969NDc (89506) 679  
\*\*\*\*\*  
C14H24N2O8 H4L (7165)  
1,2-Diaminohexane-N,N,N',N'-tetraethanoic acid; (HOOCCH2)NCH2CH(C4H9)N(CH2COOH)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=19.42 1974NLa (89527) 680  
\*\*\*\*\*  
C14H24N2O8 H4L CAS 1633-00-7 (5076)  
4-Methyl-1,2-diaminopentane-N,N,N',N'-tetraethanoic acid;  
(HOOCCH2)2NCH2CH(N(CH2COOH)2)CH2CH(CH3)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=19.47 1968NLb (89630) 681  
\*\*\*\*\*  
C14H24N2O8 H2L CAS 17619-53-3 (5833)  
Diaminoethane-N,N'-Di(ethylaceto)-N,N'-diethanoic acid;  
(-CH2.N(CH2.COOH)CH2.COOC2H5)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl R4N.X 25°C 0.10M C K1=10.39 1988CCb (89648) 682  
\*\*\*\*\*  
C14H24N2O8 H4L EDTP (2936)  
Diaminoethane-N,N,N',N'-tetrapropanoic acid; (HOOC.CH2CH2)2N.CH2CH2.N(CH2CH2.COOH)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U 1995HAa (89678) 683  
K(Dy+HL)=4.71  
K(Dy+H2L)=3.81

K(Dy+H3L)=2.79

B(DyHL)=14.14

B(DyH2L)=19.36, B(DyH3L)=22.51

\*\*\*\*\*

C14H24N2O9 H4L BPETA CAS 87720-52-3 (5077)

Bis-(3-di(carboxymethyl)aminopropyl)ether;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.10M U K1=11.72 1984TPa (89726) 684  
K(Dy+HL)=7.71

\*\*\*\*\*

C14H24N2O10 EGTA CAS 67-42-5 (349)

Ethyleneglycol-0,0'-bis(2-aminoethyl ether)-N,N,N',N'-tetraethanoic acid; H4L

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl alc/w 25°C 20% M TI K1=17.025 2000KDa (89853) 685  
Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3.  
At I=0, K1=17.218. Data for 35 and 45 C and I=0.10 M NaNO3.

-----  
Dy+++ gl KCl 25°C 1.0M U M K2=1.55 1985KBb (89854) 686  
K(DyL+ida)=1.5

-----  
Dy+++ EMF KNO3 20°C 0.10M U K1=17.42 1962MMc (89855) 687

\*\*\*\*\*

C14H25N3O8 H4L DEATA CAS 97315-55-4 (5601)

N,N-Bis(2-aminoethyl)ethylamine-N',N',N'',N''-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.10M C K1=17.84 1985TPa (90097) 688

\*\*\*\*\*

C14H25N3O9 H4L CAS 4454-15-3 (5078)

((N-(2-Hydroxyethyl)-2,2'-iminodiethylene)dinitrilo)tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ vlt KCl ? 0.10M U K1=13.97 1968VLa (90113) 689

\*\*\*\*\*

C14H26N2O7 H2L (1567)

1,4,10-Trioxa-7,13-diazacyclopentadecane-N,N'-diethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl R4N.X 25°C 0.10M M K1=11.55 1986C0b (90181) 690

\*\*\*\*\*

C14H28N2O4 L Cryptand 2,1,1 CAS 31250-06-3 (836)

1,10-Diaza-4,7,13,18-tetraoxabicyclo[8,5,5]eicosane (2,1,1);

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	ISE	non-aq	25°C	100%	C		K1=15.4	1986ALa (90360)	691
Medium: propylene carbonate, 0.1 M Et4NClO4									
*****									
C14H28N2O6		HL					CAS 82353-42-2	(5850)	
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7-ethanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	R4N.X	25°C	0.10M	C		K1=7.15	1988CCc (90477)	692
*****									
C14H30O7		L					CAS 1072-40-8	(2499)	
2,5,8,11,14,17,20-Heptaoheneicosane; CH3.O.(CH2.CH2.O)6.CH3									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	non-aq	25°C	100%	C		K1=5.87	1989BPa (90690)	693
Medium: anhydrous propylene carbonate, 0.1 M Et4NClO4									
*****									
C14H32N2O10P2		H4L					CAS 81963-60-2	(7240)	
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diylldimethylenediphosphonic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	R4N.X	25°C	0.10M	U		K1=12.95 K(Dy+HL)=10.54 K(Dy+H2L)=6.01	1996BJa (90761)	694
Medium: 0.1 M Me4NCl									
*****									
C15H11NO4		HL					CAS 1776-18-7	(955)	
3-Phenyl-1-(2'-hydroxy-5'-nitrophenyl)-2-propen-1-one;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	alc/w	35°C	70%	U		K1=6.61 B2=13.14	1982SLb (91076)	695
*****									
C15H11N3O		HL		PAN			CAS 85-85-8	(572)	
1-(2-Pyridylazo)-2-naphthol; C5H4N.N:N.C10H6.OH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	sp	alc/w	21°C	50%	U	I	K1=9.58	1981MCb (91210)	696
Medium: 50% MeOH, 0.1 M NaClO4. In 75% MeOH K1=11.42									
*****									
C15H11N3O2		L					CAS 74378-23-7	(2745)	
Phenanthrenequinone monosemicarbazone; C14H8(:O)(:N.NH.CO.NH2)									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
*****									

Dy+++ gl diox/w 25°C 75% C TIH K1=7.08 B2=13.55 1989SVa (91304) 697  
DH(K1)=-63.98 kJ mol<sup>-1</sup>

\*\*\*\*\*

C15H1102Br HL CAS 1218-20-0 (954)

3-Phenyl-1-(2'-hydroxy-5'-bromophenyl)-2-propen-1-one;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 35°C 70% U K1=7.17 1982SLb (91369) 698

\*\*\*\*\*

C15H1102Cl HL CAS 1218-24-2 (953)

3-Phenyl-1-(2'-hydroxy-5'-chlorophenyl)-2-propen-1-one;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 35°C 70% U K1=7.06 B2=13.79 1982SLb (91387) 699

Dy+++ gl alc/w 35°C 70% U K1=7.06 B2=13.79 1980SLb (91388) 700

\*\*\*\*\*

C15H120S HL (1261)

mono-Thiodibenzoylmethane; C6H5.CO.CH2.CS.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaCl04 30°C 0.05M U K1=9.26 B2=18.08 1979VMa (91490) 701  
K3=7.14

\*\*\*\*\*

C15H1202 HL CAS 1214-47-7 (951)

3-Phenyl-1-(2'-hydroxyphenyl)-2-propen-1-one, 2'-hydroxychalkone;

C6H5.CH:CH.CO.C6H4.OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 35°C 70% U K1=8.26 B2=15.96 1982SLb (91581) 702  
Medium: 70% EtOH, 0.1 M KNO3

Dy+++ gl alc/w 35°C 70% U K1=9.26 B2=16.96 1980SLb (91582) 703

\*\*\*\*\*

C15H13N3O HL CAS 104992-04-3 (6852)

2-((1H-Benzimidazo-2-yl-methyl)-iminomethyl)phenol;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 30°C 60% U M K1=6.82 B2=13.35 1990DOb (91663) 704  
K(DyA+L)=5.72  
K(DyB+L)=5.42  
K(DyC+L)=4.89

H2A=iminodiethanoic acid, H3B=hydroxyethyliminodiethanoic acid, H3C=NTA.

Data also for 3-chloro and 3-methoxysalicylidene analogues

\*\*\*\*\*



C15H14NOCl HL CAS 268214-29-5 (8398)  
4-Chloro-3,5-dimethyl-2-[(phenylimino)methyl]phenol;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 75% M K1=7.20 2000ANa (91688) 705  
Medium: 75% v/v dioxan/H2O, 0.10 M NaCl04. Data for an extensive series of  
4'-substituted phenylimino derivatives.

\*\*\*\*\*

C15H14O3S H2L (6191)  
1-(2-Hydroxy-3,5-dimethylphenyl)-3-(2-thiophene)-propan-1,3-dione;  
C4H3S.CO.CH2.CO.C6H2(OH)(CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 50% U 1987DDc (91783) 706

K(Dy+HL)=7.35  
K(DyHL+HL)=6.66

\*\*\*\*\*

C15H14O3S H2L CAS 57051-65-7 (6190)  
1-(2-Hydroxy-4,5-dimethylphenyl)-3-(2-thiophene)-propan-1,3-dione;  
C4H3S.CO.CH2.CO.C6H2(OH)(CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 50% U 1987DDc (91789) 707

K(Dy+HL)=7.77  
K(DyHL+HL)=7.06

\*\*\*\*\*

C15H14O4 H2L CAS 60403-51-2 (2361)  
1-(2-Furyl)-3-(2-hydroxy-3,4-dimethylphenyl)-propan-1,3-dione;  
C4H3O.CO.CH2.CO.C6H2(OH)(CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 50% U 1987DDc (91795) 708

K(Dy+HL)=7.57  
K(DyHL+HL)=7.10

\*\*\*\*\*

C15H14O4 H2L CAS 60403-52-3 (6186)  
1-(2-Furyl)-3-(2-hydroxy-3,5-dimethylphenyl)-propan-1,3-dione;  
C4H3O.CO.CH2.CH2.C6H2(OH)(CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 50% U 1987DDc (91801) 709

K(Dy+HL)=7.47

\*\*\*\*\*

C15H14O4 H2L CAS 60403-54-5 (6187)  
1-(2-Furyl)-3-(2-hydroxy-3,6-dimethylphenyl)-propan-1,3-dione;

C4H30.CO.CH2.CH2.C6H2(OH)(CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 50% U 1987DDc (91807) 710

K(Dy+HL)=6.87  
K(DyHL+HL)=6.57

\*\*\*\*\*

C15H18N2O3 HL CAS 116822-13-0 (6743)  
5,5-Dimethylcyclohexane-2-(2-hydroxy-4'-methylphenyl)-hydrazono-1,3-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl alc/w 20°C 75% U T H K1=11.51 B2=20.17 1993RAa (92017) 711  
Medium: 75% v/v MeOH/H2O; 0.10 M KNO3

Dy+++ gl mixed 30°C 0.10M U T H K1=12.48 B2=23.29 1988TRb (92018) 712  
Medium: 0.1 M KNO3 in 75% v/v isopropanol/water

\*\*\*\*\*

C15H20N2O6 H3L BEDTA CAS 65311-06-0 (2944)  
N-Benzylidiaminoethane-N,N',N'-triethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M C K1=13.02 1978MPb (92148) 713

\*\*\*\*\*

C15H23N3O2 L CAS 36763-33-4 (5176)  
N,N,N',N'-Tetraethyl-2,6-pyridinedicarboxamide;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp non-aq 25°C 100% M K1=7.5 B2=14.80 1997RPb (92280) 714  
B3=22.5

Medium: acetonitrile.

\*\*\*\*\*

C15H25N3O10 H5L (5127)  
Diethylenetriamine-N,N,N'',N''-tetraethanoic acid-N'-propanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ EMF KCl ? 0.10M U K1=16.71 1966VLa (92367) 715

\*\*\*\*\*

C15H25N3O10 H5L (6100)  
Diethylenetriamine-N,N,N',N''-tetraethanoic acid-N''-propanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 25°C 0.10M C K1=19.54 1989SPa (92390) 716  
K(Dy+HL)=13.51

\*\*\*\*\*

C15H26N4O9 H4L (7685)  
Diethylenetriamine-N,N,N',N'',N''-pentaethanoic acid N'-methyleamide;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 25°C 0.10M C K1=20.5 2000SBb (92428) 717  
\*\*\*\*\*

C15H26N4O9 H4L CAS 137076-43-8 (5085)  
Diethylenetriamine-N,N,N',N'',N''-pentaethanoic acid N-methyleamide;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KCl 25°C 0.10M C K1=19.3 2000SBb (92443) 718  
\*\*\*\*\*

C15H33NO6 L CAS 70384-51-9 (838)  
Tris(3,6-dioxaheptyl)amine; (CH3.CH2.O.CH2.CH2.O.CH2.)3N

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ ISE non-aq 25°C 100% C K1=9.5 B2=17.5 1986ALa (92563) 719  
Medium: propylene carbonate, 0.1 M Et4NClO4  
\*\*\*\*\*

C16H9N2OBr3 HL CAS 84317-74-8 (5169)  
1-(2,4,6-Tribromophenylazo)-2-hydroxynaphthalene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ kin oth/un 25°C 0.02M U K1=5.18 1972GSe (92649) 720  
\*\*\*\*\*

C16H12N3O4ClS H2L CAS 133131-00-7 (8468)  
7-Amino-8-[(4-chlorophenyl)azo]-4-hydroxy-2-naphthalenesulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaCl 25°C 0.10M U K1=11.17 B2=21.03 B3=28.17 1997IHa (93112) 721

Also data for the 4'-bromo-, 4'-fluoro-, 4'-nitro-, 4'-methoxy-, 4'-di-  
methylamino-, 4'-hydroxy-, 4'-carboxy-, 4'-AsO(OH)2-, 2'-hydroxy- analogue  
\*\*\*\*\*

C16H12N5O3 L CAS 77251-11-7 (5928)  
1-Phenyl-3-methyl-4(2'-nitrophenylhydrazo)-5-pyrazolone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 75% M K1=7.39 1987ESa (93126) 722  
\*\*\*\*\*

C16H13N2O10AsS2 H5L Thorin I CAS 3688-92-4 (2609)  
1-((2-Arsonophenyl)azo)-2-hydroxy-3,6-naphthalylldisulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----



```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  diox/w 30°C 75% U          K1=9.93  B2=18.53  1988ESb (93774) 730
*****
C16H18N4          L                      CAS 172665-46-2 (7699)
N,N'-Dimethyl-1,10-phenanthroline-2,9-dimethanamine;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  NaClO4 25°C 0.10M U      K1=7.95          2001WZa (93840) 731
                          B(DyHL)=14.93

```

Also data for the N,N'-diethyl, isopropyl, butyl and isobutyl derivatives.  
 \*\*\*\*\*  
 C16H20N2O8 H4L CAS 6411-02-5 (1919)  
 1-Phenyl-ethylenediamine-N,N,N',N'-tetraethanoic acid (DL)

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      vlt KNO3 20°C 0.10M U          K1=18.42          1969NDb (94035) 732
*****

```

```

C16H23NO8          HL                      (6776)
19-Nitro-3,6,9,12,15-pentaoxabicyclo[15.13.1]heneicosa-1(21),17,19-trien-21-ol;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  R4N.X 25°C 0.10M C          K1=3.05          1990CBe (94256) 733
*****

```

```

C16H23NO8          L                      CAS 53408-96-1 (1765)
2,3-(4'-Nitrobenzo)-1,4,7,10,13,16-hexaoxacyclooctadeca-2-ene;
4'-Nitrobenzo-18-crown-6
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      ISE R4N.X 25°C 0.10M C          K1=3.36          1986XJa (94264) 734
*****

```

```

C16H24O9S          HL      SB18C6          CAS 185099-14-3 (7819)
2,3-Benzo-1,4,10,13,16-hexaoxacyclooctadeca-2-ene-4'-sulfonic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      dis R4N.X 25°C 0.12M C          K1=0.87          1998SUa (94475) 735
Medium: 0.12 M Et4NBr.

```

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid  
 \*\*\*\*\*  
 C16H26N2O10 H2L CAS 93031-54-0 (5831)  
 1,4,7,10-Tetraoxa-13,16-diazacyclooctadecane-11,18-dione-13,16-diethanoic acid;

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----

```

Dy+++ gl R4N.X 25°C 0.10M C K1=9.31 1988CCb (94566) 736  
\*\*\*\*\*

C16H27N5O8 H3L (6621)  
1,4,7-Tris(carboxymethyl)-1,4,7,10,13-pentaazacyclopentadecan-9,14-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp KCl 25°C 0.08M U K1=11.4 1994FCa (94665) 737  
\*\*\*\*\*

C16H27N5O8 H3L (6915)  
4,10,13-Tris(carboxymethyl)-1,4,7,10,13-pentaazacyclopentadeca-8,15-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp KCl 25°C 0.08M U K1=15.1 1994FCa (94681) 738  
\*\*\*\*\*

C16H28N2O8 H4L (5167)  
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-(3-methyl)butanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 20°C 0.10M U K1=14.41 1969NDc (94708) 739  
By polarography: K1=14.45  
\*\*\*\*\*

C16H28N2O8 H4L (5168)  
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-pentanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=17.63 1969NDc (94734) 740  
\*\*\*\*\*

C16H28N2O8 H4L (5138)  
1,2-Diaminooctane-N,N,N',N'-tetraethanoic acid;  
(HOOCCH2)2N.CH2.CH(C6H13)N(CH2COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt KNO3 20°C 0.10M U K1=19.57 1979MBd (94760) 741  
\*\*\*\*\*

C16H28N4O8 H4L DOTA CAS 60239-18-1 (1017)  
1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaCl 37°C 1.0M C K1=23.5 1994TBb (94887) 742  
Method: Competitive reaction with Eu3+ ion.  
\*\*\*\*\*

C16H29N5O8 H3L (6505)  
Diethylenetriaminepentaethanoic acid N,N'-bismethylamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	C	H	K1=17.9	1993RCa (94996)	743
DH(K1)=-24.1 kJ mol <sup>-1</sup> , DS(K1)=262 J K <sup>-1</sup> mol <sup>-1</sup>									
*****									
C16H30N2O8		H2L					CAS 72912-01-7	(1568)	
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-N,N'-diethanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	R4N.X	25°C	0.10M	U		K1=11.57	1983CRb (95032)	744
*****									
C17H12N03Cl		HL					(6197)		
8-Formyl-7-hydroxy-4-methyl-2H-[1]-benzopyran-2-one-4-chloroanil;									
Cl.C6H4.N:CH.C9H3O(OH)(CH3)(:O)									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	30°C	70%	U		K1=5.38 B2=9.32 B3=11.91	1987ECa (95689)	745
*****									
C17H12N2O5		HL					(6198)		
8-Formyl-7-hydroxy-4-methyl-2H-[1]-benzopyran-2-one-4-nitroanil;									
NO2.C6H4.N:CH.C9H3O(OH)(CH3)(:O)									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	30°C	70%	U		K1=5.28 B2=9.09 B3=11.60	1987ECa (95706)	746
*****									
C17H12O4		H2L					CAS 60430-57-8	(6189)	
1-(2-Furyl)-3-(2-naphthol)-propan-1,3-dione; C4H3O.CO.CH2.CO.C10H6.OH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	30°C	50%	U		K(Dy+HL)=7.49 K(DyHL+HL)=6.98	1987DDc (95731)	747
*****									
C17H13N03		HL					CAS 98399-88-3	(6195)	
8-Formyl-7-hydroxy-4-methyl-2H-[1]-benzopyran-2-one-anil;									
C6H5.N:CH.C9H3O(CH3)(OH)(:O)									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Dy+++	gl	diox/w	30°C	70%	U		K1=6.01 B2=10.67 B3=13.83	1987ECa (95737)	748
*****									
C17H13N4O3		HL					(5927)		
1-Phenyl-3-methyl-4-(2'-carboxyphenylhydrazo)-5-pyrazolone;									

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  diox/w 30°C 75% M      K1=15.99 B2=28.42 1987ESa (95763) 749
*****
C17H14N2O2          L          CAS 4551-69-3 (698)
4-Benzoyl-3-methyl-1-phenyl-2-pyrazolin-5-one;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  NaNO3 20°C 0.10M U    M          1981GCa (95877) 750
          B(Dy+3L+2TBP)=23.82
          B(Dy+3L+TBPOxide)=22.5
          B(Dy+3L+4TBPOxide)=33.2
*****
C17H15N4O2          L          CAS 97671-53-9 (5926)
1-Phenyl-3-methyl-4-(2'-methoxyphenylhydrazo)-5-pyrazolone;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  diox/w 30°C 75% M      K1=8.46 B2=16.43 1987ESa (96004) 751
*****
C17H16N2O3S2        L          CAS 127335-83-5 (6849)
Sulfafurazole thiophene-2-aldehyde Schiff base; C4H3S.CH:N.C6H4.SO2.NH.C4HO(CH3)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  oth/un 25°C 0.10M U T    K1=5.24          1990TSa (96036) 752
30 C: K=5.05, 35 C: K=4.95
*****
C17H16O4            H2L          CAS 58134-82-0 (6193)
Benzoyl-2-hydroxy-4-methoxy-3-methylacetophenone;
C6H5.CO.CH2.CO.C6H2(OH)(OCH3)(CH3)
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  alc/w 30°C 75% U    M    B2=14.45          1991GDd (96148) 753
Medium: 75% v/v EtOH/H2O, 0.1 M NaClO4. K(Dy(Acetylacetone)+L)=12.24
-----

```

```

-----
Dy+++     gl  alc/w 30°C 75% U T H    K1=8.10 B2=15.16 1987DGd (96149) 754
20 C:K1=7.82, K2=7.21; 40 C:K1=8.25, K2=7.63; 50 C:K1=8.50, K2=7.82
DH(K1)=-42.2 kJ mol-1, DS=17 J K-1 mol-1
*****
C17H18O4            H2L          (6188)
1-(2-Furyl)-3-(2-hydroxy-3,4-diethylphenyl)-propan-1,3-dione;
C4H3O.CO.CH2.CO.C6H2(OH)(C2H5)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  diox/w 30°C 50% U          1987DDc (96242) 755
-----

```



K(Dy+HL)=7.46

\*\*\*\*\*

C17H20N3O3F HL (7845)  
1-Ethyl-6-fluoro-7-(4-methylpyperazine-1-yl)-4-oxo-1,4-dihydroquinoline-3-carboxylic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl alc/w 22°C 0.1M U K1=5.80 B2=10.57 2000TBb (96282) 756  
Medium: 0.1 M NaClO4 in 70% v/v EtOH/H2O

\*\*\*\*\*

C17H23N4O4BrS H2L (1594)  
2-(5-Bromo-2-pyridylazo)-5-(N-propyl-3-sulfopropylamino)phenol;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ sp NaNO3 25°C 0.10M C K1=8.46 19880Ha (96416) 757  
K(Dy+HL)=2.79

\*\*\*\*\*

C17H27N04 L CAS 71089-11-7 (7945)  
13-Phenylmethyl-1,4,7,10-tetraoxa-13-azacyclopentadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ cal non-aq 25°C 100% C H 1993LLb (96530) 758  
K(DyNO3+L)=3.21

Medium: acetonitrile. DH(DyNO3+L)=-74.31 kJ mol<sup>-1</sup>.

\*\*\*\*\*

C17H29N3O10 H4L CAS 89378-46-1 (5528)  
(Bis(3-(bis(carboxymethyl)amino)propyl)methylammonio)ethanoate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl KNO3 25°C 0.10M U K1=9.00 1984TPa (96568) 759  
K(Dy+HL)=6.02

\*\*\*\*\*

C18H15NO3 HL (6196)  
8-Formyl-7-hydroxy-4-methyl-2H-[1]-benzopyran-2-one 4-methylanil;  
CH3.C6H4.N:CH.C9H3O(OH)(CH3)(O)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 30°C 70% U K1=6.78 B2=12.36 1987ECa (96993) 760  
B3=16.28

\*\*\*\*\*

C18H16N2O3 HL (5560)  
2-(2-Acetylphenylhydrazono)-1-phenyl-but-1,3-dione;  
C6H5.CO.C(CO.CH3):N.NH.C6H4.COCH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl diox/w 30°C 75% U K1=10.90 B2=20.53 1988ESb (97167) 761

\*\*\*\*\*

C18H18N4 L CAS 16858-01-8 (1528)

Tris(2-pyridylmethyl)amine; (C5H4NCH2)3N

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ nmr KCl 25°C 1.0M C K1=1.87 2004BRa (97256) 762

Method: 1H nmr measurements in D2O.

\*\*\*\*\*

C18H20N2O6 H4L EHPG CAS 10328-28-6 (429)

N,N'-Ethylene-bis-(2-(2'-hydroxyphenyl))glycine; (HOOCCH(C6H4OH)NHCH2.)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ EMF KNO3 25°C 0.10M C T H K1=20.31 1985HWb (97422) 763

K(DyL+H)=7.16

Method: Hg (and glass) electrode, using Hg(II) as competitive indicator ion. Data for 10-35 C. DH(K1)=-64.6 kJ mol<sup>-1</sup>, DS(K1)=172 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*

C18H25N3O8 H4L BEATA CAS 87732-99-8 (5600)

N,N-Bis(2-aminoethyl)aniline-N',N',N'',N''-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl KNO3 25°C 0.10M C K1=15.35 1985TPa (97650) 764

\*\*\*\*\*

C18H28O5 L CAS 15196-73-3 (2359)

2,3-(4'-Dimethylethylbenzo)-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl non-aq 25°C 100% U K1=2.90 1982MDa (97803) 765

Medium: propylene carbonate

\*\*\*\*\*

C18H30N2O11 H2L CAS 93049-99-1 (5832)

1,4,7,10,13-Pentaoxa-16,19-diazacycloeicosane-14,21-dione-16,19-diethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl R4N.X 25°C 0.10M C K1=9.49 1988CCb (97906) 766

\*\*\*\*\*

C18H30N4O12 H6L TTHA CAS 869-52-3 (694)

Triethylenetetraaminehexaethanoic acid;((HOOC.CH2)2N.CH2.CH2.N(CH2.COOH).CH2)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ EMF KNO3 25°C 0.10M C T H K1=23.13 1987HCa (98019) 767

K(DyL+H)=4.57

$$K(\text{DyHL}+\text{H})=2.79$$

Method: Hg electrode; competitive reaction with Hg(II).

Data for 15-35 C. At 25 C,  $\text{DH}(K1)=104 \text{ kJ mol}^{-1}$ ,  $\text{DS}(K1)=793 \text{ J K}^{-1} \text{ mol}^{-1}$ .

-----  
Dy+++ vlt R4N.X 30°C 0.01M C K1=19.72 1981GMh (98020) 768  
Method: polarography, using Cd as indicator ion. Medium: 0.01 M Et4NBr.

-----  
Dy+++ vlt NaClO4 25°C 0.40M C K1=23.29 1978MNB (98021) 769  
Medium: 0.40 M NaClO4, pH 4.80. Method: polarography, using Cd as  
indicator ion.

\*\*\*\*\*  
C18H32N4O8 H4L TETA CAS 60239-22-7 (1019)  
1,4,8,11-Tetraazacyclotetradecane-1,4,8,11-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ EMF NaCl 80°C 1.00M C K1=16.04 1986LDB (98196) 770  
K(DyL+H)=3.10

\*\*\*\*\*  
C18H34N2O8 H2L CAS 68670-15-5 (5851)  
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-di-(3-propanoic acid);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl R4N.X 25°C 0.10M C K1=6.70 1988CCc (98334) 771

\*\*\*\*\*  
C18H34N4O9 H3L DO3A-B (7301)  
10-[2,3-Dihydroxy-(1-hydroxymethyl)-propyl]-1,4,7,10-tetraazacyclododecane-1,4,7-triethanoic ac.;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ gl NaCl 25°C 0.10M C I K1=19.1 1996TKa (98376) 772  
In 0.1 M Me4NCl K=21.2

\*\*\*\*\*  
C18H36N2O6 L Cryptand 2,2,2 CAS 23978-09-8 (514)  
1,10-Diaza-4,7,13,16,21,24-hexaoxabicyclo[8.8.8]hexacosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Dy+++ ISE non-aq 25°C 100% C K1=17.1 1986ALa (98562) 773  
Medium: propylene carbonate, 0.1 M Et4NClO4

-----  
Dy+++ gl alc/w 25°C 100% C I K1=10.45 1983ANb (98563) 774  
The equilibration took 7-12 days. Medium: MeOH, 0.05 M Et4NClO4  
In propylene carbonate, 0.1 M Et4NClO4, K1=19.0.

\*\*\*\*\*  
C18H40N2O10P2 H2L (7241)  
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diyl dimethylenediphosphonic acid  
bis(Et-ester);

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  R4N.X  25°C 0.10M U      K1=7.10      1996BJa (98889) 775
Medium: 0.1 M Me4NCl
*****
C19H16N4O          L  LAMI          (5930)
2-(2'-Lepidylazo)-N-methylisatin
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  diox/w 30°C 75% M I      K1=10.37 B2=19.18 1987DGc (99163) 776
Medium: 75% v/v dioxan/H2O, 0.15 M NaClO4
*****
C20H13N3O7S      H3L  Eriochrome Bl T CAS 1787-61-7 (997)
1-(1-Hydroxy-2-naphthylazo)-6-nitro-2-naphthol-4-sulfonic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  NaClO4 30°C 0.10M U      M  K1=12.0  B2=22.32 1987S0a (99563) 777
                               K(DyA+L)=10.39
                               K(DyB+L)=9.79
H2A=hydroxyethyliminodiethanoic acid, H3B=nitriilotriethanoic acid
*****
C20H14N2O5S      H3L  Solochrome 6B CAS 3564-14-5 (3507)
1-(1-Hydroxy-2-naphthylazo)-2-naphthol-4-sulfonic acid, Mordant Black3, Eriochrome
blue-black B;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  alc/w  30°C 50% C      M  K1=12.14 B2=22.62 1994S0a (99647) 778
                               K(DyA+L)=10.54
                               K(Dy(nta)+L)=10.00
Medium: 50% v/v MeOH/H2O, 0.10 M NaClO4.
H2A is hydroxyethyliminodiethanoic acid.
-----

```

```

-----
Dy+++     gl  NaClO4 30°C 0.10M U T H      K1=13.82      1991NNb (99648) 779
Also data for 40 and 50 C. DH and DS values.
*****
C20H14N2O5S      H3L  EriochrBluBlk R CAS 2538-85-4 (3508)
3-Hydroxy-4-(2-hydroxy-1-naphthylazo)naphthalene-1-sulfonic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++     gl  diox/w 30°C 50% U      K1=11.94      1976NNa (99688) 780
*****
C20H14N2O11S3    H5L  Chromotrope 8B CAS 5850-64-6 (2674)
3-(4'-Sulfonaphthylazo)chromotropic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----

```

-----  
Dy+++ sp NaClO4 25°C 0.10M C K1=6.27 1979PLb (99708) 781  
\*\*\*\*\*

C20H14N2O11S3 H2L Hydroxynaphthol CAS 63451-35-4 (2835)  
Hydroxynaphthol blue, 1-(2-Hydroxy-4-sulfo-1-naphthylazo)-2-naphthol-3,  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ sp none 25°C 0.0 U 1978BRb (99727) 782

K1eff=3.71

Keff at pH 10

\*\*\*\*\*

C20H18N4O2 HL (5917)  
Pyruvic monohydrazone-3-hydrazino-4-benzyl-6-phenylpyridazine;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl diox/w 30°C 75% U 1985RSb (99829) 783

K(Dy+HL)=5.33

K(Dy+2HL)=11.18

\*\*\*\*\*

C20H24N2O6 H4L HBED CAS 3625-89-6 (2208)  
N,N'-Di-(2-hydroxybenzyl)-diaminoethane-N,N'-diethanoic acid;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 20°C 0.10M U K1=19.90 1985SNb (99990) 784

K(DyL+H)=5.22

K(DyHL+H)=4.80

\*\*\*\*\*

C20H24O6 L DiBz-18-Crown-6 CAS 14187-32-7 (604)  
2,3:11,12-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl oth/un 25°C 0.0 U H K1=2.80 1991HJa (100115) 785

\*\*\*\*\*

C20H24O12S2 H2L CAS 172985-47-6 (7820)  
2,3:11,12-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene-4',4"-disulfonic  
acid;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ dis R4N.X 25°C 0.12M C K1=1.16 1998SUa (100278) 786

Medium: 0.12 M Et4NBr.

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid

\*\*\*\*\*

C20H35N5O10 H3L (6623)

1,4,7-Tris(carboxymethyl)-13,16-dioxo-1,4,7,10,19-pentaazacycloheneicoso-9,20-dione  
;

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      sp  KCl    25°C 0.08M U      K1=17.2      1994FCa (100553) 787
*****
C20H37N5O10      H3L    MEA      CAS 129009-83-2 (7322)
N,N'-Bis(2-methoxyethylcarbamoylmethyl)diethylenetriamine;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  NaClO4 25°C 0.10M C  H    K1=17.03     1997ICa (100733) 788
DH(K1)=-26.3 kJ mol-1, DS=238
*****
C21H17N5      L      (7365)
2,6-Bis(1-methylbenzimidazol-2-yl)pyridine
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      gl  non-aq 25°C 100% C      K3=5.8      1997PBa (101084) 789
Medium: CH3CN; 0.1 M Et4NClO4
*****
C21H30N4O8      H3L    Tyr-Val-Asp-Ala (6015)
Tyrosyl-valyl-aspartyl-alanine
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      nmr KCl    25°C 0.50M U      K1=3.11      1987ZAa (101366) 790
K(Dy+HL)=2.48 ?
K(Dy+H2L)=0.70 ?
*****
C22H14O9      H5L    CAS 4431-00-9 (3513)
Aurintricarboxylic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      sp  oth/un 25°C  ?  ?  U      K(Dy+HL)=4.9(?) 1967SAa (101494) 791
*****
C22H17AsN4O14S3      H6L    Arsenazo M      CAS 3563-69-7 (623)
2-(2-Arsonophenylazo)-7-(3-sulfophenylazo)-1,8-dihydroxynaphthalene-3,6-disulfonic
acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Dy+++      sp  oth/un  ?  ?  U      K1=15.31     1971SSi (101541) 792
*****
C22H18N4O14As2S2      H8L    Arsenazo III    CAS 1668-00-4 (1148)
2,7-Bis(2'-arsonophenylazo)chromotropic acid;
-----

```

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	oth/un	rt	0.10M	C				2004LLa (101613)	793

K1eff=5.28  
 B2eff=9.47  
 B(2,2)eff=14.62

Method: spectral deconvolution. Medium: 0.1 M chloroacetate buffer, pH 3.5

Dy+++	sp	oth/un	25°C	var	U	I			1997HRb (101614)	794
-------	----	--------	------	-----	---	---	--	--	------------------	-----

K1(eff)=7.433  
 B(DyLCl)eff=6.945  
 B(DyL2Cl)eff=13.654

Conditional constants in chloride medium at pH 3.3. Also data in sulfate and perchlorate media. K(Dy+Cl)=1.887.

Dy+++	sp	oth/un	20°C	?	U				1972SSi (101615)	795
-------	----	--------	------	---	---	--	--	--	------------------	-----

K(Dy+H4L)=16.66

Dy+++	sp	NaNO3	20°C	0.20M	U				1963BUa (101616)	796
-------	----	-------	------	-------	---	--	--	--	------------------	-----

B(Dy2L2)=83.0

\*\*\*\*\*  
 C22H19N3O4S HL CAS 84819-63-6 (8347)  
 N-(3,4-DiMe-5-isoxazolyl)-4-[[ (2-hydroxy-1-naphthalenyl)methylene]amino]benzenesulfonamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	U			K1=5.08	1982MBa (101685)	797

\*\*\*\*\*

C22H24N2O10 H4L CAS 132796-79-3 (8113)  
 1,2-Bis(2-aminophenoxy)ethane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	EMF	KNO3	25°C	0.10M	C	T H		K1=11.13	1990HLA (101893)	798

K(DyL+H)=3.41

Method: Competitive reaction with Hg++, using Hg indicator electrode.  
 Data for 15-35 C. DH(K1)=-38.3 kJ mol<sup>-1</sup>, DS(K1)=84.8 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*

C22H26N4O10 H4L BAPTA (7230)  
 1,2-Bis(o-aminophenoxy)ethane-N,N,N',N'-tetraethanoic acid;  
 ((HOOCH2)2NCH(OC6H4NH2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	R4N.X	25°C	0.10M	C			K1=10.73	1993YTa (101974)	799

\*\*\*\*\*

C22H28O13S2 H2L DSDB21C7 CAS 204931-02-2 (7821)  
 2,3:11,12-Dibenzo-1,4,7,10,13,16,19-heptaoxacycloheneicosa-2,11-diene-4',4''-disulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ dis R4N.X 25°C 0.12M C K1=1.51 1998SUa (102074) 800  
Medium: 0.12 M Et4NBr.

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid  
\*\*\*\*\*

C22H29N3O12 H6L CAS 362606-74-4 (8226)  
N,N'-[2-[[Bis(carboxymethyl)amino]methyl]-2-phenyl-1,3-propanediyl]bis[N-(carboxyme  
thyl)-glycine];

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl R4N.X 25°C 0.10M C K1=14.85 2001Vsa (102087) 801  
K(DyL+H)=6.51  
K(DyHL+H)=3.95  
K(DyH2L+2H)=6.59

Medium: 0.10 M Me4NCl.

\*\*\*\*\*

C22H30N4 L CAS 250790-21-7 (7943)  
N,N'-Bis(1,1-dimethylethyl)-1,10-phenanthroline-2,9-dimethanamine;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl NaClO4 25°C 0.10M U K1=8.66 2001WZa (102111) 802  
B(DyHL)=15.52

Also data for the N,N'-diethyl, isopropyl, butyl and isobutyl derivatives.

\*\*\*\*\*  
C22H37N5O14 H7L CAS 3234-59-1 (2425)  
Tetraethylenepentamineheptaethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ vlt R4N.X 30°C 0.01M C K1=20.44 1981GMh (102320) 803  
Method: polarography, using Cd as indicator ion. Medium: 0.01 M Et4NBr.

Dy+++ gl KNO3 25°C 0.10M U K1=20.72 1968MIc (102321) 804  
K(Dy+HL)=14.13  
B(DyH-1L)=5.22

\*\*\*\*\*  
C22H40N4O8 H4L CAS 138763-18-5 (8607)

5,7,12,14-Tetramethyl-1,4,8,11-tetraazacyclotetradecane-N,N',N'',N'''-tetraethanoic  
acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Dy+++ gl KNO3 40°C 0.50M U T K1=18.18 1995BIa (102354) 805  
K(DyL+H)=4.17

Also data for 80 C.

\*\*\*\*\*



C22H40N4O11 H4L (6529)  
1,4,7-Trioxa-10,13,16,19-tetraazacycloheicosane-10,13,16,19-tetraethanoic acid

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl R4N.X 25°C 0.10M C K1=16.7 1990SBc (102365) 806  
K(Dy+HL)=11.5  
K(Dy+H2L)=5.2

\*\*\*\*\*  
C22H41N5O10 H3L MMEA CAS 192631-00-8 (7323)  
N,N'-Bis(methyl-2-methoxyethylcarbamoylmethyl)diethylenetriamine;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 25°C 0.10M C H K1=18.46 1997ICa (102391) 807  
DH(K1)=-34.5 kJ mol<sup>-1</sup>, DS=222

\*\*\*\*\*  
C23H16O9Cl2S H4L Chrome azuro1 S CAS 1667-99-8 (711)  
Chromazuro1 S;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ sp oth/un 25°C ? U K(?)=4.2 1967SAa (102548) 808

\*\*\*\*\*  
C23H18N2O3 HL (5561)  
2-(2-Acetylphenylhydrazone)-1,3-diphenyl-prop-1,3-dione;  
C6H5.CO.C(CO.C6H5):N.NH.C6H4.COCH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl diox/w 30°C 75% U K1=10.94 B2=19.47 1988ESb (102590) 809

\*\*\*\*\*  
C23H24N4O2 L Trichachnine CAS 1251-85-0 (2606)  
4,4'-Diantiprylmethane,  
4,4'-phenylmethylene-bis-(1,2-dihydro-1,5-dimethyl-2-phenylpyrazol-3-one

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ sp diox/w 25°C 100% U K1=3.76 1995KMa (102669) 810

\*\*\*\*\*  
C24H32O14S2 H2L CAS 204931-03-3 (7822)  
2,3:11,12-Dibenzo-1,4,7,10,13,16,19,22-octaoxacyclotetracos-2,14-diene-4',4"-disulfonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ dis R4N.X 25°C 0.12M C K1=1.63 1998SUa (103190) 811  
Medium: 0.12 M Et4NBr.

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid

\*\*\*\*\*

C24H44N4O12 H4L (6530)  
1,4,7,10-Tetraoxa-13,16,19,22-tetraazacyclotetracosane-13,16-19,22-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	R4N.X	25°C	0.10M	C			K1=18.0 K(Dy+HL)=11.4	1990SBc (103407)	812

\*\*\*\*\*

C24H45N5O12 H3L HEMEA CAS 185214-83-9 (7324)  
N,N'-Bis(2-hydroxyethyl-2-methoxyethylcarbamoylmethyl)diethylenetriamine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	NaClO4	25°C	0.10M	C	H		K1=17.61	1997ICa (103442)	813

DH(K1)=-34.5 kJ mol<sup>-1</sup>, DS=222

\*\*\*\*\*

C25H32N2O7 H2L (7374)  
1,15-Diaza-3,4:12,13-dibenzo-5,8,11-trioxacycloctadecane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	KNO3	25°C	0.5M	C			K1=5.83	1993YNa (103728)	814

\*\*\*\*\*

C26H23N5O2 HL (5918)  
Hippuric monohydrazone-3-hydrazino-4-benzyl-6-phenylpyridazine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	diox/w	30°C	75%	U			K1=11.81 B2=21.95	1985RSb (103877)	815

\*\*\*\*\*

C26H27N3O10 H4L (7231)  
2-((2-Amino-5-methylphenoxy)-methyl)-6-methoxy-8-aminoquinoline-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	gl	R4N.X	25°C	0.10M	C			K1=14.2	1993YTa (103960)	816

\*\*\*\*\*

C26H43N06 HL Glycocholic ac. CAS 475-31-0 (5821)

N-Cholylglycine, N-3,7,12-Trihydroxy-24-oxocholan-24-yl-glycine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	nmr	oth/un	25°C	?	U			K1eff=2.38	1986KBb (104271)	817

At pH 5.0  
\*\*\*\*\*  
C26H45N07S HL Taurocholic ac. CAS 145-42-6 (5822)



Medium: 0.10 m Na4H4L, pH=2. DH(Dy+H4L)=10.1 kJ mol<sup>-1</sup>.

\*\*\*\*\*

C28H40N4O4                      H2L                      CAS 138110-63-1 (8608)  
7,14-Dimethyl-5,12-diphenyl-1,4,8,11-tetraazacyclotetradecane-1,8-diethanoic acid;

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----  
Dy+++            gl    KCl        40°C 0.50M M            K1=10.41            1997BZa (104822) 824

\*\*\*\*\*

C28H40O6                      L                      CAS 29471-17-8 (1262)  
2,3:11,12-Bis(4'-tert-butylbenzo)-1,4,7,10,13,16-hexaoxacyclooctadecane;

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----  
Dy+++            gl    non-aq 25°C 100% U            K1=3.40            1980MDb (104837) 825  
Medium: Propylene carbonate.

Medium: propylene carbonate

\*\*\*\*\*

C28H52N4O14                      H4L                      (6532)  
1,4,7,10,13,16-Hexaoxa-19,22,25,28-tetraazacyclotriacontane-19,22,25,28-tetraethanoic acid;

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----  
Dy+++            gl    R4N.X    25°C 0.10M C            K1=17.6            1990SBc (104996) 826  
K(Dy+HL)=10.9

\*\*\*\*\*

C31H24N4O                      HL                      CAS 88700-85-0 (1409)  
1,2-Diphenyl-1,2-ethanedione-3-(4-benzyl-6-phenyl)-pyridazinyl hydrazone;

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----  
Dy+++            gl    diox/w 30°C 75% U I            K1=9.52            1983RRa (105400) 827  
In 75% MeOH: K1=7.67; 75% DMF: 6.43

\*\*\*\*\*

C31H32N2O13S                      H6L            Xylenol orange    CAS 63721-85-5 (432)  
5,5'-Bis-N,N-bis(carboxymethyl)aminomethyl-4'-hydroxy-3,3'-dimethylfuchstone-2''-sulfonic acid;

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----  
Dy+++            sp    NaNO3    20°C 0.20M U            B(Dy2L2)=47.6            1963BBb (105461) 828

\*\*\*\*\*

C33H45N7O3                      L                      CAS 345349-93-1 (9178)  
Tris[6-((2-N,N-diethylcarbamoyl)pyridyl)methyl]amine;

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----  
Dy+++            nmr    KCl        25°C 1.0M C            K1=2.32            2004BRa (105966) 829

Method: 1H nmr measurements in D2O.

\*\*\*\*\*

C36H60O30 L a-Cyclodextrin CAS 10016-20-3 (6946)  
alpha-Cyclodextrin, Cyclohexaamylose;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaCl 25°C 0.10M U I K1=3.23 1999FBa (106459) 830  
In 0.1 M Me4NCl, K1=3.77.

\*\*\*\*\*

C37H44N2O13S H6L MeThymol Blue (428)  
3,3'-Bis(N,N-di(carboxymethyl)aminomethyl)thymolsulfonephthalein;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl NaClO4 30°C 0.10M U 1980NAb (106591) 831  
K(Dy+H3L)=4.45  
K(Dy+H2L)=7.08  
K(DyH2L+H)=4.50

Also data for DyHnL(OH) species

\*\*\*\*\*

C47H46N6O4 L (7367)  
2,6-Bis(1-(3,5-dimethoxybenzyl)benzimidazol-2-yl)-4-(4-diethylamino)phenyl)pyridine  
;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ gl non-aq 25°C 100% C 1997PBa (107314) 832  
K3=5.2

Medium: CH3CN; 0.1 M Et4NClO4

\*\*\*\*\*

C62H94N2O4S2 L (8109)  
5,11,17,23-Tetrakis(1,1-dimethylethyl)-25-27-bis[2-methylthio)ethoxy]...calix(4)are  
ne;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ cal non-aq 25°C 100% U H K1=3.58 2001NJa (107700) 833  
Method: microcalorimetry. Medium: MeCN.. DH(K1)=-207 kJ mol<sup>-1</sup>

\*\*\*\*\*

C76H116N4O8 L (8156)  
p-tert-Butylcalix(4)arene tetradiisopropylethanoamide;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Dy+++ cal non-aq 25°C 100% U H K1=4.69 2001NJa (107877) 834  
Method: microcalorimetry. Medium: MeCN.. DH(K1)=-69.1 kJ mol<sup>-1</sup>

\*\*\*\*\*

Polymer HL Bleomycin (2324)  
Bleomycin A2, B2 etc.

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Dy+++	sp	oth/un	25°C	?	U				1980LPb (108085)	835
									Kleff=4.65	pH 6.8

Method: fluorescence

#### REFERENCES

- 2005SYa V Smagina, E Yudina; Zh. Neorg. Khim., 50, 213 (2005)
- 2004BRa F Bravard, C Rosset, P Delangle; J. Chem. Soc., Dalton Trans., 2012 (2004)
- 2004LBb Y Luo, R Byrne; Geochim. Cosmo. Acta, 68, 691 (2004)
- 2004LLa Y Lu, G Laurent, H Pereira; Talanta, 62, 959 (2004)
- 2004LMa Y Luo, F Millero; Geochim. Cosmo. Acta, 68, 4301 (2004)
- 2004MIa I Matsubayashi, E Ishiwata, Y Hasegawa; Talanta, 63, 625 (2004)
- 2004SBb J Schijf, R Byrne; Geochim. Cosmo. Acta, 68, 2825 (2004)
- 2003ADb A Asthana, K Dwivedi, R Asthana; Oriental J. Chem., 19, 205 (2003)
- 2003GSb B Garg, B Singh, D Kumar, P Singh; Indian J. Chem., 42A, 79 (2003)
- 2003MBa A Mohamed, M Bakr, K El-Fattah; Thermochim. Acta, 405, 235 (2003)
- 2003VCa C VanPelt, W Crooks, G Choppin; Inorg. Chim. Acta, 346, 215 (2003)
- 2002ADa A Asthana, K Dwivedi; Oriental J. Chem., 18, 117 (2002)
- 2002KAa E Kozlovskii, S Aleksandrov, L Chesnokova; Zh. Neorg. Khim., 47, 1566 (2002)
- 2002KNc M Komiya, Y Nishikido, Y Umebayashi; J. Solution Chem., 31, 931 (2002)
- 2002Nwa K Nicholson, S Wood; J. Solution Chem., 31, 703 (2002)
- 2002TFa T Toraiishi, I Farkas, Z Szabo, I Grenthe; J. Chem. Soc., Dalton Trans., 3805 (2002)
- 2002VCa C VanPelt, W Crooks, G Choppin; Inorg. Chim. Acta, 340, 1 (2002)
- 2001BIa C Bonal, Y Israeli, J Morel; J. Chem. Soc., Perkin Trans. II, 1075 (2001)
- 2001GYb P Gomez-Tagle, A Yatsimirsky; Inorg. Chem., 40, 3786 (2001)
- 2001NJa A D de Namor, O Jafou; J. Phys. Chem. B, 105, 8018 (2001)
- 2001SBf J Schijf, R Byrne; Geochim. Cosmo. Acta, 65, 1037 (2001)
- 2001Vsa R Viguier, G Serratrice, A Dupraz; Eur. J. Inorg. Chem., 1789 (2001)
- 2001Wza Z-M Wang, Z-F Zhou, H-K Lin; Acta Chimica Sinica, 59, 701 (2001)
- 2000ANA V Athawale, S Nerkar; Monatsh. Chem., 131, 267 (2000)
- 2000CDa C Comuzzi, P Di Bernardo, M Tolazzi; Polyhedron, 19, 2427 (2000)
- 2000Kba G Klungness, R Byrne; Polyhedron, 19, 99 (2000)
- 2000KDa M Kaurav, K Dwivedi; Proc. Nat. Acad. Sci., India, 70A, 145 (2000)
- 2000Lba Y Luo, R Byrne; J. Solution Chem., 29, 1089 (2000)
- 2000MNa L Morss, K Marsh, D Ensor; J. Chem. Soc., Dalton Trans., 285 (2000)
- 2000SBb L Sarka, I Banyai, E Brucher; J. Chem. Soc., Dalton Trans., 3699 (2000)
- 2000TBb O Teslyuk, S Bel'tyukova et al.; Zh. Neorg. Khim., 45, 2103 (2000)
- 1999FBa N Fatin-Rouge, J-C Bunzli; Inorg. Chim. Acta, 293, 53 (1999)
- 1999SBc J Schijf, R Byrne; Polyhedron, 18, 2839 (1999)
- 1999YKa S Yun, S Kang, S Yun; Thermochim. Acta, 331, 13 (1999)
- 1998Bmb C Bonal, J-P Morel, N Morel-Desrosiers; J. Chem. Soc., Faraday Trans., 94, 1431 (1998)
- 1998CCb C Chang, Y-H Chen, H-Y Chen, F-K Shieh; J. Chem. Soc., Dalton Trans., 3243 (1998)
- 1998HGa R Hedinger, M Ghisletta, K Hegetschweiler; Inorg. Chem., 37, 6698 (1998)
- 1998LBb X Liu, R Byrne; J. Solution Chem., 27, 803 (1998)

- 1998PJb V Patel, J Joshi; *J. Indian Chem. Soc.*, 75, 100 (1998)
- 1998SUa T Sasaki, S Umetani, M Matsui; *Bull. Chem. Soc. Jpn.*, 71, 371 (1998)
- 1998YHa S Yajima, Y Hasegawa; *Bull. Chem. Soc. Jpn.*, 71, 2825 (1998)
- 1997AAa M Ahmed, S Ahmed, M Saeed, M Iqbal; *J. Radioanal. Nucl. Chem.*, 220, 207 (1997)
- 1997BZa J-H Bi, X-D Zhao, S-S Ni, F-X Xie; *Chem. J. of Chin. Univ.*, 18, 1251 (1997)
- 1997CDa A Cassol, P di Bernardo, R Portanova; *Inorg. Chim. Acta*, 262, 1 (1997)
- 1997EIa M Eid; *J. Indian Chem. Soc.*, 74, 97 (1997)
- 1997GMa F Gao, Y-T Ma, C-J Niu, J-Z Ni; *Chem. J. of Chin. Univ.*, 18, 1929 (1997)
- 1997HRb E Hosten, H Rohwer; *Anal. Chim. Acta*, 345, 227 (1997)
- 1997HTb Y Hasegawa, K Takashima, F Watanabe; *Bull. Chem. Soc. Jpn.*, 70, 1047 (1997)
- 1997ICa H Imura, G Choppin, W Cacheris; *Inorg. Chim. Acta*, 258, 227 (1997)
- 1997IHa Y Issa, W Hegazy; *J. Indian Chem. Soc.*, 74, 542 (1997)
- 1997LBb B Li, R Byrne; *Aquatic Geochem.*, 3, 99 (1997)
- 1997Lbd X Liu, R Byrne; *Geochim. Cosmo. Acta*, 61, 1625 (1997)
- 1997PBa S Petoud, J-C Bunzli, F Renaud et al; *Inorg. Chem.*, 36, 5750 (1997)
- 1997PPb S Patnaik, C Panda; *J. Indian Chem. Soc.*, 74, 494 (1997)
- 1997RPb F Renaud, C Piguet, J-C Bunzli; *Chem. Eur. J.*, 3, 1646 (1997)
- 1996BJa L Burai, S Jakab, R Kiraly, I Lazar, I Toth; *J. Chem. Soc., Dalton Trans.*, 1113 (1996)
- 1996HBa J Huskens, H van Bekkum, J Peters; *Inorg. Chim. Acta*, 245, 51 (1996)
- 1996HYa Y Hasegawa, N Yamazaki, S Usui; *Bull. Chem. Soc. Jpn.*, 69, 2169 (1996)
- 1996SZa U Schilbach, K Zwietasch; *Monatsh. Chem.*, 127, 265 (1996)
- 1996TKa E Toth, R Kiraly, J Platzek et al; *Inorg. Chim. Acta*, 249, 191 (1996)
- 1995BIa J-H Bi; *Chem. J. of Chin. Univ.*, 16, 674 (1995)
- 1995HAa V Hietapelto, R Anttila et al; *J. Alloys and Compounds*, 225, 312 (1995)
- 1995IFa Y Issa, H Fattah, M Omar, A Soliman; *Monatsh. Chem.*, 126, 163 (1995)
- 1995JNa J F-Jenkins, K Nash, R Rogers; *Inorg. Chim. Acta*, 236, 67 (1995)
- 1995KMa M Kuznetsov, Y Medvedev et al; *Zh. Neorg. Khim.*, 40, 1307 (1995)
- 1995MTa S Meshkova, Z Topilova et al; *Zh. Neorg. Khim.*, 40, 1346 (1995)
- 1995PJb A Patel, J Joshi; *J. Indian Chem. Soc.*, 72, 471 (1995)
- 1994CRa G Choppin, E Rizkalla, T El-Ansi et al; *J. Coord. Chem.*, 31, 297 (1994)
- 1994FCa S Frey, C Chang, J Carvalho et al; *Inorg. Chem.*, 33, 2882 (1994)
- 1994SOa B Satyanarayana, K Omprakash, A Pal; *J. Indian Chem. Soc.*, 71, 625 (1994)
- 1994SSa J Shukla, R Sharma; *Monatsh. Chem.*, 125, 247 (1994)
- 1994TBb E Toth, E Brucher; *Inorg. Chim. Acta*, 221, 165 (1994)
- 1993ALa R Anttila, L Lajunen et al; *Acta Chem. Scand.*, 47, 535 (1993)
- 1993BCc P di Bernardo, G Choppin, R Portanova; *Inorg. Chim. Acta*, 207, 85 (1993)
- 1993CCb A Cassol, G Choppin, P di Bernardo et al; *J. Chem. Soc., Dalton Trans.*, 1695 (1993)
- 1993FKb F Firsching, J Kell; *J. Chem. Eng. Data*, 38, 132 (1993)
- 1993LLb Y Liu, T-B Lu, M-Y Tan; *Acta Chimica Sinica*, 51, 874 (1993)
- 1993RAa A Ramadan, M A-Moez et al; *Monatsh. Chem.*, 124, 647 (1993)
- 1993RCa E Rizkalla, G Choppin, W Cacheris; *Inorg. Chem.*, 32, 582 (1993)
- 1993VL a S Verma, S Limaye, M Saxena; *Indian J. Chem.*, 32A, 545 (1993)
- 1993YNa T Yao, S Ni, J Xu; *J. Inorg. Chem. (China)*, 9, 77 (1993)
- 1993YTa A Yuchi, A Tanaka, M Hirai, T Ysui et al; *Bull. Chem. Soc. Jpn.*, 66, 3377 (1993)
- 1992CBa A Cassol, P di Bernardo, R Portanova; *J. Chem. Soc., Dalton Trans.*, 469 (1992)
- 1992FIa F Firsching; *J. Chem. Eng. Data*, 37, 497 (1992)
- 1992MBb A M-Tang, J Bunzli; *Inorg. Chim. Acta*, 192, 201 (1992)

1992MSb M Majdan, P Sadowski; *Monatsh.Chem.*, 123, 987 (1992)  
1992RAD P Reddy, T Adharani et al; *Indian J.Chem.*, 31A, 855 (1992)  
1992SAa J Shukla, S Arora; *Bull.Soc.Chim.Fr.*, 129, 247 (1992)  
1992SSc Sahadev, R Sharma et al; *Monatsh.Chem.*, 123, 25, 883, 1099 (1992)  
1992YNa M Yamamoto, N Nakasuka, M Tanaka; *Bull.Chem.Soc.Jpn.* 65, 1566 (1992)  
1992ZNa Y-F Zhang, C-J Niu, J-Z Ni; *Acta Chimica Sinica*, 50, 135 (1992)  
1991BPb T Baranova, S Pirkes, A Bugayevskii; *J.Chem.Thermodyn.*, 23, 543 (1991)  
1991DTa B Dash, P Tripathy et al; *Monatsh.Chem.*, 122, 341 (1991)  
1991FBa F Firsching, S Brune; *J.Chem.Eng.Data*, 36, 93 (1991)  
1991GDd B Garg, R Dixit, R Sharma; *Bull.Soc.Chim.Fr.*, 128, 473 (1991)  
1991HJa X Huang, B Jiang, J Yin; *Acta Chimica Sinica*, 49, 359 (1991)  
1991ITa S-I Ishiguro, R Takahashi; *Inorg.Chem.*, 30, 1854 (1991)  
1991KBb I Kim, S Bae, S Yun; *Thermochim.Acta*, 184, 39 (1991)  
1991NNb J Narkhede, G Natrajan, S Sangal; *J.Indian Chem.Soc.*, 68, 400 (1991)  
1991SKb K Sawada, M Kuribayashi, T Suzuki, Miyamoto; *J.Solution Chem.*, 20, 829 (1991)  
1991SMa R Smith, A Martell, Y Chen; *Pure & Appl.Chem.*, 63, 1015 (1991)  
1991WPb J Westrenen, J Peters, H Bekkum et al; *Inorg.Chim.Acta*, 181, 233 (1991)  
1990CBe A Cassol, P di Bernardo, P Zanonato; *Inorg.Chim.Acta*, 171, 217 (1990)  
1990DOb M Devdas, K Omprakash et al; *Indian J.Chem.*, 29A, 192 (1990)  
1990HLa T-M Hseu, K-L Liu; *J.Chin.Chem.Soc.(Taipei)*, 37, 237 (1990)  
1990HYa Y Hasegawa, N Yamazaki, S Usui, G Choppin; *Bull.Chem.Soc.Jpn.*, 63, 2169  
(1990)  
1990LSb S Limaye, M Saxena; *J.Indian Chem.Soc.*, 67, 162 (1990)  
1990NIa K Nakagawa, Y Inoue, T Hakushi; *J.Chem.Res.(S)*, 348 (1990)  
1990PLa E Proskurina, E Lebedeva et al; *Zh.Neorg.Khim.*, 35, 1908 (1088) (1990)  
1990RSc P Reddy, K Sudhakar; *Indian J.Chem.*, 29A, 158 (1990)  
1990RSe P Reddy, K Sudhakar; *Indian J.Chem.*, 29A, 1182 (1990)  
1990SBc R Sink, D Buster, A Sherry; *Inorg.Chem.*, 29, 3645 (1990)  
1990TSa S Tabassum, K Siddiqi et al; *Indian J.Chem.*, 29A, 82 (1990)  
1989BPa J-C Bunzli, F Pilloud; *Inorg.Chem.*, 28, 2638 (1989)  
1989CMB J Charlier, E Merciny; *Anal.Chim.Acta*, 220, 187 (1989)  
1989GDa B Garg, R Dixit, N Kiran, J Sharma; *Bull.Soc.Chim.Fr.*, I, 168 (1989)  
1989HMa Y Hasegawa, Y Morita, M Hase et al; *Bull.Chem.Soc.Jpn.*, 62, 1486 (1989)  
1989MFa G Makoushova, B Feifel et al; *Zh.Neorg.Khim.*, 34, 628(349) (1989)  
1989MJa M Menon, J James; *J.Chem.Soc., Faraday Trans.I*, 85, 2683 (1989)  
1989MJB M Menon, J James; *J.Solution Chem.*, 18, 735 (1989)  
1989NDa R Nagar, P Dwivedi, R Sharma; *Indian J.Chem.*, 28A, 722 (1989)  
1989NOb M Rao, K Omprakash; *Indian J.Chem.*, 28A, 174 (1989)  
1989OKb E Ohyoshi, S Kohata; *Polyhedron*, 8, 1561 (1989)  
1989PEa R Petrola; *Finn.Chem.Lett.*, 16, 29 (1989)  
1989SBb E Samokhvalova, A Borisova et al; *Zh.Neorg.Khim.*, 34, 2538 (1989)  
1989SHa G Sharma; *Indian J.Chem.*, 28A, 340 (1989)  
1989SPa D Sawyer, J Powell; *Polyhedron*, 8, 1425 (1989)  
1989SVa S Singh, B Verma, L Pandey; *Bull.Soc.Chim.Fr.*, I, 26 (1989)  
1989YSa I Yoshida, F Sagara, K Ueno; *Bull.Chem.Soc.Jpn.*, 62, 2296 (1989)  
1989ZPa T Zakharova, S Pirkes et al; *Zh.Neorg.Khim.*, 34, 44(25) (1989)  
1988BCd A Bandopadhyay, A Chaudhury; *Indian J.Chem.*, 27A, 332 (1988)  
1988CCb C Chang, P H-L Chang, S-Y Qin; *Inorg.Chem.*, 27, 944 (1988)  
1988CCc C Chang, P H-L Chang et al; *Inorg.Chem.*, 27, 3786 (1988)  
1988CLb G Choppin, Q Liu, E Rizkalla; *Inorg.Chim.Acta*, 145, 309 (1988)



1988ESb B El-Shetary, S Stefan et al; Can.J.Chem., 66, 2362 (1988)  
1988GBa P Grant, P Baisden et al; Inorg.Chem., 27, 1156 (1988)  
1988GSa B Garg, S Singh, R Basnet et al; Polyhedron, 7, 147 (1988)  
1988HSa Y Hasegawa, T Sugawara, G Choppin; Inorg.Chim.Acta, 143, 277 (1988)  
1988KTa R Kiraly, I Toth, L Zekany, E Brucher; Acta Chim.Acad.Sci.Hung., 125, 519  
(1988)  
1988LLa L Lajunen, M Lajunen, G Choppin et al; Inorg.Chim.Acta, 147, 127 (1988)  
1988MIa P M Milyukov; Izv.Vysh.Uchebn.Zaved.Khim., 31, 23 (1988)  
1988MKd M Mayadeo, S Kale; Indian J.Chem., 27A, 454 (1988)  
1988MSg M Majdan, P Sadowski; Monatsh.Chem., 119, 1341 (1988)  
1988NOa A Nagendram, K Omprakash, A Pal, M Reddy; Indian J.Chem., 27A, 267 (1988)  
1988OHa E Ohyoshi; Bull.Chem.Soc.Jpn., 61, 689 (1988)  
1988RNA E Rizkalla, C Niu, G Choppin; Inorg.Chim.Acta, 146, 135 (1988)  
1988SJB W Szczepaniak, B Juskowiak, W Ciszewska; Inorg.Chim.Acta, 147, 261 (1988)  
1988SSd I Svetlova, N Smirnova et al; Zh.Neorg.Khim., 33, 1135(643) (1988)  
1988TRb A Taha, A Ramadan, M Abdel-Moez et al.; Acta Chim.Acad.Sci.Hung., 125, 3  
(1988)  
1988VSc S Verma, M Saxena; Indian J.Chem., 27A, 1068 (1988)  
1988YSa I Yoshida, F Sagara, and K Ueno; Bull.Chem.Soc.Jpn., 61, 2639 (1988)  
1988ZTa I Zheltvai, M Tischenko, Z Hafagy; Zh.Neorg.Khim., 33, 592(333) (1988)  
1987BCd A Bandopadhyay, A Chaudhury; Indian J.Chem., 26A, 853 (1987)  
1987CMe J Charlier, E Merciny, J Fuger; Anal.Chim.Acta, 192, 95 (1987)  
1987DDc D Deolankar, Y Deshpande; Indian J.Chem., 26A, 68 (1987)  
1987DGB R Dixit, B Garg; Monatsh.Chem., 118, 1113 (1987)  
1987DGC R Dixit, B Garg; Monatsh.Chem., 118, 1237 (1987)  
1987DGD R Dixit, B Garg; Indian J.Chem., 26A, 80 (1987)  
1987ECa P Eттаiah, K Charyulu, K Omprakash et al; Indian J.Chem., 26A, 437 (1987)  
1987EGb T Eriksen, I Grenthe, I Puigdomenech; Inorg.Chim.Acta, 127, 131 (1987)  
1987ESa R El-Shetary, S Stefan, E Zidan; Monatsh.Chem., 118, 1101 (1987)  
1987GBa B Garg, R Basnet, S Singh; Bull.Soc.Chim.Fr., II, 948 (1987)  
1987HCa T Hseu, C Chang, Z Lin; J.Chin.Chem.Soc.(Taipei), 34, 187 (1987)  
1987KSc L Khan, Siddiqi, N Khan, Kursehy, Zaidi; Indian J.Chem., 26A, 969 (1987)  
1987LSc S Limaye, M Saxena; J.Indian Chem.Soc., 64, 657 (1987)  
1987MSa C Melios, J Souza-Campos et al; Inorg.Chim.Acta, 139, 163 (1987)  
1987PEa R Petrola; Ann.Acad.Sci.Fennicae, 215 (1987)  
1987PLa R Petrola, P Lampen, S Lindroos; Talanta, 34, 445 (1987)  
1987RRc P Reddy, P Reddy, M Reddy; Proc.Indian Acad.Sci., 99, 297 (1987)  
1987RSc M Rao, B Sethuram, T Rao; Bull.Soc.Chim.Belges, 96, 245 (1987)  
1987SOa B Satyarayana, K Omprakash et al; Indian J.Chem., 26A, 710 (1987)  
1987TSb S Tabassum, K Siddiqi, N Khan, R Kureshy; Indian J.Chem., 26A, 489, 523 (1987)  
1987VSc S Verma, M Saxena; J.Indian Chem.Soc., 64, 725 (1987)  
1987VSb S Verma, M Saxena; Proc.Indian Acad.Sci., 99, 217 (1987)  
1987YJa J Yin, B Jiang, T Sun, H Sun; J.Inorg.Chem.(China), 3, 69 (1987)  
1987ZAa H Zineddine, M Asso, D Benlian; Inorg.Chim.Acta, 140, 375 (1987)  
1986AJc B Arbad, D Jahagirdar; Indian J.Chem., 25A, 557 (1986)  
1986ALa F Arnaud-Neu, E Loufouilou et al; J.Chem.Soc., Dalton Trans., 2629 (1986)  
1986BDa P Barthelemy, J Desreux, J Massaux; J.Chem.Soc., Dalton Trans., 2497 (1986)  
1986CDB G Choppin, A Dadgar, E Rizkalla; Inorg.Chem., 25, 3581 (1986)  
1986CLc G Choppin, L Lajunen; Inorg.Chem., 25, 3512 (1986)  
1986COB C Chang, V Ochaya; Inorg.Chem., 25, 355 (1986)

1986FMa F Firsching, J Mohammadzadel; J.Chem.Eng.Data,31,40 (1986)  
1986GKb T Gushchina, G Kotenko; Koord.Khim.,12(3)325 (1986)  
1986GSb A Gahlot, S Shamar, R Mehta; Indian J.Chem.,25A,386 (1986)  
1986HMa F Hirsching, J Mohammadzadei; J.Chem.Eng.Data,31,40 (1986)  
1986KBb E Mukidjam, S Barnes, G Elgavish; J.Am.Chem.Soc.,108,7082 (1986)  
1986Lca L Lajunen, G Choppin; Inorg.Chim.Acta,119,83 (1986)  
1986Ldb M Lochin, J Desreux, E Merciny; Inorg.Chem.,25,2646 (1986)  
1986LLc L Lajunen, M Lajunen, G Choppin; Inorg.Chim.Acta,119,87 (1986)  
1986MIa M Masoud, N Ibrahim et al; Indian J.Chem.,25A,389 (1986)  
1986NBa M Naoum, B Barsoum; Indian J.Chem.,25A,398 (1986)  
1986NSa G Narayana, S Swamy, P Lingaiah; Indian J.Chem.,25A,491 (1986)  
1986PLb R Petrola, R Larja; Finn.Chem.Lett.,13,177 (1986)  
1986PLc J Powell, D Ling, P Tse; Inorg.Chem.,25,585,587 (1986)  
1986Rca E Rizkalla, G Choppin, W D'Olieslager; Inorg.Chem.,25,2327 (1986)  
1986Rmb P Reddy, V Rao; Inorg.Chim.Acta,125,191 (1986)  
1986Rsc M Rao, B Sethuram, T Rao; J.Indian Chem.Soc.,63,663 (1986)  
1986SGc K Sarkar, B Garg; Transition Met.Chem.,11,326 (1986)  
1986SKb N Skorik, A Kochmanek, O Voronkova; Zh.Neorg.Khim.,31,1137(646) (1986)  
1986SSd S Singh, R Sharma, S Sindhvani; Indian J.Chem.,25A,400 (1986)  
1986SZb Y Sal'nikov, N Zhuravleva; Zh.Neorg.Khim.,31,873(E:496) (1986)  
1986XJa Xiao Wenjin, Ji Zhengping, Qin Zibin; Acta Chimica Sinica,704 (1986)  
1986ZBa I Zheltvai, L Belevich, M Tischenko; Zh.Neorg.Khim.,31,2149(1239) (1986)  
1985ANA S Ali, A Nassar et al; Indian J.Chem.,24A,537 (1985)  
1985BBb P Becker, B Bilal; J.Solution Chem.,14,407 (1985)  
1985CBa G Choppin, J Brock; Inorg.Chim.Acta,109,99 (1985)  
1985ECa P Eттаiah, K Charyulu, A Pal, M Reddy; Indian J.Chem.,24A,890 (1985)  
1985EEb B El-Shetary, G El-Inany, A El-Atrash; J.Chem.Soc.Pak.,7,17 (1985)  
1985HWb T Hseu, S Wu, Z Lin; J.Chin.Chem.Soc.(Taipei),32,287 (1985)  
1985KBb R Kiraly, E Brucher; J.Less Common Metals,112,227 (1985)  
1985Lbc S Lubkeova, P Balgavy et al; Chem.Zvesti,39,317 (1985)  
1985LSa R Lenkinski, S Sierke; J.Inorg.Biochem.,24,59 (1985)  
1985OHb E Ohyoshi; Bull.Chem.Soc.Jpn.,58,405 (1985)  
1985PLa J Powell, D Ling; Inorg.Chem.,24,2967 (1985)  
1985RSb A Ramadan, M Seada et al; Monatsh.Chem.,116,463 (1985)  
1985SGa T Smirnova, I Gorelov, A Pavlov; Zh.Neorg.Khim.,30,551(310) (1985)  
1985SNb L Sirotkova, P Novomesky, E Dvorakova; Chem.Zvesti,39,639 (1985)  
1985TPa P Tse, J Powell; Inorg.Chem.,24,2727 (1985)  
1984AFa M Albin, G Farber, W Horrocks; Inorg.Chem.,23,1648 (1984)  
1984AIa S Ali, N Ibrahim et al; Indian J.Chem.,23A,1049 (1984)  
1984APa Z Akhrymenko, V Panushkin, L Sydorenko; Koord.Khim.,10,1633 (1984)  
1984BKc E Brucher, C Kukri, R Kiraly; Inorg.Chim.Acta,94,45 (1984)  
1984KTb R Kumar, S Tripathi, G Chaturvedi; Monatsh.Chem.,115,283 (1984)  
1984Mfa E Merciny, J Fuger; Anal.Chim.Acta,160,87 (1984)  
1984Mfb E Merciny, J Fuger; Anal.Chim.Acta,166,199 (1984)  
1984OHa E Ohyoshi; Talanta,31,1129 (1984)  
1984Sgb R Saxena, A Gupta; Indian J.Chem.,23A,785 (1984)  
1984SSd R Sindhu, R Singh; Monatsh.Chem.,115,993 (1984)  
1984TPa P Tse, J Powell, M Potter et al; Inorg.Chem.,23,1437 (1984)  
1984YLa Yao Kemin, Liu Min, Wang Guangren et al; Chem.J.of Chin.Univ.,603 (1984)  
1983ANb M-C Almasio, F Arnaud-Neu et al; Helv.Chim.Acta,66,1296 (1983)

1983ASa B Arbad,D Shelke,D Jahagirdar; Indian J.Chem.,22A,124 (1983)  
1983CRb C Chang,M Rowland; Inorg.Chem.,22,3867 (1983)  
1983KBd Y Kozlov,V Babich et al; Zh.Obshch.Khim.,53,1606 (1983)  
1983MAa J Mossoyan,M Asso,D Benlian; J.Magn.Reson.,55,188 (1983)  
1983MCc J Morrison,W Cleland; Biochemistry,22,5507 (1983)  
1983MPc N Mohanty,R Patnaik; Indian J.Chem.,22A,820 (1983)  
1983MSc J Majer,L Sirotkova,I Valaskova; Chem.Zvesti,37,183 (1983)  
1983PMa S Pirkes,G Makushova et al; Zh.Neorg.Khim.,28,2969(1684) (1983)  
1983RRa E Rizkalla,A Ramadan et al; Polyhedron,2,1155 (1983)  
1983RSa A Ramadan,M Seada; Talanta,30,245 (1983)  
1983SKb R Sandhu,R Kalia; J.Indian Chem.Soc.,60,19 (1983)  
1983SSb K Siddiqi,M Shah,V Islam,S Zaidi; Indian J.Chem.,22A,355 (1983)  
1982CBc G Choppin,P Bertrand,Y Hasegawa et al; Inorg.Chem.,21,3722 (1982)  
1982DBa S Dubey,B Bhuyan; Indian J.Chem.,21A,442 (1982)  
1982GMB S Garg,S Mukherjee,B Garg,R Singh; J.Indian Chem.Soc.,59,1038 (1982)  
1982KKc A Kapustnirov,Yu Kozlov,I Gorelov; Zh.Obshch.Khim.,52,663 (1982)  
1982KNa H Kojima,H Nonaka,M Hirota; Bull.Chem.Soc.Jpn.,55,2988 (1982)  
1982KYc Y Kim,S Yun; Thermochim.Acta,59,299 (1982)  
1982LMA K Lal,S Malhotra; Indian J.Chem.,21A,1007 (1982)  
1982LPC A Lapitskaya,S Pirkes et al; Zh.Neorg.Khim.,27,2148(1215) (1982)  
1982MAa V Mironov,N Avramenko et al; Koord.Khim.,8,636 (1982)  
1982MBA M Mayadeo,S Bhattacharjee; J.Indian Chem.Soc.,59,800 (1982)  
1982MDa J Massaux,J Desseux; J.Am.Chem.Soc.,104,2967 (1982)  
1982MPd V Mischenko,N Poluekerov,L Ovchar; Zh.Neorg.Khim.,27,1397(787) (1982)  
1982MSc K Mehta,K Sharma,R Mehta; Indian J.Chem.,21A,656 (1982)  
1982OCa K Omprakash,A Chandra,M Reddy; Indian J.Chem.,21A,322 (1982)  
1982PPd J Powell,M Potter,H Burkholder,E Potter; Polyhedron,1,277 (1982)  
1982RFa E Riecancka,E Fuleova,J Majer; Chem.Zvesti,36,501 (1982)  
1982SLb S Swamy,P Lingaiah; Indian J.Chem.,21A,654 (1982)  
1981BDa B Bhuyan,S Dubey; Indian J.Chem.,20A,756 (1981)  
1981BDc B Bhuyan,S Dubey; J.Indian Chem.Soc.,58,613 (1981)  
1981Eia S Etaiw,G El-Inany et al; J.Inorg.Nucl.Chem.,43,1920 (1981)  
1981FCa F Firsching,R Cuca; J.Chem.Eng.Data,26,116 (1981)  
1981GCa Gao Hongcheng,Chen Dian,Wu Jinguang etc; Chem.J.of Chin.Univ.,417 (1981)  
1981GMh A Garg,A Madhavan,V Garg,W Malik; Indian J.Chem.,20A,994 (1981)  
1981KSe R Kumar,R Sharma,G Chaturvedi; J.Inorg.Nucl.Chem.,43,2503 (1981)  
1981KTb R Kiraly,I Toth,E Brucher; J.Inorg.Nucl.Chem.,43,345 (1981)  
1981MCb A Malinowska,D Sulikowska; Pol.J.Chem.,55,963 (1981)  
1981NSc V Novak,M Svicekova et al; Chem.Zvesti,35,481 (1981)  
1981RSb V Reddy,B Sethuram,T Rao; Indian J.Chem.,20A,1140 (1981)  
1981ZLa S Zielinski,L Lomozik et al; Monatsh.Chem.,112,1245 (1981)  
1980BDd B Bhuyan,S Dubey; J.Indian Chem.Soc.,57,289 (1980)  
1980CCa G Choppin,R Cannon; Inorg.Chem.,19,1889 (1980)  
1980KBc Y Kozlov,V Babich; Zh.Neorg.Khim.,25,2852(1574) (1980)  
1980KBd Z Konteatis,H Brittain; Inorg.Chim.Acta,40,51 (1980)  
1980KTb R Kumar,S Tripathi et al; Indian J.Chem.,19A,1217 (1980)  
1980LPb R Lenkinski,B Peerce et al; J.Am.Chem.Soc.,102,7088 (1980)  
1980MDb J Massaux,J Desreux,C Delchambre et al; Inorg.Chem.,19,1893 (1980)  
1980MGc G Makhmeeva,V Gontar et al; Zh.Neorg.Khim.,25,855(467) (1980)  
1980MMe L Martynenko,N Muratova,A Borisova; Zh.Neorg.Khim.,25,713(591) (1980)

1980NAb R Nayan; J.Inorg.Nucl.Chem.,42,1743 (1980)  
1980NSf T Nakano,Y Suzuki; Nippon Kagaku Kaishi,10,1485 (1980)  
1980PPf C Panda,R Patnaik; J.Indian Chem.Soc.,57,23 (1980)  
1980RPa E Riccankk,Z Pikulikova,J Majer; Chem.Zvesti,34,190 (1980)  
1980SDa A Samir,N Dobrynina et al; Zh.Neorg.Khim.,25,3250(1781) (1980)  
1980Sdb A Samir,N Dobrynina et al; Zh.Neorg.Khim.,25,2977(1637) (1980)  
1980SDc C Sharma,T De; J.Less Common Metals,70,63 (1980)  
1980SGa J Sharma,B Garg,R Singh; J.Inorg.Nucl.Chem.,42,399 (1980)  
1980Sgb T Smirnova,I Gorelov; Zh.Neorg.Khim.,25,2967(1631) (1980)  
1980SLb S Swamy,P Lingaiah; Indian J.Chem.,19A,493 (1980)  
1980SSc R Shekhawat,N Sankhla,R Mehta; Pol.J.Chem.,54,391 (1980)  
1980Vca P Volpe,A Chagas,C Airoidi; J.Inorg.Nucl.Chem.,42,1321 (1980)  
1980ZMa S Zaidi,S Mukherjee; J.Inorg.Nucl.Chem.,42,455 (1980)  
1979BEb A Borisova,A Evseev et al; Zh.Neorg.Khim.,24,1515(840) (1979)  
1979DBb J Dumonceau,S Bigot,M Treuil; Compt.Rend.,287C,325 (1979)  
1979HJa R Hancock,G Jackson et al; J.Chem.Soc.,Dalton Trans.,1384 (1979)  
1979JMa I Zhel'tvai,E Melenteva,M Tischenko; Zh.Neorg.Khim.,24,1214(675) (1979)  
1979KRb M Kotoucek,M Kucerova J Lasovsky; Coll.Czech.Chem.Comm.,44,1559 (1979)  
1979KSc R Kumar,R Sharma,G Chaturvedi; Monatsh.Chem.,110,907 (1979)  
1979LAb L Lajunen et al; Finn.Chem.Lett.11 (1979)  
1979LSb P Lehtonen et al; Finn.Chem.Lett.53 (1979)  
1979MBd J Majer,P Butvin et al; Chem.Zvesti,33,742 (1979)  
1979NDa S Nagpal,S Dubey,H Kalra,D Puri; Indian J.Chem.,18A,270 (1979)  
1979NSb P Nair,K Srinivasulu; J.Inorg.Nucl.Chem.,41,251 (1979)  
1979PLb A Passoja,L Lajunen; Finn.Chem.Lett.42 (1979)  
1979SKe R Sandhu,R Kalia; Thermochim.Acta,30,351 (1979)  
1979VMa G Viswanath,K Menon et al; J.Inorg.Nucl.Chem.,41,717 (1979)  
1978AAa L Asso,M Asso,J Mossoyan,D Benlian; J.Chim.Phys.,75,561 (1978)  
1978BRb H Brittain; Anal.Chim.Acta,96,165 (1978)  
1978COa G Choppin,E Orebaugh; Inorg.Chem.,17,2300 (1978)  
1978GHb Y Gfeller,A Merbach; Inorg.Chim.Acta,29,217 (1978)  
1978GKb C Gupta,P Kanungo,R Mehta; Indian J.Chem.,16A,1101 (1978)  
1978Mcd M Mayadeo,A Chaubal,S Vartak; J.Indian Chem.Soc.,55,450 (1978)  
1978Mnb Y Masuda,T Nakamori,E Sekido; Nippon Kagaku Kaishi,2,204 (1978)  
1978MPb J Miller,J Powell; Inorg.Chem.,17,774 (1978)  
1978NBa A Nabil,A Borisova et al; Zh.Neorg.Khim.,23,364(203) (1978)  
1978NLa V Novak,J Lukansky et al; Chem.Zvesti,32,32 (1978)  
1978NLb V Novak,J Lucansky,M Svicekova,J Majer; Chem.Zvesti,32,19 (1978)  
1978Pma L Pethe,B Mali; J.Indian Chem.Soc.,55,846 (1978)  
1978PPb R Petrola,K Poppius et al; Anal.Chim.Acta,99,393 (1978)  
1978SGf J Sharma,B Garg,R Singh; Monatsh.Chem.,109,847 (1978)  
1978SSi J Sharma,I Singh,B Garg,R Singh; J.Indian Chem.Soc.,55,542 (1978)  
1977CGc G Choppin,M Goedeken,T Gritmon; J.Inorg.Nucl.Chem.,39,2025 (1977)  
1977EBa G Efremova,R Buchkova et al; Zh.Neorg.Khim.,22,954(527) (1977)  
1977GGb T Gritmon,M Goedeken,G Choppin; J.Inorg.Nucl.Chem.,39,2021 (1977)  
1977Gma J Gatez,E Merciny,G Duyckaerts; Anal.Chim.Acta,94,91 (1977)  
1977Hcb Y Hasegawa,G Choppin; Inorg.Chem.,16,2931 (1977)  
1977MBb G Manku,A Bhat; Indian J.Chem.,15A,138 (1977)  
1977SKd N Skorik; Zh.Neorg.Khim.,22,1425(776) (1977)  
1977SKf S Sandhu,J Kumaria,R Sandhu; Monatsh.Chem.,108,1105 (1977)

1977SSc O Sakovich, N Skorik; Zh. Neorg. Khim., 22, 98(51) (1977)  
1976BFc I M Batyaev, R C Fogileva; Zh. Neorg. Khim. 21, 1199 (1976)  
1976BKa E Brucher, R Kiraly, I Toth; Inorg. Nucl. Chem. Lett., 12, 167 (1976)  
1976GKd I P Gorelov, A I Kapustnikov; Zh. Neorg. Khim. 21, 2554 (1976)  
1976Gmb J Gatez, E Merciny et al; Anal. Chim. Acta, 84, 383 (1976)  
1976LAB L Lajunen; Finn. Chem. Lett. 31 (1976)  
1976LAc Lajunen, L H J; Finn. Chem. Lett. 36 (1976)  
1976LAd L Lajunen; Finn. Chem. Lett. 53 (1976)  
1976MDa T Medved, N Dyatlova et al; Izv. Akad. Nauk (USSR), 5, 1018(992) (1976)  
1976MLb O Makitie et al; Finn. Chem. Lett. 3 (1976)  
1976MRa V Markhaeva, M Rudomino et al; Izv. Akad. Nauk (USSR), 5, 1024 (1976)  
1976NDa R Nayan, A Dey; J. Coord. Chem., 6, 13 (1976)  
1976NKa V Novak, M Kotoucek, J Lukansky, J Majer; Chem. Zvesti, 21, 687 (1976)  
1976NNA J Narkhede, G Natarajan; Indian J. Chem., 14A, 131 (1976)  
1976OCa E Orebaugh, G Choppin; J. Coord. Chem., 5, 1976 (1976)  
1976OCb E Orebaugh, G Choppin; J. Coord. Chem., 5, 123 (1976)  
1976PEa R Petrola; Finn. Chem. Lett. 157 (1976)  
1976PKb J Powell, S Kulprathipanjai; Inorg. Chem., 15, 493 (1976)  
1976SAC R Sandhu; Thermochim. Acta, 17, 270 (1976)  
1976SAe R Sandhu; Indian J. Chem., 14A, 1020 (1976)  
1976SPa Y Suzuki, J Powell; Bull. Chem. Soc. Jpn., 49, 2327 (1976)  
1976YCa S Yun, G Choppin, D Blakeway; J. Inorg. Nucl. Chem., 38, 587 (1976)  
1975BKa E Brucher, E Kiraly, I Nagypal; J. Inorg. Nucl. Chem., 37, 1009 (1975)  
1975DPa E Dvorakova, Z Pikulikova, J Majer; Chem. Zvesti, 29, 44 (1975)  
1975PFb J Powell, J Farrell et al; Inorg. Chem., 14, 786 (1975)  
1975PLa S Pyrkes, A Lapitskaya, T Zakharova; Zh. Neorg. Khim., 20, 2929(1621) (1975)  
1975TDa M Tokmadjan, N Dobrynina et al; Izv. Akad. Nauk (USSR), 2, 460 (1975)  
1975YBa S Yun, J Bear; J. Inorg. Nucl. Chem., 37, 1757 (1975)  
1974BFa I Batyaev, R Fogileva; Zh. Neorg. Khim., 19, 670(363) (1974)  
1974BKb E Brucher CE Kukri, L Zekany; J. Inorg. Nucl. Chem., 36, 2620 (1974)  
1974BKc E Brucher, R Kiraly, I Nagypal; Magyar Kem. Foly., 80, 135 (1974)  
1974CMd F Chatellain, A Merbach; Chimia, 22, 609 (1974)  
1974GGa I Grenthe, G Gardhammar; Acta Chem. Scand., A28, 125 (1974)  
1974JOb D Johnson; J. Chem. Soc., Dalton Trans., 1671 (1974)  
1974KRa M Taqui-Khan, P Reddy; J. Inorg. Nucl. Chem., 36, 607 (1974)  
1974KRd A Kireeva, M Rudomino, N Dyatlova; Zh. Obshch. Khim., 44, 2637 (1974)  
1974KSa F Kai, Y Sadakane; J. Inorg. Nucl. Chem., 36, 1404 (1974)  
1974LOa A Lokio; Finn. Chem. Lett., 5 (1974)  
1974MLa O Makitie, L Lajunen, H Saarinen; Finn. Chem. Lett. 96 (1974)  
1974NLa V Novak, J Lukansky, M Svicekova, J Majer; Chem. Zvesti, 28, 324 (1974)  
1974POa H Powell; J. Chem. Soc., Dalton Trans., 1108 (1974)  
1974RMg E Riacanska, J Majer, A Bumbalova; Chem. Zvesti, 28, 768 (1974)  
1974SAa H Saarinen; Acta Chem. Scand., A28, 589 (1974)  
1974STb O Sunar S Tak, C Trivedi; J. Inorg. Nucl. Chem., 36, 1163 (1974)  
1973BSg V Biryulina, V Serebrennikov; Zh. Obshch. Khim., 43, 9, 1865 (1973)  
1973CDc G Choppin, A Dadgar, R Stampfli; J. Inorg. Nucl. Chem., 35, 875; 1703 (1973)  
1973FDa Y Fridman, N Dolgashova, D Sarbaev et al; Zh. Neorg. Khim., 18, 176 (1973)  
1973FPb M Farrow, N Purdie; J. Solution Chem., 2, 503; 513 (1973)  
1973GBd I Gorelov, V Babich; Zh. Neorg. Khim., 18, 840 (1973)  
1973HHc S Hubert, M Hussonois, R Guillaumont; J. Inorg. Nucl. Chem., 35, 2923 (1973)

1973KSd F Kai,Y Sadakane,H Yokoi,H Aburada; J.Inorg.Nucl.Chem.,35,2128 (1973)  
 1973KTb A Kochubei,A Tolubara,Y Usatenko; Zh.Anal.Khim.,28,3,500 (1973)  
 1973LPb A Lapitskaya,S Pirkes; Zh.Neorg.Khim.,18,1204 (1973)  
 1973MAa G Manku; Bull.Chem.Soc.Jpn.,46,1704 (1973)  
 1973MSe Y Masuda,H Sakai,S Misumi; Japan Analyst,22,1577 (1973)  
 1973NMa P Nedden,E Merciny,G Duyckaerts; Anal.Chim.Acta,64,197 (1973)  
 1973PAC N Poluektov,L Alakaeva,M Tischenko; Zh.Neorg.Khim.,18,1,81 (1973)  
 1973PMb R Petrola,O Makitie; Suomen Kem.,B46,10 (1973)  
 1973PSb J Powell,T Swaminathan; J.Chromatography,76,459 (1973)  
 1973RSb J Reidler,H Silber; J.Phys.Chem.,77,1275 (1973)  
 1973SPe N Snezhko,N Pechurova et al; Zh.Neorg.Khim.,18,3220(E:1714) (1973)  
 1973TRb M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,35,2813;2821 (1973)  
 1973TZa M Tischenko,I Zheltvai,N Poluektov; Zh.Neorg.Khim.,18,2390 (1973)  
 1972BLa J Bear,C Lin; J.Inorg.Nucl.Chem.,34,2368 (1972)  
 1972CBB A Cassol,P di Bernardo,R Portanova et al; Gazz.Chim.Ital.,102,1118  
 (1972)  
 1972DCb A Dadgar,G Choppin; J.Inorg.Nucl.Chem.,34,1297 (1972)  
 1972DSd N Dutt,S Sanyal,U Sharma; J.Inorg.Nucl.Chem.,34,2261 (1972)  
 1972DSe N Dutt,S Sanyal; J.Inorg.Nucl.Chem.,34,651 (1972)  
 1972FGa Y Fridman,S Gorokhov,T Fokina et al; Zh.Neorg.Khim.,17,1268 (1972)  
 1972GBd I Gorelov,V Babich; Zh.Neorg.Khim.,17,641 (1972)  
 1972GOa I Grenthe,H Ots; Acta Chem.Scand.,26,1217;1229 (1972)  
 1972GSe N Guseva,E Sklenskaya et al; Radiokhim.,14,1,132 (1972)  
 1972MCd G Manku,R Chadha; J.Inorg.Nucl.Chem.,34,357 (1972)  
 1972PSd S Pirkes,M Shestakova et al; Zh.Neorg.Khim.,17,2,395 (1972)  
 1972SCd R Stampfli,G Choppin; J.Inorg.Nucl.Chem.,34,205 (1972)  
 1972SSc H Silber,N Scheinin,G Atkinson et al; J.Chem.Soc.,Faraday  
 Trans.I,68,1200 (1972)  
 1972SSi P Spitsyn,V Shvarev,T Popyvanov; Zh.Neorg.Khim.,17,4,966 (1972)  
 1972SSj G Shabanova,N Skorik; Zh.Obshch.Khim.,42,204 (1972)  
 1972STd H Schurmans,H Thun,F Verbeek et al; J.Electroanal.Chem.,38,209 (1972)  
 1972TRc M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,34,967 (1972)  
 1971AWa G Anderegg,F Wenk; Helv.Chim.Acta,54,216 (1971)  
 1971BGB V Babich,I Gorelov; Zh.Anal.Khim.,26,9,1832;1842;1943 (1971)  
 1971DRa N Dutt,S Rahut,S Sur; J.Inorg.Nucl.Chem.,33,121 (1971)  
 1971DRb N Dutt,S Rahut; J.Inorg.Nucl.Chem.,33,1725 (1971)  
 1971EKa V Egorova,V Kumok; Zh.Obshch.Khim.,4,8,1786 (1971)  
 1971GDb R Guillaumont,B Desire,M Galin; Radiochem.Radioanal.Lett.,8,189 (1971)  
 1971GKb G Geier,U Karlen; Helv.Chim.Acta,54,135 (1971)  
 1971ISa H Irving,K Sharpe; J.Inorg.Nucl.Chem.,33,203;217;233 (1971)  
 1971JWa A Jones,D Williams; J.Chem.Soc.(A),3159 (1971)  
 1971KBF N Kozachenko,I Batyaev; Zh.Neorg.Khim.,16,125(E:66) (1971)  
 1971KOa H Koshimura,T Okubo; Anal.Chim.Acta,55,163 (1971)  
 1971MAa G Manku; Australian J.Chem.,24,925 (1971)  
 1971MAb G Manku; J.Inorg.Nucl.Chem.,33,285 (1971)  
 1971MAC G Manku; J.Inorg.Nucl.Chem.,33,3173 (1971)  
 1971MAF G Manku; Z.Anorg.Allg.Chem.,382,202 (1971)  
 1971MGB A Mikhailichenko,N Guseva et al; Zh.Neorg.Khim.,16,11,3101 (1971)  
 1971MNa E Merciny,P Nedden,G Duyckaerts; Anal.Lett.,4,29 (1971)  
 1971PJb J Powell,D Johnson; J.Inorg.Nucl.Chem.,33,3586 (1971)

1971SSd P Spitsyn, V Shvarev, G Zvonareva; *Isvest.VUZ.Khim.*, 14, 1, 28 (1971)  
1971SSi P Spitsyn, V Shvarev, M Korepina; *Zh.Anal.Khim.*, 26, 11, 2121 (1971)  
1970DRa N Dutt, S Rahut; *J.Inorg.Nucl.Chem.*, 32, 1033 (1970)  
1970DSc N Dutt, U Sharma; *J.Inorg.Nucl.Chem.*, 32, 1035 (1970)  
1970GMB R Gupta, G Manku, A Bhat, B Jain; *Australian J.Chem.*, 23, 1387 (1970)  
1970JWa A Jones, D Williams; *J.Chem.Soc.(A)*, 3138 (1970)  
1970KRa N Kostromina, E Romanenko; *Zh.Neorg.Khim.*, 15, 7, 1782 (1970)  
1970KSf A Klygin, I Smirnova, N Kolyada et al; *Zh.Neorg.Khim.*, 15, 622(E:321) (1970)  
1970PKe D Pakhomova, V Kumok, V Serebrennikov; *Zh.Neorg.Khim.*, 15, 5, 1211 (1970)  
1970RDa R Roulet, T Duc; *Helv.Chim.Acta*, 53, 1873 (1970)  
1970RFa R Roulet, J Feuz, T Duc; *Helv.Chim.Acta*, 53, 1876 (1970)  
1970SEa T Seshadri; *Talanta*, 17, 168 (1970)  
1970SSi L Shtenke, N Skorik, V Kumok; *Zh.Neorg.Khim.*, 15, 5, 1214 (1970)  
1969AIb B Afghan, J Israeli; *Talanta*, 16, 1601 (1969)  
1969BCa J Bear, M Clark; *J.Inorg.Nucl.Chem.*, 31, 1517 (1969)  
1969BCb J Bear, M Clark; *J.Inorg.Nucl.Chem.*, 31, 2811 (1969)  
1969CMb D Campbell, T Moeller; *J.Inorg.Nucl.Chem.*, 31, 1077 (1969)  
1969DNb N Dutt, K Nag, T Seshadri; *J.Inorg.Nucl.Chem.*, 31, 1435 (1969)  
1969DNC N Dutt, K Nag; *J.Inorg.Nucl.Chem.*, 31, 1867 (1969)  
1969DRa N Dutt, S Rahut; *J.Inorg.Nucl.Chem.*, 31, 3177 (1969)  
1969DSb N Dutt, T Seshadri; *J.Inorg.Nucl.Chem.*, 31, 2153; 3336 (1969)  
1969FPa D Fay, N Purdie; *J.Phys.Chem.*, 73, 3462 (1969)  
1969IEa R Izatt, D Eatough, J Christensen et al; *J.Chem.Soc.(A)*, 45; 47 (1969)  
1969JCa A Jones, G Choppin; *J.Inorg.Nucl.Chem.*, 31, 3523 (1969)  
1969NDb V Novak, E Dvorakova, M Svicekova et al; *Chem.Zvesti*, 23, 330 (1969)  
1969NDc V Novak, E Dvorakova, M Svicekova et al; *Chem.Zvesti*, 23, 861 (1969)  
1969PCa J Powell, A Chughtai, J Ingemanson; *Inorg.Chem.*, 8, 2216 (1969)  
1969PJa G Popa, E Jercan; *An.Univ.Bucuresti, Chim.*, 18, 71 (1969)  
1969PKe D Pakhomova, V Kumok, V Serebrennikov; *Zh.Neorg.Khim.*, 14, 5, 1434 (1969)  
1968CLd A Carson, P Laye, P Smith; *J.Chem.Soc.(A)*, 141, 1384 (1968)  
1968CMA G Choppin, L Martinez-Perez; *Inorg.Chem.*, 7, 2657 (1968)  
1968DKc N Davidenko, G Komashko, K Yatsimirskii; *Zh.Neorg.Khim.*, 13, 117 (1968)  
1968DRb R Dreyer, J Redlich, R Syhre; *Z.Phys.Chem.*, 238, 417 (1968)  
1968DZb N Davidenko, A Zholdakov; *Zh.Neorg.Khim.*, 13, 11, 2955 (1968)  
1968GCa M Gouveia, R Carvalho; *J.Inorg.Nucl.Chem.*, 30, 2219 (1968)  
1968IZA B Ivanov-Emin, V Zaitseva, A Egorov; *Zh.Neorg.Khim.*, 13, 2655 (1968)  
1968KKc C Ke, P Kong, M Cheng, N Li; *J.Inorg.Nucl.Chem.*, 30, 961 (1968)  
1968KTb C Kanekar, N Thakar, S Jogdeo; *Bull.Chem.Soc.Jpn.*, 968, 41, 759 (1968)  
1968MAe O Makitie; *Suomen Kem.*, B41, 31 (1968)  
1968MIc S Misumi; *Nippon Kagaku Kaishi*, 89, 723 (1968)  
1968NLa V Novak, J Lucansky, J Majer; *Chem.Zvesti*, 22, 721 (1968)  
1968NLb V Novak, L Lucansky, J Majer; *Chem.Zvesti*, 22, 733 (1968)  
1968PFa J Powell, L Farrell, W Neillie, R Russell; *J.Inorg.Nucl.Chem.*, 30, 2223  
(1968)  
1968PIa J Powell, J Ingemanson; *Inorg.Chem.*, 7, 2459 (1968)  
1968TKe L Thompson, S Kundra; *Inorg.Chem.*, 7, 338 (1968)  
1968VLa V Vasileva, O Lavrova, N Dyatlova et al; *Zh.Obshch.Khim.*, 38, 3, 473 (1968)  
1967CCd R Carvalho, G Choppin; *J.Inorg.Nucl.Chem.*, 29, 725; 737 (1967)  
1967DZa N Davidenko, A Zholdakov; *Zh.Neorg.Khim.*, 12, 633 (1195) (1967)  
1967DZb N Davidenko, A Zholdakov; *Zh.Neorg.Khim.*, 12, 1195 (1967)

- 1967EMb A Elkhilyali, L Martynenko, V Spitsyn; Proc. Acad. Sci. (USSR), 176, 886 (855)  
(1967)
- 1967GDb B Gupta, Y Dutt, R Singh; Indian J. Chem., 5, 214; 322 (1967)
- 1967Gwa I Grenthe, D Williams; Acta Chem. Scand., 21, 341, 347 (1967)
- 1967KOb Z Kolarik; Collec. Czech. Chem. Commun., 32, 435 (1967)
- 1967Lda R Lastovskii, N Dyatlova, I Seliverstova; Zh. Neorg. Khim., 12, 12, 3351 (1967)
- 1967MAi O Makitie; Suomen Kem., B40, 27; 128; 267 (1967)
- 1967OTa W Ooghe, H Thun, F Verbeek; Anal. Chim. Acta, 39, 397 (1967)
- 1967PBb B Pokric, M Branica; Croat. Chem. Acta, 39, 11 (1967)
- 1967SAa S Sangal; J. Prakt. Chem., 36, 126 (1967)
- 1967SNb L Sommer, H Novotna; Talanta, 14, 457 (1967)
- 1967SSj M Silber, J Swinehart; J. Phys. Chem., 71, 4344 (1967)
- 1967SSo Z Sheka, E Sinyavskaya; Zh. Neorg. Khim., 12, 377 (1967)
- 1967STd H Schurmans, H Thun, F Verbeek; J. Inorg. Nucl. Chem., 29, 1759 (1967)
- 1967WCa J Walker, G Choppin; Adv. Chem. Series, 71, 127 (1967)
- 1966DDa N Davidenko, V Deribon; Zh. Neorg. Khim., 11, 53 (99) (1966)
- 1966DMA E Dvorakova, J Majer; Chem. Zvesti, 20, 233 (1966)
- 1966FKa U Frolova, V Kumok, V Serebrennikov; Izv. VUZ. Khim., 9, 176 (1966)
- 1966FPb F Firsching, T Paul; J. Inorg. Nucl. Chem., 28, 2414 (1966)
- 1966GDa B Gupta, Y Dutt, R Singh; J. Indian Chem. Soc., 43, 610 (1966)
- 1966GGb M Gouveia, R Carvalho; J. Inorg. Nucl. Chem., 28, 1683 (1966)
- 1966JMc V Jokl, J Majer, H Scharff, H Kroll; Mikrochim. Acta, 63 (1966)
- 1966KAa P Kovalenko, L Azhipa, M Evstifeev; Zh. Neorg. Khim., 11, 2689 (1966)
- 1966KPb M Krishnamurthy, N Prasad; Indian J. Chem., 4, 316 (1966)
- 1966KRb N Kostromina, E Romanenko; Zh. Neorg. Khim., 11, 598 (1116) (1966)
- 1966NSb V Novak, M Svicekova, J Majer; Chem. Zvesti, 20, 252 (1966)
- 1966OPa Z Orhanovic, B Pokric, H Furedi, M Branica; Croat. Chem. Acta, 38, 269 (1966)
- 1966PRb J Powell, D Rowlands; Inorg. Chem., 5, 819 (1966)
- 1966SSg N Skorik, V Serebrennikov; Zh. Neorg. Khim., 11, 416 (764) (1966)
- 1966VLa V Vasileva, O Lavrova et al; Zh. Obshch. Khim., 36, 4, 674 (1966)
- 1965ANb G Anderegg; Helv. Chim. Acta 48, 825 (1965)
- 1965CGa G Choppin, A Graffeo; Inorg. Chem., 4, 1254 (1965)
- 1965DKb N Dyatlova, M Kabachnik, T Medved; Proc. Acad. Sci. (USSR), 161, 307 (607)  
(1965)
- 1965DTa N Dyatlova, V Temkina, Y Belugin; Zh. Neorg. Khim., 10, 612 (1131) (1965)
- 1965GEa G Geier; Ber. Buns. Phys. Chem., 69, 617 (1965)
- 1965TVa H Thun, F Verbeek, W Vanderleen; J. Inorg. Nucl. Chem., 27, 1813 (1965)
- 1965YCa H Yoneda, G Choppin, J Bear, A Graffeo; Inorg. Chem., 4, 244 (1965)
- 1964DVA H Deelstra, F Verbeek; Anal. Chim. Acta, 31, 251 (1964)
- 1964EVA L Eeckhaut, F Verbeek, H Deelstra, J Hoste; Anal. Chim. Acta, 30, 369 (1964)
- 1964GRa I Grenthe; Acta Chem. Scand., 18, 283 (1964)
- 1964ICb H Irving, J Conesa; J. Inorg. Nucl. Chem., 26, 1945 (1964)
- 1964KBb P Kovalenko, K Bagdasarov; Zh. Prikl. Khim., 37, 735 (1964)
- 1964KSe V Kumok, V Serebrennikov; Zh. Neorg. Khim., 9, 2148 (1964)
- 1964LAa F L'Eplattenier, G Anderegg; Helv. Chim. Acta, 47, 1792 (1964)
- 1964PKa J Powell, R Kolat, G Paul; Inorg. Chem., 3, 518 (1964)
- 1964PKb J Powell, R Karraker, R Kolat, J Farrell; Rare Earth Research II, New York, p. 512-4 (1964)
- 1964PSd J Powell, Y Suzuki; Inorg. Chem., 3, 690 (1964)
- 1964SPa R Stagg, J Powell; Inorg. Chem., 3, 242 (1964)



1964THa L Thompson; Inorg.Chem.,3,1015 (1964)  
 1964THb L Thompson; Inorg.Chem.,3,1319 (1964)  
 1964YCa H Yoneda,G Choppin,J Bear,J Quagliano; Inorg.Chem.,3,1642 (1964)  
 1963BBb B Budesinsky,A Besdekova; Z.Anal.Chem.,196,17 (1963)  
 1963BUa B Budesinsky; Collec.Czech.Chem.Comm.,28,2902 (1963)  
 1963GRd I Grenthe; Acta Chem.Scand.,17,2487 (1963)  
 1963GTa I Grenthe,I Tobiasson; Acta Chem.Scand.,17,2101 (1963)  
 1963KOc N Kostromina; Zh.Neorg.Khim.,8,988 (1900) (1963)  
 1963THb L Thompson; J.Inorg.Nucl.Chem.,25,819 (1963)  
 1963TLa L Thompson,J Loraas; Inorg.Chem.,2,594 (1963)  
 1963TLb L Thompson,J Loraas; Inorg.Chem.,2,89 (1963)  
 1962KPa R Kolat,J Powell; Inorg.Chem.,1,293 (1962)  
 1962MFb T Moeller,R Ferrus; Inorg.Chem.,1,55 (1962)  
 1962MHa T Moeller,T Hseu; J.Inorg.Nucl.Chem.,24,1635 (1962)  
 1962MMc J Mackey,M Miller,J Powell; J.Phys.Chem.,66,311 (1962)  
 1962MTc T Moeller,L Thomson; J.Inorg.Nucl.Chem.,24,499 (1962)  
 1962PMa J Powell,J Mackey; Inorg.Chem.,1,418 (1962)  
 1962RKa A Roppongi,T Kato; Bull.Chem.Soc.Jpn.,35,1086;1092 (1962)  
 1962THa L Thompson; Inorg.Chem.,1,490 (1962)  
 1962THb L Thompson; J.Inorg.Nucl.Chem.,24,1083 (1962)  
 1961GRa I Grenthe; J.Am.Chem.Soc.,83,360 (1961)  
 1961MFb T Moeller,R Ferrus; J.Inorg.Nucl.Chem.,20,261 (1961)  
 1960ASd N Akselrud,V Spivakovskii; Zh.Neorg.Khim.,5,327;340;348;547;1910 (1960)  
 1960GFa I Grenthe,W Fernelius; J.Am.Chem.Soc.,82,6258 (1960)  
 1959BDb R Betts,O Dahlinger; Can.J.Chem.,37,91 (1959)  
 1959HCa R Harder,S Chaberek; J.Inorg.Nucl.Chem.,11,197 (1959)  
 1959SOB A Sonesson; Acta Chem.Scand.,13,998,1437 (1959)  
 1958SOa A Sonesson; Acta Chem.Scand.,12,1937 (1958)  
 1957NOa W Noddak,G Oertel; Z.Elektrochem.,61,1216 (1957)  
 1956GNC E Gelles,G Nancollas; Trans.Faraday Society,52,98 (1956)  
 1956SGa G Schwarzenbach,R Gut; Helv.Chim.Acta,34,1589 (1956)  
 1956SPa F Spedding,J Powell,E Wheelwright; J.Am.Chem.Soc.,78,34 (1956)  
 1955WSa E Wheelwright,F Spedding; US AEC - ISC,637 (1955)  
 1954SGa G Schwarzenbach,R Gut,G Anderegg; Helv.Chim.Acta,37,937 (1954)  
 1953WSa E Wheelwright,F Spedding,G Schwarzenbach; J.Am.Chem.Soc.,75,4196 (1953)  
 1952LAB W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)  
 1952VIa R Vickery; J.Chem.Soc.,1895 (1952)  
 1932ENa G Endres; Z.anorg.Chem., 205,321 (1932)

#### EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES  
 I Data with various BACKGROUNDS  
 H Data for THERMOCHEMICAL quantities  
 M Data for TERNARY Complexes

EVALUATION Flags are :-

T or IUP=T signifies EVALUATION RATING = Tentative by IUPAC

---

END