

SC-Database

Software version = 5.81 Data version = 4.62  
Experiment list contains 1162 experiments for  
(no ligands specified)  
Metal : Gd+++  
(no references specified)  
(no experimental details specified)

\*\*\*\*\*

e- HL Electron (442)  
Electron;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ oth none 25°C 0.0 U 1974J0b (511) 1  
K(Gd+3e=Gd(s))=-115.1(-2.27V)  
K(Gd+e=Gd(II))=-61(-3.6V)

Method: Literature evaluated data

Gd+++ oth none 25°C 0.0 U 1952LAb (512) 2  
K(Gd+3e)=-121.5(-2400 mV)

AsO4--- H3L Arsenate CAS 7778-39-4 (1557)  
Arsenate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ sol none 25°C 0.0 C 1992FIa (1147) 3  
Kso(GdAsO4)=-21.67

Equilibrium monitored by EDTA and iodine titrations.

CN- HL Cyanide CAS 74-90-8 (230)  
Cyanide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ dis oth/un 25°C 0.50M U 1971DGc (2689) 4  
K(Gd+HL)=1.9  
K(Gd+HL=GdL+H)=-5.7  
K(Gd+HL+H2O=Gd(OH)L+2H)=-13.9  
K(Gd+HL+2H2O=Gd(OH)2L+3H)-22.9

CO3-- H2L Carbonate CAS 465-79-6 (268)  
Carbonate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl NaClO4 25°C 0.70M C K1=5.72 2004LBb (3228) 5  
K(Gd+HC03=GdHC03)=1.31

Medium: 0.70 M NaClO4. Calculated for I=0, K1=7.39, B2=12.48,

$K(Gd+HCO_3=GdHC_03)=2.36$ ,  $K(Gd+HL=GdL+H)=-2.94$ ,  $K(Gd+2HL=GdL_2+2H)=-8.18$

Gd+++ dis NaClO<sub>4</sub> 25°C 0.70M C I K1=5.66 B2= 9.96 1998LBb (3229) 6  
Method: H<sub>2</sub>O/tributylphosphate distribution and ICP-mass spectrometry.  
Values calculated for I=0.0 M, K1=7.64, B2=13.04.

Gd+++ dis NaClO<sub>4</sub> 25°C 0.70M C 1995LBc (3230) 7  
B1eff=5.65  
B2eff=10.12  
Keff(Gd+HL)=1.66

By solvent extraction from 0.7 M NaClO<sub>4</sub> into tributylphosphate using 88Y.  
 $B1_{eff}=[GdL]/[Gd]([L]+[NaL])$ .  $K_{eff}=[GdHL]/[Gd]([HL]+[NaHL])$ .

Gd+++ dis NaClO<sub>4</sub> 25°C 0.70M C K1=5.68 B2=10.09 1993LBa (3231) 8  
 $K(Gd+HL)=1.83$

Gd+++ sol none 25°C 0.0 C 1986FMa (3232) 9  
 $K_{so}(Gd_2(CO_3)_3)=-35.45$

Gd+++ sol none 25°C 0.0 C 1986HMa (3233) 10  
 $K_{so}(Gd_2(CO_3)_3)=-35.45$

Method: spectrophotometry.

Gd+++ dis oth/un 20°C 2.5M C 1979DBb (3234) 11  
B4=14.31

Media: 2.5 M (NH<sub>4</sub>)<sub>2</sub>NO<sub>3</sub>/hexane. Analysis by NAA. By competition with edta;  
 $K1(Gd(edta))=17.26$  recalculated for I=2.5 from J.Am.Chem.Soc., 75 1953, 4196  
\*\*\*\*\*

C<sub>6</sub>N<sub>6</sub>Fe--- H<sub>3</sub>L Ferricyanide (2491)  
Hexacyanoferrate (III); Fe(III)(CN)<sub>6</sub>---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	cal	none	25°C	0.00	M	H		K1=3.59	1972SCd	(3650) 12

DH(K1)=4.4 kJ mol<sup>-1</sup>, DS=83.3 J K<sup>-1</sup> mol<sup>-1</sup>

Gd+++	con	oth/un	25°C	0.0	U			K1=3.74	1963DKb	(3651) 13
-------	-----	--------	------	-----	---	--	--	---------	---------	-----------

\*\*\*\*\*

Cl- HL Chloride CAS 7647-01-0 (50)  
Chloride;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	dis	NaCl	25°C	1.0M	C			K1=-0.16	1997HTb	(4924) 14
-------	-----	------	------	------	---	--	--	----------	---------	-----------

Method: by solvent extraction from 1.0 M NaCl into CHCl<sub>3</sub>, 0.1 M  
1,1,1-trifluoro-4-(2-thienyl)-2,4-pentanedione.

Gd+++	cal	non-aq	25°C	100%	U	H		K1=2.80 B2=4.77 K3=1.44 K4=1.11	1991ITa	(4925) 15
-------	-----	--------	------	------	---	---	--	---------------------------------	---------	-----------

Medium: DMF, 0.2 M Et4NClO4. DH(K1)=15.1 kJ mol-1, DH(K2)=23.4, DH(K3)=20  
DH(K4)=46. DS(K1)=104, DS(K2)=116, DS(K3)=95 J K-1 mol-1

Gd+++ dis NaClO4 20°C 3.00M U K1=0.56 B2=0.21 1982FKb (4926) 16

Gd+++ sol NaClO4 25°C ? U K1=0.33 1982MAa (4927) 17

Gd+++ cal non-aq 25°C 100% U K1=1.23 B2=2.94 1980VCa (4928) 18

Medium: dimethylacetamide

Gd+++ sp NaClO4 25°C 3.0M U K1=-0.04 1971KBF (4929) 19

Medium: LiClO4

Gd+++ ISE none 25°C 0.0 U 1963AKd (4930) 20

$$K_{so}(Gd(OH)2.5ClO_4) = -23.12$$

\*\*\*\*\*

F- HL Fluoride CAS 7644-39-3 (201)

Fluoride;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ ix oth/un 25°C 0.02M C T H K1=3.71 B2= 6.07 2004LMA (6914) 21

Medium: 0.025 M HNO3. Applying Pitzer parameters: at I=0, K1=9.77.

Data for 5 to 45 C. DH(K1)=7.2 kJ mol-1, DH(B2)=17.6.

Gd+++ ISE NaClO4 25°C 0.0 C I K1=4.24 2000LBa (6915) 22

Method: Fluoride ISE. Values calc. from data for I=0.015-0.70 M NaClO4.

At I=0.70 M, K1=3.313.

Gd+++ ix KNO3 25°C 0.02M C K1=3.69 B2= 6.08 1999SBc (6916) 23

Medium: 0.025 M HNO3. Additional method: ICP-MS.

Assumed K1(HF) = 3.03, derived from literature values.

Gd+++ dis NaClO4 25°C 0.68M U K1=3.20 B2=5.28 1993LBb (6917) 24

Gd+++ ISE none 25°C 0.0 C H K1=3.21 B2=6.56 1989MJa (6918) 25

$$K_{so}=-17.3$$

Also by conductivity and radiometry. DH(Kso)=50.8 kJ mol-1; DS=-157.0.

Gd+++ ISE R4N.X 25°C 0.50M C K1=3.21 B2=6.56 1989MJb (6919) 26

Gd+++ cal NaClO4 25°C 1.00M C H 1988GBa (6920) 27

DH(K1)=9.22 kJ mol-1; DS(K1)= 94.4 J mol-1 K-1

Gd+++ ISE NaNO3 25°C 0.10M U H 1987SMd (6921) 28

$$K(GdA+L)=1.73$$

DH=2.00 kJ mol-1, DS=40.7 J K-1 mol-1. H3A=HEDTA

Gd+++ ISE NaCl 25°C 1.00M C K1=3.083 1985BBb (6922) 29

Gd+++ gl KCl 25°C 1.00M U M 1981KTb (6923) 30  
 K(GdEDTA+F)=1.73  
 K(Gd(EDTA)F+F)=0.48

---

Gd+++ dis NaClO<sub>4</sub> 25°C 1.00M U T H K1=3.16 1975MHa (6924) 31  
 DH=-17.2 kJ mol<sup>-1</sup> and DS=2.5 J mol<sup>-1</sup> K<sup>-1</sup>.

---

Gd+++ ISE NaClO<sub>4</sub> 25°C 0.50M U K1=3.38 B2=6.5 1969ALa (6925) 32

---

Gd+++ dis NaClO<sub>4</sub> 25°C 0.50M U K1=3.43 B2=6.71 1967LNa (6926) 33

---

Gd+++ nmr NaClO<sub>4</sub> 20°C 0.10M U K1=4.04 1967VSc (6927) 34

---

Gd+++ EMF NaClO<sub>4</sub> 25°C 1.0M U H K1=3.31 1967WCa (6928) 35  
 By calorimetry: DH(K1)=37.2 kJ mol<sup>-1</sup>, DS=188.5 J K<sup>-1</sup> mol<sup>-1</sup>

---

Gd+++ EMF NaClO<sub>4</sub> 25°C 0.50M U I K1=3.37 1953KUa (6929) 36  
 K(Gd+HF=GdF+H)=0.46

At I=0 corr: K1=4.26

---

I03- HL Iodate CAS 7782-68-5 (1257)

Iodate;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sol	oth/un	25°C	0.0	U				1966FPb	(8517) 37

Kso=-11.13

---

I04- HL Periodate CAS 13444-71-8 (6063)

Periodate;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sol	oth/un	25°C	dil	U				1974LOa	(8604) 38

Kso(Gd(H<sub>2</sub>I0<sub>6</sub>)(H<sub>2</sub>O)<sub>3</sub>)=-10.60

---

Mo04-- H2L Molybdate (443)

Molybdate;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	oth/un	25°C	?	U	M			1997STA	(8733) 39

K(Gd+H<sub>2</sub>L=GdL+2H)=-1.4

Ligand: nano-Molibdenomanganate, MnMo9032-----

---

Gd+++ con oth/un 25°C .001M U K1=4.40 1968DKc (8734) 40

---

Mo12O42U----- H8L (2922)

Uranium-12-molybdate;

---



Gd+++	gl	NaCl	25°C	0.10M	U	I	1999FBa (11524)	52
							*B(1,3)=-22.16	
In 0.1 M Me4NCl,							*B(1,3)=-22.76.	
Gd+++	sol	none	25°C	0.50M	C	TI	1991GLc (11525)	53
							*K1=-7.87	
							*B2=-15.16	
Also data at 70 C:							*K1=-7.55,	*B2=-13.04.
DH(*K1)=14 kJ mol-1,							DH(*B2)=92.	In D2O: *K1=-8.17, *B2=-16.00.
Gd+++	con	oth/un	25°C	dil	C		1988MCa (11526)	54
							*K1=-4.70	
Method: conductivity of 0.5 mM GdCl3 solution as function of pH.								
Gd+++	sol	NaClO4	23°C	1.0M	C		1980KDc (11527)	55
							*K1=-7.3	
							*B2=-14.6	
							*B3=-21.9	
							*B(3,4)=-19.0	
*Kso=17.0 (fresh)								
Gd+++	gl	NaClO4	25°C	3.00M	U		1974NBc (11528)	56
							*K1=-9.2	
							*B(2,2)=-14.20	
							Kso(Gd(OH)3(s))=-24.53	
Gd+++	gl	NaClO4	25°C	3.00M	U		1973AKa (11529)	57
							*K1=-8.20	
Medium: LiClO4								
Gd+++	gl	NaClO4	25°C	3.00M	U		1973AKb (11530)	58
							*K1=-8.34	
Medium: D2O containing LiClO4. *K1: Gd+D2O=GdOD+D								
Gd+++	EMF	alc/w	20°C	25%	U		1973SPe (11531)	59
							*K1(GdA+H2O=GdAOH+H)=-7.05	
Medium: ca.25 to 35% w/w MeOH or EtOH/H2O. H3A=NTA								
Gd+++	EMF	alc/w	25°C	25%	U	I	1972USa (11532)	60
							*K1=-7.98	
Medium: 25% v/v EtOH/H2O, 0.05 M NaClO4. *K1=-8.27(v=0), -7.50(v=50), -7.94(v=0,I=0)								
Gd+++	dis	NaClO4	?	0.10M	U		1971GDb (11533)	61
							*K1=-7.1	
Medium: LiClO4								
Gd+++	dis	NaClO4	25°C	0.10M	U		1969MGf (11534)	62
							*K1=-8.45	

\*B2=-15.82

Medium: LiClO<sub>4</sub> with tris-buffer

Gd+++ oth oth/un rt 10% U 1967PBb (11535) 63  
K<sub>so</sub>=-27.5  
K(GdL<sub>3</sub>(s)=GdL<sub>3</sub>)=-4.9

Medium: 10% sea water.

Gd+++ gl NaClO<sub>4</sub> 25°C 0.30M U 1966FKa (11536) 64  
\*K<sub>1</sub>=-8.35

Gd+++ sol none 25°C 0.0 M 1963AKb (11537) 65  
K<sub>so</sub>=-26.89  
K(GdL<sub>3</sub>(s)=GdL<sub>3</sub>)=-4

Gd+++ sol none 25°C 0.0 U 1963AKd (11538) 66  
K<sub>so</sub>(Gd(OH)<sub>3</sub>)=-26.88

Gd+++ EMF none 20°C 0.0 U 1962KBc (11539) 67  
K<sub>so</sub>(Gd(OH)<sub>3</sub>)=-26.95

Gd+++ gl oth/un 25°C var U 1951MFb (11540) 68  
K<sub>so</sub>(Gd(OH)<sub>3</sub>)=-22.74

Gd+++ gl oth/un 25°C var U 1944MKa (11541) 69  
K<sub>so</sub>(Gd(OH)<sub>3</sub>)=-21.7

Gd+++ sol oth/un 100°C var U 1932ENa (11542) 70  
K<sub>so</sub>=0.53 + y

K<sub>so</sub>: K(Gd(OH)<sub>3</sub>(s)=Gd+3OH); y=K<sub>so</sub> for Y++

\*\*\*\*\*

P04--- H3L Phosphate CAS 7664-38-2 (176)  
Phosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sol none 25°C 0.0 M 1997LBd (13200) 71  
K<sub>so</sub>(GdP04)=-25.62

Calculated from data for 0.10 M HClO<sub>4</sub> solution.

Gd+++ sol oth/un 25°C 0.0 C I 1993FKb (13201) 72  
K<sub>so</sub>(GdP04)=-26.92

In synthetic seawater, K<sub>s</sub>(GdP04)=-24.26.

Gd+++ dis NaClO<sub>4</sub> 25°C 0.68M C I K<sub>1</sub>=9.30 1991BLb (13202) 73  
K(Gd+HP04)=4.11  
K(Gd+2HP04)=7.38  
K(Gd+H2P04)=1.71

Distribution of <sup>153</sup>Gd between 0.68 M NaClO<sub>4</sub> and TBP. Calculated for I=0, K<sub>1</sub>=12.19, K(Gd+HP04)=5.91, K(Gd+2HP04)=9.97, K(Gd+H2P04)=2.74.

Gd+++ sol none 25°C 0.0 C 1991FBa (13203) 74  
 $K_{so}(GdPO_4) = -25.39$

Gd+++ dis NaClO<sub>4</sub> 25°C 0.68M C 1989BBf (13204) 75  
 $K(Gd+HL) = 3.89$   
 $K(Gd+2HL) = 6.94$   
 $K(Gd+H2L) = 1.70$

Gd+++ gl NaClO<sub>4</sub> 20°C 0.10M U K1=3.58 1974PJ<sub>a</sub> (13205) 76

Gd+++ sol NaClO<sub>4</sub> 25°C 0.50M U 1967TPb (13206) 77  
 $K_{so} = -22.26$

---

P207---- H4L Pyrophosphate CAS 2466-09-3 (198)  
Diphosphate; from (HO)<sub>2</sub>PO.O.PO(OH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ gl KCl 25°C 0.50M U 1989APd (13593) 78  
 $K(Gd+H2L) = 4.51$

Gd+++ kin none 25°C 0.0 U B2=20.45 1967SSo (13594) 79

---

P3010---- H5L CAS 10380-08-2 (1001)  
Tripolyphosphate; from (HO)<sub>2</sub>PO.O.PO(OH).O.PO(OH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ gl NaCl 25°C 0.15M C K1=8.37 B2=13.39 1999BCb (13861) 80  
 $K(Gd+HL) = 5.10$   
 $K(GdL+OH) = 4.73$

Gd+++ gl KN0<sub>3</sub> 25°C 0.10M U T H B2=8.9 1974KR<sub>a</sub> (13862) 81  
 $K(Gd+2HL) = 6.6$

$K(Gd+2HL) = 7.0$  and  $B2 = 9.2$  (35 °C),  $K(Gd+2HL) = 6.5$  and  $B2 = 8.6$  (45 °C)  
DH(Gd+2HL)=-11 kJ mol<sup>-1</sup>; DH(B2)=-29

Gd+++ gl NaClO<sub>4</sub> ? 0.10M U B2=16.92 1962RK<sub>a</sub> (13863) 82  
 $K(Gd+HL) = 4.91$   
 $K(Gd+2HL) = 8.72$

---

SCN- HL Thiocyanate CAS 463-56-9 (106)  
Thiocyanate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ dis oth/un 25°C 1.0M C K1=0.40 1997HTb (15017) 83

Method: by solvent extraction from 1.0 M NaSCN into CHCl<sub>3</sub>, 0.1 M 1,1,1-trifluoro-4-(2-thienyl)-2,4-pentanedione.

-----
 Gd+++ sp NaClO<sub>4</sub> ? 0.60M U T K1=0.21 1964KSe (15018) 84  
 \*\*\*\*

SO<sub>4</sub>-- H<sub>2</sub>L Sulfate CAS 7664-93-9 (15)  
 Sulfate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Gd+++ sol oth/un 25°C 0.66M C K1=1.94 2004SBb (16216) 85  
 Method: solubility of BaSO<sub>4</sub> in 0.117 m GdCl<sub>3</sub> solution.  
 Calculated for I=0, K1=3.61.

-----
 Gd+++ cal none 25°C 0.0 U H 1974POa (16217) 86  
 DH(K1)=19.9 kJ mol<sup>-1</sup>

-----
 Gd+++ con oth/un 25°C 0.0 U K1=3.67 1973FPb (16218) 87

-----
 Gd+++ oth none 25°C 0.0 U K1=3.66 1973FPb (16219) 88  
 K1in=0.69  
 Method: ultrasonic absorption. In D2O: K1=3.66, K1is=0.83

-----
 Gd+++ kin none 25°C 0.0 U K1=3.65 1973RSb (16220) 89

-----
 Gd+++ cal oth/un 25°C 0.0 U H 1969FPa (16221) 90  
 DH(K1)=17.2 kJ mol<sup>-1</sup>

-----
 Gd+++ cal oth/un 25°C 0.0 U H K1=3.48 B2=5.21 1969IEa (16222) 91  
 DH(K1)=15.0 kJ mol<sup>-1</sup>, DH(K2)=6.37 J K<sup>-1</sup> mol<sup>-1</sup>; DS(K1)=117.0, DS(K2)=53.9

-----
 Gd+++ ISE NaClO<sub>4</sub> 25°C 2.0M U H K1=1.33 B2=1.75 1967CCd (16223) 92  
 By calorimetry: DH(K1)=16.5 kJ mol<sup>-1</sup>, DS=80.7 J K<sup>-1</sup> m<sup>-1</sup>; DH(K2)=7.11, DS=31.8

-----
 Gd+++ dis NaClO<sub>4</sub> 25°C 0.55M U K1=1.90 B2=2.99 1967LNa (16224) 93  
 I=0.5-0.6, By cation exchange: K1=1.90, B2=2.84

-----
 Gd+++ con oth/un 25°C 0.0 U K1=3.66 1954SJ<sub>a</sub> (16225) 94  
 \*\*\*\*

CH<sub>0</sub>3F<sub>3</sub>S HL CAS 1493-13-6 (6755)  
 Trifluoromethanesulfonic acid; CF<sub>3</sub>SO<sub>3</sub>H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Gd+++ sp non-aq 25°C 100% U 1993BCc (17463) 95  
 K3=2.52

Medium: MeCN

\*\*\*\*

CH<sub>4</sub>O L Methyl alcohol CAS 67-56-1 (597)  
 Methanol; CH<sub>3</sub>.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl alc/w 25°C 100% M 1989TMA (17881) 96  
 $K(Gd+H-1L)=8.9$   
 $K(Gd+2H-1L)=18.4$   
 $K(Gd+3H-1L)=23$  approx

Medium: MeOH

\*\*\*\*\*

C2H2O3 HL Glyoxylic acid CAS 298-12-4 (1142)  
Glyoxylic acid; OHC.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
Gd+++	g1	NaClO4	20°C	0.10M	U		K1=2.49	B2=4.53		1964PSd (18422)	97

C2H2O4 H2L Oxalic acid CAS 144-62-7 (24)  
Ethanedioic acid; (COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++ ix R4N.X 25°C 0.05M C K1=5.60 B2= 9.91 2001SBf (18909) 98  
 K(Gd+HL)=2.04

Medium: 0.05 M NH<sub>4</sub>NO<sub>3</sub>. At I=0, K<sub>1</sub>=6.53, B<sub>2</sub>=11.10.

Gd+++      gl    KCl      25°C    1.0M U      M      1988KTA (18910)    99  
 $K(Gd(edta)+L)=3.10$

Gd+++ g1 KN03 35°C 0.10M U M K1=6.56 1986RMb (18911) 100  
 $B(GdL(cytidine))=9.94$

Gd+++ ix oth/un 25°C 0.50M U K1=4.78 B2=8.68 1967LNa (18912) 101  
By distribution: K1=4.76, B2=8.65

Gd+++ kin oth/un 25°C 0.0 U K1=7.01 1962YZa (18913) 102  
\*\*\*\*\*

C2H3N3S2 HL CAS 2349-67-9 (6245)

#### 2-Amino-5-mercapto-1,3,4-thiadiazole;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++ g1 NaClO4 25°C 0.10M U T H K1=6.50 B2=11.90 1983SSb (19254) 103  
K3=4.18

\*\*\*\*\*

C2H4O2                    HL        Acetic acid            CAS 64-19-7 (36)

Ethanoic acid; CH<sub>3</sub>.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++ gl none 25°C dil M T H K1=2.52 B2= 4.61 2000DCa (19973) 104  
 Self medium, 0.03-0.05 M. Data for 40-80 C. At 40 C, K1=2.65, B2=4.84.

DH(K1)=19.53 kJ mol<sup>-1</sup>, DS(K1)=113.5 J K<sup>-1</sup> mol<sup>-1</sup>; DH(B2)=30.57, DS=190.4

Gd+++ sp NaNO<sub>3</sub> 25°C 0.10M U K1=1.67 19850Ha (19974) 105

Medium:95% MeOH, 0.5 M NaClO4. By calorimetry:DH(K1)=14.1 kJ mol-1,DS=142.5 J K-1 mol-1; DH(K2)=7.1,DS=100.3; DH(K3)=6.6,DS=74.0; DH(K4)=-1.2,DS=16.7

Gd+++ cal NaClO<sub>4</sub> 25°C 2.0M C H 1964GRa (19977) 108  
 DH(K1)=7.816 kJ mol<sup>-1</sup>, DS(K1)=61.9 J K<sup>-1</sup> mol<sup>-1</sup>; DH(B2)=13.58, DS(B2)=106;  
 DH(B3)=14.82, DS(B3)=122.

Gd+++ gl NaClO<sub>4</sub> 20°C 0.10M U K1=2.16 B2=3.76 1962KPa (19978) 109

\*\*\*\*\*

C2H4O2S H2L Thioglycolic CAS 68-11-1 (596)

### Mercaptoethanoic acid; HS.CH<sub>2</sub>.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd<sup>+++</sup> g1 NaCl|O4 25°C 0-20M II K1=6.17 B2=12.07 1996PJa (20323) 112

Gd+++      g1    NaClO4 20°C 0-10M II      1964PKa (20324) 113

K(GdH<sub>1</sub>I)-2.31  
K(GdH<sub>1</sub>I+H<sub>2</sub>)-1.30

$$K(Gd+HL) = 2.01$$

$$K(GdHL+HL) = 1.30$$

Gd+++      g1    NaClO4 25°C 2.0M II      1962BCa (20325) 114

$$K(Gd+HL) = 1.64$$

$$K(GdHL+HL) = 0.8$$

\*\*\*\*\*

## 2-Hydroxyethanoic acid; HO.CH<sub>2</sub>.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd<sup>+++</sup> g1 NaClO4 25°C 0-20M II K1=6.18 B2=11.47 1996PJa (20544) 115

Gd<sup>+++</sup> g1 KNO<sub>3</sub> 32°C 0.10M H<sub>2</sub>O 1980PPF (20545) 116

$K(Gd+HL=GdL+H)=-1.19$   
 $*K(GdL)=-6.34$   
 $K(Gd+2HL=GdL2+2H)=-2.43$   
 $*K(GdL2)=-6.08$

---

Gd+++ gl NaClO<sub>4</sub> 25°C 0.50M C T K1=2.52 B2=4.62 1977CMa (20546) 117  
B3=5.78  
B4=7.18

---

Gd+++ cal NaClO<sub>4</sub> 25°C 2.0M C H 1964GRa (20547) 118  
DH(K1)=-2.569 kJ mol<sup>-1</sup>, DS(K1)=39 J K<sup>-1</sup> mol<sup>-1</sup>; DH(B2)=-7.255, DS(B2)=60.3;  
DH(B3)=-14.71, DS(B3)=60.7; DH(B4)=-17.9, DS(B4)=61.9.

---

Gd+++ gl NaClO<sub>4</sub> 20°C 0.10M U K1=2.792 B2=4.86 1964PKb (20548) 119  
B3=6.00

---

Gd+++ gl NaClO<sub>4</sub> 25°C 2.0M U K1=2.46 B2=4.33 1961CCa (20549) 120  
K3=1.56

---

Gd+++ EMF NaClO<sub>4</sub> 20°C 3.0M U I K1=2.59 B2=4.60 1961SOa (20550) 121  
B3=6.1  
B4=6.8  
B5=6.8  
B6=6.6

Method: quinhydrone electrode. At I=0.2: K1=2.73, B2=4.79, B3=6.3, B4=7.1, B5=7.0

---

Gd+++ EMF NaClO<sub>4</sub> 20°C 2.0M U I K1=2.48 B2=4.43 1959SOb (20551) 122  
B3=5.78  
B4=6.42  
B5=6.0

Method: quinhydrone electrode. Using ion exchange (I=1.0): K1=2.54, B2=4.48, B3=5.8

---

\*\*\*\*\*

C<sub>2</sub>H<sub>5</sub>N<sub>0</sub>2 HL Glycine CAS 56-40-6 (85)  
2-Aminoethanoic acid; H<sub>2</sub>N.CH<sub>2</sub>.COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++ gl KN03 25°C 0.0 M T H K1=5.89 2003MBa (21561) 123  
K(Gd+HL=GdL+H)=-3.75

Extrapolated from data for I=0.07-0.32 M KN03. DH(K1)=-131.0 kJ mol<sup>-1</sup>, DS(K1)=-326.9 J K<sup>-1</sup> mol<sup>-1</sup>; DH(Gd+HL)=-80.9, DS(Gd+HL)=-343.2.

---

Gd+++ gl NaClO<sub>4</sub> 25°C 0.20M U K1=4.64 B2= 9.17 1996PJ<sub>a</sub> (21562) 124

---

Gd+++ gl NaCl 25°C 0.15M C 1992JT<sub>a</sub> (21563) 125  
B(GdH-1L)=-2.29  
B(GdH-2L)=-10.08  
B(GdH-3L)=-20.6  
B(GdHL)=11.94

Gd+++	gl	KNO <sub>3</sub>	25°C	0.20M	U	M	K <sub>1</sub> =6.11 K(Gd(phen)+L)=6.02	1990LSb (21564) 126
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.20M	U		K <sub>1</sub> =4.64 B <sub>2</sub> = 9.17	1987PPa (21565) 127
Gd+++	gl	KNO <sub>3</sub>	35°C	0.10M	U			1987RRc (21566) 128
							K(Gd+HL)=3.72	
Gd+++	gl	KNO <sub>3</sub>	35°C	0.10M	U	M		1986RMb (21567) 129
							K(Gd+HL)=3.72	
							K(Gd+HL+cytidine)=8.49	
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	U			1981KBa (21568) 130
							K(Gd+HL)=0.73	
Gd+++	EMF	KCl	25°C	1.0M	U	M		1977GMa (21569) 131
							K(GdA+L)=3.70	
							K(GdA+HL)=3.00	
							K(GdA+H2L)=3.10	

Method: Pt/H<sub>2</sub> electrode. H<sub>3</sub>A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.

\*\*\*\*\*

C<sub>2</sub>H<sub>6</sub>OS L DMSO CAS 67-68-5 (329)  
Dimethylsulfoxide; (CH<sub>3</sub>)<sub>2</sub>SO

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	non-aq	25°C	100%	U				1992MBb (22100) 132	
								K <sub>8</sub> =1.0 K <sub>9</sub> =0.5		

Medium: MeCN. Method: FT-IR and Raman spectroscopy

\*\*\*\*\*

C<sub>2</sub>H<sub>6</sub>O<sub>2</sub> L Ethyleneglycol CAS 107-21-1 (924)  
1,2-Dihydroxyethane (Ethane-1,2-diol); HO.CH<sub>2</sub>.CH<sub>2</sub>.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	22°C	0.10M	U				1972MCd (22146) 133	
								K(GdH-1L+H)=7.25		

\*\*\*\*\*

C<sub>2</sub>H<sub>6</sub>O<sub>6</sub>P<sub>2</sub> H4L (5706)  
Ethene-1,1-diphosphonic acid; H<sub>2</sub>C:C(P(=O)(H)<sub>2</sub>)<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.15M	U	I			1989AMa (22171) 134	
								K(Gd+H2L)=5.25		

\*\*\*\*\*

C<sub>2</sub>H<sub>8</sub>N<sub>2</sub> L Ethylenediamine CAS 107-15-7 (23)

1,2-Diaminoethane; H2N.CH2.CH2.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	ISE	non-aq	25°C	100%	C	H		K1=2.05      B2=3.82      B3=4.98	1992CBa (23162)	135

Medium: DMSO, 0.10 M Et4NClO4. By calorimetry, DH(K1)=-14.0, DH(B2)=-31.3, DH(B3)=-72.1 kJ mol-1.

Gd+++	gl	KNO3	25°C	0.10M	U	TIH		K1=5.34      B2=10.19      B(GdAL)=9.04	1986NSa (23163)	136
-------	----	------	------	-------	---	-----	--	---	-----------------	-----

H2A=phthalic acid. DH(GdAL)=-46.6 kJ mol-1, DS=16.49J K-1 mol-1

\*\*\*\*\*

C2H8O7P2                  H4L        HEDPA                  CAS 2809-21-4 (436)

1-Hydroxyethane-1,1-diphosphonic acid; CH3.C(OH)(PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	sp	oth/un	25°C	0.70M	U				1987APa (23375)	137
-------	----	--------	------	-------	---	--	--	--	-----------------	-----

K(Gd+H2L)=5.64

\*\*\*\*\*

C3H4O2                  HL        Acrylic acid                  CAS 79-10-7 (2044)

Propenoic acid; CH2:CH.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	gl	oth/un	25°C	?	U	M		K1=2.08      K(GdL+acac)=5.72      K(Gd(acac)L+acac)=4.33	1998PAa (23987)	138
-------	----	--------	------	---	---	---	--	---	-----------------	-----

Additional method: nmr. Medium not stated.

Gd+++	gl	NaClO4	25°C	0.10M	C	H		K1=1.88      B2=3.48      B3=5.0	1996HBa (23988)	139
-------	----	--------	------	-------	---	---	--	----------------------------------	-----------------	-----

DH(K1)=12.7 kJ mol-1, DS=79 J K-1 mol-1

\*\*\*\*\*

C3H4O3                  HL        Pyruvic acid                  CAS 127-17-3 (1152)

2-Oxopropanoic acid; CH3.CO.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	nmr	NaClO4	25°C	2.00M	U	H		K1=1.67	1980CCa (24052)	140
-------	-----	--------	------	-------	---	---	--	---------	-----------------	-----

DH=-4.93 kJ mol-1. Alternative method: Calorimetry.

\*\*\*\*\*

C3H4O4                  H2L        Malonic acid                  CAS 141-82-2 (79)

Propanedioic acid; CH2(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	gl	NaClO4	25°C	0.10M	M	M		K1=4.45      K(Gd(nta)+L)=2.74	1987NCa (24460)	141
-------	----	--------	------	-------	---	---	--	--------------------------------	-----------------	-----

Gd+++ gl NaClO4 25°C 0.10M U K1=4.81 B2=7.88 1972DCC (24461) 142

Gd+++ gl NaClO4 25°C 1.00M U K1=3.73 B2=6.24 1971DGa (24462) 143  
B(GdHL)=6.49  
B(GdHL2)=9.78

Gd+++ ix NaClO4 25°C 0.15M U 1968KKc (24463) 144  
K(Gd+HL)=1.65  
K(GdHL+HL)=1.2

Gd+++ gl KNO3 25°C 0.10M U K1=4.32 B2=6.97 1968PfA (24464) 145

Gd+++ gl oth/un 25°C ->0 U T H K1=4.61 1956GNb (24465) 146  
K1=4.49(35 C). DH(K1)=-21 kJ mol-1

C3H4O6 H2L CAS 560-27-0 (4233)

Dihydroxypropanedioic acid; HOOC.C(OH)2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 25°C 0.20M U K1=3.83 1973LPb (24626) 147

C3H5N02 HL (4234)

Isonitrosoacetone; CH3.CO.CH:N.OH, anti-Pyruvic aldehyde oxime

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 20°C 50% U K1=5.68 1971MAf (24643) 148

Medium: 50% dioxan, 0.1 M NaClO4

C3H6N2O2 L Methylglyoxime CAS 2140-03-6 (2981)

Methylglyoxime; CH3.C(:N.OH).CH:N.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 20°C 50% U K1=6.70 B2=12.48 1971MAf (24805) 149

Medium: 50% dioxan, 0.1 M NaClO4

C3H6O2 HL Propionic acid CAS 79-09-4 (35)

Propanoic acid; CH3.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO4 25°C 2.0M U K1=1.84 B2=3.17 1965CGa (25006) 150

Gd+++ gl NaClO4 20°C 0.10M U K1=2.09 B2=3.57 1964PKa (25007) 151

C3H6O2S H2L Thiolactic acid CAS 79-42-5 (366)

2-Mercaptopropanoic acid; CH3.CH(SH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.20M	U			K1=6.67      B2=12.76	1996PJa (25145)	152
Gd+++	gl	NaClO4	25°C	2.00M	U			K(Gd+HL)=1.75	1968CMa (25146)	153
Gd+++	gl	NaClO4	31°C	2.0M	U			K(Gd+HL)=1.62 K(GdHL+HL)=0.8	1963BCb (25147)	154
*****										
C3H602S		H2L					CAS	107-96-0 (437)		
3-Mercaptopropanoic acid; HS.CH2.CH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	2.00M	U				1968CMa (25208)	155
								K(Gd+HL)=1.71		
Gd+++	gl	NaClO4	31°C	2.0M	U			K(Gd+HL)=2.03 K(GdHL+HL)=1.3	1963BCb (25209)	156
*****										
C3H603		HL					CAS	81598-26-7 (2521)		
3-Hydroxypropanoic acid; HO.CH2.CH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	2.00M	U			K1=1.61	1969JCb (25265)	157
*****										
C3H603		HL			L-Lactic acid		CAS	79-33-4 (82)		
L-2-Hydroxypropanoic acid; CH3.CH(OH).COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.20M	U			K1=6.54      B2=12.47	1996PJa (25448)	158
Gd+++	gl	KNO3	30°C	0.10M	U			K(Gd+HL=GdL+H)=0.35 *K(GdL)=-4.71 K(Gd+2HL=GdL2+2H)=-0.72 *K(GdL2)=-4.12	1983MPc (25449)	159
Gd+++	gl	NaClO4	25°C	0.10M	U			K1=2.96      B2=5.09	1966GGb (25450)	160
Gd+++	gl	NaClO4	25°C	0.20M	U			K1=2.57      B2=4.72 K3=1.02 K4=0.47	1964DVa (25451)	161

Gd+++	gl	NaClO4	20°C	0.10M	U	K1=2.892	B2=5.04	1964PKb (25452)	162	
						B3=6.24				
<hr/>										
Gd+++	gl	NaClO4	25°C	2.0M	U	K1=2.53	B2=4.63	1961CCa (25453)	163	
						K3=1.28				
<hr/>										
C3H6O3		HL	Methoxyacetic		CAS 625-45-6	(29)				
Methoxyethanoic acid; CH3.O.CH2.COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference ExptNo	
Gd+++	gl	NaClO4	20°C	0.10M	U		K1=2.06	B2=3.01	1964PKa (25598)	164
<hr/>										
C3H7NO2		HL	Alanine		CAS 56-41-7	(86)				
2-Aminopropanoic acid; H2N.CH(CH3).COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference ExptNo	
Gd+++	gl	NaClO4	25°C	0.20M	U		K1=5.18	B2= 9.41	1996PJa (26179)	165
Gd+++	gl	NaCl	25°C	0.15M	C		K1=4.3		1992JTa (26180)	166
							B(GdH-1L)=-2.34			
Gd+++	gl	KNO3	25°C	0.20M	U	M	K1=6.43		1990LSb (26181)	167
							K(Gd(phen)+L)=6.32			
Gd+++	gl	KNO3	35°C	0.10M	U		K1=5.19		1990RSe (26182)	168
Gd+++	gl	NaClO4	25°C	0.20M	U		K1=5.18	B2= 9.41	1987PPa (26183)	169
Gd+++	gl	KNO3	15°C	0.10M	U		K1=4.6		1967EMb (26184)	170
<hr/>										
C3H7NO2S		H2L	Cysteine		CAS 52-90-4	(96)				
2-Amino-3-mercaptopropanoic acid; H2N.CH(CH2.SH)COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference ExptNo	
Gd+++	gl	NaClO4	20°C	0.0	U T H		K1=7.950	B2=15.07	1980SDc (26782)	171
Extrapolated from data for I=0.10-1.0 M. Data for 35 and 45 C.										
DH(K1)=-14.4 kJ mol-1, DS(K1)=103 J K-1 mol-1; DH(K2)=-5.76, DS=117.										
<hr/>										
C3H7NO3		HL	Serine		CAS 56-45-1	(49)				
2-Amino-3-hydroxypropanoic acid; H2N.CH(CH2.OH)COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference ExptNo	
Gd+++	gl	NaClO4	25°C	0.20M	U		K1=4.66	B2= 8.79	1996PPa (27135)	172
Gd+++	gl	NaClO4	25°C	0.20M	U		K1=4.66	B2= 8.79	1990PJb (27136)	173

Gd+++ gl oth/un 25°C 0.10M U K1=3.59 1965PGe (27137) 174  
 \*\*\*\*  
 C3H8O2 L Propyleneglycol CAS 57-55-6 (2025)  
 Propan-1,2-diol; CH<sub>3</sub>.CH(OH).CH<sub>2</sub>(OH)  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl NaClO<sub>4</sub> 22°C 0.10M U 1972MCd (27676) 175  
 K(GdH-1L+H)=7.15  
 \*\*\*\*  
 C3H8O3 L Glycerol CAS 56-81-5 (2707)  
 Propane-1,2,3-triol; HO.CH<sub>2</sub>.CH(OH).CH<sub>2</sub>.OH  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl NaClO<sub>4</sub> 22°C 0.10M U 1972MCd (27733) 176  
 K(GdH-1L+H)=7.10  
 -----  
 Gd+++ gl NaCl 25°C 0.10M U 1970PKe (27734) 177  
 K(GdH-1L+H)=7.17  
 \*\*\*\*  
 C3H10N2 L Propanediamine CAS 109-76-2 (123)  
 1,3-Diaminopropane; H<sub>2</sub>N.CH<sub>2</sub>.CH<sub>2</sub>.NH<sub>2</sub>  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl KN<sub>3</sub> 27°C 0.10M M M 1979KSc (28303) 178  
 K(GdL+phthalate)=6.47  
 K(GdL+malonate)=5.68  
 \*\*\*\*  
 C3H11N06P2 H4L (6772)  
 (Dimethylamino)-N-methylenediphosphonic acid; (CH<sub>3</sub>)<sub>2</sub>N.CH(P(03H<sub>2</sub>)<sub>2</sub>)  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl NaNO<sub>3</sub> 24°C 0.20M C K1=17.6 B2=20.7 1993BRa (28412) 179  
 K(GdL+H)=12.9  
 K(GdHL+H)=3.0  
 K(GdL<sub>2</sub>+H)>13  
 K(GdHL<sub>2</sub>+H)=10.5  
 K(GdH<sub>2</sub>L<sub>2</sub>+H)=7.0, K(GdH<sub>3</sub>L<sub>2</sub>+H)=3.7, K(GdH<sub>4</sub>L<sub>2</sub>+H)=1.2  
 \*\*\*\*  
 C3H12N09P3 H6L NTPA CAS 6419-19-8 (2920)  
 Nitrilotris(methylenephosphonic acid); N(CH<sub>2</sub>P(03H<sub>2</sub>)<sub>3</sub>)  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl KN<sub>3</sub> 25°C 0.10M U K1=13.87 B2=25.46 2002KAa (28568) 180  
 K(Gd+HL)=5.48  
 K(Gd+2HL)=10.92

Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	C		1991SKb (28569)	181
						K(GdL+H)=7.37		
						K(GdHL+H)=5.34		
*****								
C4H2O4		H <sub>2</sub> L	Squaric acid		CAS 2892-51-5	(439)		
3,4-Dihydroxy-3-cyclobutene-1,2-dione;								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Gd+++	cal	NaClO <sub>4</sub>	25°C	0.10M	U	H	K1=2.87 B2=4.16	19760Ca (28650) 182
DH(K1)=8.4 kJ mol <sup>-1</sup> , DS=83 J K <sup>-1</sup> mol <sup>-1</sup> ; DH(B2)=15.9, DS=133								
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	C	H	K1=2.866 B2= 4.17	19760Cb (28651) 183
By calorimetry: DH(K1)=8.41 kJ mol <sup>-1</sup> , DS(K1)=83.3 J K <sup>-1</sup> mol <sup>-1</sup> ;								
DH(B2)=15.9, DS(B2)=133.								
*****								
C4H4N2O2S		H <sub>2</sub> L	Thiobarbituric		CAS 504-17-6	(4279)		
4,6-Dihydroxy-2-mercaptopyrimidine, 2-thiobarbituric acid;								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Gd+++	gl	oth/un	25°C	0.10M	U		K1=2.060	1987TSb (28889) 184
*****								
C4H4N2O3		H <sub>2</sub> L	Barbituric acid		CAS 67-52-7	(2818)		
2,4,6-Trihydroxypyrimidine; C4HN2(OH)3								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Gd+++	gl	oth/un	25°C	0.10M	U T H		K1=3.93	1987TSb (28913) 185
30 C:K=3.58; 35 C: 3.13. DH=-141 kJ mol <sup>-1</sup> , DS=-397 J K <sup>-1</sup> mol <sup>-1</sup>								
*****								
C4H4O4		H <sub>2</sub> L	Maleic acid		CAS 110-16-7	(111)		
cis-Butenedioic acid; HOOC.CH:CH.COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Gd+++	gl	oth/un	25°C	?	U M		K1=3.68	1998PAa (29078) 186
							K(GdL+acac)=4.90	
							K(Gd(acac)L+acac)=4.06	
Additional method: nmr. Medium not stated.								
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	U T HM		K1=4.81 B2=8.08	1986NSa (29079) 187
							B(GdAL)=8.34	
H2A=phthalic acid. DH(GdAL)=-38.3 kJ mol <sup>-1</sup> , DS=31.1J K <sup>-1</sup> mol <sup>-1</sup>								
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	U		K1=3.79	1973CDC (29080) 188
Gd+++	gl	NaClO <sub>4</sub>	25°C	1.00M	U		K1=2.97 B2=4.79	1973DMA (29081) 189

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M U K1=3.80 B2=5.91 1970RFa (29082) 190  
\*\*\*\*\*

C4H404 H2L Fumaric acid CAS 110-17-8 (289)  
trans-Butenedioic acid; HOOC.CH:CH.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	C			K1=2.59 B(GdHL)=6.14 K(Gd+HL)=2.06	1986LCa (29199)	191

Gd+++ gl KN03 25°C 0.10M U T HM K1=3.05 1986NSa (29200) 192  
B(GdAL)=6.22

H2A=phthalic acid. DH(GdAL)=-33.9 kJ mol<sup>-1</sup>, DS=5.4 J K<sup>-1</sup> mol<sup>-1</sup>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	U			K1=2.88	1973CDc (29201)	193

C4H405 H2L Oxobutanedioic CAS 328-42-7 (1733)  
2-Oxosuccinic acid, Oxalacetic acid; HOOC.CH<sub>2</sub>.CO.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.50M	M			K1=3.69 B2=7.37	1991MOa (29267)	194

Gd+++ gl oth/un 25°C ? U K1=5.5 B2=10.0 1956Gnc (29268) 195  
\*\*\*\*\*

C4H602 HL Methylacrylic (6992)  
2-Methylpropenoic acid; CH<sub>2</sub>:C(CH<sub>3</sub>)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ gl KCl 25°C 0.10M U K1=2.39 1995PAa (29698) 196  
\*\*\*\*\*

C4H604 H2L Succinic acid CAS 110-15-6 (112)  
1,4-Butanedioic acid; HOOC.CH<sub>2</sub>.CH<sub>2</sub>.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M M M K1=3.42 1987NCa (29976) 197  
K(Gd(nta)+L)=2.25

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M M H K1=3.42 1986CDB (29977) 198  
DH=12.7 kJ mol<sup>-1</sup>, DS=108 J K<sup>-1</sup> mol<sup>-1</sup>

Gd+++ gl KN03 25°C 0.10M U T HM K1=3.58 B2=6.58 1986NSa (29978) 199  
B(GdAL)=7.08

H2A=phthalic acid. DH(GdAL)=-47.9 kJ mol<sup>-1</sup>, DS=28.5 J K<sup>-1</sup> mol<sup>-1</sup>

Gd+++ ix NaClO<sub>4</sub> 25°C 0.15M U 1968KKc (29979) 200  
K(Gd+HL)=1.83

$$K(GdHL+HL)=1.3$$

\*\*\*\*\*

C4H604 H2L Me-Malonic Acid CAS 516-15-2 (816)  
Methylpropanedioic acid; HOOC.CH(CH3).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.20M	U			K1=4.21    B2=6.38	1975PLa (30126)	201

\*\*\*\*\*

C4H604S H3L Thiomalic acid CAS 70-49-5 (109)  
2-Mercaptosuccinic acid, 2-Sulfanyl-1,4-butanedioic acid; HOOC.CH(SH).CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.20M	U			K1=6.32    B2=11.86	1996PJa (30334)	202

\*\*\*\*\*

C4H605 H2L Malic acid CAS 617-48-1 (393)  
2-Hydroxybutane-1,4-dioic acid, Hydroxy-succinic acid; HOOC.CH2.CH(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.20M	U			K1=6.33    B2=11.72	1996PJa (30632)	203
Gd+++	gl	KNO3	30°C	0.10M	U	M			1984AIa (30633) 204	

$$K(Gd(EDTA)+L)=2.325$$

Gd+++	gl	NaClO4	25°C	0.10M	C			K1=4.75    B2=7.83	1980KBD (30634)	205
-------	----	--------	------	-------	---	--	--	--------------------	-----------------	-----

Stereoselectivity studied, data for DL-malic acid. With L-malic acid:  
K1=4.74, K2=2.94

Gd+++	gl	KNO3	20°C	0.10M	U				1980SDa (30635) 206	
-------	----	------	------	-------	---	--	--	--	---------------------	--

$$B(GdHL)=7.81$$

Gd+++	gl	KNO3	20°C	0.10M	U			K1=4.57    B2=7.49	1980SDb (30636) 207	
-------	----	------	------	-------	---	--	--	--------------------	---------------------	--

$$K(Gd+HL)=2.06$$

Gd+++	EMF	NaClO4	25°C	2.00M	U			K1=3.92    B2=6.53	1969JPa (30637) 208	
-------	-----	--------	------	-------	---	--	--	--------------------	---------------------	--

Gd+++	EMF	KCl	25°C	0.20M	U			K1=4.28	1964DAb (30638) 209	
-------	-----	-----	------	-------	---	--	--	---------	---------------------	--

\*\*\*\*\*

C4H605 H2L Diglycolic acid CAS 110-99-6 (243)  
Di(carboxy)methyl ether, 2,2'-Oxydiethanoic acid; HOOC.CH2.O.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.10M	M	M		K1=2.76	1989NDa (30876) 210	
								K(GdL+ida)=2.48		
								K(GdL+gly)=2.61		
								B(GdLA)=8.77		
								B(GdLB)=9.65		

H2A is tartaric acid, H2B is malic acid. Also data for quaternary systems:  
 GdLA+ida, GdLA+gly, GdLB+ida, GdLB+gly.

Gd+++	gl	KCl	25°C	1.0M	U	M	1988KTa (30877)	211
K(Gd(edta)+L)=2.35								
Gd+++	EMF	NaClO4	20°C	1.00M	U		K1=5.49	B2=10.03
B3=13.22							1972G0a (30878)	212
Gd+++	cal	NaClO4	25°C	1.0M	C	H	1963GRd (30879)	213
DH(K1)=-1.51 kJ mol-1, DS(K1)=98.3 J K-1 mol-1; DH(B2)=-11.18, DS(B2)=152; DH(B3)=-19.21, DS(B3)=184.								
Gd+++	EMF	NaClO4	20°C	1.00M	U		K1=5.40	B2=9.93
B3=13.04							1963GTa (30880)	214

Method: quinhydrone electrode

\*\*\*\*\*

C4H6O6                    H2L            L-Tartaric acid    CAS 87-69-4 (92)  
 L-Tartaric acid, L-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	sp	oth/un	25°C	0.0	U	T	H	K1=4.75	1975YBa (31261)	215	
DH(K1)=-12.1 kJ mol-1, DS=50.2 J K-1 mol-1											
Gd+++	gl	alc/w	25°C	40%	U	I		K1=5.06	1972SSj (31262)	216	
Medium: 0.05, 0-40% ethanol											
Gd+++	gl	alc/w	25°C	40%	U	I		K1=6.48	1972SSj (31263)	217	
Medium: 0-40% EtOH, I=0											
Gd+++	EMF	NaClO4	25°C	2.00M	U			K1=3.54	B2=5.63	1969JPa (31264)	218

Gd+++                    gl            KCl            24°C 0.20M U            K1=3.32            1966DDa (31265) 219  
 \*\*\*\*\*

C4H7N04                    H2L            Aspartic acid    CAS 56-84-8 (21)  
 Aminobutanedioic acid; H2N.CH(CH2.COOH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	gl	NaClO4	25°C	0.20M	U			K1=5.65	B2=10.87	1996PJa (31860)	220
Gd+++	gl	NaClO4	25°C	0.20M	U			K1=5.65	B2=10.87	1996PPa (31861)	221
Gd+++	gl	NaClO4	25°C	0.20M	U			K1=5.65	B2=10.87	1990PJb (31862)	222
Gd+++	gl	NaClO4	30°C	0.10M	U	I		K1=5.30	B2=9.80	1984YLa (31863)	223
Gd+++	gl	KCl	25°C	0.10M	U			K1=5.74	B2=10.50	1968DRb (31864)	224
*****											

C4H7N04 H2L IDA CAS 142-73-4 (118)  
 Iminodiethanoic acid; HN(CH<sub>2</sub>.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	1.0M	U	M			1988KTa (32262)	225
								K(Gd(edta)+L)=4.54		
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.20M	U	M	K1=6.78	B2=12.31	1988VSc (32263)	226
								K(Gd(HEDTA)+L)=5.68		
								K(Gd(CDTA)+L)=4.65		
								K(Gd(DTPA)+L)=4.19		
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.20M	U	M	K1=6.78	B2=12.31	1987VSb (32264)	227
								K(Gd(nta)+L)=5.76		
								K(Gd(edta)+L)=4.44		
Gd+++	gl	KNO <sub>3</sub>	27°C	0.10M	M	M			1984KTb (32265)	228
								K(GdA+L)=5.51		
								K(GdB+L)=5.38		

H2A=Citraconic acid, H2B=Maleic acid

Gd+++	gl	KNO <sub>3</sub>	27°C	0.10M	U	M			1980KTb (32266)	229
								K(GdA+L)=6.01		
								K(GdB+L)=5.71		

H2A=phthalic acid, H2B=malonic acid

Gd+++	EMF	KCl	25°C	1.0M	U	M			1977GMa (32267)	230
								K(GdA+L)=5.07		
								K(GdA+H2L)=1.02		

K(GdA+H3L)=2.39

Method: Pt/H<sub>2</sub> electrode. H<sub>3</sub>A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.

Gd+++	cal	KNO <sub>3</sub>	20°C	0.10M	U	HM			1971GKb (32268)	231
								K(GdA+L)=4.30		

DH(GdA+L)=-27.66 kJ mol<sup>-1</sup>, DS=-12.1 J K<sup>-1</sup> mol<sup>-1</sup>. DH(GdAL)=-34.89, DS=296.

H4A=EDTA

Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	U	M	K1=6.68	B2=12.07	1962THa (32269)	232
Ternary complexes with N-(2-hydroxyethyl)diaminoethane-triethanoic acid										

\*\*\*\*\*

C4H8N2O2 H2L Dimethylglyoxim CAS 95-45-4 (2032)  
 2,3-Butanedione dioxime, Dimethylglyoxime; CH<sub>3</sub>.(C:NOH).(C:NOH).CH<sub>3</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	20°C	50%	U		K1=7.99	B2=14.97	1971MAf (32540)	233
Medium:	50% v/v dioxan, 0.1 M NaClO <sub>4</sub>									

\*\*\*\*\*

C4H8N2O3 HL Asparagine CAS 70-47-3 (17)  
2-Aminobutanedioic acid 4-amide; H2N.CH(CH2.CO.NH2).COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	30°C	0.10M	U			K1=3.85    B2=6.81	1984YLa (32700)	234

---

C4H8N2O3 HL Gly-Gly CAS 556-50-3 (54)  
Glycyl-glycine; H2N.CH2.CO.NH.CH2.COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	U				1981KBa (33027)	235

---

Gd+++ gl KCl 25°C 0.10M U K1=2.35 1973FMa (33028) 236

---

C4H8N2O4 H2L HDA CAS 19247-05-3 (1025)  
Hydrazine-N,N'-diethanoic acid; HOOC.CH2.NH.NH.CH2.COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	60°C	0.10M	U			K1=6.48    B2=10.88	1978NBa (33085)	237

---

C4H8N2O4 H2L CAS 39156-77-9 (3008)  
Hydrazine-N,N-diethanoic acid; H2N.N(CH2.COOH)2

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	30°C	0.10M	U	M			1984AIa (33106)	238

---

C4H8O2 HL Isobutyric acid CAS 79-31-2 (573)  
2-Methylpropanoic acid; CH3.CH(CH3).COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	2.00M	U	H		K1=1.86    B2=3.20	1965CGa (33230)	239

By calorimetry: DH(K1)=14.4 kJ mol-1, DS=84 J K-1 mol-1; DH(K2)=7.1, DS=49

---

Gd+++ gl NaClO4 25°C 0.50M U K1=1.87    B2=3.28 1964SPa (33231) 240

---

C4H8O2S HL CAS 627-04-3 (3007)  
S-Ethylthioethanoic acid; CH3.CH2.S.CH2.COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	31°C	2.0M	U			K1=1.70    B2=2.60	1963BCb (33406)	241

---

C4H8O3                    HL                    CAS 594-61-6 (81)  
2-Hydroxy-2-methylpropanoic acid; (CH<sub>3</sub>)<sub>2</sub>C(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.20M	U			K1=2.79 K3=1.5 K4=1.2	1964DVa (33475)	242
Gd+++	gl	NaClO <sub>4</sub>	20°C	0.10M	U			K1=3.076 B3=7.19	1964PKb (33476)	243
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.50M	U			K1=2.71 B3=6.01	1964SPa (33477)	244
Gd+++	gl	NaClO <sub>4</sub>	25°C	2.0M	U			K1=2.82 K3=1.62	1961CCa (33478)	245

\*\*\*\*\*

C4H8O4                    HL                    CAS 21620-60-0 (2326)  
2,3-Dihydroxy-2-methylpropanoic acid; HO.CH<sub>2</sub>.C(OH)(CH<sub>3</sub>).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	C			K1=3.03 K3=1.68	1975PFb (33679)	246
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
C4H8O5		HL						CAS 56309-80-9 (2365)		
2,3-Dihydroxy-2-hydroxymethylpropanoic acid; HO.CH <sub>2</sub> .C(CH <sub>2</sub> .OH)(OH).COOH										
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	EMF	KNO <sub>3</sub>	25°C	0.10M	U			K1=3.09 K3=1.90	1976PKb (33699)	247
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.50M	U			K1=2.69 B3=6.41	1964SPa (33700)	248

\*\*\*\*\*

C4H9N03                    HL                    Threonine                    CAS 72-19-5 (48)  
2-Amino-3-hydroxybutanoic acid; H<sub>2</sub>N.CH(CH(OH).CH<sub>3</sub>)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.0	M	T	H	K1=5.21 K(Gd+HL=GdL+H)=-3.97	2003MBa (34303)	249
Extrapolated from data for I=0.07-0.32 M KNO <sub>3</sub> . DH(K1)=-119.0 kJ mol <sup>-1</sup> , DS(K1)=-299.6 J K <sup>-1</sup> mol <sup>-1</sup> ; DH(Gd+HL)=-65.3, DS(Gd+HL)=-295.2.										
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.20M	U			K1=4.64 B2= 9.04	1996PPa (34304)	250
Gd+++	gl	NaCl	25°C	0.15M	C			K1=4.40	1992JTa (34305)	251

B(GdH-1L)=3.14  
B(GdH-2L)=-10.41  
B(GdHL)=11.84

---

Gd+++ gl NaClO<sub>4</sub> 25°C 0.20M U K1=4.64 B2= 9.04 1990PJb (34306) 252

---

C4H11O4P HL (4276)

Diethylphosphoric acid; (C<sub>2</sub>H<sub>5</sub>O)<sub>2</sub>.PO.OH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++ kin oth/un 25°C U K1=1.75 1971MGb (35258) 253

---

C4H13N3 L Dien CAS 111-40-0 (584)  
1,4,7-Triazaheptane, 2,2'-Iminobis(ethylamine), diethylenetriamine;  
NH<sub>2</sub>.(CH<sub>2</sub>)<sub>2</sub>.NH.(CH<sub>2</sub>)<sub>2</sub>.NH<sub>2</sub>

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++ EMF NaClO<sub>4</sub> 25°C 100% C H K1=5.69 B2=10.25 2000CDa (35782) 254

Medium: DMF, 0.10 M Et<sub>4</sub>N[CF<sub>3</sub>SO<sub>3</sub>]. Method: Ag/Ag+ electrode.

By calorimetry: DH(K1)=-46.8, DH(B2)=-111.4 kJ mol<sup>-1</sup>.

---

Gd+++ ISE non-aq 25°C 100% C H K1=3.08 B2=5.65 1993CCb (35783) 255

Medium: DMSO, 0.1 M Et<sub>4</sub>NCI<sub>4</sub>. Method: Ag+ ISE. By calorimetry, DH(K1)=-27.5  
kJ mol<sup>-1</sup>, DS=-33; DH(B2)=-73.0, DS-137.

---

C4H14N206P2 H2L EDDPO CAS 1733-49-9 (2435)

1,2-Diaminoethane-N,N'-bis(methylenephosphonic) acid; (H<sub>2</sub>O<sub>3</sub>P.CH<sub>2</sub>.NH.CH<sub>2</sub>)<sub>2</sub>

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++ gl KCl 25°C 0.10M U 1965DKb (35882) 256

K(Gd+HL)=8.31

---

C5H2O5 H2L Croconic acid CAS 488-86-8 (1643)

4,5-Dihydroxycyclopent-4-ene-1,2,3-trione;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++ cal NaClO<sub>4</sub> 25°C 0.10M U H K1=2.98 B2=4.21 1978C0a (35942) 257

DH(K1)=7.23 kJ mol<sup>-1</sup>, DS=81.5; DH(K2)=2.42, DS=31.4

---

C5H4N2O2 HL CAS 98-97-5 (1879)

Pyrazine-2-carboxylic acid; cyclo(-CH:CH.N:C(COOH).CH:N-)

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++ cal NaClO<sub>4</sub> 25°C 1.0M C H 1990YKb (36054) 258

DH(K1)=-0.12 kJ mol<sup>-1</sup>, DS(K1)=47.5 J K<sup>-1</sup> mol<sup>-1</sup>.

Gd+++ EMF NaClO<sub>4</sub> 25°C 1.0M C K1=2.50 B2= 4.58 1983KKb (36055) 259  
B3=6.08

Method: Pt/quinhydrone electrode.

\*\*\*\*\*

C5H4O2S HL 2-Thenoic acid CAS 527-72-0 (2312)

Thiophene-2-carboxylic acid; C4H3S.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M U K1=1.92 B2=3.20 1969RFa (36257) 260

\*\*\*\*\*

C5H4O3 HL 2-Furoic acid CAS 88-14-2 (2492)

Furan-2-carboxylic acid; C4H3O.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M U K1=1.84 B2=3.03 1969RFa (36295) 261

\*\*\*\*\*

C5H4O3 HL CAS 488-93-7 (1166)

Furan-3-carboxylic acid; C4H3O.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ cal NaClO<sub>4</sub> 25°C 2.00M U H K1=1.64 1976YCa (36304) 262

DH=6.32 kJ mol-1 and DS=52.14 J mol-1 K-1.

\*\*\*\*\*

C5H5N02 HL CAS 16867-04-2 (2316)

2,3-Dihydroxypyridine, 3-Hydroxypyridin-2(1H)-one; C5H3N(OH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 25°C 50% U K1=8.34 1970GDa (36789) 263

Medium: 50% dioxan, 0.1 M NaClO<sub>4</sub>

\*\*\*\*\*

C5H5N03 H2L CAS 99110-85-7 (2195)

1,4-Dihydroxy-2-pyridinone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 25°C 0.10M C 1992CMc (36845) 264

B(GdHL)=14.41

\*\*\*\*\*

C5H5O3F3 HL (7056)

2-Oxa-6-trifluorohexa-3,5-dione; CH<sub>3</sub>.O.CO.CH<sub>2</sub>.CO.CF<sub>3</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 25°C 50% M I K1=5.99 B2=11.09 1994SSa (37065) 265

K3=4.46

Medium: 50% dioxan, I=0 corr. At 35 C: K1=5.70, K2=4.97, K3=4.07

\*\*\*\*\*  
C5H6O4 H2L Itaconic acid CAS 97-65-4 (398)  
Methylenesuccinic acid; HOOC.CH2.C(:CH2).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.20M	U			K1=3.06 K(Gd+HL)=1.91	1989MFa (37422)	266
Gd+++	oth	NaClO4	25°C	1.0M	U			K1=2.18 B(GdHL)=6.49 B(GdH2L2)=12.76	1972STd (37423)	267

\*\*\*\*\*  
C5H7NO3 HL (4313)  
Isonitrosoacetylacetone; HO.N:CH.CO.CH2.CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	20°C	50%	U			K1=4.52 B2=8.10	1971MAf (37526)	268

Medium: 50% v/v dioxan, 0.1 M NaClO4

\*\*\*\*\*  
C5H8N2O3 H2L (4317)  
Methylacetylglyoxime; CH3.C(:N.OH).C(:N.OH).CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	20°C	50%	U			K1=5.60 B2=10.33	1971MAf (37703)	269

\*\*\*\*\*  
C5H8O2 HL Acetylacetone CAS 123-54-6 (164)  
Pentane-2,4-dione; CH3.CO.CH2.CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	U			K1=5.73 K3=3.35	1995PAa (37978)	270

\*\*\*\*\*  
Gd+++ gl NaClO4 20°C 0.10M U M 1973Tza (37979) 271  
K(Gd(EDTA)+L)=3.55

\*\*\*\*\*  
Gd+++ gl R4N.X 25°C 0.10M U M 1972FGa (37980) 272  
K(Gd(EDTA)+L)=2.64

\*\*\*\*\*  
Gd+++ gl alc/w ? 50% U I K1=6.98 1971KOa (37981) 273  
Medium: 5-80% MeOH, 0.005 GdCl3, 0.005 HL. K1(5%)=6.00, K1(80%)=8.23

\*\*\*\*\*  
Gd+++ gl NaClO4 25°C 2.0M U K1=5.42 B2=9.81 1964YCa (37982) 274

\*\*\*\*\*  
Gd+++ gl oth/un 30°C 0.10M U K1=5.90 B2=10.38 1960GFa (37983) 275  
K3=3.41

\*\*\*\*\*

C5H8O4 H2L CAS 601-75-2 (479)  
Ethylpropanedioic acid; HOOC.CH(C2H5).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 25°C 0.20M U K1=4.49 1989ZPa (38242) 276  
In 70.4% v/v EtOH/H2O: K1 = 6.20

\*\*\*\*\*

C5H8O4 H2L CAS 498-21-5 (2234)

Methylsuccinic acid; HOOC.CH2.CH(CH3).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO4 25°C 0.10M U K1=3.33 B2=5.12 1970RFa (38261) 277  
\*\*\*\*\*

C5H8O4 H2L Glutaric acid CAS 110-94-1 (420)

Pentanedioic acid; HOOC.CH2.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO4 25°C 0.10M M M K1=3.19 1987NCa (38322) 278  
K(Gd(nta)+L)=2.23

Gd+++ gl NaClO4 25°C 0.10M M H K1=3.19 1986CDb (38323) 279  
DH=16.9 kJ mol-1, DS=118 J K-1 mol-1

\*\*\*\*\*

C5H8O7 H2L CAS 40120-71-6 (3022)

2,3,4-Trihydroxypentanedioic acid, Trihydroxyglutaric acid; HOOC.(CH(OH))3.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 24°C 0.20M U K1=3.64 1966DDa (38423) 280  
\*\*\*\*\*

C5H9N02 HL Proline CAS 147-85-3 (44)

Pyrrolidine-2-carboxylic acid; C4H8N.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO4 25°C 0.10M U T H K1=5.58 1984SGb (38616) 281  
35 C: K1=5.43; 45 C: 5,30. DH=-30.6 kJ mol-1, DS=4.5 J K-1 mol-1

Gd+++ gl NaClO4 25°C 0.10M U B2=5.60 1981ZLa (38617) 282  
\*\*\*\*\*

C5H9N03 HL Hydroxyproline CAS 51-35-4 (416)

4-Hydroxy-2-pyrrolidinecarboxylic acid; C4H7N(OH)(COOH)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaCl 37°C 0.15M U K1=3.92 1997GMa (38733) 283

-----
   
 Gd+++ gl NaCl04 25°C 0.10M U B2=5.08 1981ZLa (38734) 284
   
 \*\*\*\*
   
 C5H9N04 H2L MIDA CAS 4408-64-4 (190)
   
 N-Methyliminodiethanoic acid; CH<sub>3</sub>.N(CH<sub>2</sub>.COOH)<sub>2</sub>
  
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl KCl 25°C 0.10M U K1=6.68 B2=11.98 1980MGc (39255) 285
   
 B3=14.82
   
 B(Gd+2OH+L)=16.56
   
 \*\*\*\*
   
 C5H9N304S H2L CAS 16907-58-7 (2106)
   
 Thiosemicarbazone-diethanoic acid; H<sub>2</sub>N.CS.NH.N(CH<sub>2</sub>.COOH)<sub>2</sub>
  
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl NaCl04 22°C 0.10M U K1=4.01 1983BTa (39566) 286
   
 \*\*\*\*
   
 C5H10N203 HL Glutamine CAS 56-85-9 (18)
   
 2-Aminopentanedioic acid 5-amide; H<sub>2</sub>N.CH(CH<sub>2</sub>.CH<sub>2</sub>.CO.NH<sub>2</sub>).COOH
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl NaCl 25°C 0.15M C 1992JTa (39817) 287
   
 B(GdH-2L)=-11.00
   
 B(GdH-3L)=-21.0
   
 \*\*\*\*
   
 C5H10N203 HL Ala-Gly CAS 687-69-4 (55)
   
 Alanyl-glycine; H<sub>2</sub>N.CH(CH<sub>3</sub>).CO.NH.CH<sub>2</sub>.COOH
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl KCl 25°C 0.10M U K1=2.40 1973FMa (39888) 288
   
 \*\*\*\*
   
 C5H10N203 HL Gly-DL-Ala CAS 926-77-2 (66)
   
 Glycyl-DL-alanine; H<sub>2</sub>N.CH<sub>2</sub>.CO.NH.CH(CH<sub>3</sub>).COOH
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl KCl 25°C 0.10M U K1=2.40 1973FMa (39937) 289
   
 \*\*\*\*
   
 C5H10N204 HL Gly-Ser CAS 7361-43-5 (281)
   
 Glycyl-serine; H<sub>2</sub>N.CH<sub>2</sub>.CO.NH.CH(CH<sub>2</sub>.OH).COOH
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl KCl 25°C 0.10M U K1=2.50 1973FMb (40102) 290
   
 \*\*\*\*
   
 C5H1003 HL CAS 3739-30-8 (3612)

2-Hydroxy-2-methylbutanoic acid, Methyl ethyl glycolic acid; CH<sub>3</sub>.CH<sub>2</sub>.C(OH)(CH<sub>3</sub>)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	U			K1=2.94 K3=1.58	B2=5.28	1969PCa (40254)	291

CEH1003 HI CAS 617-31-2 (474)

**CSH1003**                   **HE**                   **CAS:**  
3-Hydroxypentanoic acid: CH<sub>3</sub> CH<sub>2</sub> CH<sub>2</sub> CH(OH) COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ g1 NaClO4 25°C 1.0M U K1=2.45 1968GCa (40279) 292

C5H10O4 HI CAS 4767-03-7 (4297)

2,2-Bis(hydroxymethyl)propanoic acid: CH3.C(CH2OH)2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ g1 NaClO<sub>4</sub> 25°C 0.10M U K1=2.37 B2=4.00 1970RDa (40297) 293  
K3=1.23

\*\*\*\*\* GEM12061 111 GAC 10860 E6 1 (3227) \*\*\*\*\*

**C5H10O4**      **HL**      **CAS 19860-56-1**      **2,3-Dihydroxy-2-methylbutanoic acid; CH<sub>3</sub>-CH(OH)-C(OH)(CH<sub>3</sub>)-COOH**

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ g1 KN03 25°C 0.10M C K1=3.08 B2=5.44 1975PFb (40312) 294  
K3=1.57

\*\*\*\*\*

C5H1005

Wiley - The直译为“维利”，是Wiley公司的一个分支，专门负责中文市场的出版业务。

Siemens 3550C 3.0 Mhz 16MB RAM (1625EC) 205

DH(11) 15.1 ± 7.1 TBC 16.3

DH(R1)=-15.1 KJ mol-1, IDS=-10.8

\*\*\*\*\*  
CEU11N02                  Valine                  CAS 72-18-4 (4)

**C5H11NO2**      **HL**      **Valline**      **CAS 72-26-3**  
**2-Amino-3-methylbutanoic acid; H<sub>2</sub>N-CH(CH(CH<sub>3</sub>)<sub>2</sub>)COOH**

Metal Mtd. Medium Temp. Conc. Gal. Flags Lg. K values Reference ExptNo

Gd+++ g1 NaClO4 25°C 0.20M U K1=5.10 B2= 9.90 1996PPa (40710) 296

Gd+++	gl	NaClO4	25°C	0.20M	U	K1=5.10	B2= 9.90	1990PJb (40713)	299
-----									
Gd+++	gl	KCl	25°C	0.10M	U T	K1=3.96		1974BFa (40714)	300
*****									
C5H11NO2S		HL	Methionine	CAS	63-68-3	(42)			
2-Amino-4-(methylthio)butanoic acid; H2N.CH(CH2.CH2.S.CH3)COOH									
-----									
Metal	Mtd	Medium	Temp	Conc	Cal Flags	Lg K values		Reference	ExptNo
-----									
Gd+++	gl	NaClO4	25°C	0.20M	U	K1=4.93	B2= 9.31	1996PPa (41096)	301
-----									
Gd+++	gl	NaClO4	25°C	0.20M	U	K1=4.93	B2= 9.31	1990PJb (41097)	302
*****									
C5H11NO2S		H2L	D-Penicillamine	CAS	52-67-5	(1323)			
D-2-Amino-3-mercaptopropanoic acid; (CH3)2C(SH)CH(NH2)COOH									
-----									
Metal	Mtd	Medium	Temp	Conc	Cal Flags	Lg K values		Reference	ExptNo
-----									
Gd+++	gl	KCl	25°C	0.10M	U			1996ADa (41186)	303
B(GdHL)=13.46									
*****									
C5H12O5		L	Xylitol	CAS	87-99-0	(2139)			
Xylitol; HO.CH2.HCOH.HOCH.HCOH.CH2.OH									
-----									
Metal	Mtd	Medium	Temp	Conc	Cal Flags	Lg K values		Reference	ExptNo
-----									
Gd+++	cal	NaClO4	25°C	2.0M	C H	K1=0.76		1998BMc (41687)	304
*****									
C6H5NO2		HL	Picolinic acid	CAS	98-98-6	(391)			
2-Pyridine-carboxylic acid; C5H4N.COOH									
-----									
Metal	Mtd	Medium	Temp	Conc	Cal Flags	Lg K values		Reference	ExptNo
-----									
Gd+++	gl	NaClO4	20°C	0.10M	U	K1=5.01		1987EGb (42541)	305
Soln. contains 0.5 M t-butanol									
-----									
Gd+++	gl	KNO3	25°C	0.20M	U M	K1=4.64		1987LSc (42542)	306
K(Gd(nta)+L)=4.16, K(Gd(edta)+L)=4.06.									
-----									
Gd+++	gl	NaClO4	25°C	0.50M	U	K1=3.62	B2=6.91	1977GGb (42543)	307
B3=9.31									
-----									
Gd+++	gl	KNO3	25°C	0.10M	U	K1=3.98	B2=7.41	1968PIa (42544)	308
K3=2.83									
K4=2.26									
-----									
Gd+++	gl	NaClO4	25°C	2.0M	U	K1=3.77	B2=6.84	1965YCa (42545)	309
-----									
Gd+++	gl	KNO3	25°C	0.10M	U	K1=4.06	B2=7.34	1964THb (42546)	310

B3=10.5

\*\*\*\*\*

C6H5NO2                    HL       Nicotinic acid     CAS 59-67-6 (419)  
3-Pyridine-carboxylic acid; C5H4N.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++ g1 NaClO4 25°C 0.20M U K1=2.08 1973FDA (42672) 311

C6H5N03 H2L CAS 874-24-8 (4356)

3-Hydroxypyridine-2-carboxylic acid; C<sub>5</sub>H<sub>3</sub>N.(OH)(COOH)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO4 30°C 0.10M U 1969DNC (42751) 312

$$K(Gd+HL) = 3.46$$

$$K(GdHL+HL) = 3.24$$

\*\*\*\*\*

C6H5NO3                    HL          4-Nitrophenol            CAS 100-02-7 (454)

## 4-Nitrohydroxybenzene; HO.C<sub>6</sub>H<sub>4</sub>.NO<sub>2</sub>

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Gd+++ g1 R4N.X 25°C 0.10M C K1=1.64 1990CBe (42807) 313

**C6H5NO3**                   **HHL**                   **CAS 824-40-8 (878)**  
Benzilic anhydride (Benzilic acid anhydride)    GEMINI® G60

Metal      Mid-Medium-Tone Color Gel Filter Kit      Polaroid® Filter No.

Chem3D Pro 13.0.0.12586 - 2 - CM\_H2O1.pdb - K1\_2\_02 - P2\_5\_20 - 1055EYGC - (43824) - 214

Gd<sup>++</sup> g1 NaClO4 25°C 2.0M 0 K1=2.93 B2=5.20 1965YCa (42834) 314  
\*\*\*\*\*  
C6H5NO4 H2L 4-Nitrocatechol CAS 3316-09-4 (890)

1,2-Dihydroxy-4-nitrobenzene: O<sub>2</sub>N C<sub>6</sub>H<sub>3</sub>(OH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Ig K values Reference ExptNo

Gd+++ g1 KNO<sub>3</sub> 25°C 0.10M U K1=9.15 B2=15.67 1981BDa (42927)

\*\*\*\*\*

2,4-Dihydroxy-1-nitrobenzene; O2N.C6H3(OH)2

ISSN 1062-1024 • No. 10 • 100 • 100 • 100 • 100 • 100 • 100 • 100 • 100 • 100

Digitized by srujanika@gmail.com

Gd+++ sp KC1 25°C 0.10M M I K1=6.08 1989PEa (42953) 316

\*\*\*\*\*

6-Nromo-5-hydroxy-3-(hydroxymethyl)-4H-pyran-4-one; CAS 40838-32-2 (1084)

6-Bromo-5-hydroxy-2-(hydroxymethyl)-4H-pyran-4-one;

Metal Mtd Medium Temp Conc Cai Flags Lg K Values Reference ExptNo

-----
   
 Gd+++ sp KCl 25°C 0.10M U K1=5.27 1987PLa (43109) 317
   
 \*\*\*\*
   
 C6H5O4C1 HL Chlorokojic aci (3086)
   
 3-Chloro-5-hydroxy-2-hydroxymethyl-4-pyrone;
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl oth/un 30°C 0.10M U K1=5.98 B2=11.12 1972DSd (43132) 318
   
 \*\*\*\*
   
 C6H5O4I L (1085)
   
 6-Iodo-5-hydroxy-2-hydroxymethyl-4H-pyran-4-one;
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ sp KCl 25°C 0.10M U K1=5.37 1987PLa (43151) 319
   
 \*\*\*\*
   
 C6H6O2 H2L Catechol CAS 120-80-9 (534)
   
 1,2-Dihydroxybenzene, pyrocatechol; HO.C6H4.OH
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl NaClO4 25°C 0.20M U K1=10.08 1996PJa (43762) 320
   
 -----
   
 Gd+++ gl KN03 25°C 0.10M U TIH K1=8.72 B2=14.42 1986NSa (43763) 321
   
 B(GdAL)=11.85
   
 H2A=phthalic acid. DH(GdAL)=-57.0 kJ mol-1, DS=35.7 J K-1 mol-1
   
 -----
   
 Gd+++ gl NaClO4 35°C 0.20M M K1=9.57 1982LTa (43764) 322
   
 -----
   
 Gd+++ gl KN03 25°C 0.05M M I K1=10.36 B2=19.62 1981BDc (43765) 323
   
 Also data for I=0.2 and 0.35 M. At I=0, K1=10.98, K2=9.73.
   
 -----
   
 Gd+++ gl NaClO4 25°C 0.10M U T K1=10.67 B2=20.08 1979NDA (43766) 324
   
 At 45 C, K1=9.89, K2=9.03. Medium ionic strength not stated.
   
 -----
   
 Gd+++ EMF NaCl 25°C 0.10M U K1=11.20 1969PKe (43767) 325
   
 \*\*\*\*
   
 C6H6O3 H3L Pyrogallol CAS 87-66-1 (696)
   
 1,2,3-Trihydroxybenzene; C6H3(OH)3
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl NaClO4 25°C 0.20M U K1=10.05 1996PJa (43960) 326
   
 \*\*\*\*
   
 C6H6O3 HL Maltol CAS 118-71-8 (2442)
   
 3-Hydroxy-2-methyl-4H-pyran-4-one;
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----

Gd+++ gl NaClO<sub>4</sub> 30°C 0.10M U M K1=6.01 B2=11.21 1989NOb (44086) 327  
 B(GdLA)=13.43  
 K(GdA+L)=6.55  
 K(GdB+L)=5.73  
 K(GdC+L)=5.15

H2A=iminodiacetic acid, H2B=hydroxyethyliminodiacetic acid, H3C=nitrilo-triethanoic acid

Gd+++ gl NaClO<sub>4</sub> 30°C 0.10M U K1=6.58 B2=11.91 1970DSc (44087) 328  
 K3=3.95

\*\*\*\*\*

C6H6O4 HL Kojic acid CAS 501-30-4 (1800)

5-Hydroxy-2-(hydroxymethyl)-4H-pyran-4-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 30°C 0.10M U M K1=5.38 B2=10.34 1989NOb (44215) 329  
 B(GdLA)=12.70  
 K(GdA+L)=5.74  
 K(GdB+L)=5.28  
 K(GdC+L)=4.77

H2A=iminodiacetic acid, H2B=hydroxyethyliminodiacetic acid, H3C=nitrilo-triethanoic acid

Gd+++ sp KCl 25°C 0.10M C I K1=6.004 1987PEa (44216) 330  
 In 0.087 M KCl, K1=6.039.

Gd+++ gl oth/un 30°C 0.10M U K1=6.09 B2=11.21 1972DSd (44217) 331  
 K3=4.05

Gd+++ gl NaClO<sub>4</sub> 25°C 2.0M U K1=5.49 B2=10.66 1964YCa (44218) 332  
 \*\*\*\*\*

C6H6O6 H3L cis-Aconitic CAS 585-84-2 (3064)  
 cis-1,2,3-Propenetricarboxylic acid, cis-Aconitic acid; HOOC.CH:C(COOH)CH<sub>2</sub>.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaCl 20°C 0.10M U K1=4.56 1986SKb (44297) 333  
 K(Gd+HL)=3.23

\*\*\*\*\*

C6H6O8S2 H4L Tiron CAS 149-45-1 (104)  
 4,5-Dihydroxybenzene-1,3-disulfonic acid; (HO)<sub>2</sub>.C6H<sub>2</sub>(SO<sub>3</sub>H)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 35°C 0.20M M K1=13.37 1982LTa (44449) 334

Gd+++ gl KNO<sub>3</sub> 25°C 0.10M U TIH K1=14.53 B2=28.04 1980BDD (44450) 335  
 Data for I=0.05-0.2 M and for I=0.10 M (35°C). Also DH and DS values.

Gd+++ gl NaClO<sub>4</sub> 25°C 0.50M C K1=12.50 B2=21.14 1976LAB (44451) 336  
B(GdHL2)=29.01

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M U K1=14.10 1970SSi (44452) 337  
K(Gd+HL)=5.92

\*\*\*\*\*  
C6H<sub>7</sub>N L Aniline CAS 62-53-3 (583)  
Aminobenzene, aniline; C6H<sub>5</sub>.NH<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp non-aq 25°C 100% U HM 1982KNa (44871) 338  
K(GdA3+L)=2.40

Medium: CCl<sub>4</sub>. HA=dipivaloylmethane

\*\*\*\*\*  
C6H<sub>7</sub>NO HL 2-Aminophenol CAS 95-55-6 (2868)  
2-Amino-1-hydroxybenzene; HO.C6H<sub>4</sub>.NH<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KNO<sub>3</sub> 25°C 0.10M U TIH K1=6.26 B2=10.83 1986NSa (44929) 339  
B(GdAL)=13.39

H2A=phthalic acid. DH(GdAL)=-64.2 kJ mol<sup>-1</sup>, DS=40.5 J K<sup>-1</sup> mol<sup>-1</sup>

Gd+++ gl mixed 25°C 50% U I K1=3.80 B2=6.66 1969BCa (44930) 340  
Medium: 50% DMSO, 0.12 M NaClO<sub>4</sub>. In 0.12 M NaClO<sub>4</sub>, 50% dioxan: K1=5.04,  
K2=4.33. Medium: 0.12 NaClO<sub>4</sub>, 50% EtOH: K1=4.48, K2=3.37

\*\*\*\*\*  
C6H<sub>7</sub>N<sub>2</sub>O<sub>2</sub> HL CAS 19365-01-6 (6771)  
1-Methyl-3-hydroxy-2-pyridinone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 25°C 0.10M C K1=6.36 B2=11.64 1992CMc (45028) 341  
B3=15.68

\*\*\*\*\*  
C6H<sub>7</sub>N<sub>3</sub>O L Isonicotinic hy CAS 54-85-3 (1267)  
Pyridine-4-carboxylic acid hydrazide; C5H<sub>4</sub>N.CO.NH.NH<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 15°C 0.10M U K1=8.70 1980ZMa (45127) 342

\*\*\*\*\*  
C6H<sub>7</sub>O<sub>3</sub>F<sub>3</sub> HL (7057)  
3-Oxa-7-trifluorohexa-4,6-dione; CH<sub>3</sub>CH<sub>2</sub>.O.CO.CH<sub>2</sub>.CO.CF<sub>3</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 25°C 50% M I K1=6.01 B2=11.32 1994SSa (45186) 343  
K3=4.69

Medium: 50% dioxan, I=0 corr. At 35 C: K1=5.64, K2=5.24, K3=4.34

\*\*\*\*\*

C6H804 H2L CAS 2583-25-7 (958)

2-Allylpropanedioic acid; HOOC.CH(CH<sub>2</sub>.CH:CH<sub>2</sub>).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 25°C 0.20M U K1=3.72 1989ZPa (45468) 344  
In 70.4% v/v EtOH/H<sub>2</sub>O: K1 = 5.91

\*\*\*\*\*

C6H806 H3L Tricarballylic CAS 99-14-9 (1620)

1,2,3-Propanetricarboxylic acid; HOOC.CH<sub>2</sub>.CH(COOH).CH<sub>2</sub>.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaCl 25°C 0.15M C K1=4.20 1991JTa (45565) 345  
B(GdHL)=8.48  
B(GdH-1L)=-4.47

\*\*\*\*\*

C6H806 H2L Ascorbic acid CAS 50-81-7 (285)

Ascorbic acid (Vitamin C);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 25°C 2.00M U IH 1988HSa (45641) 346  
K(Gd+HL)=1.52

DH=3.7 kJ mol<sup>-1</sup>, DS=41.5 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C6H806S H3L CAS 99-68-3 (3692)

(Carboxymethylthio)butanedioic acid; HOOC.CH(S.CH<sub>2</sub>.COOH).CH<sub>2</sub>.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M U TIH K1=3.68 B2=6.87 1986AJc (45695) 347  
DH(K1)=-6.3 kJ mol<sup>-1</sup>, DS=49.7 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=-4.4, DS=46.9

Gd+++ gl NaClO<sub>4</sub> 30°C 0.10M U IH K1=3.68 B2=6.87 1983ASa (45696) 348

DH(K1)=-6.2 kJ mol<sup>-1</sup>, DH(K2)=-4.4

\*\*\*\*\*

C6H807 H3L Citric acid CAS 77-92-9 (95)

2-Hydroxypropane-1,2,3-tricarboxylic acid; HOOCCH<sub>2</sub>.CH(OH)(COOH).CH<sub>2</sub>COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaCl 25°C 0.15M C K1=6.86 B2=10.53 1991JTa (46117) 349  
B(GdHL)=10.12  
B(GdH-1L)=0.77  
B(GdH-2L)=-7.08

Gd+++ gl KN03 25°C 1.0M M 1986SZb (46118) 350

$K(Gd+H3L=GdHL+2H)=-2.87$   
 $K(Gd+H3L=GdL+3H)=-6.20$   
 $K(Gd+H3L=GdH-1L+4H)=-12.14$   
 $K(Gd+2H3L=GdH4L2+2H)=-0.98$   
 $K(Gd+2H3L=GdL2+6H)=-14.90$ ,  $K(Gd+2H3L=GdH-2L2+8H)=-30.2$ ,  
 $K(Gd+2H3L=GdH-3L2+9H)=-29.0$ ,  $K(Gd+2H3L=GdH-4L2+10H)=-37.9$ .

---

Gd+++ nmr NaCl 27°C 0.15M C M K1=4.0 1985JAa (46119) 351  
 B(GdHL)=8.7  
 B(GdH-1L)=-1.0  
 B(GdLA)=11.0

Method: proton relaxation enhancement. A is bovine serum albumin.

---

Gd+++ gl KN03 25°C 0.10M U M 1975TDa (46120) 352  
 B(Gd(IDA)L)=10.0

---

Gd+++ dis NaClO4 25°C 0.15M U 1973HHc (46121) 353  
 K(Gd+HL+L)=11.05

---

Gd+++ gl alc/w 25°C 25% U I K1=8.58 1972BKd (46122) 354  
 Medium: EtOH/H2O, 0.05 M (NaCl, NaClO4). 0%, K1=7.83, 50%, K1=9.57

---

Gd+++ dis oth/un 25°C 0.10M U 1971GBa (46123) 355  
 K(Gd+H3L=GdHL+2H)=-1.0  
 K(Gd+2H3L=GdHL2+5H)=-9.2

---

Gd+++ dis oth/un ? ? U B2=6.85 1970PGb (46124) 356

---

Gd+++ sol NaClO4 25°C 0.10M U K1=8.4 1966SSg (46125) 357  
 Kso=-11.88

---

\*\*\*\*\*

C6H8O7 H3L (6770)  
 Carboxymethoxysuccinic acid; HOOC.CH2.O.CH(COOH)CH2.COOH

---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ EMF NaClO4 25°C 1.00M U K1=6.08 B2=10.28 1991WPb (46330) 358

---

C6H9N06 H3L NTA CAS 139-13-9 (191)  
 Nitriilotriethanoic acid; N(CH2.COOH)3

---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ ISE NaClO4 25°C 0.10M C I K1=11.37 1997LBb (46830) 359

Method: Cu ISE and competitive complexation by Cu. Data for 0.1-5.0 M.  
At I=0.0 M, K1=13.20.

---

Gd+++ gl alc/w 30°C 50% C K1=10.72 1994SOa (46831) 360  
 Medium: 50% v/v MeOH/H2O, 0.10 M NaClO4.

---

Gd+++ ISE KN03 25°C 0.10M C K1=11.50 1980NSF (46832) 361  
Competitive method using Cd ion-selective electrode.

Gd+++ gl diox/w 30°C 50% U M 1978SGf (46833) 362  
K(GdL+A)=5.34

HA=tropolone

Gd+++ gl NaClO4 25°C 0.50M U K1=11.11 1977GGb (46834) 363

Gd+++ EMF KCl 25°C 1.0M U M 1977GMa (46835) 364  
K(GdA+L)=6.09  
K(GdA+H2L)=1.55  
K(GdA+H3L)=2.11  
K(GdA+H4L)=3.45

Method: Pt/H<sub>2</sub> electrode. H<sub>3</sub>A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.

Gd+++ cal KN03 20°C 0.10M U HM 1971GKb (46836) 365  
K(GdA+L)=4.86

H4A=EDTA. DH(GdA+L)=-33.14 kJ.mol<sup>-1</sup>, DS=-19.7 J K<sup>-1</sup> mol<sup>-1</sup>.

DH(GdLA)=-40.4 kJ mol<sup>-1</sup>, DS=288 J K<sup>-1</sup> mol<sup>-1</sup>

Gd+++ gl oth/un 20°C 0.20M U 1970VMa (46837) 366  
B(GdL(OH))=6.28

Gd+++ gl KCl 20°C 0.10M U K1=11.43 B2=20.78 1965ANb (46838) 367

Gd+++ vlt KN03 20°C 0.10M U T K1=11.43 1964PCa (46839) 368

Gd+++ gl KN03 25°C 0.10M U T H T K1=11.54 B2=20.80 1962MFb (46840) 369  
15 C: K1=11.57, K2=9.46; 20 C: 11.54, 9.34; 30 C: 11.59, 9.23; 35 C: 11.57, 9.12  
40 C: 11.60, 9.09. DH(K1)=4.3 kJ mol<sup>-1</sup>, DS=235 J K<sup>-1</sup> m<sup>-1</sup>; DH(K2)=-24.3, DS=95

Gd+++ vlt KN03 20°C 0.10M U T K1=11.43 1958CGa (46841) 370

Gd+++ vlt KN03 20°C 0.10M U 1957NOa (46842) 371  
B(Gd2L3)=36.89

\*\*\*\*\*  
C6H9N3O2 HL Histidine CAS 71-00-1 (1)  
2-Amino-3-(4'-imidazolyl)propanoic acid; H2N.CH(CH2.C3H3N2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KN03 35°C 0.10M U 1987RRc (47561) 372  
K(Gd+HL)=3.76

Gd+++ gl KN03 35°C 0.10M U M 1986RMb (47562) 373  
K(Gd+HL)=3.76

K(Gd+HL+cytidine)=8.57

Gd+++ gl NaClO4 37°C 3.00M U T K1=4.94 B2=9.16 1971JWa (47563) 374  
B(GdHL)=11.30

Gd+++ gl NaClO4 25°C 3.00M U T K1=4.39 B2=8.61 1970JWa (47564) 375  
B(GdHL)=11.47

\*\*\*\*\*

C6H1002S HL (4370)

Ethyl thioacetoacetate; CH3.CS.CH2.CO.OCH2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl mixed 30°C 75% U K1=7.08 B2=12.83 1970DRa (47963) 376  
K3=5.46

Medium: 75% acetone, 0.1 M

\*\*\*\*\*

C6H1003 HL CAS 16841-19-3 (3649)

1-Hydroxycyclopentanecarboxylic acid; HO.C5H8.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO4 25°C 0.10M U K1=2.844 B2=5.06 1966PRb (47989) 377  
K3=1.65  
K4=1.49

\*\*\*\*\*

C6H1003 HL CAS 141-97-9 (3068)

Ethyl acetoacetate; CH3.CO.CH2.CO2.C2H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl mixed 30°C 75% U K1=6.30 B2=11.65 1969DRa (48013) 378

Medium: 75% acetone, 0.1 M NaClO4

\*\*\*\*\*

C6H1004 H2L Adipic acid CAS 124-04-9 (401)

1,6-Hexanedioic acid; HOOC.(CH2)4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO4 25°C 0.10M M M K1=3.09 1987NCA (48072) 379  
K(Gd(nta)+L)=2.34

Gd+++ gl NaClO4 25°C 0.10M M H K1=3.09 1986CDB (48073) 380

DH=16.5 kJ mol-1, DS=114 J K-1 mol-1

\*\*\*\*\*

C6H1006 H2L CAS 23243-68-7 (242)

1,2-Bis(carboxymethoxy)ethane; HOOC.CH2.O.CH2.CH2.O.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ oth NaClO4 25°C 0.10M U K1=4.84 1984AFa (48340) 381  
Laser excitation spectroscopy, competition method.

-----  
 Gd+++ gl NaClO4 25°C 1.00M C H K1=4.89 B2=7.87 1974GGa (48341) 382  
 B3=8.83  
 B(GdHL2)=10.21

\*\*\*\*\*  
 C6H10O8 H2L Saccharic acid CAS 87-73-0 (1191)  
 D-2,3,4,5-Tetrahydroxy-1,6-hexanedioic acid; Glucaric acid; HOOC.(CHOH)4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	U	M		K1=4.51 K(Gd(edta)+L)=4.01	1997PPb (48475)	383

\*\*\*\*\*  
 C6H11N05 H2L HIMDA CAS 93-62-9 (192)  
 N-(2-Hydroxyethyl)iminodieethanoic acid; HO.CH2.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	30°C	50%	C			K1=9.01	1994S0a (48734)	384

Medium: 50% v/v MeOH/H2O, 0.10 M NaClO4.

Gd+++	gl	KNO3	20°C	1.00M	U				1974CMd (48735)	385
-------	----	------	------	-------	---	--	--	--	-----------------	-----

K(GdL2(OH)+H)=10.72

Gd+++ oth NaNO3 20°C 0.10M U M K1=9.0 B2=16.95 1966JMc (48736) 386  
 Method: paper electrophoresis. Ternary complexes with HEDTA

Gd+++ vlt KCl 25°C 0.10M U B2=16.08 1965DTa (48737) 387

Gd+++ ISE KNO3 25°C 0.10M U K1=9.01 B2=17.05 1963TLa (48738) 388

\*\*\*\*\*  
 C6H11N3O4 HL Gly-Gly-Gly CAS 556-33-2 (415)  
 Glycyl-glycyl-glycine; H2N.CH2.CO.NH.CH2.CO.NH.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	U				1981KBa (48976)	389

K(Gd+HL)=0.43

Gd+++ gl KCl 25°C 0.10M U K1=2.20 1973FMa (48977) 390

\*\*\*\*\*  
 C6H12N2O4 H2L EDDA CAS 5657-17-0 (119)  
 1,2-Diaminoethane-N,N'-diethanoic acid; HOOC.CH2.NH.CH2.CH2.NH.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	C			K1=8.13	1988CCb (49241)	391

Gd+++	gl	NaClO4	25°C	1.00M	C	H		K1=8.25 B(GdH2L)=17.60	1974GGa (49242)	392
-------	----	--------	------	-------	---	---	--	---------------------------	-----------------	-----

Gd+++ gl KN03 25°C 0.10M U K1=8.13 B2=14.21 1962THb (49243) 393  
\*\*\*\*\*

C6H1202 HL CAS 142-62-1 (964)  
Hexanoic acid; CH<sub>3</sub>.(CH<sub>2</sub>)<sub>4</sub>.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaCl 20°C 0.10M U K1=3.16 1986GKb (49424) 394  
\*\*\*\*\*

C6H1203 HL DiEtGlycolic CAS 3639-21-2 (421)  
2-Ethyl-2-hydroxybutanoic acid; (C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>.C(OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ EMF NaClO<sub>4</sub> 25°C 1.0M U K1=2.71 B2=4.65 1965TVa (49459) 395  
K3=0.98  
K4=0.86

Method: quinhydrone electrode

C6H1203 HL CAS 92841-97-9 (3658)  
2-Hydroxy-2,3-dimethylbutanoic acid; CH<sub>3</sub>.CH(CH<sub>3</sub>).C(OH)(CH<sub>3</sub>).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ EMF NaClO<sub>4</sub> 25°C 1.0M U K1=2.65 B2=4.70 1965TVa (49473) 396  
K3=1.34  
K4=0.94

Method: quinhydrone electrode

C6H1204 HL CAS 1112-33-0 (1246)  
2,3-Dihydroxy-2,3-dimethylbutanoic acid; (CH<sub>3</sub>)<sub>2</sub>.C(OH).C(OH)(CH<sub>3</sub>).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KN03 25°C 0.10M U K1=3.42 B2=5.96 1979PPa (49493) 397  
K3=1.72

C6H1207 HL Gluconic acid CAS 526-95-4 (904)  
D-Gluconic acid, 2,3,4,5,6-Pentahydroxyhexanoic acid; HO.CH<sub>2</sub>(CHOH)<sub>4</sub>.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ EMF alc/w 25°C 80% U I K1=5.37 1966KRb (49719) 398  
Medium: 80% MeOH. K1=4.64(50%)

Gd+++ gl KC1 25°C 0.20M U K1=2.56 B2=4.76 1963K0c (49720) 399  
\*\*\*\*\*

C6H13N02 HL Isoleucine CAS 73-32-5 (424)  
2-Amino-3-methylpentanoic acid; CH<sub>3</sub>.CH<sub>2</sub>.CH(CH<sub>3</sub>).CH(NH<sub>2</sub>).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.20M	U		K1=5.21	B2= 9.81	1987PPa (49903)	400
*****										
C6H13N02		HL		Leucine			CAS	61-90-5	(47)	
2-Amino-4-methylpentanoic acid; H2N.CH(CH2.CH(CH3)2)COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.20M	U	M	K1=6.10		1990LSb (50075)	401
K(Gd(phen)+L)=5.87										
Gd+++	gl	NaClO4	25°C	0.20M	U		K1=5.21	B2= 9.52	1987PPa (50076)	402
*****										
C6H13N02		HL		Norleucine			CAS	616-06-8	(602)	
2-Aminohexanoic acid (2-Aminocaproic acid) CH3.(CH2)3.CH(NH2).COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	22°C	0.10M	M	M	K1=4.72	B2=9.37	1991DTa (50179)	403
B3=13.16 K(GdA+L)=8.08										
H4A=trans-cyclohexane-1,2-diaminotetraethanoic acid. Definitions wrong?										
Gd+++	gl	KCl	20°C	0.20M	U		K1=3.90	B2=7.48	1990PLa (50180)	404
*****										
C6H13N02		HL					CAS	60-32-2	(1846)	
6-Aminohexanoic acid; H2N.CH2.CH2.CH2.CH2.CH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	20°C	0.20M	U		K1=4.79	B2=9.04	1990PLa (50216)	405
*****										
C6H13N04		HL		Bicine			CAS	150-25-4	(2124)	
N,N-Bis(2-hydroxyethyl)glycine; (HO.CH2.CH2)2N.CH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	20°C	0.10M	U		K1=5.58	B2=10.43	1982RFa (50365)	406
Gd+++	gl	KCl	30°C	0.10M	U		K1=5.84	B2=10.60	1973MSe (50366)	407
Gd+++	gl	alc/w	20°C	50%	U	I	K1=6.70		1970KRa (50367)	408
Medium: 0-80% MeOH, 0.03 M KCl. K1(0%)=5.59, K1(20%)=6.12, K1(80%)=7.73										
Gd+++	oth	NaNO3	20°C	0.10M	U		K1=7.7	B2=13.50	1966JMc (50368)	409
Method: paper electrophoresis										
C6H13N303		HL		Citrulline			(579)			

2-Amino-5-ureidovaleric acid; H2N.CO.NH.CH2.CH2.CH2.CH(NH2).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaCl	37°C	0.15M	U	M		K1=2.96 B(GdHL)=10.98 B(GdH2AL)=24.41	1997GMa (50577)	410

Ligand is DL-citrulline. HA is L-hydroxyproline.

\*\*\*\*\*

C6H14N2O2                    HL            Lysine                    CAS 56-87-1 (41)

2,6-Diaminohexanoic acid; H2N.(CH2)4.CH(NH2)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	15°C	1.0M	U	T			1989SSg (50823)	411

Also data for 30 C.

-----  
Gd+++        gl    NaClO4 20°C 0.10M U T H        K1=7.42    B2=14.03    1983SDa (50824) 412  
30 C: K1=7.12, K2=6.51, 40 C: K1=6.96, K2=6.34

\*\*\*\*\*

C6H15N3O3                    L                            (6613)

1,3,5-Triamino-1,3,5-trideoxy-cis-inositol,5-Amino-5-deoxy-streptamine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C				1998HGa (51452)	413

B(GdH-6L2)=-18.2

\*\*\*\*\*

C6H18N4                            L                    Tren                            CAS 4097-89-6 (817)

2,2',2'''-Triaminotriethylamine; (H2N.CH2.CH2)3N

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++        ISE non-aq 25°C 100% C    H        K1=4.40    B2=5.90    1993CCb (52198) 414

Medium: DMSO, 0.1 M Et4NClO4. Method: Ag+ ISE. By calorimetry, DH(K1)=-44.9  
kJ mol-1, DS=-66; DH(B2)=-72, DS=-129.

\*\*\*\*\*

C6H20N2012P4                    H8L            EDTPA                            CAS 1429-50-1 (434)

Ethane-1,2-bis(iminobis(methylenephosphonic acid)); ((H2O3PCH2)2NCH2.)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++        gl    NaCl    37°C 0.15M C        K1=14.87  
K(GdL+H)=6.99  
K(GdHL+H)=5.88

-----  
Gd+++        gl    KNO3    25°C 0.10M C        1991SKb (52338) 416

K(GdL+H)=7.35

$$K(GdHL+H)=6.19$$

Gd+++	gl	KCl	25°C	0.10M	U	K1=21.80 K(Gd+HL)=17.09 K(Gd+H2L)=13.12 K(Gd+H3L)=10.34 K(Gd+H4L)=8.04	1967KDa (52339) 417
-------	----	-----	------	-------	---	--	---------------------

$$K(Gd+H5L)=4$$

\*\*\*\*\*

C7H4N2O7 H2L CAS 609-99-4 (400)

3,5-Dinitrosalicylic acid; (O2N)2.C6H2(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaNO3	25°C	0.10M	U	I M	K1=5.83 *K(GdL)=-7.26 K(Gd(egta)+L)=5.12	1996Kdc (52481) 418		

Data for 0.05 and 0.15 M NaNO3. At I=0, K1=6.22, \*K(GdL)=-7.45,  
K(Gd(egta)+L)=5.49.

Gd+++	gl	oth/un	24°C	0.20M	U	K1=5.27	1972PSd (52482) 419
-------	----	--------	------	-------	---	---------	---------------------

Medium: LiCl

\*\*\*\*\*

C7H5N04 H2L Dipicolinic aci CAS 449-83-2 (418)

2,6-Pyridinedicarboxylic acid; C5H3N.(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	cal	NaClO4	25°C	0.50M	C	H		K1=5.27	1963GRd (52776) 420
DH(K1)=-14.99 kJ mol-1, DS(K1)=116 J K-1 mol-1; DH(B2)=-36.53, DS(B2)=183; DH(B3)=-56.98, DS(B3)=224.									

Gd+++	EMF	oth/un	20°C	0.50M	U	K1=8.74 K3=5.77	B2=16.06	1961GRa (52777) 421
-------	-----	--------	------	-------	---	--------------------	----------	---------------------

\*\*\*\*\*

C7H5N04 HL CAS 121-92-6 (490)

3-Nitrobenzoic acid; O2N.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	gl	NaClO4	25°C	0.10M	C	H	K1=1.68		1986CLc (52866) 422
DH=7.3 kJ mol-1, DS=57 J K-1 mol-1									

\*\*\*\*\*

C7H5N04 HL CAS 62-23-7 (489)

4-Nitrobenzoic acid; O2N.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	gl	NaClO4	25°C	0.10M	M	H	K1=1.73		1999YKa (52907) 423
-------	----	--------	------	-------	---	---	---------	--	---------------------

By calorimetry: DH(K1)=7.60 kJ mol-1, DS(K1)=58.6 J K-1 mol-1.

\*\*\*\*\*

C7H5O2F                    HL                    CAS 445-29-4 (5711)  
3-Fluorobenzoic acid; F.C6H4.CO0H

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values       Reference   ExptNo  
-----  
Gd+++      gl    NaCl04   25°C   0.10M   C    H      K1=1.80            1986CLc (53235) 424  
DH=8.1 kJ mol-1, DS=62 J K-1 mol-1  
\*\*\*\*\*

C7H5O2F                    HL                    CAS 456-22-4 (5710)  
4-Fluorobenzoic acid; F.C6H4.CO0H

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values       Reference   ExptNo  
-----  
Gd+++      gl    NaCl04   25°C   0.10M   C    H      K1=2.00            1986CLc (53255) 425  
DH=8.0 kJ mol-1, DS=65 J K-1 mol-1  
\*\*\*\*\*

C7H5O6BrS                H2L                    (1626)  
3-Bromo-5-sulfosalicylic acid; Br.C6H2(OH)(COOH).SO3H

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values       Reference   ExptNo  
-----  
Gd+++      gl    NaCl04   25°C   0.10M   C    H    T                    1993ALa (53368) 426  
B(1,1,1)=12.38  
B(1,0,1)=7.40  
B(1,0,2)=12.35  
B(1,-1,1)=-0.54

B(p,q,r); pGd+qH+rL=(Gd)pHqLr. B(1,-2,1)=-9.22.  
\*\*\*\*\*

C7H6OS                    HL    Thiotropolone    CAS 1073-38-7 (8477)  
2-Mercapto-2,4,6-cycloheptatrien-1-one;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values       Reference   ExptNo  
-----  
Gd+++      gl    diox/w   30°C   50%    M    I                    K1=5.11    B2= 9.78    1978SSi (53544) 427  
K3=3.58

Medium: 50% v/v dioxane/H2O, 0.10 M NaCl04. Data for 0.005 and 0.2 M  
NaCl04.

\*\*\*\*\*

C7H6O2                    HL    Tropolone        CAS 533-75-5 (3129)  
2-Hydroxycyclohepta-2,4,6-trien-1-one;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values       Reference   ExptNo  
-----  
Gd+++      gl    KN03    25°C   0.10M   U                    K1=7.04    B2=12.90    1969CMb (53674) 428  
K3=4.82  
K4=3.30

\*\*\*\*\*

C7H6O2                    HL    Benzoic Acid      CAS 65-85-0 (462)  
Benzene carboxylic acid; C6H5.CO0H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	25°C	100%	M			K1=8.4 B3=18.6	1989TMa (53833)	429
Medium: MeOH										
Gd+++	cal	NaClO4	25°C	0.10M	U	H	K1=2.08	B2=3.70	1982CBc (53834)	430
DH1= 9.0 kJ mol-1, DS1= 70 J K-1 mol-1										
Gd+++	gl	alc/w	25°C	99%	U		K1=6.51 K3=2.73	B2=11.35	1974BPb (53835)	431
*****										
C7H6O3		H2L		Salicylic acid	CAS 69-72-7	(14)				
2-Hydroxybenzoic acid, Salicylic acid; HO.C6H4.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.1M	C	H			1996HYa (54224)	432
By calorimetry: DH(K1)=1.93 kJ mol-1, DH(B2)=5.92 J K-1 mol-1										
Gd+++	gl	NaN03	25°C	0.10M	U	I M	K1=8.62 *K(GdL)=-7.80 K(Gd(egta)+L)=5.86		1996KDc (54225)	433
Data for 0.05 and 0.15 M NaN03. At I=0, K1=8.95, *K(GdL)=-7.90, K(Gd(egta)+L)=6.13.										
Gd+++	gl	NaClO4	25°C	0.10M	C	T			1989HMa (54226)	434
K(Gd+HL)=1.89 K(GdHL+HL)=1.89										
Gd+++	gl	alc/w	25°C	100%	M				1989TMa (54227)	435
K(Gd+HL)=7.6 K(Gd+2HL)=14.0 K(Gd+3HL)=16.6										
Medium: MeOH										
Gd+++	gl	KN03	25°C	0.10M	U	TIH	T K1=9.98 B(GdAL)=15.56		1986NSa (54228)	436
H2A=phthalic acid. DH(GdAL)=-48.9 kJ mol-1, DS=137.3 J K-1 mol-1										
Gd+++	ix	mixed	20°C	50%	U				1976TRa (54229)	437
K(Gd+HL)=2.31 K(Gd+2HL)=3.33 K(Gd+2HL)=5.64										
Medium: 50% v/v acetone/H2O, 0.25 M NaClO4										
Gd+++	gl	alc/w	25°C	100%	U		K1=6.16 K3=3.42	B2=11.04	1973BPd (54230)	438

\*\*\*\*\*

C7H6O3 H2L CAS 99-06-9 (1370)  
3-Hydroxybenzoic acid; HO.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	C	H			1988LLa (54379)	439
K(Gd+HL)=2.10										
DH=8.37 kJ mol <sup>-1</sup> , DS=68.2 J K <sup>-1</sup> mol <sup>-1</sup>										
Gd+++	gl	alc/w	25°C	99%	U		K1=6.58	B2=11.83	1974BPb (54380)	440
K3=2.99										

\*\*\*\*\*

C7H6O3 H2L CAS 99-96-7 (1371)  
4-Hydroxybenzoic acid; HO.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	M	H	K1=1.85		1999YKa (54417)	441
By calorimetry: DH(K1)=10.14 kJ mol <sup>-1</sup> , DS(K1)=69.4 J K <sup>-1</sup> mol <sup>-1</sup> .										
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	C	H			1988LLa (54418)	442
K(Gd+HL)=2.27										
DH=8.49 kJ mol <sup>-1</sup> , DS=71.8 J K <sup>-1</sup> mol <sup>-1</sup>										
Gd+++	gl	alc/w	25°C	99%	U		K1=6.78	B2=12.05	1974BPb (54419)	443
K3=3.25										

\*\*\*\*\*

C7H6O4 H3L Protocatechuic CAS 99-50-3 (875)  
3,4-Dihydroxybenzoic acid; C<sub>6</sub>H<sub>3</sub>(OH)<sub>2</sub>.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.20M	U		K1=10.68		1996PJa (54676)	444
*****										
C7H6O6S		H3L					CAS 5965-83-3	(399)		
5-Sulfosalicylic acid, 2-Hydroxy-5-sulfobenzoic; HO <sub>3</sub> S.C <sub>6</sub> H <sub>3</sub> (OH).COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	20°C	0.10M	U	T	K1=7.78		1982DBa (55009)	445
Gd+++	gl	NaClO <sub>4</sub>	20°C	1.0M	U		K1=6.93	B2=12.83	1972CBb (55010)	446
Gd+++	gl	NaClO <sub>4</sub>	20°C	0.10M	U		K1=7.58	B2=13.65	1966TJb (55011)	447
K(GdL+H)=6.20										

\*\*\*\*\*

C7H6O9S2 H3L CAS 56507-30-3 (2659)  
3,5-Disulfosalicylic acid; (HO<sub>3</sub>S)<sub>2</sub>.C<sub>6</sub>H<sub>2</sub>(OH).COOH

\*\*\*\*\*

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.50M	C	T	K1=8.59	B2=14.12	1976LAc (55096)	448
*****										
C7H7NOS		HL					(2034)			
N-Thioformyl-N-phenylhydroxylamine; H(C:S)N(C6H5)OH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	70%	U		K1=7.72	B2=13.52	1981MBb (55152)	449
							K3=4.34			
*****										
C7H7NO2		HL		Anthrаниlic			CAS 118-92-3	(1589)		
2-Aminobenzoic acid, Anthranilic acid; H2N.C6H4.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	C		K1=2.36	B2=4.51	1989HMa (55226)	450
Gd+++	gl	NaClO4	25°C	0.10M	U	H	K1=4.34		1982KYc (55227)	451
By calorimetry, DH(K1)=5.40 kJ mol-1, DS(K1)=101.38 J K-1 mol-1.										
Gd+++	gl	non-aq	25°C	100%	U		K1=7.15	B2=12.99	1970BBh (55228)	452
							K3=3.35			
							K4=2.65			
Medium: MeOH, 0.1 M NaCl										
*****										
C7H7NO2		HL					CAS 150-13-0	(1376)		
4-Aminobenzoic acid; H2N.C6H4.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	M	H	K1=2.10		1999YKa (55380)	453
By calorimetry: DH(K1)=7.91 kJ mol-1, DS(K1)=66.7 J K-1 mol-1.										
Gd+++	gl	KCl	25°C	0.20M	U		K1=2.54		1977EBa (55381)	454
*****										
C7H7NO2		HL					CAS 495-18-1	(184)		
Benzohydroxamic acid; C6H5.CO.NH.OH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	35°C	50%	A		K1=10.00	B2=18.50	1977AKa (55502)	455
							K3=7.49			
*****										
C7H7NO3		H2L					CAS 89-73-6	(204)		
2-Hydroxybenzohydroxamic acid (salicylhydroxamic acid); HO.C6H4.CO.NHOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Gd+++ gl mixed 25°C 75% U 1970SEa (55597) 456  
 K(Gd+HL)=7.35  
 K(GdHL+HL)=6.80  
 K(Gd(HL)2+HL)=4.60

Medium: 75% acetone, 0.1 M NaClO4

\*\*\*\*\*  
 C7H7N06S H3L CAS 6201-86-1 (7899)  
 3-Amino-5-sulfosalicylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 25°C 0.20M M T H K1=8.17 1991BPb (55688) 457  
 K(Gd+OH+L)=15.36

DH(K1)=-87 kJ mol-1, DS(K1)=-134 J K-1 mol-1. DH(Gd(OH)L)=-241,  
 DS(Sm(OH)L)=-517. Also data for 35, 45 and 55 C.

\*\*\*\*\*  
 C7H802 H2L Methylcatechol CAS 452-86-8 (525)  
 1,2-Dihydroxy-4-methylbenzene; CH3.C6H3(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl mixed 25°C 50% U I K1=4.13 B2=7.95 1969BCb (56067) 458  
 Medium: 50% DMSO, 0.12 M LiClO4. In 50% dioxan, 0.12 M NaClO4: K1=5.28,

K2=4.13; 50% EtOH, 0.12 M NaClO4: K1=4.83, K2=3.73

\*\*\*\*\*  
 C7H804 HL Methyl kojic CAS 1506-07-8 (2686)  
 3-Hydroxy-6-(hydroxymethyl)-2-methyl-4H-pyran-4-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp KCl 25°C 0.10M M I K1=6.40 1986PLb (56127) 459

\*\*\*\*\*  
 C7H805 HL CAS 2029-29-4 (2687)  
 3-Hydroxy-2,6-bis(hydroxymethyl)-4H-pyran-4-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp KCl 25°C 0.10M M I K1=6.05 1986PLb (56146) 460

\*\*\*\*\*  
 C7H808P2 H4L (6892)  
 1,2-((Phenylenedioxo)methylene)diphosphonic acid); C6H402C(PO3H2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl R4N.X 25°C 0.50M U K1=11.17 1985GMb (56168) 461  
 K(Gd+HL)=5.88

Medium: 0.5 M Me4NCl

\*\*\*\*\*  
 C7H9N02 HL CAS 30652-11-0 (2458)  
 3-Hydroxy-1,2-dimethylpyridin-4(1H)-one; (OH)(CH3)(O:)C5H2N.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=7.82    B2=3.47	1994MRa (56439)	462
*****										
C7H1004		H2L						CAS 5802-62-3 (71)		
Cyclopentane-1,1-dicarboxylic acid; C5H8.(COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.10M	U			K1=4.18    B2=6.67	1971PJb (56733)	463
*****										
C7H11N04		H2L						CAS 499-82-1 (3163)		
Piperidine-2,6-dicarboxylic acid; C5H9N(COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.10M	U			K1=6.09    B2=11.46	1963THb (56806)	464
*****										
C7H11N06		H3L						(2926)		
2-Aminobutanoic-N-propane-1,3-dioic acid; HOOC.CH(C2H5)NH.CH(COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.1M	U			K1=8.86	1982KKc (56844)	465
*****										
C7H11N06		H3L	MNTA					(1026)		
Nitrilo(2-propanoic)-diethanoic acid; HOOC.CH(CH3).N(CH2.COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	20°C	0.10M	U			K1=12.24    B2=21.84	1974RMg (56910)	466
*****										
C7H12N203		HL	Gly-Pro					CAS 704-15-4 (257)		
Glycyl-proline; H2N.CH2.CO.NC4H7.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.15M	M T H			K1=3.74	1983SKb (57121)	467
Data for 35 and 45 C. At 35 C, DH(K1)=22 kJ mol-1, DS(K1)=146 J K-1 mol-1.										
Gd+++	gl	KNO3	25°C	0.15M	U T H			K1=3.87	1979SKe (57122)	468
At 35 C, K1=3.95; at 45 C, K1=4.03. At 35 C, DH(K1)=14.5 kJ mol1-1, DS(K1)=123 J K-1 mol-1										
*****										
C7H12N203		HL	Pro-Gly					CAS 2578-97-6 (262)		
Proyl-glycine; C4H8N.CO.NH.CH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Gd+++ gl KCl 25°C 0.10M U K1=3.00 1973FMa (57148) 469  
 \*\*\*\*

C7H1203 HL CAS 609-69-8 (3731)  
 2-Hydroxycyclohexanecarboxylic acid; HO.C6H10.COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	1.0M	U			K1=2.29 B2=4.17	1967STD (57262)	470

---

C7H1203 HL (4422)  
 3-Methyl ethylacetooctate; CH3.CO.CH(CH3).CO.OCH2.CH3

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	mixed	30°C	75%	U			K1=8.08	1971DRb (57274)	471

Medium: 75% acetone, 0.1 M

---

C7H1204 H2L CAS 510-20-3 (482)  
 Diethylpropanedioic acid (Diethylmalonic acid); HOOC.C(C2H5)2.COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.10M	U			K1=4.49 B2=7.05	1968PfA (57364)	472

---

C7H1206 HL Quinic acid CAS 77-95-2 (2578)  
 1,3,4,5-Tetrahydroxycyclohexane-1-carboxylic acid;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaCl	20°C	0.10M	U			K1=2.77	1977SSc (57399)	473

---

Gd+++ EMF NaClO4 25°C 1.0M U K1=2.64 B2=4.63 19670Ta (57400) 474  
 K3=1.44  
 K4=0.73

Method: quinhydrone electrode

---

C7H13N06 H2L CAS 32013-58-4 (6079)  
 N-(2,3-Dihydroxypropyl)iminodiethanoic acid; HO.CH2.CH(OH).CH2.N(CH2.COOH)2

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	20°C	0.10M	U			K1=8.50 B2=16.20	1980RPa (57612)	475

---

C7H14N203S HL Gly-Met CAS 554-94-9 (726)  
 Glycyl-methionine; H2N.CH2.CO.NH.CH(CH2.CH2.S.CH3).COOH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	U			K1=2.50	1973FMa (57797)	476

C7H14O3 HL CAS 63204-98-9 (3738)  
2-Hydroxy-2,4-dimethylpentanoic acid; (CH<sub>3</sub>)<sub>2</sub>.CH.CH<sub>2</sub>.C(CH<sub>3</sub>)(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	EMF	NaClO <sub>4</sub>	25°C	1.0M	U			K1=2.77 K3=1.39 K4=1.14	1965TVa (57862)	477

Method: quinhydrone electrode

\*\*\*\*\*  
C7H14O3 HL CAS 65311-45-1 (6266)  
3-Hydroxy-3,4-dimethyl-pentanoic acid; CH<sub>3</sub>.CH<sub>2</sub>.C(OH)(CH<sub>3</sub>).CH(CH<sub>3</sub>).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	C			K1=2.68	B2=4.38	1976SPa (57874)	478

\*\*\*\*\*  
C7H15N04 HL CAS 41244-51-3 (4459)  
N,N-Bis(2'-hydroxyethyl)alanine; (HO.CH<sub>2</sub>.CH<sub>2</sub>)<sub>2</sub>.N.CH(CH<sub>3</sub>).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	gl	KNO <sub>3</sub>	20°C	0.10M	U			K1=5.26	B2=9.80	1982RFA (57936)	479

\*\*\*\*\*  
C8H5N5O6 H3L Murexide (453)  
Purpuric acid (Murexide is ammonium salt);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	sp	NaNO <sub>3</sub>	25°C	0.10M	U			K1=3.90		19850Ha (58502)	480
Gd+++	sp	non-aq	25°C	100%	U			K1=5.53		1983PSc (58503)	481

Medium: DMSO

Gd+++ sp NaClO<sub>4</sub> 30°C 0.10M C 1978BKd (58504) 482  
K<sub>eff</sub>=5.031

Medium pH 5.4 (acetate).

Gd+++ sp alc/w 12°C 50% U 1972BLA (58505) 483  
K(Gd+H<sub>2</sub>L)=4.91

Medium: 50% EtOH, 0.1 M NaClO<sub>4</sub>

Gd+++ sp KNO<sub>3</sub> 12°C 0.10M U 1965GEa (58506) 484  
K(Gd+H<sub>2</sub>L)=4.08

\*\*\*\*\*  
C8H5O2F3S HL TTA CAS 326-91-0 (165)  
4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione; F<sub>3</sub>C.CO.CH<sub>2</sub>.CO.C4H3S

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ cal non-aq 25°C 100% C H 2004MIA (58624) 485  
 Method: calorimetric titration. Medium: chloroform. DH(GdL3+A)=8.0 kJ mol-1, DS=84 J K-1 mol-1; DH(GdL3+2A)=6.9, DS=131. HA is benzoic acid.  
 -----
 Gd+++ gl alc/w 22°C 80% U K1=6.44 B2=11.87 1995MTa (58625) 486  
 K3=4.55  
 Medium: 0.1 M NaClO4 in 80% (v/v) EtOH/H2O.  
 -----
 Gd+++ gl mixed 25°C 50% U K1=5.80 1980SBc (58626) 487  
 Medium: 50% MeCN  
 -----
 Gd+++ dis non-aq 25°C 100% U M 1972KKd (58627) 488  
 K(GdL3+bpy)=6.38  
 K(GdL3+2bpy)=8.59  
 K(GdL3+A)=4.54  
 K(GdL3+2A)=6.59  
 A=4,4'-dipyridyl. Medium: benzene. K(GdL3+phen)=6.98, K(GdL3+2phen)=10.85  
 \*\*\*\*=  
 C8H6O4 H2L Phthalic acid CAS 88-99-3 (113)  
 Benzene-1,2-dicarboxylic acid; C6H4(COOH)2  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ gl KN03 25°C 0.10M U K1=3.82 B2=6.85 1986NSa (58971) 489  
 -----
 Gd+++ gl NaClO4 30°C 0.10M U K1=4.28 B2=7.58 1966KPb (58972) 490  
 \*\*\*\*=  
 C8H6O4 H2L Isophthalic aci CAS 212-91-5 (1619)  
 Benzene-1,3-dicarboxylic acid; C6H4(COOH)2  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ cal NaClO4 25°C 0.10M U H K1=2.73 1982CBc (59053) 491  
 DH= 12.20 kJ mol-1, DS= 93 J K-1 mol-1  
 \*\*\*\*=  
 C8H7N02 HL CAS 532-54-7 (4363)  
 Isonitrosoacetophenone, Phenylglyoxal 2-oxime;  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ gl diox/w 20°C 50% U K1=6.05 B2=11.45 1971MAf (59101) 492  
 Medium: 50% v/v dioxan, 0.1 M NaClO4  
 \*\*\*\*=  
 C8H7O2Cl HL CAS 1450-74-4 (6325)  
 2-Hydroxy-5-chloro-acetophenone; Cl(HO)C6H3.CO.CH3  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ gl alc/w 25°C 20% M I K1=6.24 1994KDa (59217) 493  
 Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Also data for 0.05 and 0.15 M

NaNO<sub>3</sub>. At I=0 (20% v/v), K<sub>1</sub>=6.52, \*K(GdL)=-8.74, \*K(Gd(OH)L)=-8.84.

\*\*\*\*\*

C8H8N20 L CAS 4856-97-7 (3820)

2-(Hydroxymethyl)benzimidazole;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 30°C 50% U T H B2=16.55 1988NOa (59310) 494  
40 C: B2=16.44; 50 C: B2=16.35. DH=-18.8 kJ mol<sup>-1</sup>, DS=254 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C8H8N202 HL Phenylglyoxime (3222)

Phenylglyoxime; C<sub>6</sub>H<sub>5</sub>.C(:N.OH).CH:N.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 20°C 50% U K1=7.01 B2=13.11 1971MAf (59336) 495

Medium: 50% dioxan, 0.1 M NaClO<sub>4</sub>

\*\*\*\*\*

C8H8N40S L (6097)

2-Acetylpyridinethiosemicarbazone; C<sub>5</sub>H<sub>4</sub>N.CO.CH:N.NH.CS.NH<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl alc/w 25°C 75% C I K1=7.57 B2=14.58 1988GSa (59407) 496

In 75%(v/v) ethanol/water; 0.1M NaClO<sub>4</sub>. I=0.2 M: K<sub>1</sub>=7.51, K<sub>2</sub>=6.98;

I=0.05 M: K<sub>1</sub>=7.63, K<sub>2</sub>=7.10; I=0.02 M: K<sub>1</sub>=7.84, K<sub>2</sub>=7.26

\*\*\*\*\*

C8H8O2 HL 2-Acetylphenol CAS 118-93-4 (1888)

2-Hydroxyacetophenone; HO.C<sub>6</sub>H<sub>4</sub>.CO.CH<sub>3</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl alc/w 25°C 20% M I K1=6.56 1994KDa (59464) 497

Medium: 20% v/v EtOH/H<sub>2</sub>O, 0.10 M NaNO<sub>3</sub>. Also data for 0.05 and 0.15 M

NaNO<sub>3</sub>. At I=0 (20% v/v), K<sub>1</sub>=6.81, \*K(GdL)=-8.64, \*K(Gd(OH)L)=-9.21.

\*\*\*\*\*

C8H8O2 HL Phenylacetic CAS 103-82-2 (1361)

Phenylethanoic acid; C<sub>6</sub>H<sub>5</sub>.CH<sub>2</sub>.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 25°C 0.1M C H K1=1.96 1996HYa (59546) 498

By calorimetry: DH(K<sub>1</sub>)=12.01 kJ mol<sup>-1</sup>

\*\*\*\*\*

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M C H K1=1.96 1990HYa (59547) 499

By calorimetry: DH(K<sub>1</sub>)=12.0 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C8H8O2 HL CAS 583-80-2 (3191)

beta-Methyltropolone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	sp	alc/w	?	3%	U			K1=7.10	1967GDb (59597)	500
Medium: 3% EtOH, 0.2 M NaClO4										
*****										
C8H8O3		H2L					CAS	490-78-8 (6324)		
2,5-Dihydroxyacetophenone; (HO)2C6H3.CO.CH3										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	25°C	20%	M	I			1994KDa (59678)	501
K(Gd+HL)=6.39										
Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Also data for 0.05 and 0.15 M										
NaNO3. At I=0 (20% v/v), K1=6.64, *K(GdHL)=-8.57, *K(Gd(OH)HL)=-8.98.										
*****										
C8H8O3		HL			o-Anisic acid		CAS	579-75-9 (2337)		
2-Methoxybenzoic acid; CH3O.C6H4.COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	25°C	100%	M		K1=8.2	B2=14.8	1989TMa (59732)	502
B3=17.6										
Medium: MeOH										
<hr/>										
Gd+++	gl	NaClO4	25°C	0.10M	M	H	K1=1.95		1988CLb (59733)	503
DH=8.42 kJ mol-1, DS=66 J K-1 mol-1										
<hr/>										
Gd+++	gl	alc/w	25°C	42%	U		K1=2.4		1983PMa (59734)	504
<hr/>										
Gd+++	gl	diox/w	30°C	76%	M		K1=5.79		1978PMa (59735)	505
Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.										
*****										
C8H8O3		HL			Mandelic Acid		CAS	611-72-3 (80)		
2-Phenyl-2-hydroxyethanoic acid; C6H5.CH(OH).COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	cal	alc/w	25°C	60%	U	H			1996YLa (59833)	506
K(GdL+Phen)=2.33										
Medium: 60% v/v MeOH/H2O. Phen: 1,10-phenanthroline.										
DH=-10.45 kJ mol-1, DS=7.8 J K-1 mol-1.										
<hr/>										
Gd+++	gl	NaClO4	25°C	0.10M	C		K1=2.88	B2=5.01	1989HMa (59834)	507
<hr/>										
Gd+++	gl	NaClO4	?	2.0M	U	T	K1=2.42		1972DCb (59835)	508
*****										
C8H8O3		HL			m-Anisic acid		CAS	586-38-9 (2804)		
3-Methoxybenzoic acid; CH3O.C6H4.COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Gd+++	gl	NaClO4	25°C	0.10M	M	H	K1=2.07	1988CLb (59911) 509
DH=9.62	kJ mol-1,	DS=72	J	K-1	mol-1	*****		
C8H8O3	HL	p-Anisic acid	CAS	100-09-4	(1373)	*****		
4-Methoxybenzoic acid; CH3O.C6H4.COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	M	H	K1=2.12	1988CLb (59952) 510
DH=10.3	kJ mol-1,	DS=75	J	K-1	mol-1	*****		
Gd+++	gl	diox/w	30°C	76%	M		K1=6.03	1978PMa (59953) 511
Medium: 76% v/v dioxane/H2O, 0.10 M NaClO4.								
C8H8O4	H3L						CAS 480-66-0 (8525)	*****
2,4,6-Trihydroxyacetophenone;								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Gd+++	gl	diox/w	25°C	50%	M		K1=3.69	1978AGc (60053) 512
Medium: 50% v/v dioxane/H2O, 0.10 M NaClO4.								
C8H8O4	HL						CAS 520-45-6 (4478)	*****
3-Acetyl-2-hydroxy-6-methylpyran-4-one, Dehydroethanoic acid;								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Gd+++	gl	diox/w	35°C	50%	U		K1=4.50 B2=8.23	1971MAa (60089) 513
Medium: 50% dioxan, 0.1 M NaClO4								
C8H9N02	HL						CAS 5330-97-2 (6248)	*****
Phenylacetohydroxamic acid; C6H5.CH2.CO.NH.OH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Gd+++	gl	KNO3	30°C	0.10M	C	M	K1=5.94 B2=11.56 K3=4.65 K(Gd(hedta)+L)=4.40	1987RSc (60343) 514
hedta is N-hydroxyethylidiaminoethane-N,N',N'-triethanoic acid.								
Gd+++	gl	KNO3	20°C	0.10M	M	T	K1=5.98 B2=11.65 K3=4.71	1986RSc (60344) 515
Data for 20-50 C. At 30 C, K1=5.94, K2=5.62, K3=4.65.								
C8H9N04	H2L						(4520)	*****
Dehydroethanoic acid oxime;								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo

Gd+++	gl	diox/w	35°C	50%	U	1971MAa (60495) 516
					K(Gd+HL)=4.37	
					K(Gd+2HL)=7.86	
Medium: 50% dioxan, 0.01 M NaClO4						
C8H9N3O2	L			CAS	7254-31-4	(1266)
Acynicotinoyl hydrazide; C5H4N.CO.NH.NH.CO.CH3						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	U	K1=13.80 B2=24.95 1980ZMa (60568) 517
*****						
C8H10N6O2S2	H2L				(2746)	
2,5-Dihydroxybenzoquinone bis-thiosemicarbazone;						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	diox/w	30°C	50%	C TIH	K1=5.23 B2=9.73 1989GDa (60814) 518
DH(K1)=-76.57 kJ mol-1						
*****						
C8H10O4	L			CAS	34241-51-5	(5701)
3-Acetyl-6-methylhydropyran-2,4-dione;						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	alc/w	22°C	20%	U	K1=4.47 B2=7.97 1988ZTa (60848) 519
					K3=3.08	
*****						
C8H10O5	H2L			CAS	145-73-7	(138)
7-Oxa-bicyclo[2.2.1]-heptan-2,3-dicarboxylic acid;						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	KCl	30°C	0.10M	C	K1=5.91 B2=10.02 1996Sza (60868) 520
For the -5-en-2-exo isomer, K1=6.11, B2=10.82.						
*****						
C8H11NO3	HL	Vitamin B6		CAS	65-23-6	(254)
5-Hydroxy-6-methyl-3,4-pyridinedimethanol, Pyridoxine;						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	KCl	25°C	0.1M	C	1999DNa (61119) 521
					B(GdHL)=11.5	
*****						
C8H11NO8	H4L			CAS	7408-20-0	(2608)
Amino-di(butanedioic acid);HN(CH(COOH)CH2.COOH)2						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	KCl	25°C	0.10M	U	K1=11.20 B2=18.18 1979BEB (61208) 522

B(GdHL)=15.49

\*\*\*\*\*

C8H11O4P H2L (4536)  
(alpha-Hydroxy-alpha-methylbenzyl)phosphonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl NaCl 25°C 0.10M U 1973BSg (61309) 523  
K(Gd+HL)=2.42

\*\*\*\*\*  
C8H12N203 H2L Barbital CAS 57-44-3 (2744)  
5,5-Diethylbarbituric acid, Veronal, Barbitone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl oth/un 25°C 0.10M U K1=2.161 1987TSb (61436) 524

\*\*\*\*\*  
C8H12N208 H4L CAS 35039-85-1 (4537)  
1,2-Diaminoethane-N,N'-dimalonic acid; (HOOC)2.CH.NH.CH2.CH2.NH.CH(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl KN03 20°C 0.10M U K1=12.58 B2=17.16 1975DPa (61505) 525  
-----  
Gd+++ vlt KN03 25°C 0.10M U K1=10.78 1972GBd (61506) 526  
\*\*\*\*\*  
C8H12O2 HL CAS 874-23-7 (3203)  
2-Acetyl cyclohexanone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl mixed 25°C 75% U K1=8.76 B2=17.61 1971DRa (61673) 527  
K3=7.81

Medium: 75% acetone, 0.1 M NaCl04

\*\*\*\*\*

C8H12O4 H2L CAS 1076-97-9 (2224)  
Cyclohexane-1,4-dicarboxylic acid; C6H10.(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl NaCl04 25°C 0.10M M H K1=4.35 1986CDb (61709) 528  
DH=16.2 kJ mol-1, DS=138 J K-1 mol-1

\*\*\*\*\*  
C8H13N06 H3L (3835)  
2-Amino-2-carboxypropane-N,N-diethanoic acid; HOOC(CH3)2N(CH2COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl KN03 20°C 0.10M U K1=9.53 B2=16.95 1974RMg (61763) 529

C8H13N06	H3L	(5681)		
2-Aminobutanoic-N,N-diethanoic acid; CH3CH2CH(COOH)N(CH2COOH)2				
<hr/>				
Metal	Mtd	Medium Temp Conc Cal Flags Lg K values	Reference	ExptNo
<hr/>				
Gd+++	gl	KNO3 20°C 0.10M U	K1=11.25 B2=19.89	1974RMg (61787) 530
*****				
C8H14O3	HL	CAS 607-97-6 (4489)		
3-Ethylethylacetooctate; CH3.CO.CH(C2H5).CO.OC2H5				
<hr/>				
Metal	Mtd	Medium Temp Conc Cal Flags Lg K values	Reference	ExptNo
<hr/>				
Gd+++	gl	mixed 30°C 75% U	K1=8.86	1971DRb (62078) 531
Medium: 75% acetone, 0.1 M				
*****				
C8H16N203	HL	Gly-Leu	CAS 869-19-2 (255)	
Glycyl-leucine; H2N.CH2.CO.NH.CH(CH2.CH(CH3)2).COOH				
<hr/>				
Metal	Mtd	Medium Temp Conc Cal Flags Lg K values	Reference	ExptNo
<hr/>				
Gd+++	gl	KCl 25°C 0.10M U	K1=2.30	1973FMa (62387) 532
*****				
C8H16N203	HL	Leu-Gly	CAS 686-50-0 (1248)	
Leucyl-glycine; H2N.CH(CH2.CH(CH3)2).CO.NH.CH2.COOH				
<hr/>				
Metal	Mtd	Medium Temp Conc Cal Flags Lg K values	Reference	ExptNo
<hr/>				
Gd+++	gl	KCl 25°C 0.10M U	K1=2.25	1973FMa (62432) 533
*****				
C8H16O3	HL	CAS 58888-84-9 (3807)		
2-Hydroxy-2-propylpentanoic acid; CH3.CH2.CH2.C(OH)(CH2.CH2.CH3).COOH				
<hr/>				
Metal	Mtd	Medium Temp Conc Cal Flags Lg K values	Reference	ExptNo
<hr/>				
Gd+++	EMF	NaClO4 25°C 1.0M U	K1=2.83 B2=5.03	1965TVa (62634) 534
Method: quinhydrone electrode				
*****				
C8H19N05	L	Bis-tris	CAS 6976-37-0 (2827)	
Bis-(2-hydroxyethyl)imino-tris(hydroxymethyl)methane;				
<hr/>				
Metal	Mtd	Medium Temp Conc Cal Flags Lg K values	Reference	ExptNo
<hr/>				
Gd+++	gl	NaCl 30°C 0.10M C	K1=6.23 B2=10.93	2002NWa (63060) 535
Constants expressed on the molality scale.				
*****				
C8H22N206P2	H4L	CAS 13516-59-1 (3850)		
2,2'-(Ethylenedi-imino)bis(propylphosphonic acid);				
<hr/>				
Metal	Mtd	Medium Temp Conc Cal Flags Lg K values	Reference	ExptNo

Gd+++ gl KCl 25°C 0.10M U K1=12.27 1965DKb (63339) 536  
 K(Gd+HL)=6.16

---

C9H5NOI2 HL CAS 83-73-8 (3280)  
 5,7-Di-iodo-8-hydroxyquinoline;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	35°C	75%	U			K1=7.00 B2=12.80 K3=5.20	1971MAb (63564)	537

Medium: 75% v/v dioxan, 0.1 M NaClO4

---

C9H5N04 HL CAS 22308-86-7 (4607)  
 3-Nitroso-4-hydroxycoumarin (oximidobenzotetronic acid);

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	diox/w	20°C	50%	U			K1=2.62 B2=4.46	1977MBb (63608)	538

---

C9H6N04BrS H2L CAS 3062-37-1 (3889)  
 7-Bromo-8-hydroxyquinoline-5-sulfonic acid;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	U			K1=5.21 B2=9.85 K3=4.0	1973MAa (63697)	539

---

C9H6N04IS H2L Ferron CAS 547-91-1 (275)  
 7-Iodo-8-hydroxyquinoline-5-sulfonic acid; (HO)(HO3S)C9H4NI

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	U	I		K1=5.55 B2=10.53 B3=14.96	1987BCd (63802)	540

Data also in 42% MeOH, 51.1% EtOH and 61.2% dioxan

---

Gd+++ gl NaClO4 35°C 0.20M M K1=6.08 1982LTa (63803) 541

---

Gd+++ gl oth/un 20°C 0.10M U K1=6.06 1977SKd (63804) 542

---

C9H6N30C1S HL CAS 27004-41-7 (216)  
 2-(2'-Thiazolylazo)-4-chlorophenol; C3H2NS.N:N.C6H3(Cl).OH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.10M	U			K1=7.94	1974KSa (63924)	543

---

C9H6O6 H3L Hemimellitic ac CAS 569-51-7 (1621)  
 1,2,3-Benzenetricarboxylic acid; C6H3.(COOH)3

---



DH(GdAL): DH=-32.73, DS=303.9. H4A=EDTA

Gd+++ gl oth/un 25°C 0.0 U H K1=6.64 B2=12.37 1958F0b (64548) 553  
K3=4.9

DH(K1)=-14.6 kJ mol<sup>-1</sup>, DS=79 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=-18.0, DS=50; DH(K3)=-19.7, DS=29

\*\*\*\*\*

C9H7N3O2S H2L TAR CAS 2246-46-0 (707)  
4-(2'-Thiazolylazo)-resorcinol; C3H2NS.N:N.C6H3(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp NaNO<sub>3</sub> 25°C 0.10M C K1=8.10 19850Hb (64707) 554  
K(Gd+HL)=4.71  
K(GdL+H)=6.05

\*\*\*\*\*

C9H8N2O4S2 HL CAS 219931-32-5 (8394)

3-Phenylsulfonamidohodanine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp alc/w 30°C 20% C T H K1=7.28 B2=14.23 1998EGa (64830) 555  
Medium: 20% v/v EtOH/H<sub>2</sub>O, 0.10 M KCl. Also data for 35 and 45 C.

DH and DS values reported

\*\*\*\*\*

C9H8O4 H2L CAS 97652-17-0 (3855)

3-Carboxy-4-methyltropolone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp NaClO<sub>4</sub> ? 0.20M U K1=7.91 1967GDc (64940) 556  
B(GdHL)=10.56

Gd+++ gl NaClO<sub>4</sub> 25°C 0.20M U K1=8.02 B2=14.40 1966GDa (64941) 557  
K3=3.82

\*\*\*\*\*

C9H8O4 H2L CAS 15872-28-3 (8407)

Bicyclo[2.2.1]hepta-2,5-diene-2,3-dicarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 30°C 0.10M U K1=4.34 1996SZa (64975) 558

\*\*\*\*\*

C9H9O2Br HL CAS 56609-15-5 (1417)

3-Bromo-2-hydroxy-5-methyl-acetophenone; CH<sub>3</sub>.CO.C<sub>6</sub>H<sub>2</sub>(OH)(Br)CH<sub>3</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 27°C 0.10M U K1=4.42 1982LMa (65160) 559

\*\*\*\*\*

C9H1003 HL Atrolactic acid CAS 940-31-8 (3859)  
2-Hydroxy-2-phenylpropanoic acid; CH<sub>3</sub>.C(OH)(C<sub>6</sub>H<sub>5</sub>).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	1.0M	U			K1=2.54 K3=1.70 K4=1.33	1966TVa (65438)	560

\*\*\*\*\*  
C9H1003 HL CAS 1878-49-5 (1600)  
2-Phenyl-2-methoxyethanoic acid; C<sub>6</sub>H<sub>5</sub>.CH(OCH<sub>3</sub>)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	C			K1=2.14 B2=3.59	1989HMa (65460)	561

\*\*\*\*\*  
C9H1003 HL Tropic acid CAS 529-64-6 (1601)  
2-Phenyl-3-hydroxypropanoic acid; HO.CH<sub>2</sub>.CH(COOH)C<sub>6</sub>H<sub>5</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	C			K1=2.17 B2=4.12	1989HMa (65474)	562

\*\*\*\*\*  
C9H1004 HL CAS 1521-38-6 (8489)  
2,3-Dimethoxybenzoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	25°C	76%	M			K1=5.23	1978PMa (65530)	563

Medium: 76% v/v dioxane/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>.

\*\*\*\*\*  
C9H1004 HL CAS 91-52-1 (8490)  
2,4-Dimethoxybenzoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	25°C	76%	M			K1=5.83	1978PMa (65537)	564

Medium: 76% v/v dioxane/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>.

\*\*\*\*\*  
C9H1004 HL CAS 1466-76-8 (8491)  
2,6-Dimethoxybenzoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	25°C	76%	M			K1=5.67	1978PMa (65544)	565

Medium: 76% v/v dioxane/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>.

\*\*\*\*\*  
C9H1004 H2L (7232)  
Bicyclo[2.2.1]hept-5-en-2-endo,3-cis-dicarboxylic acid;



Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	g1	KNO <sub>3</sub>	25°C	0.10M	U	I			1976SAC (66222)	574
								$K(Gd+HL) = 4.92$		
								$K(GdHL+HL) = 4.43$		

Gd+++ gl KCl 25°C 0.10M U 1972BFe (66224) 576  
K(Gd+HL)=4.35  
K(GdHL+HL)=4.2

C9H12N2O6                    HL       Uridine                    CAS 58-96-8 (828)  
Uracil-1-beta-D-ribofuranoside;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	g1	KNO <sub>3</sub>	35°C	0.10M	U	M	K1=4.68 K(GdA+L)=4.56 K(GdB+L)=4.43 K(GdC+L)=3.98		1990RSc (66694)	577

H2A=Tminodiethanoic acid, H3B=NTA, H4C=EDTA

Gd+++ g1 KNO<sub>3</sub> 35°C 0.10M U M K1=4.26 1990RSe (66695) 578  
 K(GdL+Ala)=9.14  
 K(GdL+Phe)=8.90  
 K(GdL+Trp)=9.15

\*\*\*\*\*  
C9H12N2010 H5L CAS 80921-06-8 (2924)  
2,3-Diaminopropanoic-N,N'-di-1,3-propanedioic acid;  
(HOOC)2CH.NH.CH(COOH).CH2.NH.CH(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	ISE	KNO <sub>3</sub>	25°C	0.10M	U			K1=12.22	1983KBd (66735)	579
Hg-electrode.										

\*\*\*\*\*  
C9H13N02 L (7151)  
1,2-Diethyl-3-hydroxy-4-pyridinone

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	g1	KCl	25°C	0.10M	C			K1=8.09 K2=4.98	B2=14.78	1994MRa (66796)

\*\*\*\*\*  
C9H13N06 H3L (3881)  
2,6-Diisophenylaminopropyl-N-ethanesulfonate



C9H16N4O4 L CAS 157358-29-7 (7398)

N,N'-Bis(2-hydroxyiminopropionyl)propane-1,3-diamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaCl 25°C 0.15M C 2004NJb (67724) 588  
B(GdH-1L)=-0.84  
B(GdH-2L)=-7.83  
B(GdH-4L)=-22.88

\*\*\*\*\*

C9H16O4 H2L CAS 1636-27-7 (485)

Dipropylpropanedioic acid (Di-n-propylmalonic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KNO3 25°C 0.10M U K1=4.58 B2=7.30 1968PfA (67772) 589

\*\*\*\*\*

C10H502F7S L (6996)

1-(2-Thienyl)-3-heptafluoropropylpropane-1,3-dione; C3F7.C(O)CH2C(O)C4H3S

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl alc/w 22°C 80% U K1=6.10 B2=11.80 1995MTa (68426) 590  
K3=4.83

Medium: 0.1 M NaClO4 in 80% (v/v) EtOH/H2O.

\*\*\*\*\*

C10H6O8 H4L Pyromellitic Ac CAS 89-05-4 (519)

Benzene-1,2,4,5-tetracarboxylic acid; C6H2.(COOH)4

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO4 25°C 0.10M U H K1=4.78 1994CRa (68515) 591  
K(Gd+HL)=3.80

DH(K1)=22.7 kJ mol-1, DS=168 J K-1 mol-1; DH(Gd+HL)=9.0, DS=103

\*\*\*\*\*

C10H7N02 HL CAS 131-91-9 (2668)

1-Nitroso-2-naphthol, alpha-Nitroso-beta-naphthol;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp KCl 25°C 0.10M M I K1=4.44 1976PEa (68577) 592

Gd+++ sp oth/un ? ? U K1=2.96 1969MSb (68578) 593

\*\*\*\*\*

C10H7N02 HL CAS 132-53-6 (2524)

2-Nitroso-1-naphthol;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KNO3 25°C 0.10M U K1=5.75 B2=11.03 1982LPC (68646) 594

\*\*\*\*\*

C10H7NO2                    HL        Quinaldic acid      CAS 93-10-7 (2209)  
Quinoline-2-carboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	g1	NaClO4	30°C	0.10M	U			K1=2.58    B2=5.06	1969DNC (68710)	595

C10H7NO2                    HL                    CAS 86-59-9 (873)  
Quinoline-8-carboxylic acid;

Metal      Mtd    Medium    Temp    Conc    Cal    Flags    Lg    K    values      Reference    ExptNo

Gd+++ gl NaClO4 30°C 0.10M U K1=2.61 1969DNC (68761) 596  
\*\*\*\*\*

C10H7NO5S H2L CAS 14090-74-5 (2676)  
1-Nitroso-2-hydroxynaphthalene-7-sulfonic acid;

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Gd+++ g1 KCl 25°C 0.10M M K1=4.43 B2=7.98 1979LSb (68812) 597  
\*\*\*\*\*

C10H7N05S H2L (4766)

## 1-Nitroso-2-hydroxynaphthalene-6-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp KC1 25°C 0.10M C K1=4.57 1973PMB (68844) 598

Gd+++ sp oth/un ? ? U K1=2.25 1969MSa (68845) 599

C10H7NO5S H2L CAS 3682-32-4 (1812)

## 2-Nitroso-1-hydroxynaphthalene-4-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KC1 25°C 0.10M U I K1=3.41 1967MAi (68884) 600  
K1=4.50(I=0)

C10H7NO5S H2L CAS 31005-79-9 (1814)

2-Nitroso-1-hydroxynaphthalene-8-sulfonic acid;

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Gd+++ sp KCl 25°C 0.10M M K1=5.50 1978PPb (68945) 601  
\*\*\*\*\*

C10H7N08S2 H3L Nitroso-R acid CAS 525-05-3 (1811)  
1-Nitroso-2-hydroxynaphthalene-3,6-disulfonic acid;

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

-----
 Gd+++ gl oth/un 25°C 0.10M U K1=4.62 B2=7.98 1990ATa (69011) 602

-----
 Gd+++ sp oth/un ? ? U K1=1.40 1969MSb (69012) 603

-----
 Gd+++ gl KCl 25°C 0.10M U K1=4.92 1968MAe (69013) 604

\*\*\*\*\*

C10H7N08S2 H3L CAS 52664-45-6 (1627)  
2-Nitroso-1-hydroxynaphthalene-4,6-disulfonic acid;

-----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----
 Gd+++ gl NaCl 25°C 0.10M U K1=3.702 B2=6.259 1974SAa (69051) 605

\*\*\*\*\*

C10H7N08S2 H3L CAS 50332-99-3 (1628)  
2-Nitroso-1-hydroxynaphthalene-4,7-disulfonic acid;

-----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----
 Gd+++ gl NaCl 25°C 0.10M U K1=3.831 B2=6.228 1974SAa (69061) 606

\*\*\*\*\*

C10H7N505 HL CAS 102964-51-2 (6212)  
5-(2'-Nitrophenylazo)barbituric acid;

-----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----
 Gd+++ gl diox/w 25°C 75% U K1=5.03 B2=9.75 1986MIa (69096) 607

\*\*\*\*\*

C10H7O2F3 HL CAS 326-06-7 (196)  
3-Benzoyl-1,1,1-trifluoroacetone; CF<sub>3</sub>.CO.CH<sub>2</sub>.CO.C<sub>6</sub>H<sub>5</sub>

-----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----
 Gd+++ gl alc/w 22°C 80% U K1=6.45 B2=12.23 1995MTa (69149) 608  
K3=5.18

Medium: 0.1 M NaClO<sub>4</sub> in 80% (v/v) EtOH/H<sub>2</sub>O.

\*\*\*\*\*

C10H8N2 L 2,2'-Bipyridyl CAS 366-18-7 (25)  
2,2'-Bipyridine; (C<sub>5</sub>H<sub>4</sub>N)<sub>2</sub>

-----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----
 Gd+++ sp non-aq 25°C 100% C T K1=3.14 2005SYa (69577) 609  
In ethylacetate; At 50°C K1=2.84

-----
 Gd+++ gl KN03 25°C 0.10M U TIH K1=3.85 B2=6.80 1986NSa (69578) 610  
B(GdAL)=11.33

H<sub>2</sub>A=phthalic acid. DH(GdAL)=-46.6 kJ mol<sup>-1</sup>, DS=16.5 J K<sup>-1</sup> mol<sup>-1</sup>

-----
 Gd+++ gl NaNO<sub>3</sub> 25°C 0.50M U K1=0.8 1979HJa (69579) 611



C10H9N3OS                    HL                    CAS 60321-26-8 (4671)  
2-(2-Thiazolylazo)methylphenol; C3H2NS.N:N.C6H3(CH3)OH

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo  
-----  
Gd+++      sp   diox/w   25°C   10%   U      K1=9.61   B2=18.26   1973Ksd (70360) 619  
Medium: 10% dioxan, 0.1 M KNO3

\*\*\*\*\*  
C10H9N3O2S                    HL                    CAS 3012-52-0 (217)  
2-(2'-Thiazolylazo)-4-methoxyphenol; CH3O.C6H3(OH).N:N.C3H2N2

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo  
-----

Gd+++      sp   KNO3   25°C   0.10M   U      K1=8.96      1974KSa (70399) 620  
\*\*\*\*\*

\*\*\*\*\*  
C10H10N4O2S                    HL                    Sulfadiazine            CAS 68-35-9 (1885)  
4-Amino-N-(2-pyrimidinyl)benzenesulfonamide; C4H3N2NHSO2C6H4NH2

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo  
-----

Gd+++      gl   alc/w   25°C   50%   C      M      K1=4.53      1993EEa (70609) 621  
K(Gd(nta)+L)=8.76

Medium: 50% v/v EtOH/H2O, 0.10 M NaClO4.

\*\*\*\*\*  
Gd+++      gl   NaNO3   25°C   0.10M   U      M      1988SSg (70610) 622  
K(Gd(EDTA)+L)=2.70

\*\*\*\*\*  
C10H10OS                    HL                    CAS 13522-48-0 (4722)  
3-Mercapto-1-phenylbut-2-en-1-one; C6H5.CO.CH:CH.C(SH).CH3

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo  
-----

Gd+++      gl   mixed   30°C   75%   U      K1=3.92   B2=7.30   1969DNb (70635) 623  
K3=3.02

Medium: 75% acetone, 0.1 M NaClO4

\*\*\*\*\*

\*\*\*\*\*  
C10H10O2                    HL                    Benzoylacetone            CAS 93-91-4 (197)  
1-Phenylbutane-1,3-dione; C6H5.CO.CH2.CO.CH3

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo  
-----

Gd+++      gl   alc/w   25°C   80%   U      K1=8.09   B2=14.30   1967DZa (70731) 624  
K3=4.18

Medium: 80% MeOH, 0.1 M NaCl

\*\*\*\*\*  
Gd+++      gl   alc/w   24°C   80%   U      K1=8.09   B2=14.30   1967DZb (70732) 625  
K3 = 4.18

Medium: 80% v/v MeOH/H2O, 0.1 M NaCl

\*\*\*\*\*

C10H10O6                    H2L                    CAS 5411-14-3 (2394)

1,2-Phenylenedioxodiethanoic acid; C<sub>6</sub>H<sub>4</sub>(O.CH<sub>2</sub>.COOH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M M K1=4.48 B2=7.07 1977Hcb (70851) 626

\*\*\*\*\*

C10H11NOS L (2831)

Acetothioacetanilide; CH<sub>3</sub>.CO.CH<sub>2</sub>.CS.NH.C<sub>6</sub>H<sub>5</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 25°C 50% U K1=4.92 B2=9.12 1986NBa (70882) 627

\*\*\*\*\*

C10H11N02 L CAS 102-01-2 (250)

Acetoacetanilide; CH<sub>3</sub>.CO.CH<sub>2</sub>.CO.NH.C<sub>6</sub>H<sub>5</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 25°C 50% U K1=5.57 1986NBa (70911) 628

\*\*\*\*\*

C10H11N03 HL (1960)

N-Hydroxyacetoacetanilide; CH<sub>3</sub>.CO.CH<sub>2</sub>.CO.N(OH).C<sub>6</sub>H<sub>5</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 20°C 82% U K1=6.79 B2=12.93 1979KSb (70939) 629  
K3=5.92

\*\*\*\*\*

C10H11N50 L CAS 105507-56-0 (8131)

N-Methylisatin-beta-amidinohydrazone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 30°C 50% C TIH K1=5.05 B2= 9.20 1986SGc (71090) 630  
Medium: 50% v/v dioxan/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>. Data for 0.02-0.20 M NaClO<sub>4</sub>  
and 30-50 C. DH(K1)=58.3 kJ mol<sup>-1</sup>, DS=289 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=28.7, DS=174

\*\*\*\*\*

C10H11O2F7 HL CAS 17587-22-3 (1252)

1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ dis R4N.X 25°C 0.10M U B2=12.7 1970SBa (71109) 631  
B3=18.7  
B(GdL3(OH))=25.3

Medium: Et<sub>4</sub>NC<sub>10</sub>4

\*\*\*\*\*

C10H12N2O4 H2L CAS 16598-05-3 (967)

2-Pyridylmethylinodioethanoic acid; C<sub>5</sub>H<sub>4</sub>N.CH<sub>2</sub>.N(CH<sub>2</sub>.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	U			K1=8.76    B2=16.77	1964THa (71260)	632
<hr/>										
C10H12N4O5		HL		Inosine			CAS	58-63-9	(2344)	
Hypoxanthine-9-beta-D-ribofuranoside;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KNO <sub>3</sub>	35°C	0.10M	U	M		K1=4.41	1987RRc (71388)	633
								B(Gd(gly)L)=10.52		
								B(Gd(his)L)=10.96		
<hr/>										
C10H12N4O6		H2L		Xanthosine			CAS	5968-90-1	(1176)	
3,9-Dihydro-9-ribofuranosyl-1H-purine-2,6-dione;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KNO <sub>3</sub>	35°C	0.10M	U	M			1987RRc (71488)	634
								K(Gd+HA+HL)=5.36		
								K(Gd+HB+HL)=4.72		
								K(Gd+HL)=3.62		
HA=glycine, HB=histidine.										
<hr/>										
C10H12O2		HL					CAS	1946-74-3	(202)	
3-Isopropyltropolone;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	diox/w	30°C	50%	U	M		K1=7.74    B2=14.49	1980SGa (71583)	635
								K3=5.05		
								K(Gd(NTA)+L)=6.31		
<hr/>										
Gd+++	gl	alc/w	24°C	80%	U			K1=8.8    B2=16.13	1968DZb (71584)	636
								K3=6.1		
								K4=4.6		
Medium: 80% MeOH, 0.1 M NaCl										
<hr/>										
Gd+++	sp	alc/w	?	3%	U			K1=7.15		1967GDb (71585) 637
Medium: 3% EtOH, 0.2 M NaClO <sub>4</sub>										
<hr/>										
C10H12O4		HL					CAS	5936-18-9	(2743)	
2-Hydroxy-3,4-dimethoxyacetophenone; (HO)(CH <sub>3</sub> O) <sub>2</sub> C <sub>6</sub> H <sub>2</sub> .CO.CH <sub>3</sub>										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	diox/w	15°C	50%	C T H			K1=8.14    B2=15.52	1987GBa (71652)	638
K1(35, 40, 50 C) = 7.69, 7.68, 7.53 respectively. DH(K1)=-41.34 kJ mol <sup>-1</sup>										
<hr/>										
C10H12O5		HL					CAS	490-64-2	(8492)	

#### **2,4,5-T trimethoxybenzoic acid;**

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl diox/w 25°C 76% M K1=5.81 1978PMa (71672) 639  
Medium: 76% v/v dioxane/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>.

C10H12O5      H-L      CAS 570-02-5 (8493)

#### 2,4,6-Trimethoxybenzoic acid:

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl diox/w 25°C 76% M K1=5.39 1978PMa (71679) 640  
Medium: 76% v/v dioxane/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>.

C10H16N2O8 H4I EPDS CAS 52759-67-8 (1100)

1,2-Diaminoethane-N,N'-di-1,4-butanedicarboxylic acid; ( $\text{CH}_2\text{NHCH}(\text{COOH})\text{CH}_2\text{COOH}$ )<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	U			K1=12.50 K(Gd+HL)=5.96	1980MMe (73136)	641

Gd+++ gl KN03 20°C 0.10M U K1=13.67 1975DPa (73137) 642  
 Gd+++ gl NaClO4 30°C 0.10M U 1974STb (73138) 643  
 $K(Gd+H2L=GdL+2H)=8.00$

Gd+++ vlt KNO<sub>3</sub> 25°C 0.10M U K1=13.45 1971BGb (73139) 644  
\*\*\*\*\*  
C10H16N2O8 H4L EDTA CAS 60-00-4 (120)  
1,2-Diaminoethane-N,N,N',N'-tetraethanoic acid, Sequestriac acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	sp	R4N.X	25°C	0.10M	C			K1=17.7	1994KCa	(73805)	645
Medium:	Me4NCl										

Gd+++      cal NaClO<sub>4</sub> 25°C 0.10M C    H      1987YJa (73806) 646  
 DH(K1)=-6.44 kJ mol<sup>-1</sup>, DS(K1)=300 J K<sup>-1</sup> mol<sup>-1</sup>.

Gd+++ gl KCl 25°C 1.0M U 1984BKc (73807) 647  
K(GdL+H)=1.30

Gd+++ g1 NaClO<sub>4</sub> 20°C 0.02M U M 1982MPd (73808) 648  
 $K(GdL+P_04) = 3.33$

Gd+++ vlt KN03 20°C 0.10M U K1=17.53 1978NLb (73809) 649

Gd+++	gl	KCl	25°C	1.00M	U	K2=3.43 K(GdL+HL)=2.38 K(2GdL+L)=6.54	1976BKa (73811) 651
Gd+++	gl	KCl	25°C	1.0M	U	K(GdL+H)=1.82	1976GMb (73812) 652
Gd+++	sp	KCl	25°C	0.10M	U	K2=3.43 K(2GdL+L)=6.53 K(GdL+HL)=2.38	1975BKa (73813) 653
Gd+++	EMF	KCl	25°C	0.10M	U	T K(GdL+H)=1.53	1974BKb (73814) 654
Gd+++	gl	KCl	25°C	1.0M	C	K2=3.43 K(GdL+HL)=2.38 K(2GdL+L=Gd2L3)=6.53	1974BKe (73815) 655
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	U T M	K(GdL+HA)=3.58 K(GdL+A)=5.31 (GdL+HA):K(2 C)=3.80, K(35 C)=3.61, K(45 C)=3.50, (GdL+A):K(2 C)=5.44 K(35 C)=5.29, K(45 C)=5.21, H5A=tripolyphosphoric acid	1973TRb (73816) 656
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	U T M	K(GdL+A)=4.3 K(2 C)=4.7, K(35 C)=4.6, K(45 C)=4.2, H4A=adenosine triphosphate	1973TRb (73817) 657
Gd+++	cal	KNO <sub>3</sub>	20°C	0.10M	U		1971GKb (73818) 658
						K(GdL(H <sub>2</sub> O)x=GdL(H <sub>2</sub> O)x-1+H <sub>2</sub> O)=0.15	
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	U M	K(GdL+A)=7.12, H4A=tiron	1969AIb (73819) 659
Gd+++	dis	oth/un	25°C	?	U	K1=17.10	1969PJ <sub>a</sub> (73820) 660
						Method: paper electrophoresis. Medium: pH=1.86	
Gd+++	ix	KCl	25°C	0.10M	U H	K1=16.82	1959BD <sub>b</sub> (73821) 661
						DH(K1)=1.8 kJ mol <sup>-1</sup> , DS=328 J K <sup>-1</sup> mol <sup>-1</sup>	
Gd+++	cal	KNO <sub>3</sub>	20°C	0.10M	U H		1958SR <sub>a</sub> (73822) 662
						DH(K1)=-4.6 kJ mol <sup>-1</sup> , DS=316 J K <sup>-1</sup> mol <sup>-1</sup>	
Gd+++	gl	oth/un	20°C	0.01M	U	K1=17.12	1955WS <sub>a</sub> (73823) 663
						Polarography also used	
Gd+++	gl	KCl	20°C	0.10M	U I T	K1=17.10	1954SG <sub>a</sub> (73824) 664
						By polarography, 0.1 M KNO <sub>3</sub> , K1=17.37	

Gd+++ gl KCl 20°C 0.10M U I T K1=16.70 1953WSa (73825) 665  
 By polarography K1=17.0. In 0.1 M KNO<sub>3</sub> K1=16.60  
 \*\*\*\*

C10H16N5O13P3 H4L ATP CAS 56-65-5 (403)  
 Adenosine-5'-triphosphoric acid;  
 -----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaCl	25°C	0.15M	C			K1=6.34 B2= 9.98 K(Gd+HL)=4.28 K(Gd+H2L)=3.57	1999BCb (74732)	666

Gd+++ gl NaClO<sub>4</sub> 20°C 0.20M U T H K1=7.19 B2=11.04 1993VLa (74733) 667  
 K(Gd(nta)+L)=4.15  
 K(Gd(edta)+L)=4.00  
 Data for 30, 40 C. DH(K1)=17.2 kJ mol-1, DS(K1)=197 J K-1 mol-1. DH(K2)=  
 24.9, DS(K2)=155; DH(Gd(nta)+L)=17.2, DS=138; DH(Gd(edta)+L)=16.3, DS=132.  
 -----

Gd+++ sp NaClO<sub>4</sub> 25°C 0.10M C K1=5.86 1991OKa (74734) 668  
 Method: competitive spectrophotometry using 5-Br-PAPS at pH 7.13 (HEPES).  
 -----

Gd+++	gl	KCl	25°C	0.10M	U		K1=6.52 B2=10.39 K(Gd+HL)=4.17	1988SSd (74735)	669
-------	----	-----	------	-------	---	--	-----------------------------------	-----------------	-----

Gd+++ kin oth/un 25°C 0.05M C K1=7.06 1983MCc (74736) 670  
 Method: inhibition of the hexokinase reaction, pH 8.0 (0.05 M TAPS).  
 -----

Gd+++ gl KNO<sub>3</sub> 35°C 0.10M U M 1972TRc (74737) 671  
 K(Gd(EDTA)+L)=4.6  
 \*\*\*\*

C10H16O<sub>2</sub> HL CAS 100563-25-5 (4706)  
 2-Butanoylcyclohexanone; CH<sub>3</sub>.CH<sub>2</sub>.CH<sub>2</sub>.CO.C<sub>6</sub>H<sub>9</sub>O  
 -----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	oth/un	30°C	0.10M	U		K1=9.42 B2=18.20 K3=8.45	1972DSe (74921)	672	

\*\*\*\*

C10H17N2O10P H5L CAS 69219-70-1 (7961)  
 Bis{[bis(carboxymethyl)amino]methyl}phosphinic acid;  
 -----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaCl	25°C	0.16M	C		K1=15.73 K(Gd+HL)=9.22 K(GdL+H)=2.76 B(GdHL)=18.48	2001XRa (75022)	673	

\*\*\*\*

C10H17N3O6S H3L Glutathione CAS 70-18-8 (333)  
 Glutamyl-cysteinyl-glycine;



-----  
 Gd+++ gl KNO<sub>3</sub> 25°C 0.10M U K1=15.10 1956SPa (75408) 684  
 By polarography K1=15.4  
 \*\*\*\*=  
 C10H19N3O4 H2L (8095)  
 1,4,7-Triazacyclononane-1,4-diethanoic acid;  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl KCl 25°C 1.0M U K1=11.08 2000LKc (75656) 685  
 \*\*\*\*=  
 C10H19N3O4 HL Leu-Gly-Gly CAS 1187-50-4 (1230)  
 Leucyl-glycyl-glycine; H<sub>2</sub>N.CH(CH<sub>2</sub>.CH(CH<sub>3</sub>)<sub>2</sub>).CO.NH.CH<sub>2</sub>.CO.NH.CH<sub>2</sub>.COOH  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl KNO<sub>3</sub> 25°C 0.10M U T H K1=3.36 1981SKg (75689) 686  
 Data for 35 and 45 C. DH(K1)=4.77 kJ mol<sup>-1</sup>, DS(K1)=80.1 J K<sup>-1</sup> mol<sup>-1</sup>.  
 -----  
 Gd+++ gl KCl 25°C 0.10M U K1=1.95 1973FMa (75690) 687  
 \*\*\*\*=  
 C10H20N2O4 H2L (4753)  
 N,N'-Diethylenedinitrilo-N,N'-diethanoic acid;  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl KNO<sub>3</sub> 25°C 0.10M U K1=6.9 1973PSb (75782) 688  
 \*\*\*\*=  
 C10H2005 L 15-Crown-5 CAS 33100-27-5 (576)  
 1,4,7,10,13-Pentaoxacyclopentadecane; cyclo(-(O.CH<sub>2</sub>.CH<sub>2</sub>)<sub>5</sub>)  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ cal non-aq 25°C 100% U H K1=2.03 1993LLa (76003) 689  
 Medium: MeCN. DH(K1)=-33.7 kJ mol<sup>-1</sup>.  
 -----  
 Gd+++ dis non-aq 25°C 100% U B2=8.09 1990NIa (76004) 690  
 B2=extraction eq. constant: M+3P+2(S)=ML2P3(S); solvent(S)=CH<sub>2</sub>Cl<sub>2</sub>, P=picrate  
 \*\*\*\*=  
 C10H22O5 L Tetraglyme CAS 143-24-8 (121)  
 2,5,8,11,14-Pentaoxapentadecane; (CH<sub>3</sub>.O.CH<sub>2</sub>.CH<sub>2</sub>.O.CH<sub>2</sub>.CH<sub>2</sub>.)20  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ ISE non-aq 25°C 100% C K1=4.49 1986BDa (76448) 691  
 Medium: propylene carbonate, 0.1 M Et<sub>4</sub>NCI<sub>104</sub>  
 \*\*\*\*=  
 C10H26N4O6P2 H4L CAS 200951-96-8 (7643)  
 1,4,7,10-Tetraazacyclododecane-1,7-bis(methanephosphonic acid);  
 -----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KCl	25°C	0.10M	C			K1=18.2 *K(GdL)=-8.1 K(GdL+H)=7.0 B(GdHL2)=37.9	1998BRa (76804)	692
<hr/>										
C11H803		L						CAS 1133-72-8 (2614)		
2-Aceto-1,3-indandione;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	diox/w	30°C	75%	U	T		K1=4.11 B2=8.06	1984APa (77032)	693
<hr/>										
Gd+++	gl	mixed	22°C	60%	U			K1=3.84 B2=7.30 K3=3.08	1979JMa (77033)	694
Medium: 60% acetone/H2O										
<hr/>										
C11H803		H2L						CAS 92-70-6 (1130)		
2-Hydroxy-3-naphthoic acid (3-Hydroxy-2-naphthoic acid);										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	diox/w	20°C	50%	U	T		K1=8.04 B2=16.34 B3=24.56 K3=8.22	1977SKf (77123)	695
<hr/>										
C11H804		HL						CAS 7555-37-5 (4812)		
3-Acetyl-4-hydroxycoumarin										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	diox/w	35°C	50%	U			K1=3.73 B2=6.55	1971MAa (77177)	696
Medium: 50% dioxan, 0.01 M NaClO4										
<hr/>										
C11H804		HL						CAS 6724-42-1 (6183)		
8-Formyl-7-hydroxy-4-methyl-2H-1-benzopyran-2-one; CHO.C9H30(:O)(CH3)(OH)										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	diox/w	30°C	50%	U	TI	M	K1=5.17 B2=9.05 K3=2.71	1985ECa (77201)	697
20 C: K1=5.49, K2=4.15, K3=3.10; 40C: K1=4.87, K2=3.63, K3=2.35										
<hr/>										
C11H806S		H3L						CAS 66695-90-7 (1996)		
1-Hydroxy-4-sulfo-2-naphthoic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	NaClO4	25°C	0.10M	C			K1=8.46 B2=14.77	1979Lab (77227)	698

$$K(Gd+HL) = 2.51$$

C11H8O6S H3L CAS 15509-36-1 (2658)  
3-Hydroxy-7-sulfo-2-naphthoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	C			K1=7.73 K(Gd+HL)=2.62	1976MLb (77252)	699

C11H8O9S2 H4L CAS 67097-84-1 (1995)  
1-Hydroxy-4,7-disulfo-2-naphthoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
Gd+++	cal	NaClO4	25°C	0.10M	C	H		K1=8.67	B2=14.5	1986LLc	(77280)
								K(Gd+HL)=2.06			

DH(Gd+HL)=7.0 kJ mol-1, DS=63 J K-1 mol-1

\*\*\*\*\*

C11H9N02 H2L CAS 7470-09-9 (8481)  
2-Hydroxy-1-naphthaldoxime;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
Gd+++ gl diox/w 25°C 75% U K1=8.57 1978MCd (77316) 701  
Medium: 75% v/v dioxane/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>.

C11H9N04 H2L CAS 4321-82-7 (4829)  
3-Acetyl-4-hydroxycoumarin oxime;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	35°C	50%	U			K(Gd+HL)=3.52 K(Gd+2HL)=6.19	1971MAa (77420)	702

Medium: 50% dioxan, 0.01 M NaClO<sub>4</sub>

C11H9N3O2 H2L PAR CAS 1141-59-9 (636)  
4-(2'-Pyridylazo)-1,3-dihydroxybenzene; C5H4N N:N C6H3(OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	NaNO <sub>3</sub>	25°C	0.10M	C			K1=10.25 K(Gd+HL)=4.28 *K(GdHL)=-6.33	19840Ha (77546)	703

Medium pH 4.8-6.3.  
-----  
Gd+++ sp KCl 20°C 0.10M U 1971EKa (77547) 704  
K(Gd+HL)=3.52

C11H10N403	HL	CAS 92265-24-2 (6211)
5-(2'-Methylphenylazo)barbituric acid;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Gd+++	gl diox/w 25°C 75% U	K1=5.20 B2=9.88 1986MIA (77729) 705
<hr/>		
C11H10N404	HL	CAS 92265-26-4 (6210)
5-(2'-Methoxyphenylazo)barbituric acid;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Gd+++	gl diox/w 25°C 75% U	K1=5.38 B2=10.37 1986MIA (77743) 706
<hr/>		
C11H11N302S	HL Sulfapyridine	CAS 144-83-2 (8356)
4-Amino-N-2-pyridinyl-benzenesulfonamide;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Gd+++	gl alc/w 25°C 50% C M	K1=10.88 B2=21.59 1993EEa (77930) 707 K(Gd(nta)+L)=5.64
<hr/>		
Medium: 50% v/v EtOH/H2O, 0.10 M NaClO4.		
<hr/>		
C11H12N202	HL	CAS 103314-23-4 (6182)
2-(N-2-Pyrrolidinimo)benzoic acid; C4H7N:N.C6H4.COOH		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Gd+++	gl NaClO4 25°C 0.10M U TIH	B2=13.20 1986GSb (78017) 708
35 C: B2=13.80; 45 C:B2=13.90. DH(B2)=-63.5 kJ mol-1, DS=58 J K-1 mol-1		
<hr/>		
C11H12N202	HL Tryptophan	CAS 73-22-3 (3)
2-Amino-3-(3-indolyl)propanoic acid; H2N.CH(CH2.C8H6N)COOH		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Gd+++	gl KN03 35°C 0.10M U	K1=5.25 1990RSe (78206) 709
<hr/>		
Gd+++	gl KCl 25°C 0.10M U T H	K1=4.8 1976BFc (78207) 710
For 55C K1= 4.18		
<hr/>		
Gd+++	gl KCl 25°C 0.10M U	K1=5.0 B2=9.60 1972BFe (78208) 711
<hr/>		
C11H12N205S	HL	CAS 56475-09-3 (8410)
3-(4'-Sulfophenylhydrazo)-pentane-2,4-dione;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Gd+++	gl oth/un 30°C 0.10M U	B2=22.08 1985EEb (78320) 712
Medium: not stated. For 3'-sulfophenylhydrazo-, B2=22.18; for 2'-sulfo-		

phenylhydrazo-, B2=24.27; for 4'-methyl-2'-sulfophenylhydrazo-, B2=23.06.  
\*\*\*\*\*

C11H12N4O2S            HL     Sulfamerazine    CAS 127-79-7 (8431)  
4-Amino-N-(4-methyl-2-pyrimidinyl)benzenesulfonamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	25°C	50%	C			K1=6.05    B2=10.29 K(Gd(nta)+L)=7.40	1993EEa (78356)	713

Medium: 50% v/v EtOH/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>.

\*\*\*\*\*  
C11H12O3            HL                            CAS 94-02-0 (3351)  
Ethyl benzoylacetate; C<sub>6</sub>H<sub>5</sub>.CO.CH<sub>2</sub>.CO<sub>2</sub>.C<sub>2</sub>H<sub>5</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	mixed	25°C	75%	U			K1=8.27    B2=15.11	1971DRA (78400)	714

Medium: 75% acetone, 0.1 M NaClO<sub>4</sub>

\*\*\*\*\*  
C11H13N03            H2L                            CAS 63467-38-9 (1961)  
4-Methyl-N-hydroxyacetoacetanilide; CH<sub>3</sub>.CO.CH<sub>2</sub>.CO.N(OH).C<sub>6</sub>H<sub>4</sub>.CH<sub>3</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	20°C	82%	U			K1=7.16    B2=13.27 K3=5.66	1979KSb (78496)	715

\*\*\*\*\*  
C11H13N03            H2L                            CAS 67777-63-3 (8480)  
N-[1-(2-Hydroxyphenyl)ethylidene]-beta-alanine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	U	TI		K1=9.46    B2=16.75	1978MSj (78525)	716

Also data for 30 and 35 C and 0.01 and 0.05 M NaClO<sub>4</sub>.

\*\*\*\*\*  
C11H13N04S            HL                            CAS 58943-48-9 (1411)  
N-Acetylacetonylidene-orthanilic acid; HO<sub>3</sub>S.C<sub>6</sub>H<sub>4</sub>.N:C(CH<sub>3</sub>).CH<sub>2</sub>.CO.CH<sub>3</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	EMF	NaClO <sub>4</sub>	25°C	0.10M	U			K1=18.80	1982MSc (78591)	717

\*\*\*\*\*  
C11H13N05            H3L     HBIDA                    CAS 7372-13-6 (1603)  
N-(2-Hydroxybenzyl)iminodiethanoic acid; HO.C<sub>6</sub>H<sub>4</sub>.CH<sub>2</sub>.N(CH<sub>2</sub>.COOH)<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	C			K1=13.55    B2=24.13 K(Gd+HL)=5.82 K(Gd+2HL)=12.23	1989YSA (78626)	718

Gd+++ gl KNO<sub>3</sub> 20°C 0.10M U K1=12.82 B2=23.36 1983MSc (78627) 719  
\*\*\*\*\*

C11H13N06 H4L CAS 1911-59-2 (4852)  
2,3-Dihydroxybenzyliminodiethanoic acid; (HO)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>.CH<sub>2</sub>.N(CH<sub>2</sub>.COOH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
Gd+++ EMF oth/un ? ? U 1975DTa (78663) 720  
K(Gd+HL)=14.4

C11H13N06 H4L CAS 59036-09-8 (2111)  
2,5-Dihydroxybenzyliminodiethanoic acid; (HO)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>.CH<sub>2</sub>.N(CH<sub>2</sub>.COOH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
Gd+++ gl oth/un 25°C 0.0 U 1970TTb (78678) 721  
K(Gd+HL)=14.4

C11H13N06 H4L CAS 31477-66-7 (4853)  
2,6-Dihydroxybenzyliminodiethanoic acid; (HO)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>.CH<sub>2</sub>.N(CH<sub>2</sub>.COOH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
Gd+++ EMF oth/un ? ? U 1975DTa (78692) 722  
K(Gd+HL)=12.4

C11H14N203 HL Gly-Phe CAS 3321-03-7 (829)  
Glycyl-phenylalanine; H<sub>2</sub>N.CH<sub>2</sub>.CO.NH.CH(CH<sub>2</sub>.C<sub>6</sub>H<sub>5</sub>).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
Gd+++ gl KCl 25°C 0.10M U K1=2.40 1973FMa (78813) 723  
\*\*\*\*\*

C11H14N204 H2L Gly-Tyr CAS 658-79-5 (533)  
Glycyl-tyrosine; H<sub>2</sub>N.CH<sub>2</sub>.CO.NH.CH(CH<sub>2</sub>.C<sub>6</sub>H<sub>4</sub>.OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
Gd+++ gl KCl 25°C 0.10M U 1973FMa (78858) 724  
K(Gd+HL)=2.65

C11H14N204 H2L (1880)  
N-(6-Methyl-2-pyridylmethyl)iminodiethanoic acid; CH<sub>3</sub>C<sub>5</sub>H<sub>3</sub>NCH<sub>2</sub>N(CH<sub>2</sub>COOH)<sub>2</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
Gd+++ gl KNO<sub>3</sub> 25°C 0.10M U K1=6.71 B2=11.32 1964THa (78883) 725  
\*\*\*\*\*

C11H18N208 H4L PDTA CAS 4408-81-5 (1655)

1,2-Diaminopropane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U			K1=13.81	1981NSc (79285)	726
Gd+++	EMF	KNO <sub>3</sub>	25°C	0.10M	U			K1=15.93	1980KBC (79286)	727
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U			K1=18.15	1978NLb (79287)	728
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U			K1=18.21	1964ICb (79288)	729

\*\*\*\*\*

C11H18N208 H4L CAS 38539-29-0 (2573)

1,3-Diaminopropane-N,N'-di(1,4-butanedioic acid)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	U			K1=9.96	1976GKd (79364)	730

\*\*\*\*\*

C11H18N208 H4L CAS 4408-81-5 (923)

1,3-Diaminopropane-N,N,N',N'-tetraethanoic acid; ((HOOC.CH<sub>2</sub>)<sub>2</sub>N.CH<sub>2</sub>.)2.CH<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	ix	KNO <sub>3</sub>	20°C	0.10M	U	H		K1=13.70	1971AWa (79445)	731
Polarography also used. DH=20.7 kJ mol <sup>-1</sup> , DS=331 J K <sup>-1</sup> mol <sup>-1</sup>										

Gd+++ gl KNO<sub>3</sub> 20°C 0.10M U K1=13.74 1964LAa (79446) 732

Also K1=13.73. By polarography: K1=13.80

\*\*\*\*\*

C11H18N209 H4L HDPTA CAS 3148-72-9 (431)

1,3-Diamino-2-hydroxypropane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	M			K1=13.94	1986PLc (79557)	733

\*\*\*\*\*

C11H18N209 H4L CAS 668-21-1 (2562)

2-Hydroxy-1,3-diaminopropane-N,N'-di(1,4-butanedioic) acid

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	U			K1=11.04	1976GKd (79595)	734

\*\*\*\*\*

C11H18O2 HL CAS 40072-58-3 (4820)

2-(3'-Methylbutanoyl)cyclohexanone (2-isovaleryl cyclohexanone);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	mixed	30°C	75%	U			K1=9.49 B2=18.42	1972DSd (79653)	735

K3=8.09

Medium: 75% acetone

\*\*\*\*\*  
C11H1802 HL CAS 5601-52-5 (4821)  
2-Butanoyl-6-methylcyclohexanone (2-butyryl-6-methylcyclohexanone);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl mixed 30°C 75% U K1=10.32 B2=20.26 1972DSd (79664) 736

Medium: 75% acetone

\*\*\*\*\*  
C11H1809 H3L CAS 64020-00-4 (8225)  
1,1,1-Tris(carboxymethoxymethyl)ethane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl R4N.X 25°C 0.10M C K1=6.8 2001VSa (79674) 737

Medium: 0.10 M Me4NCl. Also data for N-ethyl-, N-phenyl-, N-NH2-,  
N,N-dibenzyl- and N-CH2OCH2COOH- derivatives.

\*\*\*\*\*  
C11H2004 H2L CAS 2283-16-1 (2854)  
2,2-Dibutylpropanedioic acid; HOOC.C(C4H9)2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl KNO3 25°C 0.10M U K1=4.54 B2=7.32 1968Pfa (79768) 738

\*\*\*\*\*  
C11H2205 L 16-Crown-5 CAS 55477-28-8 (1592)  
1,4,7,10,13-Pentaoxacyclohexadecane; cyclo(-(O.CH2.CH2)5.CH2.CH2-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ cal non-aq 25°C 100% U H K1=3.66 1993LLa (79853) 739

Medium: MeCN. DH(K1)=-22.8 kJ mol-1.

\*\*\*\*\*  
C11H26N206 L Bistris-propane CAS 64431-96-5 (7920)  
1,3-Bis[tris(hydroxymethyl)methylamino]propane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl NaClO4 25°C 0.10M C 2001GYb (79955) 740  
K(2Gd+20H+2L)=23.44  
K(2Gd+40H+2L)=34.90  
K(2Gd+50H+2L)=33.39  
K(2Gd+60H+2L)=42.73

\*\*\*\*\*  
C12H702F7 L (6994)  
1-Heptafluoropropyl-3-phenylpropane-1,3-dione; C3F7.CO.CH2.CO.C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl alc/w 22°C 80% U K1=6.19 B2=11.62 1995MTa (80183) 741  
K3=4.62

Medium: 0.1 M NaClO<sub>4</sub> in 80% (v/v) EtOH/H<sub>2</sub>O.

C12H8N2 L Phenanthroline CAS 66-71-7 (144)

1,10-Phenanthroline;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	sp	non-aq	25°C	100%	C	H	K1=1.3		2002KNC (80457)	742
-------	----	--------	------	------	---	---	--------	--	-----------------	-----

Medium: N,N-dimethylformamide, 0.20 M Et<sub>4</sub>NClO<sub>4</sub>.

By calorimetry: DH(K1)=-10 kJ mol<sup>-1</sup>.

Gd+++	dis	non-aq	25°C	100%	C	HM			1998YHa (80458)	743
-------	-----	--------	------	------	---	----	--	--	-----------------	-----

K(GdA3+L)=7.76

Method: solvent extraction from 0.10 M NaClO<sub>4</sub> into CHCl<sub>3</sub>. HA is 1-(2-thienyl)-4,4,4-trifluoro-1,3-butanedione. DH(GdA3+L)=5.2 kJ mol<sup>-1</sup>.

C12H10N6O4S H2L CAS 77327-19-6 (8343)

2-[4-Amino-3-(1,2,4-triazolylazo)]naphthol-4-sulphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	gl	NaClO <sub>4</sub>	30°C	0.10M	U	T	H	B2=12.60 B3=18.10	1982GMB (80782)	744
-------	----	--------------------	------	-------	---	---	---	----------------------	-----------------	-----

Data for 40 and 50 C. Also DH and DS values.

C12H11N3OS HL (6787)

2-Hydroxy-1-naphthaldehyde thiosemicarbazone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	gl	diox/w	20°C	75%	U		K1=6.55	B2=11.42	1992SSC (80889)	745
-------	----	--------	------	-----	---	--	---------	----------	-----------------	-----

Medium: 75% v/v dioxan/H<sub>2</sub>O and other mixtures, 0.1 M NaClO<sub>4</sub>

\*\*\*\*\*

C12H11N3O2 HL CAS 50536-09-5 (6323)

2-Hydroxy-1-naphthaldehyde-semicarbazone; HO.C10H6.CH:N.NH.CO.NH<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	gl	diox/w	20°C	75%	U	I	K1=9.122	B2=16.541	1992SSC (80917)	746
-------	----	--------	------	-----	---	---	----------	-----------	-----------------	-----

Medium: 75% v/v dioxan/H<sub>2</sub>O; 0.1 M NaClO<sub>4</sub>

\*\*\*\*\*

C12H11O4P HL CAS 838-85-7 (2133)

Diphenylphosphoric acid; (C<sub>6</sub>H<sub>5</sub>O)<sub>2</sub>P(O)OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++	kin	oth/un	25°C	0.02M	U		K1=2.38		1974GMC (80949)	747
-------	-----	--------	------	-------	---	--	---------	--	-----------------	-----

\*\*\*\*\*  
C12H12N03Cl HL (1055)  
2-Chloro-4-dimethylamino-benzylidenepyruvic acid; (CH<sub>3</sub>)<sub>2</sub>N.C<sub>6</sub>H<sub>3</sub>Cl.CH:CH.CO.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	sp	NaClO4	25°C	0.50M	U			K1=2.077	1987MSa (80966)	748	
*****											
C12H12N2O3			HL	Nalidixic acid	CAS	389-08-2	(1401)				
1-Ethyl-1,4-dihydro-7-methyl-4-oxo-1,8-naphthyridine-3-carboxylic acid;											
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	gl	alc/w	22°C	0.1M	U			K1=6.55 K3=4.50	B2=12.19	2000TBb (81073)	749

Medium: 0.1 M NaClO<sub>4</sub> in 70% v/v EtOH/H<sub>2</sub>O

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd<sup>+++</sup>      sp    NaClO<sub>4</sub>    25°C    0-50M    II      K1=2.193      1987MSa (81196) 750

C12H14N4O2S L Sulfadimidine CAS 57-68-1 (6167)  
2-(4-Aminobenzolsulfamido)-4,6-dimethylpyrimidine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++ gl NaNO<sub>3</sub> 25°C 0.10M U M 1988SSg (81368) 751  
K(Gd(EDTA)+L)=2.62

C12H15N05 H3L (4930)  
1-Hydroxy-4-methylphenyl-2-methyleneiminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++, gl, oth/un, 25°C, 0.0, U, K1=14.28, 1970TTb (81496) 752

C12H16O7S                    HL                    CAS 204931-01-1 (7817)  
2,3-Benzo-1,4,7,10-tetraoxacyclododeca-2-ene-4'-sulfonic acid;

Metal      Mtd    Medium    Temp    Conc    Cal    Flags    Lg    K    values      Reference    ExptNo

Gd+++ dis R4N.X 25°C 0.12M C K1=2.04 1998SUa (81697) 753  
Medium: 0.12 M Et4NBr.

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid

---

C12H18N2O5S H2L CAS 80459-15-0 (1595)  
2-Nitroso-5-(N-propyl-3-sulfopropylamino)phenol;



Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	U	IH		K1=13.21 B(Gd+HL)=6.23	1988RNa (82165)	763
DH(K1)=4.09 kJ mol-1, DH(Gd+HL)=32.8, DS(K1)=267 J K-1 mol-1										
Gd+++	vlt	R4N.X	30°C	0.01M	C			K1=15.35	1981GMh (82166)	764
Method: polarography, using Cd as indicator ion. Medium: 0.01 M Et4NBr.										
*****										
C12H20N208		H4L						CAS 2458-58-4 (922)		
1,4-Diaminobutane-N,N,N',N'-tetraethanoic acid; (HOOC.CH2)2N.(CH2)4.N(CH2.COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.50M	M	H		K1=9.94 K(GdL+H)=6.66 K(GdHL+H)=5.36	1985CBa (82219)	765
DH(K1)=24.3 kJ mol-1, DS=272 J K-1 mol-1 (by calorimetry)										
*****										
C12H20N208		H4L	BDTA					CAS 868-43-9 (1742)		
DL-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid; (HOOC.CH2)2N.CH(CH3).CH(CH3).N(CH2.COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	NaClO4	20°C	0.10M	U			K1=18.64	1971ISa (82302)	766
Gd+++	vlt	oth/un	20°C	0.10M	U			K1=18.84	1966DMa (82303)	767
Gd+++	vlt	KNO3	20°C	0.10M	U			K1=18.84	1966NSb (82304)	768
*****										
C12H20N208		H4L						CAS 22968-57-6 (3992)		
meso-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid; (HOOC.CH2)2N.CH(CH3).CH(CH3).N(CH2.COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	NaClO4	20°C	0.10M	U			K1=17.03	1971ISa (82397)	769
Gd+++	vlt	oth/un	20°C	0.10M	U			K1=16.51	1966DMa (82398)	770
*****										
C12H20N208S		H4L	TEDTA					CAS 923-74-0 (3394)		
2,2'-Thiobis(ethyliminodiethanoic acid); S(CH2.CH2.N(CH2.COOH)2)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.10M	C			K1=14.76	1985TPa (82458)	771
*****										
C12H20N209		H4L	EEDTA					CAS 923-73-9 (2112)		

Oxa-bis(ethyleneimino)diethanoic acid; ((HOOC.CH<sub>2</sub>)<sub>2</sub>N.CH<sub>2</sub>.CH<sub>2</sub>)<sub>2</sub>O

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++ EMF KNO<sub>3</sub> 20°C 0.10M U K1=18.13 1962MMC (82537) 772

\*\*\*\*\*

C12H20N2010 H4L CAS 10258-50-1 (3993)  
(2,3-Dihydroxytetramethylenedinitrilo)tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++ EMF KC1 25°C 0.10M U 1967SSa (82588) 773

$$\begin{aligned}K(Gd+H2L) &= 13.06 \\K(Gd+HL) &= 17.15\end{aligned}$$

\*\*\*\*\*

C12H2008N2 H4L (6908)

2-Methyl-1,2-diaminopropane-N,N,N',N'-tetraethanoic acid;

$$(HOOC.CH_2)_2N.CH_2.C(CH_3)_2.N(CH_2.COOH)_2$$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Gd+++ vlt KNO<sub>3</sub> 20°C 0.10M C K1=17.09 1978NLa (82674) 774

\*\*\*\*\*

C12H21N06 H3L (7209)

1-Carboxy-1-aminoheptane-N,N-diethanoic acid; HOOC.CH(C<sub>6</sub>H<sub>13</sub>).N(CH<sub>2</sub>.COOH)<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ gl alc/w 20°C 40% U K1=11.08 1985LBC (82697) 775

Medium: 40% v/v MeOH/H<sub>2</sub>O, 0.1 M KNO<sub>3</sub>

C12H21N3O6 H3L NOTA (5589)

1,4,7-Triazacyclononane-N,N',N"-triethanoic acid;

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Gd+++ nmr KC1 25°C 0.10M U K1=13.7 1991BCa (82735) 776

$$K(Gd+HL=GdL+H)=2.30$$

$$K(Gd+HL)=3.6$$

C12H23N3O6 H3L

2,5,8-Triazanonenane-2,5,8-triethanoic acid:

CH3N(CH2CH3)CH2CH2N(CH2CH3)CH2CH2N(CH2CH3)CH3

Metal      Red Medium Temp Core Cut Flags Eg R Values      Reference Expns

Gd+++      gJ      KCJ      25°C, 0, 10M, C      K1=13, 12      1995PRa (83003) 778

C12H24N4O4 H2L (7343)  
 1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	C			K1=13.06	1998CCb (83083)	779
Gd+++	gl	KCl	25°C	0.10M	C			K1=19.4	1997HTa (83084)	780

\*\*\*\*\*  
 C12H24O6 L 18-Crown-6 CAS 17455-13-9 (577)  
 1,4,7,10,13,16-Hexaoxacyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	dis	R4N.X	25°C	0.12M	C			K1=<0.2	1998SUa (83363)	781
Medium: 0.12 M Et4NBr.										
Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid										
Gd+++	dis	non-aq	25°C	100%	U				1993INa (83364)	782
								B(GdPL)=6.55		
								B(GdPL2)=8.43		

K is the equilibrium constant for extraction of the metal picrate (P) into CH<sub>2</sub>Cl<sub>2</sub>. For extraction from D<sub>2</sub>O, B=6.89 and 8.94.

Gd+++	dis	non-aq	25°C	100%	U	B2=8.43	1990NIa (83365)	783	
B2=extraction eq.constant: M+3P+2(S)=ML2P3(S); solvent(S)=CH <sub>2</sub> Cl <sub>2</sub> , P=picrate									
Gd+++	cal	alc/w	25°C	100%	U	H	K1=1.32	1977ILb (83366)	784
Medium: Methanol. DH=15.6 kJ mol-1.									

\*\*\*\*\*  
 C12H26N2O4 L Cryptand 2,2 CAS 23978-55-4 (925)  
 4,7,13,16-Tetraoxa-1,10-diazacyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	ISE	non-aq	25°C	100%	C			K1=16.5	1986ALa (83841)	785
Medium: propylene carbonate, 0.1 M Et4NClO <sub>4</sub>										
Gd+++	gl	alc/w	25°C	100%	C			K1=7.67	1983ANb (83842)	786

The equilibration took 7-12 days. Medium: MeOH, 0.05 M Et4NClO<sub>4</sub>

\*\*\*\*\*  
 C12H28N2O9P2 H4L (7242)  
 1,4,10-Trioxa-7,13-diazacyclopentadecane-7,13-diylidimethylenediphosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	U			K1=13.38	1996BJa (84156)	787

K(Gd+HL)=10.10  
 K(Gd+H2L)=5.66

Medium: 0.1 M Me4NCl

\*\*\*\*\*

C12H30N6 L CAS 296-35-5 (143)  
1,4,7,10,13,16-Hexaazacyclooctadecane; cyclo(-(NH.CH2.CH2)6-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaNO<sub>3</sub> 25°C 0.20M C K1=8.40 1991KKa (84329) 788

Gd+++ gl NaCl 20°C 0.10M C K1=9.8 1988SJb (84330) 789

\*\*\*\*\*

C13H502F13S L (6997)

1-(2-Thienyl)-3-tridecafluorohexylpropane-1,3-dione; C<sub>6</sub>F<sub>13</sub>.CO.CH<sub>2</sub>.CO.C<sub>4</sub>H<sub>3</sub>S

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl alc/w 22°C 80% U K1=5.40 B2=10.56 1995MTa (84454) 790  
K3=4.78

Medium: 0.1 M NaClO<sub>4</sub> in 80% (v/v) EtOH/H<sub>2</sub>O.

\*\*\*\*\*

C13H803 H2L CAS 18931-22-1 (2913)

peri-Dihydroxynaphthindenone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp alc/w 25°C 50% U K1=9.64 1982HMa (84503) 791

\*\*\*\*\*

C13H9F02S HL CAS 43191-66-8 (6154)

1-(2'-Thienyl)-3"-fluoro-2"-hydroxyphenyl)-prop-1-one-2-ene;  
C<sub>4</sub>H<sub>3</sub>S.CH:CH.CO.C<sub>6</sub>H<sub>3</sub>(OH)F

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 30°C 0.10M U K1=5.05 1989SHa (84514) 792

\*\*\*\*\*

C13H9N204Cl1 HL CAS 36016-30-5 (182)

N-(4-Chlorophenyl)-3-nitrobenzohydroxamic acid; O<sub>2</sub>N.C<sub>6</sub>H<sub>4</sub>.CO.N(C<sub>6</sub>H<sub>4</sub>Cl).OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 35°C 50% A K1=7.87 B2=14.19 1977AKa (84602) 793  
K3=5.29

\*\*\*\*\*

C13H11NOS H2L (7306)

2-(Salicylideneamino)thiophenol, Salicylaldehyde-2-mercaptoanil;  
HO.C<sub>6</sub>H<sub>4</sub>.CH:N.C<sub>6</sub>H<sub>4</sub>.SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl alc/w 25°C 70% U K1=12.72 B2=24.49 1995IFa (85043) 794

Medium: 70% v/v EtOH/H<sub>2</sub>O, 0.10 M NaCl.

\*\*\*\*\*

C13H11N02                    HL                    CAS 304-88-1 (181)  
N-Phenylbenzohydroxamic acid; C6H5.CO.N(C6H5).OH

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo

Gd+++      gl   diox/w   35°C   50%   A      K1=11.43   B2=21.37   1977AKa (85153)   795  
K3=8.91

Gd+++      gl   mixed   25°C   75%   U      K1=8.36   B2=14.68   1969DSb (85154)   796  
Medium: 75% acetone, 0.1 M NaClO4

\*\*\*\*\*

C13H11N04S                    H2L                    CAS 124452-52-4 (8496)  
2-[(Phenylimino)methyl]phenol 4-sulfonic acid;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo

Gd+++      gl   NaClO4   25°C   0.10M   U   T   HM      K1=4.78      1995SSd (85206)   797  
K(Gd(bpy)+L)=4.62  
K(Gd(phen)+L)=4.58  
K(Gd(his)+L)=3.53

Data for 35 and 45 C. DH and DS values reported.

\*\*\*\*\*

C13H11NS                    HL                    CAS 42152-36-3 (8401)  
2-[(Phenylmethylene)amino]benzenethiol;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo

Gd+++      gl   alc/w   25°C   70%   U      K1=7.86   B2=15.76   1995IFa (85228)   798  
Medium: 70% v/v EtOH/H2O, 0.10 M NaCl. Also data for p-Cl, p-NMe2, p-OH,  
p-OCH3, p-CH3, p-NO2 substituted benzaldehyde Schiff bases.

\*\*\*\*\*

C13H11N203F3                    HL                    (5563)  
3-(2-Acetylphenylhydrazone)-1,1,1-trifluoropentane-2,4-dione;  
CF3.CO.C(CO.CH3):N.HN.C6H4.COCH3

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo

Gd+++      gl   diox/w   30°C   75%   U      K1=8.95   B2=16.25   1988ESb (85246)   799

\*\*\*\*\*

C13H12N203S                    HL                    (6203)  
Salicylidene sulfanilamide, 4-(N-(2-Hydroxybenzylidene))aminosulanilamide;  
H2NSO2C6H4N:CHC6H4OH

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values      Reference   ExptNo

Gd+++      gl   oth/un   25°C   0.10M   U      K1=12.141      1987KSc (85359)   800

\*\*\*\*\*

C13H12N40                    L      Diphenylcarbaz.   CAS 538-62-5 (1195)  
Diphenylcarbazone; C6H5.NH.NH.CO.N:N.C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	EMF	alc/w	20°C	50%	U			K1=3.45	1971MAC (85411)	801
Medium: 50% EtOH, 0.1 M NaClO4 <hr/>										
C13H12N4S		L	Dithizone		CAS	60-10-6	(1801)			
Diphenylthiocarbazone; C6H5.NH.NH.CS.N:N.C6H5 <hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	EMF	alc/w	20°C	50%	U			K1=1.80	1971MAC (85458)	802
Medium: 50% EtOH, 0.1 M NaClO4 <hr/>										
C13H14N2O3		HL					(4940)			
3-(2-Acetylphenylhydrazone)pentane-2,4-dione; (CH <sub>3</sub> .CO)2C:N.NH.C6H4(CO.CH <sub>3</sub> ) <hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	diox/w	30°C	75%	U			K1=11.05 B2=20.48	1988ESb (85609)	803
<hr/>										
C13H15N06		H3L					(4999)			
2-Benzyltrilonitrotriethanoic acid; <hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	oth	oth/un	25°C	0.10M	U			K2=8.97	1962HKa (85737)	804
<hr/>										
C13H19N03		H2L					(2031)			
2-(1-(2-Hydroxyphenyl)-ethylimine)-3-methylbutanoic acid; <hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	NaClO4	25°C	0.10M	U	TIH		K1=11.10 B2=20.55	1980SSc (86054)	805
<hr/>										
C13H20N2O8		H4L					CAS 123064-92-6	(7929)		
trans-1,3-Cyclopentanediaminotetraethanoic acid; <hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KCl	25°C	1.0M	U			K1=12.67	1989CMb (86120)	806
K(GdHL+H)=3.73										
K(GdL+H)=4.29 <hr/>										
<hr/>										
C13H22N2O8		H4L					CAS 1798-14-7	(921)		
(Pentamethylene dinitrilo)tetraethanoic acid; ((HOOC.CH <sub>2</sub> ) <sub>2</sub> N.CH <sub>2</sub> .CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> <hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	C			K1=10.37	1982PPd (86195)	807

$$K(Gd+HL)=6.79$$

\*\*\*\*\*

C13H22N208 H4L CAS 1198-14-7 (5004)  
 1,2-Diaminopentane-N,N,N',N'-tetraethanoic acid; (HOOCCH<sub>2</sub>)<sub>2</sub>NCH<sub>2</sub>CH(C<sub>3</sub>H<sub>7</sub>)N(CH<sub>2</sub>COOH)<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U			K1=18.53	1974NLa (86227)	808

\*\*\*\*\*

C13H22N208 H4L (7164)  
 2,4-Diaminopentane-N,N,N',N'-tetraethanoic acid;  
 (HOOCCH<sub>2</sub>)<sub>2</sub>NCH(CH<sub>3</sub>)CH<sub>2</sub>CH(CH<sub>3</sub>)N(CH<sub>2</sub>COOH)<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	20°C	0.10M	U			K1=12.15	1981NSc (86254)	809

By polarography K1=12.28

\*\*\*\*\*

C13H22N208 H4L (5003)  
 3-Methyl-1,2-diaminobutane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U			K1=18.44	1968NLb (86282)	810

\*\*\*\*\*

C13H22N209 H4L DETAP CAS 36829-96-6 (5602)  
 Bis(2-aminoethyl)ether-N,N,N'-triethanoic acid-N'-(3-propanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	C			K1=15.21 K(Gd+HL)=9.32	1985PLa (86303)	811

\*\*\*\*\*

C13H23N306 H3L (6555)  
 1,4,7-Triazacyclodecane-N,N',N"-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	nmr	KCl	25°C	0.10M	U			K1=15.1 K(Gd+HL=GdL+H)=0.30	1991BCa (86389)	812

\*\*\*\*\*

C13H2605 L (6410)  
 15,15-Dimethyl-1,4,7,10,13-pentaoxacyclohexadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	cal	non-aq	25°C	100%	C	H		K1=3.62	1998LBc (86472)	813

Medium: acetonitrile. DH(K1)=-3.43 kJ mol<sup>-1</sup>, DS(K1)=57.9 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*

C13H28N402 L CAS 17023-02-8 (7247)

3,3,9,9-Tetramethyl-4,8-diazaundecane-2,10-dione dioxime;  
(HON:C(CH<sub>3</sub>)C(CH<sub>3</sub>)<sub>2</sub>NHCH<sub>2</sub>)<sub>2</sub>CH<sub>2</sub>

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaCl	25°C	0.15M	C			K1=15.53 B(GdH-1L)=7.64 B(GdH-2L)=0.27	2004NJa (86533)	814

---

C14H8O4 H2L Alizarin CAS 72-48-0 (1058)

1,2-Dihydroxyanthraquinone;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	oth/un	25°C	0.10M	U			K1=12.14	1981EIa (86642)	815

---

C14H8O7S H3L DASA CAS 83-61-4 (950)

1,2-Dihydroxyanthraquinone-3-sulfonic acid, Alizarin Red S;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.20M	U	M		K1=10.18 K(Gd(cdta)+L)=6.03, K(Gd(dtpa)+L)=5.02.	1987VSa (86730)	816

---

Gd+++	sp	oth/un	25°C	?	U				1967SAa (86731)	817
								K(?)=8.6		

---

C14H9N5Cl<sub>2</sub> L CAS 7071-45-6 (8463)

1,5-Bis(4-chlorophenyl)-3-cyanoformazan;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Gd+++	gl	diox/w	25°C	70%	U			K1=6.17 Medium: 70% dioxane/H <sub>2</sub> O, 0.10 M NaClO <sub>4</sub> .	B2=12.20	1996DAb (86849)	818

---

C14H10N02F HL CAS 87221-43-0 (6155)

1-(2'-Pyridyl)-3-(3-fluoro-2-hydroxyphenyl)-prop-1-one-2-ene;  
C<sub>5</sub>H<sub>4</sub>N.CH:CH.CO.C<sub>6</sub>H<sub>3</sub>(OH)F

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	30°C	0.10M	U			K1=5.18	1989SHa (86884)	819

---

C14H11N3O HL CAS 24854-76-0 (1380)

2-(1H-Benzimidazol-2-yl-methylene-amino) phenol;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	25°C	50%	U			K1=7.43 B2=13.89	19820Ca (86994)	820

---



\*\*\*\*\*

C14H12N204 HL CAS 854-7-78-9 (183)  
N-2-Tolyl-3-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H4.CH3).OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	35°C	50%	A			K1=9.10    B2=16.70    1977AKa (87250)	827	
								K3=6.60		

\*\*\*\*\*

C14H12N204 HL (179)  
N-3-Tolyl-3-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H4.CH3).OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	35°C	50%	A			K1=9.35    B2=17.20    1977AKa (87261)	828	
								K3=6.85		

\*\*\*\*\*

C14H12N204 HL CAS 85407-74-5 (180)  
N-4-Tolyl-2-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H4.CH3).OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	35°C	50%	A			K1=9.60    B2=17.70    1977AKa (87274)	829	
								K3=7.11		

\*\*\*\*\*

C14H12N204 HL (221)  
N-4-Tolyl-3-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H4.CH3).OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	EMF	diox/w	35°C	50%	U			K1=9.60    B2=17.70    1977AKa (87287)	830	
								K3=7.11		

\*\*\*\*\*

C14H13N02 HL DPAHA CAS 4463-22-3 (880)  
2,2'-Diphenylacetohydroxamic acid; (C6H5)2.CH.CO.NH.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	30°C	50%	U T H			K1=6.66	1981RSb (87404)	831
Medium:	50% v/v EtOH,	0.1 M KNO <sub>3</sub> .	K1=7.77(I=0),	7.02(I=0.05)						

\*\*\*\*\*

C14H13N02 HL CAS 1503-92-0 (1817)  
N-(4-Tolyl)benzohydroxamic acid; C6H5.CO.N(C6H4.CH3).OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	25°C	50%	U T H			K1=10.35    B2=19.20    1983AGb (87444)	832	
								K3=7.84		

35 C: K1=9.80, K2=8.56, K3=7.35

\*\*\*\*\*

C14H13N04S H2L (3660)  
 2-Aminobenzenesulfonic acid 2-hydroxyacetophenone Schiff base;  
 HS03.C6H4.N:C(CH<sub>3</sub>).C6H4.OH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	U	T	H	K1=5.76    B2=10.29	1978GKb (87575)	833

Data for 25-35 C and I=0.01-0.10 M. At I=0.0 M, DH(K1)=29.7 kJ mol<sup>-1</sup>, DS(K1)=297 J K<sup>-1</sup> mol<sup>-1</sup>.

---

C14H15N203Cl H2L (8285)  
 5,5'-Dimethylcyclohexane-2-(2'-hydroxy-4'-chlorophenyl)hydrazone-1,3-dione;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	mixed	30°C	0.10M	U	T	H	K1=11.91    B2=22.26	1988TRb (87719)	834

Medium: 0.1 M KNO<sub>3</sub> in 75% v/v isopropanol/water

---

C14H15O4P HL CAS 843-24-3 (2134)  
 Di(4-methylphenyl)phosphoric acid; (CH<sub>3</sub>C<sub>6</sub>H<sub>5</sub>O)<sub>2</sub>P(O)OH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	kin	oth/un	25°C	0.02M	U			K1=3.33	1974GMc (87792)	835

---

C14H16N202S HL CAS 189231-67-2 (8475)  
 2-Thiophenylhydrazodimedone;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	25°C	75%	C	T	H	K1=13.17    B2=24.70	1997EIA (87868)	836

Medium: 75% v/v dioxane/H<sub>2</sub>O, 0.10 M KNO<sub>3</sub>. Data for 10-40 C. DH(K1)=-6.27 kJ mol<sup>-1</sup>, DS(K1)=-6.79 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=-6.39, DS(K2)=-8.97.

---

C14H16N203 H2L (8284)  
 5,5'-Dimethylcyclohexane-2-(2'-hydroxyphenyl)hydrazone-1,3-dione;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	mixed	30°C	0.10M	U	T	H	K1=12.12    B2=22.68	1988TRb (87886)	837

Medium: 0.1 M KNO<sub>3</sub> in 75% v/v isopropanol/water

---

C14H16N208 H4L CAS 40774-59-2 (1901)  
 1,2-Diaminobenzene-N,N,N',N'-tetraethanoic acid; C<sub>6</sub>H<sub>4</sub>(N(CH<sub>2</sub>COOH)<sub>2</sub>)<sub>2</sub>

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	1.00M	C	H		K1=13.84	1992YNa (87952)	838

By calorimetry: DH(K1)=14.6 kJ mol<sup>-1</sup>, DS=315 J K<sup>-1</sup> mol<sup>-1</sup>

---

C14H19N07	HL	(6775)								
16-Nitro-3,6,9,12-tetraoxabicyclo[12.3.1]octadeca-1(18),14,16-trien-18-ol;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	C			K1=3.18	1990CBe (88148)	839
*****										
C14H2005		L	Benzo15-crown-5	CAS	14098-44-3	(608)				
2,3-Benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	dis	non-aq	25°C	100%	U			B2=7.87	1990NIa (88269)	840
B2=extraction eq.constant: M+3P+2(S)=ML2P3(S); solvent(S)=CH2Cl2, P=picrate										
Gd+++	ISE	R4N.X	25°C	0.10M	C			K1=2.35	1986XJa (88270)	841
*****										
C14H2008S		HL		CAS	127461-53-4	(7818)				
2,3-Benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene-4'-sulfonic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	dis	R4N.X	25°C	0.12M	C			K1=1.63	1998SUa (88393)	842
Medium: 0.12 M Et4NBr.										
Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid										
*****										
C14H22N208		H4L	cis-1,2-CDTA	CAS	92761-75-6	(2846)				
cis-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	1.0M	U			K1=4.37 K(GdL+H)=7.00	1987CMe (88430)	843
*****										
C14H22N208		H4L	cis-1,3-CDTA	CAS	92681-23-7	(2847)				
cis-1,3-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	1.0M	U			K1=7.28 K(GdHL+H)=5.36 K(GdL+H)=7.91	1987CMe (88442)	844
*****										
C14H22N208		H4L	cis-1,4-CDTA	CAS	92681-25-9	(2848)				
cis-1,4-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	1.0M	U			K1=8.35 K(GdHL+H)=5.80	1987CMe (88456)	845

$$K(GdL+H)=6.57$$

\*\*\*\*\*

C14H22N208 H4L CDTA CAS 482-54-2 (200)  
*trans*-1,2-Diaminocyclohexane-N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	1.0M	U		K1=18.97 K(GdL+H)=1.66	1987CMe (88667)	846
Gd+++	gl	KCl	25°C	1.00M	U		K1=18.97	1984MFa (88668)	847
Gd+++	gl	KNO <sub>3</sub>	27°C	0.10M	U	M		1981KSe (88669)	848

H2A=Citraconic acid

Gd+++	gl	NaClO <sub>4</sub>	25°C	0.50M	U		K1=18.12	1977GGb (88670)	849
Gd+++	EMF	KNO <sub>3</sub>	25°C	0.10M	U T H		K1=18.80	1962MHa (88671)	850
DH(K1)=24.3 kJ mol <sup>-1</sup> , DS=439 J K <sup>-1</sup> mol <sup>-1</sup> . At 20 C: K(GdL+H)=2.23									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	1.0M	U		K1=7.95 K(GdHL+H)=5.12 K(GdL+H)=7.48	1987CMe (88836)	852

\*\*\*\*\*  
C14H22N208 H4L *trans*-1,4-CDTA CAS 92681-24-8 (2849)  
*trans*-1,4-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	1.0M	U		K1=8.56 K(GdHL+H)=5.95 K(GdL+H)=6.41	1987CMe (88856)	853

\*\*\*\*\*  
C14H22N209 H2L CAS 93031-53-9 (5830)  
1,4,7-Trioxa-10,13-diazacyclopentadecane-8,15-dione-10,13-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	C		K1=8.61	1988CCb (88880)	854

\*\*\*\*\*  
C14H23N3010 H5L DTPA CAS 67-43-6 (238)

Diethylenetriamine-pentaethanoic acid; HOOC.CH<sub>2</sub>.N(CH<sub>2</sub>.CH<sub>2</sub>.N(CH<sub>2</sub>.COOH)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U			K1=16.48	1969NDc (89509)	870
*****										
C14H24N208		H4L					(7165)			
1,2-Diaminohexane-N,N,N',N'-tetraethanoic acid; ((HOOCCH <sub>2</sub> )NCH <sub>2</sub> CH(C <sub>4</sub> H <sub>9</sub> )N(CH <sub>2</sub> COOH) <sub>2</sub>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U			K1=18.47	1974NLa (89530)	871
*****										
C14H24N208		H4L	HMDTA				CAS 1633-00-7	(920)		
1,6-Diaminohexane-N,N,N',N'-tetraethanoic acid; ((HOOC.CH <sub>2</sub> ) <sub>2</sub> N.CH <sub>2</sub> .CH <sub>2</sub> .CH <sub>2</sub> ) <sub>2</sub>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	g1	KCl	25°C	1.00M	U	M			1976BKa (89577)	872
								K(GdEDTA+L)=3.9		
								K(GdEDTA+HL)=3.7		
								K(2GdEDTA+L)=7.5		
Gd+++	g1	KCl	25°C	0.10M	U				1974KPd (89578)	873
								K(Gd+HL)=6.61		
*****										
C14H24N208		H4L					CAS 1633-00-7	(5076)		
4-Methyl-1,2-diaminopentane-N,N,N',N'-tetraethanoic acid; (HOOCCH <sub>2</sub> ) <sub>2</sub> NCH <sub>2</sub> CH(N(CH <sub>2</sub> COOH) <sub>2</sub> )CH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U			K1=18.48	1968NLb (89633)	874
*****										
C14H24N208		H2L					CAS 17619-53-3	(5833)		
Diaminoethane-N,N'-Di(ethylaceto)-N,N'-diethanoic acid; (-CH <sub>2</sub> .N(CH <sub>2</sub> .COOH)CH <sub>2</sub> .COOC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	g1	R4N.X	25°C	0.10M	C			K1=10.23	1988CCb (89651)	875
*****										
C14H24N208		H4L	EDTP				(2936)			
Diaminoethane-N,N,N',N'-tetrapropanoic acid; (HOOC.CH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> N.CH <sub>2</sub> CH <sub>2</sub> .N(CH <sub>2</sub> CH <sub>2</sub> .COOH) <sub>2</sub>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	g1	NaClO <sub>4</sub>	25°C	0.10M	U				1995HAa (89683)	876
								K(Gd+HL)=4.67		
								K(Gd+H2L)=4.01		
								K(Gd+H3L)=2.97		
								B(GdHL)=14.10		

B(GdH<sub>2</sub>L)=19.56, B(GdH<sub>3</sub>L)=22.69

\*\*\*\*\*  
C14H24N209 H4L BPETA CAS 87720-52-3 (5077)  
Bis-(3-di(carboxymethyl)aminopropyl)ether;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl KN03 25°C 0.10M U K1=11.74 1984TPa (89729) 877  
K(Gd+HL)=7.30

\*\*\*\*\*  
C14H24N2010 EGTA CAS 67-42-5 (349)  
Ethylene glycol-0,0'-bis(2-aminoethyl ether)-N,N,N',N'-tetraethanoic acid; H4L

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl NaNO<sub>3</sub> 25°C 0.10M U I K1=16.95 1996KDC (89867) 878  
Data for 0.05 and 0.15 M NaNO<sub>3</sub>. At I=0, K1=17.10.  
-----  
Gd+++ gl KCl 25°C 1.0M U M K2=1.56 1985KBb (89868) 879  
K(GdL+ida)=1.5

\*\*\*\*\*  
Gd+++ EMF KN03 20°C 0.10M U K1=16.94 1962MMC (89869) 880

\*\*\*\*\*  
C14H24O9 H3L CAS 64020-01-5 (8224)

1,1,1-Tris[(2-carboxyethoxy)methyl]ethane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl R4N.X 25°C 0.10M C K1=3.72 2001VSA (90051) 881  
K(GdL+H)=4.20

Medium: 0.10 M Me<sub>4</sub>NCl. Also data for N-CH<sub>2</sub>OH-, N-CH<sub>2</sub>O(CH<sub>2</sub>)<sub>2</sub>COOH- derivatives.

\*\*\*\*\*  
C14H25N306 H3L (6556)  
9-Methyl-1,4,7-triazacyclodecane-N,N',N"-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ nmr KCl 25°C 0.10M U K1=14.7 1991BCa (90066) 882  
K(Gd+HL=GdL+H)=-0.64

\*\*\*\*\*  
C14H25N307 H3L (5397)  
1-Oxa-4,7,10-triazacyclododecane-4,7,10-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl KCl 25°C 0.10M C K1=21.6 1993DSa (90085) 883  
K(GdL+H)=1.45  
K(Gd(OH)L+H)=10.35

\*\*\*\*\*

C14H25N308 H4L DEATA CAS 97315-55-4 (5601)  
N,N-Bis(2-aminoethyl)ethylamine-N',N',N",N"-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ gl KNO<sub>3</sub> 25°C 0.10M C K1=17.79 1985TPa (90100) 884

---

C14H25N309 H4L CAS 4454-15-3 (5078)  
((N-(2-Hydroxyethyl)-2,2'-iminodiethylene)dinitriolo)tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ vlt KCl ? 0.10M U K1=13.45 1968VLa (90115) 885

---

C14H26N207 H2L (1567)  
1,4,10-Trioxa-7,13-diazacyclopentadecane-N,N'-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ gl R4N.X 25°C 0.10M M K1=11.66 1986COb (90191) 886

---

C14H26N406 H3L DOTRA (6701)  
1,4,7,10-Tetraazacyclododecane-1,4,7-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ gl R4N.X 25°C 0.10M C H K1=22.02 2000BCa (90248) 887  
Medium: 0.10 M NMe<sub>4</sub>Cl. K1 corresponds to 3 weeks equilibration.  
For complexes formed in minutes: K1=19.6, K(Gd+L+H)=22.5.

---

Gd+++ gl R4N.X 25°C 0.10M C K1=22.02 1996BCd (90249) 888  
Medium: Me<sub>4</sub>NCl

---

Gd+++ sp R4N.X 25°C 0.10M C K1=21.0 1994KCa (90250) 889  
Medium: Me<sub>4</sub>NCl

---

Gd+++ sp NaCl 25°C 1.00M C 1993KCa (90251) 890  
K(GdL+H)=2.06

---

C14H28N204 L Cryptand 2,1,1 CAS 31250-06-3 (836)  
1,10-Diaza-4,7,13,18-tetraoxabicyclo[8.5.5]eicosane (2,1,1);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ ISE non-aq 25°C 100% C K1=15.4 1986ALa (90367) 891  
Medium: propylene carbonate, 0.1 M Et<sub>4</sub>NClO<sub>4</sub>

---

Gd+++ sp non-aq 25°C 100% U K1=3.87 1983PSc (90368) 892  
Medium: DMSO

---

C14H28N206                    HL                            CAS 82353-42-2 (5850)  
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7-ethanoic acid;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	C			K1=7.29	1988CCc (90480)	893

---

C14H32N2010P2                H4L                            CAS 81963-60-2 (7240)

1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diylidimethylenediphosphonic acid;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	U			K1=12.71	1996BJa (90764)	894

---

Medium: 0.1 M Me4NCl

---

\*\*\*\*\*  
C14H34N406P2                H4L                            CAS 200952-02-9 (7644)  
1,4,7,10-Tetraazacyclododecane-1,7-bis(methanephosphonic acid monoethyl ester);

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++	gl	KCl	25°C	0.10M	C			K1=9.81	1998BRa (90843)	895
-------	----	-----	------	-------	---	--	--	---------	-----------------	-----

---

\*\*\*\*\*  
C15H11N04                    HL                            CAS 1776-18-7 (955)  
3-Phenyl-1-(2'-hydroxy-5'-nitrophenyl)-2-propen-1-one;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++	gl	alc/w	35°C	70%	U			K1=6.46      B2=12.86	1982SLb (91077)	896
-------	----	-------	------	-----	---	--	--	-----------------------	-----------------	-----

---

\*\*\*\*\*  
C15H11N30                    HL                            CAS 85-85-8 (572)  
1-(2-Pyridylazo)-2-naphthol; C5H4N.N:N.C10H6.OH

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++	sp	alc/w	21°C	50%	U			K1=9.29	1988CMd (91217)	897
-------	----	-------	------	-----	---	--	--	---------	-----------------	-----

---

Gd+++	sp	alc/w	21°C	50%	U	I		K1=8.80	1981MCb (91218)	898
-------	----	-------	------	-----	---	---	--	---------	-----------------	-----

---

Medium: 50% MeOH, 0.1 M NaClO4. In 75% MeOH K1=10.23

---

\*\*\*\*\*  
C15H11O2Br                HL                            CAS 1218-20-0 (954)  
3-Phenyl-1-(2'-hydroxy-5'-bromophenyl)-2-propen-1-one;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++	gl	alc/w	35°C	70%	U			K1=7.10	1982SLb (91370)	899
-------	----	-------	------	-----	---	--	--	---------	-----------------	-----

---

\*\*\*\*\*  
C15H11O2Cl                HL                            CAS 1218-24-2 (953)

3-Phenyl-1-(2'-hydroxy-5'-chlorophenyl)-2-propen-1-one;



C15H13N3O                    HL                    CAS 104992-04-3 (6852)  
2-((1H-Benzimidazo-2yl-methyl)-iminomethyl)phenol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	30°C	60%	U	M		K1=6.13      B2=11.19 K(GdA+L)=4.93 K(GdB+L)=4.63 K(GdC+L)=4.29	1990D0b (91664)	908

H2A=iminodiethanoic acid, H3B=hydroxyethyliminodiethanoic acid, H3C=NTA.

Data also for 3-chloro and 3-methoxysalicylidene analogues

\*\*\*\*\*

C15H14NOCl                    HL                    CAS 268214-29-5 (8398)  
4-Chloro-3,5-dimethyl-2-[(phenylimino)methyl]phenol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	75%	M			K1=7.00	2000ANa (91691)	909

Medium: 75% v/v dioxan/H2O, 0.10 M NaClO4. Data for an extensive series of 4'-substituted phenylimino derivatives.

\*\*\*\*\*

C15H14O3S                    H2L                    (6191)  
1-(2-Hydroxy-3,5-dimethylphenyl)-3-(2-thiophene)-propan-1,3-dione;  
C4H3S.CO.CH2.CO.C6H2(OH)(CH3)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	50%	U				1987DDc (91784)	910

K(Gd+HL)=8.00  
K(GdHL+HL)=5.75

\*\*\*\*\*

C15H14O3S                    H2L                    CAS 57051-65-7 (6190)  
1-(2-Hydroxy-4,5-dimethylphenyl)-3-(2-thiophene)-propan-1,3-dione;  
C4H3S.CO.CH2.CO.C6H2(OH)(CH3)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	50%	U				1987DDc (91790)	911

K(Gd+HL)=7.67  
K(GdHL+HL)=6.58

\*\*\*\*\*

C15H14O4                    H2L                    CAS 60403-51-2 (2361)  
1-(2-Furyl)-3-(2-hydroxy-3,4-dimethylphenyl)-propan-1,3-dione;  
C4H3O.CO.CH2.CO.C6H2(OH)(CH3)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	50%	U				1987DDc (91796)	912

K(Gd+HL)=7.56  
K(GdHL+HL)=7.22

\*\*\*\*\*  
C15H14O4 H2L CAS 60403-52-3 (6186)  
1-(2-Furyl)-3-(2-hydroxy-3,5-dimethylphenyl)-propan-1,3-dione;  
C4H30.CO.CH2.CH2.C6H2(OH)(CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl diox/w 30°C 50% U 1987DDc (91802) 913  
K(Gd+HL)=6.84

\*\*\*\*\*  
C15H14O4 H2L CAS 60403-54-5 (6187)  
1-(2-Furyl)-3-(2-hydroxy-3,6-dimethylphenyl)-propan-1,3-dione;  
C4H30.CO.CH2.CH2.C6H2(OH)(CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl diox/w 30°C 50% U 1987DDc (91808) 914  
K(Gd+HL)=7.67  
K(GdHL+HL)=6.58

\*\*\*\*\*  
C15H15N02 HL (1167)  
N-(4-Tolyl)-4'-tolylhydroxamic acid; CH3.C6H4.CO.N(C6H4.CH3)OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl diox/w 25°C 50% U T H K1=10.60 B2=19.71 1983AGb (91842) 915  
K3=8.10

35 C: K1=10.09, K2=8.61, K3=7.61

\*\*\*\*\*  
C15H15N03 HL (6240)  
N-4-Tolyl-4'-methoxybenzohydroxamic acid; CH3O.C6H4.CO.N(C6H4.CH3).OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl diox/w 25°C 50% U T H K1=10.75 B2=20.01 1983AGb (91864) 916  
K3=8.26

35 C: K1=10.26, K2=8.75, K3=7.77

\*\*\*\*\*  
C15H18N203 HL CAS 116822-13-0 (6743)  
5,5-Dimethylcyclohexane-2-(2-hydroxy-4'-methylphenyl)-hydrazone-1,3-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl alc/w 20°C 75% U T H K1=10.91 B2=18.78 1993RAa (92023) 917  
Medium: 75% v/v MeOH/H2O; 0.10 M KNO3

Gd+++ gl mixed 30°C 0.10M U T H K1=12.30 B2=23.29 1988TRb (92024) 918  
Medium: 0.1 M KNO3 in 75% v/v isopropanol/water

\*\*\*\*\*  
C15H20N206 H3L BEDTA CAS 65311-06-0 (2944)

N-Benzylidiaminoethane-N,N',N'-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	C			K1=12.40	1978MPb (92151)	919

\*\*\*\*\*  
C15H20N207 H4L HBET (6954)  
N-(Hydroxobenzyl)diaminoethane-N,N',N'-triethanoic acid;  
HO.C6H4.CH2.N(CH<sub>2</sub>COOH)CH<sub>2</sub>CH<sub>2</sub>.N(CH<sub>2</sub>COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=17.54 B(GdHL)=23.55 B(GdH2L)=26.38	1995MMa (92169)	920

\*\*\*\*\*  
C15H22N404 H2L (7082)  
3,6,9,15-Tetraazabicyclo[9.3.1]pentadeca-1(15),11,13-triene-3,9-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=16.6	1995KHa (92246)	921

\*\*\*\*\*  
C15H23N302 L CAS 36763-33-4 (5176)

N,N,N',N'-Tetraethyl-2,6-pyridinedicarboxamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	non-aq	25°C	100%	M			K1=7.9 B2=14.70 B3=22.6	1997RPb (92283)	922

Medium: acetonitrile.

\*\*\*\*\*  
C15H25N3010 H5L (5127)  
Diethylenetriamine-N,N,N",N"-tetraethanoic acid-N'-propanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	EMF	KCl	?	0.10M	U			K1=16.71	1966VLa (92371)	923
Gd+++	vlt	oth/un	?	?	U			K1=18.4	1966VLa (92372)	924

\*\*\*\*\*  
C15H25N3010 H5L (6100)  
Diethylenetriamine-N,N,N",N"-tetraethanoic acid-N"-propanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	C			K1=19.74 K(Gd+HL)=13.38	1989SPa (92393)	925

\*\*\*\*\*  
C15H26N409 H4L (7685)

Diethylenetriamine-N,N,N',N'',N''-pentaethanoic acid N'-methylamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=19.9		2000SBb (92431)	926
*****											

C15H26N4O9 H4L CAS 137076-43-8 (5085)  
Diethylenetriamine-N,N,N',N'',N'''-pentaethanoic acid N-methylamide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KCl 25°C 0.10M C K1=19.4 2000SBb (92446) 927

C15H27N3O6 H3L (6557)

## 9,9-Dimethyl-1,4,7-triazacyclodecane-N,N',N"-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ nmr KCl 25°C 0.10M U K1=10.4 1991BCa (92467) 928  
 $K(Gd+HL=GdL+H)=-3.47$

C15H27N3O9 H4L CAS 319016-32-5 (7716)

N'-(2-Hydroxypropyl)-diethylenetriamine-N,N,N",N"-tetraethanoic acid;

Metal      Mtd    Medium    Temp    Conc    Cal    Flags    Lg    K    values      Reference    ExptNo

Gd+++ g1 R4N.X 25°C 0.10M M K1=18.48 2000CWa (92484) 929  
Medium: 0.1 M NMe4NO3.

C15H30N4O6 H3L (6472)

Tris(4-Carboxy-3-methyl-3-azabutyl)amine; N(CH<sub>2</sub>.CH<sub>2</sub>.N(CH<sub>3</sub>).CH<sub>2</sub>.COOH)<sub>3</sub>

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ g1 KCl 25°C 0.10M C K1=9.98 1992GBa (92538) 930

C15H33NO6 L CAS 70384-51-9 (838)

Tris(3,6-dioxaheptyl)amine; (CH<sub>3</sub>.CH<sub>2</sub>.O.CH<sub>2</sub>.CH<sub>2</sub>.O.CH<sub>2</sub>.)<sub>3</sub>N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ ISE non-aq 25°C 100% C K1=9.1 B2=16.7 1986ALa (92566) 931  
Medium: propylene carbonate, 0.1 M Et<sub>4</sub>NClO<sub>4</sub>  
\*\*\*\*\*

C15H36N3O9P3 H3L (6749)

-----

[View Details](#) | [Edit](#) | [Delete](#)

\*\*\*\*\*

C16H9N20Br3                    HL                            CAS 84317-74-8 (5169)  
1-(2,4,6-Tribromophenylazo)-2-hydroxynaphthalene;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values                    Reference   ExptNo

Gd+++      kin   oth/un   25°C   0.02M   U                    K1=5.03                    1972GSe (92653) 933

\*\*\*\*\*

C16H11N504                    H2L                            (5153)

1,5-Bis(2-carboxyphenyl)-3-cyanoformazan;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values                    Reference   ExptNo

Gd+++      gl   diox/w   25°C   70%   U   I                    K1=12.13   B2=21.26   1996DAb (92895) 934

Medium: 70% dioxane/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>. In 50% EtOH/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>,  
K1=11.15, K2=8.94.

\*\*\*\*\*

C16H12N2011S3                H5L                            CAS 548-81-2 (5180)

2-(4'-Sulfophenylazo)chromotropic acid,  
2-(4-sulfophenylazo)-1,8-dihydroxyphthalene-3,6-diHSO<sub>3</sub>

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values                    Reference   ExptNo

Gd+++      gl   oth/un   25°C   0.10M   U                    K1=7.59   B2=12.17   1985AAa (93094) 935

Data also for 12 other 4-substituted phenyl analogues

\*\*\*\*\*

C16H12N304C1S                H2L                            CAS 133131-00-7 (8468)

7-Amino-8-[(4-chlorophenyl)azo]-4-hydroxy-2-naphthalenesulfonic acid;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values                    Reference   ExptNo

Gd+++      gl   NaCl   25°C   0.10M   U                    K1=10.77   B2=20.31   1997IHa (93114) 936

B3=27.72

Also data for the 4'-bromo-, 4'-fluoro-, 4'-nitro-, 4'-methoxy-, 4'-di-methylamino-, 4'-hydroxy-, 4'-carboxy-, 4'-AsO(OH)2-, 2'-hydroxy- analogue

\*\*\*\*\*

C16H12N503                    L                                    CAS 77251-11-7 (5928)

1-Phenyl-3-methyl-4(2'-nitrophenylhydrazo)-5-pyrazolone;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values                    Reference   ExptNo

Gd+++      gl   diox/w   30°C   75%   M                    K1=7.38                    1987ESa (93129) 937

\*\*\*\*\*

C16H13N2010AsS2            H5L   Thorin I                    CAS 3688-92-4 (2609)

1-((2-Arsenophenyl)azo)-2-hydroxy-3,6-naphthalylsulfonic acid;

Metal      Mtd   Medium   Temp   Conc   Cal   Flags   Lg   K values                    Reference   ExptNo

Gd+++      gl   NaClO<sub>4</sub>   30°C   0.10M   U                    1976NDa (93193) 938

K(Gd+H2L=GdH2L)=5.59

$$\begin{aligned} K(GdHL+H) &= 7.30 \\ K(GdL+H) &= 9.74 \\ K(GdL+OH) &= 2.70 \end{aligned}$$

\*\*\*\*\*

C16H13N2011AsS2 H6L Arsenazo I CAS 520-10-5 (277)  
2-(2'-Arsonophenylazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	oth/un	20°C	0.10M	U				1971SSd (93255)	939
								K(Gd+H2L)=8.34		

\*\*\*\*\*

C16H13O5Cl H3L (261)  
3',4',7-Trihydroxy-3-methoxyflavylium chloride; (HO)2C6H3.C9H4O(OH)(OCH3)Cl

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	none	25°C	0.00	U				1997EFa (93398)	941
								K(Ga+H2L=GaL+2H)=-3.56		

\*\*\*\*\*

C16H14N205 H2L (7017)  
4-Hydroxy-1-carboxy-7-dimethylaminophenoxyaz-3-one methyl ester;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	alc/w	25°C	10%	U	I			1979KRB (93439)	942
								B3=19.59		

Medium: 10% w/w EtOH/H2O, 0.1 M NaClO4. In 30%: B3=19.98

\*\*\*\*\*

C16H14O2 HL CAS 1775-98-0 (952)  
3-Phenyl-1-(2'-hydroxy-5'-methylphenyl)-2-propen-1-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	35°C	70%	U			K1=7.93 B2=15.54	1982SLb (93530)	943
Medium:	70% EtOH,	0.1 M KNO3								

\*\*\*\*\*

C16H14O3 HL CAS 3327-24-0 (956)  
3-(4''-Methoxyphenyl)-1-(2'-hydroxyphenyl)-2-propen-1-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	35°C	70%	U			K1=7.52 B2=14.78	1982SLb (93567)	944
Gd+++	gl	alc/w	35°C	70%	U			K1=7.52 B2=14.78	1980SLb (93568)	945

\*\*\*\*\*

C16H15N5 L CAS 7014-14-4 (8462)

1,5-Bis(4-methylphenyl)-3-cyanoformazan;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Gd+++ gl diox/w 25°C 70% U K1=7.82 B2=15.43 1996DAb (93639) 946  
Medium: 70% dioxane/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>.

C16H15N5O7S2 H2L Cefixime CAS 79350-37-1 (8532)  
5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++      con non-aq 25°C 100% C      K1=5.06      B2= 7.18    2003GNa (93651) 947  
Medium: DMSO.

C16H18N2O3 HL (5564)

2-(2-Acetylphenylhydrazone)-5,5-dimethyl-1,3-cyclohexanedione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++      g1      dioxygen/w 30°C    75%    II      K1=11.32    B2=20.20    1988ESh

\*\*\*\*\*

Metal M<sup>+</sup>/d Medium Temp. Cons. Col. Flags Ig K values Reference ExptNo

Metal Metal Medium Temp Conc Cat Flags Eg K Values Reference ExpNo

Gd<sup>+++</sup>      g1      NaClO4    25°C    0    10M    II      K1=7.60      2001WZa (938)

$B(GdHL) = 14.62$

Also data for the N,N'-diethyl, isopropyl, butyl and isobutyl derivatives.

C16H18N4O4 H2L CAS 161563-39-9 (8399)

1,3-Phenylenediamine bisazoacetylacetone;

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Gd+++ gl diox/w 25°C 50% U K1=10.15 B2=19.51 1997MAb (93859) 950  
 Medium: 50% v/v dioxan/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>. For the 1,4-phenylenediamine derivative, K1=10.95, K2=10.30.

C16H18N4O4 H2I CAS 161563-49-2 (8400)

**C10H18N4O4**      **H2E**

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 25°C 50% U K1=7.96 B2=14.96 1997MAb (93866) 951  
 Medium: 50% v/v dioxan/H<sub>2</sub>O, 0.10 M NaClO<sub>4</sub>. For the 1,4-phenylenediamine derivative K1=9.25 K2=8.36

\*\*\*\*\*

1-Phenyl-ethylenediamine-N,N,N',N'-tetraethanoic acid (DL)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	vlt	KNO <sub>3</sub>	20°C	0.10M	U		K1=17.40	1969NDb (94038)	952

\*\*\*\*\*

C16H22O6 L (6733)

4'-Acetyl-2,3-benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	dis	non-aq	25°C	100%	U			1993INa (94249)	953

B(Gd+3P+2L)=7.51

By solvent extraction into dichloromethane. B is the extraction constant

Gd(aq)+picrate(aq)+L(org)=GdL2P3(org).

\*\*\*\*\*

C16H23N08 HL (6776)

19-Nitro-3,6,9,12,15-pentaoxabicyclo[15.13.1]heneicos-1(21),17,19-trien-21-ol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	C		K1=3.03	1990CBe (94259)	954

\*\*\*\*\*

C16H23N08 L CAS 53408-96-1 (1765)

2,3-(4'-Nitrobenzo)-1,4,7,10,13,16-hexaoxacyclooctadeca-2-ene;

4'-Nitrobenzo-18-crown-6

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Gd+++	ISE	R4N.X	25°C	0.10M	C		K1=2.98	1986XJa (94266)	955
-------	-----	-------	------	-------	---	--	---------	-----------------	-----

\*\*\*\*\*

C16H24O9S HL SB18C6 CAS 185099-14-3 (7819)

2,3-Benzo-1,4,10,13,16-hexaoxacyclooctadeca-2-ene-4'-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Gd+++	dis	R4N.X	25°C	0.12M	C		K1=1.39	1998SUa (94478)	956
-------	-----	-------	------	-------	---	--	---------	-----------------	-----

Medium: 0.12 M Et4NBr.

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid

\*\*\*\*\*

C16H26N2010 H2L CAS 93031-54-0 (5831)

1,4,7,10-Tetraoxa-13,16-diazacyclooctadecane-11,18-dione-13,16-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Gd+++	gl	R4N.X	25°C	0.10M	C		K1=9.59	1988CCb (94569)	957
-------	----	-------	------	-------	---	--	---------	-----------------	-----

\*\*\*\*\*

C16H27N508 H3L (6621)

1,4,7-Tris(carboxymethyl)-1,4,7,10,13-pentazacyclopentadecan-9,14-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
Gd+++	sp	KCl	25°C	0.08M	U			K1=11.4		1994FCa (94668)	958
Gd+++	gl	KCl	25°C	0.10M	C			K1=11.15 K(GdL+H)=2.87		1992CKa (94669)	959

Data also for some related ligands

C16H27N5O8 H3L (6915)  
4,10,13-Tris(carboxymethyl)-1,4,7,10,13-pentaazacyclopentadeca-8,15-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd <sup>III</sup>	sp	KCl	25°C	0.08M	H+		K1-15	3	1994EG3 (94684)	960

C16H28N2O8 H4I (5167)

1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-(3-methyl)butanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Gd+++ g1 KN03 20°C 0.10M U K1=13.39 1969NDc (94711) 961  
By polarography: K1=13.47

\*\*\*\*\*  
C16H28N2O8 H4L (5168)  
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-pentanoic acid;

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Gd+++ vlt KN03 20°C 0.10M U K1=16.60 1969NDc (94737) 962

C16H28N2O8 H4L  
1,2-Diaminoctane-N,N,N',N'-tetraethanoic acid;  
(HOOCCH<sub>2</sub>)<sub>2</sub>N.CH<sub>2</sub>.CH(C<sub>6</sub>H<sub>13</sub>)N(CH<sub>2</sub>COOH)<sub>2</sub>

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Gd+++ vlt KNO<sub>3</sub> 20°C 0.10M U K1=18.43 1979MBd (94763) 963  
\*\*\*\*\*

C16H28N4O8 H4L DOTA CAS 60239-18-1 (1017)  
1.4.7.10-Tetraazacyclododecane-1,4,7,10-tetraethanoic acid:

Metal      Mtd    Medium    Temp    Conc    Cal    Flags    Lg    K    values      Reference    ExptNo

Gd+++ gl R4N.X 25°C 0.10M C H K1=24.67 2000BCa (94896) 964  
 Medium: 0.10 M NMe4Cl. K1 corresponds to 3 weeks equilibration.

For complexes formed in minutes:  $K_1=21.2$ ,  $K(Gd+L+H)=24.5$ .

---

Gd+++ gl R4N.X 25°C 0.10M C K1=24.67 1996BCd (94897) 965  
Medium: Me4NC1

Gd+++ gl NaCl 25°C 1.00M C 1994TBa (94898) 966  
K(GdL+H)=1.1  
K(GdHL+H)=-0.9

Gd+++ gl NaCl 37°C 1.0M C K1=23.6 1994TBb (94899) 967  
Method: Competitive reaction with Eu<sup>3+</sup> ion.

Gd+++ sp NaCl 25°C 1.00M C 1993KCa (94900) 968  
K(GdL+H)=2.8

Gd+++ gl R4N.X 25°C 0.10M C K1=27.0 1992AAb (94901) 969

Gd+++ kin NaCl 25°C 1.00M U K1=22.1 1992WJa (94902) 970

Gd+++ EMF KCl 25°C 0.10M C K1=24.0 1991CMb (94903) 971  
K(GdL+H)=2.3

\*\*\*\*\*

C16H29N3O8 H3L (6699)

1,7-Dioxa-4,10,13-triazacyclopentadecane-N,N',N"-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp KCl 25°C 0.10M U K1=17.26 1997WHa (94974) 972

Method: luminescence spectroscopy

Gd+++ gl KCl 25°C 0.10M C K1=17.23 1993DSa (94975) 973  
K(GdL+H)=2.32  
K(Gd(OH)L+H)=10.79

\*\*\*\*\*

C16H29N3O9 H4L TTDA-HP (7932)

N'-(2-Hydroxypropyl)di(carboxymethyl)triazadodecanedioic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl R4N.X 25°C 0.10M M K1=17.33 2001CWa (94982) 974

Medium: 0.10 M Me<sub>4</sub>NNO<sub>3</sub>. Method: by competition with EDTA

\*\*\*\*\*

C16H29N5O8 H3L (6505)

Diethylenetriaminepentaethanoic acid N,N'-bismethylamide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M C H 1993RCa (94997) 975  
DH(K1)=-25.3 kJ mol<sup>-1</sup>, DS(K1)=238 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

Gd+++ gl NaCl 25°C 0.10M U K1=16.85 1990CQa (94998) 976

\*\*\*\*\*

C16H30N2O8 H2L CAS 72912-01-7 (1568)

1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-N,N'-diethanoic acid;

\*\*\*\*\*

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	R4N.X	25°C	0.10M	U			K1=11.93	1983CRb (95041)	977
<hr/>										
C16H30N406		H2L					(6295)			
1,2-Diaminoethane-N,N'-bis(2-propylethanoamide)-N,N'-diethanoic acid;(Me2CHNHCOCH2N(CH2COOH)CH2)2										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KCl	25°C	0.10M	U			K1=12.79 B2=18.96	1999WWa (95069)	978
<hr/>										
C16H30N407		H3L					(6917)			
10-(2-Hydroxyethyl)-1,4,7,10-tetraazacyclododecane-1,4,7-triethanoic acid;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	sp	R4N.X	25°C	0.10M	C			K1=22.3	1994KJa (95075)	979
Medium: Me4NC1										
<hr/>										
C16H30N4012P2		H6L					CAS 330623-46-6 (8581)			
1,5,8,12-Tetraaza-3,10-dihydroxy-3,10-dioxide-3,10-diphosphacyclotetradecane-1,5,8,12-tetraOAc;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	NaCl	25°C	0.16M	C			K1=12.74	2002SSa (95086)	980
K(Gd+HL)=10.62										
K(Gd+H2L)=7.11										
<hr/>										
C16H32N205		L	Cryptand 2,2,1		CAS 31364-42-8 (837)					
1,10-Diaza-4,7,13,16,21-pentaoxabicyclo[8,8,5]tricosane (2,2,1);										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	sp	non-aq	25°C	100%	U			K1=3.26	1983PSc (95208)	981
Medium: DMSO										
<hr/>										
C16H32N406		H2L					(7344)			
4,10-Bis(2-hydroxyethyl)-1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid);										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KCl	25°C	0.10M	C			K1=21.1	1997HTa (95327)	982
<hr/>										
C16H32N804		L			CAS 157599-02-5 (8676)					
1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetamide;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

-----
   
 Gd+++ gl NaNO<sub>3</sub> 25°C 0.10M C K1=10.05 1995MHa (95375) 983
   
 \*\*\*\*
   
 C16H32O7 L (6411)
   
 15-(2,5-Dioxahexyl)-15-methyl-1,4,7,10,13-pentaoxacyclohexadecane;
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ cal non-aq 25°C 100% U H K1=3.10 1993LLa (95383) 984
   
 Medium: MeCN. DH(K1)=-31.9 kJ mol-1.
   
 \*\*\*\*
   
 C16H38N4O6P2 H2L CAS 583879-34-9 (9251)
   
 4,10-Dimethyl-1,4,7,10-tetraazacyclododecane-1,7-bis(methanephosphonic acid monoethyl ester);
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl R4N.X 25°C 0.10M C K1=9.75 2003BGa (95594) 985
   
 Medium: 0.10 M Me4NCl.
   
 \*\*\*\*
   
 C17H12N03Cl1 HL (6197)
   
 8-Formyl-7-hydroxy-4-methyl-2H-[1]-benzopyran-2-one-4-chloroanil;
   
 Cl.C6H4.N:CH.C9H3O(OH)(CH3)(:O)
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl diox/w 30°C 70% U K1=5.22 B2=9.18 1987ECa (95690) 986
   
 B3=11.93
   
 \*\*\*\*
   
 C17H12N2O5 HL (6198)
   
 8-Formyl-7-hydroxy-4-methyl-2H-[1]-benzopyran-2-one-4-nitroanil;
   
 N02.C6H4.N:CH.C9H3O(OH)(CH3)(:O)
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl diox/w 30°C 70% U K1=5.05 B2=8.82 1987ECa (95707) 987
   
 B3=11.47
   
 \*\*\*\*
   
 C17H12O4 H2L CAS 60430-57-8 (6189)
   
 1-(2-Furyl)-3-(2-naphthol)-propan-1,3-dione; C4H3O.CO.CH2.CO.C10H6.OH
   
 -----
   
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
   
 -----
   
 Gd+++ gl diox/w 30°C 50% U 1987DDc (95732) 988
   
 K(Gd+HL)=8.00
   
 K(GdHL+HL)=6.45
   
 \*\*\*\*
   
 C17H13N03 HL CAS 98399-88-3 (6195)
   
 8-Formyl-7-hydroxy-4-methyl-2H-[1]-benzopyran-2-one-anil;
   
 C6H5.N:CH.C9H3O(CH3)(OH)(:O)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	70%	U			K1=5.75 B2=10.31 B3=13.64	1987ECa (95738)	989
*****										
C17H13N4O3		HL					(5927)			
1-Phenyl-3-methyl-4-(2'-carboxyphenylhydrazo)-5-pyrazolone;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	75%	M			K1=15.86 B2=28.79	1987ESa (95766)	990
*****										
C17H14N2O2		L					CAS 4551-69-3	(698)		
4-Benzoyl-3-methyl-1-phenyl-2-pyrazolin-5-one;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaNO <sub>3</sub>	20°C	0.10M	U	M			1981GCa (95883)	991
								B(Gd+3L+3TBP)=25.65		
								B(Gd+3L=4TBPOxide)=32.8		
Gd+++	dis	non-aq	25°C	100%	U	M			1973TEc (95884)	992
								K(GdA+3L)=1.56		
								K(GdB2+3L)=6.23		
								K(Gd(phen)2+3L)=7.43		
Medium: CHCl <sub>3</sub> . A=tributylphosphate, B=piperidine										
*****										
C17H15N4O2		L					CAS 97671-53-9	(5926)		
1-Phenyl-3-methyl-4-(2'-methoxyphenylhydrazo)-5-pyrazolone;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	75%	M			K1=8.60 B2=16.84	1987ESa (96007)	993
*****										
C17H16N2O3S2		L					CAS 127335-83-5	(6849)		
Sulfafurazole thiophene-2-aldehyde Schiff base; C <sub>4</sub> H <sub>3</sub> S.CH:N.C <sub>6</sub> H <sub>4</sub> .SO <sub>2</sub> .NH.C <sub>4</sub> HO(CH <sub>3</sub> ) <sub>2</sub>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	oth/un	25°C	0.10M	U	T		K1=4.90	1990TSa (96038)	994
30 C: K=4.70, 35 C: K=4.50										
*****										
C17H18O4		H2L					(6188)			
1-(2-Furyl)-3-(2-hydroxy-3,4-diethylphenyl)-propan-1,3-dione; C <sub>4</sub> H <sub>3</sub> O.CO.CH <sub>2</sub> .CO.C <sub>6</sub> H <sub>2</sub> (OH)(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	50%	U				1987DDc (96243)	995

$$K(Gd+HL) = 7.17$$

C17H20N3O3F HL (7845)  
1-Ethyl-6-fluoro-7-(4-methylpyperazine-1-yl)-4-oxo-1,4-dihydroquinoline-3-carboxylic acid:

C17H20N4O6                    HL        Riboflavin            CAS 83-88-5 (1438)  
7,8-Dimethyl-10(D-1'-ribityl)isoalloxazine, Vitamin B2, Vitamin H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
Gd+++	sp	mixed	25°C	95%	U			K1=4.18		1983LRb (96337)	997
Medium: CH <sub>3</sub> CN, 1 M LiClO <sub>4</sub> .3H <sub>2</sub> O											

C17H23N4O4BrS H2L (1594)  
2-(5-Bromo-2-pyridylazo)-5-(N-propyl-3-sulfopropylamino)phenol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	NaNO <sub>3</sub>	25°C	0.10M	C			K1=8.46 K(Gd+HL)=2.79	19880Ha (96419)	998

C17H24N4O6 H3L (7349)  
3,6,9,15-Tetraazabicyclo[9.3.1]pentadeca-1(15),11,13-triene-3,6,9-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	nmr	oth/un	25°C	0.1M	U				1997ABa (96456)	999
								K1eff=20.8		

C17H27N04 L CAS 71089-11-7 (7945)  
13-Phenylmethyl-1,4,7,10-tetraoxa-13-azacyclopentadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	cal	non-aq	25°C	100%	C	H			1993LLb (96533)1000	
								$K(GdNO_3 + L) = 3.24$		

\*\*\*\*\*  
C17H29N3O10 H4L CAS 89378-46-1 (5528)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	g1	KNO <sub>3</sub>	25°C	0.10M	II			K1=8.79	1984TPa	(96571)1001

$$K(Gd+HL)=5.67$$

\*\*\*\*\*

C17H29N508 H3L (6622)  
1,4,7-Tris(carboxymethyl)-1,4,7,10,14-pentaazacyclohexadecane-9,15-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=14.49	1992CKa	(96590)1002

Data also for some related ligands

\*\*\*\*\*

C17H30N408 H4L TRITA CAS 60239-20-5 (1018)  
1,4,7,10-Tetraazacyclotridecane-1,4,7,10-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=19.17 K(GdL+H)=3.2	1991CMb	(96650)1003

\*\*\*\*\*

C17H32N406 H3L (6696)  
1,4,7,10-Tetraazacyclododecane-1,4,7-tri(2-methyl)ethanoic acid;  
C8H17N4(CH(CH3)COOH)3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	R4N.X	25°C	0.10M	U			K1=25.3 K(GdL+H)=2.24	1993KRb	(96689)1004

\*\*\*\*\*

C17H32N407 H3L CAS 120041-08-9 (6702)  
10-Hydroxypropyl-1,4,7,10-tetraazacyclododecane-1,4,7-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	C	H		K1=24.5	2000BCa	(96713)1005

Medium: 0.10 M NMe4Cl. K1 corresponds to 3 weeks equilibration.  
Complex formed in minutes has K1=22.9, DH(K1)=-46.9 kJ mol-1.

Gd+++	sp	R4N.X	25°C	0.10M	C			K1=23.8	1994KCa	(96714)1006
-------	----	-------	------	-------	---	--	--	---------	---------	-------------

Medium: Me4NC1

Gd+++	sp	R4N.X	25°C	0.10M	C			K1=23.9 K(Gd+HL)=2.23	1994KJa	(96715)1007
-------	----	-------	------	-------	---	--	--	--------------------------	---------	-------------

Medium: Me4NC1

Gd+++	sp	NaCl	25°C	1.00M	C				1993KCa	(96716)1008
-------	----	------	------	-------	---	--	--	--	---------	-------------

$$K(GdL+H)=2.38$$

\*\*\*\*\*

C17H32N409 H3L CAS 124628-01-9 (2013)  
1,4,7,10-Tetraazacyclododecane-1,4,7-tri(2-hydroxymethyl)ethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ gl R4N.X 25°C 0.10M C H K1=18.29 2000BCa (96731)1009  
K(GdL+OH)=2.63

Medium: 0.10 M NMe4Cl. Data correspond to 3 weeks equilibration.

Complexes formed in minutes have: K1=15.5, B(Gd+L+2H)=22.1.

\*\*\*\*\*

C18H15N03 HL (6196)

8-Formyl-7-hydroxy-4-methyl-2H-[1]-benzopyran-2-one 4-methylanil;  
CH<sub>3</sub>.C<sub>6</sub>H<sub>4</sub>.N:CH.C<sub>9</sub>H<sub>30</sub>(OH)(CH<sub>3</sub>)(O)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	70%	U			K1=6.61 B2=12.11 B3=16.17	1987ECa	(96994)1010

\*\*\*\*\*

C18H16N203 HL (5560)

2-(2-Acetylphenylhydrazone)-1-phenyl-but-1,3-dione;  
C<sub>6</sub>H<sub>5</sub>.CO.C(CO.CH<sub>3</sub>):N.NH.C<sub>6</sub>H<sub>4</sub>.COCH<sub>3</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	75%	U			K1=11.03 B2=19.89	1988ESb	(97171)1011

\*\*\*\*\*

C18H20N206 H4L CAS 10328-28-6 (3501)

Ethylenedinitrilo-N,N'-bis(2'-hydroxyphenyl)-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=21.18 K(GdL+H)=6.15 K(GdHL+H)=3.71	1993MMa	(97402)1012

\*\*\*\*\*

C18H20N206 H4L EHPG CAS 10328-28-6 (429)

N,N'-Ethylene-bis-(2-(2'-hydroxyphenyl))glycine; (HOOCCH(C<sub>6</sub>H<sub>4</sub>OH)NHCH<sub>2</sub>).<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	EMF	KNO <sub>3</sub>	25°C	0.10M	C T H			K1=18.84 K(GdL+H)=7.14	1985HWb	(97429)1013

Method: Hg (and glass) electrode, using Hg(II) as competitive indicator ion. Data for 10-35 C. DH(K1)=-52.0 kJ mol<sup>-1</sup>, DS(K1)=186 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*

C18H20N404 H2L (7083)

2,11-Diaza[3.3](2,6)pyridinophane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=14.5	1995KHa	(97471)1014

\*\*\*\*\*

C18H22N404 H2L CAS 2444-14-6 (3502)

N,N'-Bis(2-pyridylmethyl)diaminoethane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaCl	25°C	0.16M	C			K1=12.37 K(Gd+L=GdL(OH)+H)=2.10 K(GdL(OH)+H)=10.25	1997CMa	(97543)1015

\*\*\*\*\*

C18H25N3O8 H4L BEATA CAS 87732-99-8 (5600)

N,N-Bis(2-aminoethyl)aniline-N',N',N'',N''-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO <sub>3</sub>	25°C	0.10M	C			K1=15.42	1985TPa	(97653)1016

\*\*\*\*\*

C18H26N4O6 H3L (7350)

3,6,10,15-Tetraazabicyclo[10.3.1]hexadeca-1(16),12,14-triene-3,6,10-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	nmr	oth/un	25°C	0.1M	U				1997ABa	(97686)1017

K<sub>1eff</sub>=19.3 (pH 7)

For 3,7,11,17-Tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene-3,7,11-triethanoic acid: K<sub>1eff</sub>=12.7

\*\*\*\*\*

C18H26N4O8 H4L CAS 319016-30-3 (7715)

N'-(2-Pyridylmethyl)-diethylenetriamine-N,N,N",N"-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	M			K1=21.59	2000CWa	(97691)1018

Medium: 0.1 M NMe<sub>4</sub>NO<sub>3</sub>.

\*\*\*\*\*

C18H26N6 L (6628)

3,6,14,17,23,24-Hexaazatricyclo[17.3.1.1]tetracosa-1(23),8,10,12(24),19,21-hexaene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	M			K1=8.1	1996MBb	(97713)1019

\*\*\*\*\*

Gd+++ gl KCl 25°C 0.20M C K1=8.1 1992RMa (97714)1020

\*\*\*\*\*

C18H28O5 L CAS 15196-73-3 (2359)

2,3-(4'-Dimethylethylbenzo)-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	non-aq	25°C	100%	U			K1=3.02	1982MDa	(97805)1021

Medium: propylene carbonate

\*\*\*\*\*

C18H29N04 L CAS 207603-17-6 (9000)

7-(Phenylmethyl)-1,4,10,13-tetraoxa-7-azacyclohexadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ cal non-aq 25°C 100% C H K1=2.37 1998LBc (97877)1022  
Medium: acetonitrile. DH(K1)=-61.05 kJ mol-1, DS(K1)=-159.5 J K-1 mol-1.

\*\*\*\*\*

C18H30N2011 H2L CAS 93049-99-1 (5832)  
1,4,7,10,13-Pentaoxa-16,19-diazacycloicosane-14,21-dione-16,19-diethanoic acid;

---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ gl R4N.X 25°C 0.10M C K1=10.04 1988CCb (97909)1023

\*\*\*\*\*

C18H30N4012 H6L TTHA CAS 869-52-3 (694)  
Triethylenetetraaminehexaethanoic acid;((HOOC.CH2)2N.CH2.CH2.N(CH2.COOH).CH2)2

---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ EMF KN03 25°C 0.10M C T H K1=23.05 1987HCa (98041)1024  
K(GdL+H)=4.73  
K(GdHL+H)=2.86

Method: Hg electrode; competitive reaction with Hg(II).

Data for 15-35 C. At 25 C, DH(K1)=-130 kJ mol-1, DS(K1)=6.3 J K-1 mol-1.

---

Gd+++ vlt R4N.X 30°C 0.01M C K1=19.51 1981GMh (98042)1025  
Method: polarography, using Cd as indicator ion. Medium: 0.01 M Et4NBr.

---

Gd+++ vlt NaClO4 25°C 0.40M C K1=23.83 1978MNb (98043)1026  
Medium: 0.40 M NaClO4, pH 4.80. Method: polarography, using Cd as  
indicator ion.

\*\*\*\*\*

C18H32N408 H4L TETA CAS 60239-22-7 (1019)  
1,4,8,11-Tetraazacyclotetradecane-1,4,8,11-tetraethanoic acid;

---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

---

Gd+++ EMF KCl 25°C 0.10M C K1=13.77 1991CMb (98204)1027  
K(GdL+H)=4.52

---

Gd+++ gl NaNO3 25°C 0.20M C K1=14.73 1991KKa (98205)1028

---

Gd+++ EMF NaCl 80°C 1.00M C K1=15.75 1986LD<sub>b</sub> (98206)1029  
K(GdL+H)=3.75

\*\*\*\*\*

C18H33N309 H3L (6700)  
1,7,13-Trioxa-4,10,16-triazacyclooctadecane-N,N',N"-triethanoic acid;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	sp	KCl	25°C	0.10M	U			K1=18.07	1997WHa	(98298)1030
Method: luminescence spectroscopy										
Gd+++	gl	KCl	25°C	0.10M	C			K1=18.02	1993DSa	(98299)1031
<hr/> <hr/>										
C18H34N208		H2L					CAS	68670-15-5	(5851)	
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-di-(3-propanoic acid);										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	R4N.X	25°C	0.10M	C			K1=7.02	1988CCc	(98337)1032
<hr/> <hr/>										
C18H34N406		H2L					(6845)			
1,2-Diaminoethane-N,N'-bis(t-butylethanoamide)-N,N'-diethanoic acid;Me <sub>3</sub> CNHC(O)CH <sub>2</sub> N(CH <sub>2</sub> COOH)CH <sub>2</sub> ) <sub>2</sub>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KCl	25°C	0.10M	U			K1=12.76 B2=20.35	1999WHa	(98364)1033
<hr/> <hr/>										
C18H34N409		H3L	D03A-B				(7301)			
10-[2,3-Dihydroxy-(1-hydroxymethyl)-propyl]-1,4,7,10-tetraazacyclododecane-1,4,7-triethanoic ac.;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	NaCl	25°C	0.10M	C I			K1=18.7	1996TKa	(98379)1034
In 0.1 M Me <sub>4</sub> NCl K=20.8, in 0.1 M KCl K=21.8										
<hr/> <hr/>										
C18H36N206		L	Cryptand 2,2,2		CAS	23978-09-8	(514)			
1,10-Diaza-4,7,13,16,21,24-hexaoxabicyclo[8.8.8]hexacosane;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	cal	non-aq	25°C	100%	C H			K1=14.44	2003DCa	(98576)1035
Method: competitive titration calorimetry of AgL+. Medium: acetonitrile.										
DH(K1)=-113.6 kJ mol-1, DS(K1)=-105 J K-1 mol-1.										
<hr/>										
Gd+++	ISE	non-aq	25°C	100%	C			K1=16.8	1986ALa	(98577)1036
Medium: propylene carbonate, 0.1 M Et <sub>4</sub> NClO <sub>4</sub>										
<hr/>										
Gd+++	gl	alc/w	25°C	100%	C			K1=10.14	1983ANb	(98578)1037
The equilibration took 7-12 days. Medium: MeOH, 0.05 M Et <sub>4</sub> NClO <sub>4</sub>										
<hr/>										
Gd+++	sp	non-aq	25°C	100%	U			K1=3.45	1983PSc	(98579)1038
Medium: DMSO										
<hr/> <hr/>										
C18H36N406		H2L					(7345)			



-----
 Gd+++ gl NaCl 25°C 0.10M C K1=20.1 1989SBc (99467)1045  
 \*\*\*\*=  
 C20H13N307S H3L Eriochrome Bl T CAS 1787-61-7 (997)  
 1-(1-Hydroxy-2-naphthylazo)-6-nitro-2-naphthol-4-sulfonic acid;  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ gl NaCl04 30°C 0.10M U M K1=11.4 B2=21.21 1987S0a (99566)1046  
 K(GdA+L)=10.14  
 K(GdB+L)=9.38  
 H2A=hydroxyethyliminodiethanoic acid, H3B=nitrilotriethanoic acid  
 \*\*\*\*=  
 C20H14N205S H3L Solochrome 6B CAS 3564-14-5 (3507)  
 1-(1-Hydroxy-2-naphthylazo)-2-naphthol-4-sulfonic acid, Mordant Black3, Eriochrome blue-black B;  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ gl alc/w 30°C 50% C M K1=11.91 B2=22.17 1994S0a (99650)1047  
 K(GdA+L)=10.34  
 K(Gd(nta)+L)=9.69  
 Medium: 50% v/v MeOH/H2O, 0.10 M NaCl04.  
 H2A is hydroxyethyliminodiethanoic acid.  
 -----
 Gd+++ gl NaCl04 30°C 0.10M U T H K1=13.37 1991NNb (99651)1048  
 Also data for 40 and 50 C. DH and DS values.  
 \*\*\*\*=  
 C20H14N205S H3L EriochrBluBlk R CAS 2538-85-4 (3508)  
 3-Hydroxy-4-(2-hydroxy-1-naphthylazo)naphthalene-1-sulfonic acid;  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ gl diox/w 30°C 50% U K1=11.52 1976NNa (99691)1049  
 \*\*\*\*=  
 C20H14N2011S3 H5L Chromotrope 8B CAS 5850-64-6 (2674)  
 3-(4'-Sulfonaphthylazo)chromotropic acid;  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ sp NaCl04 25°C 0.10M C K1=6.03 1979PLb (99711)1050  
 \*\*\*\*=  
 C20H14N2011S3 H2L Hydroxynaphthol CAS 63451-35-4 (2835)  
 Hydroxynaphthol blue, 1-(2-Hydroxy-4-sulfo-1-naphthylazo)-2-naphthol-3,  
 -----
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----
 Gd+++ sp none 25°C 0.0 U 1978BRb (99730)1051  
 K1eff=3.76

Keff at pH 10

\*\*\*\*\*

C20H18N4O2 HL (5917)  
Pyruvic monohydrazone-3-hydrazino-4-benzyl-6-phenylpyridazine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	75%	U				1985RSb (99833)	1052
								K(Gd+HL)=5.45		
								K(Gd+2HL)=11.05		

\*\*\*\*\*

C20H24N2O6 H4L HBED CAS 3625-89-6 (2208)  
N,N'-Di-(2-hydroxybenzyl)-diaminoethane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	U			K1=18.89	1994MMe (99999)	1053
								K(GdL+H)=5.68		
Gd+++	gl	KNO <sub>3</sub>	20°C	0.10M	U			K1=19.16	1985SNb (100000)	1054
								K(GdL+H)=5.67		
								K(GdHL+H)=5.09		

\*\*\*\*\*

C20H24N2O12S2 H6L CAS 3625-85-3 (5755)  
N,N'-Bis(2-hydroxy-5-sulfobenzyl)-diaminoethane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	KCl	25°C	0.10M	M			K1=22.27	1990MMa (100033)	1055
Gd+++	gl	KCl	25°C	0.10M	C			K1=23.36	1989MSc (100034)	1056
								K(GdL+H)=3.86		
								K(GdHL+H)=5.10		
								K(GdH2L+H)=4.03		
								K(GdH3L+H)=1.96		

\*\*\*\*\*

C20H24O6 L DiBz-18-Crown-6 CAS 14187-32-7 (604)  
2,3:11,12-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	cal	non-aq	25°C	100%	C	H		K1=2.91	1998LHa (100121)	1057
Medium:	acetonitrile.	DH(K1)=4.10	kJ mol-1.							
Gd+++	gl	oth/un	25°C	0.0	U	H		K1=2.57	1991HJa (100122)	1058

\*\*\*\*\*

C20H24O12S2 H2L CAS 172985-47-6 (7820)  
2,3:11,12-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene-4',4"-disulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ dis R4N.X 25°C 0.12M C K1=1.51 1998SUa (100281)1059  
Medium: 0.12 M Et4NBr.

Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid

\*\*\*\*\*

C20H35N5010 H5L (6545)

1,4,7,10,13-Pentaazacyclopentadecane-N,N',N",N"',N""-pentaethanoic acid;

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ gl NaNO<sub>3</sub> 25°C 0.20M C K1=15.88 1991KKa (100535)1060

Gd+++ gl NaClO<sub>4</sub> 25°C 0.20M C K1=15.88 1990KMD (100536)1061

\*\*\*\*\*

C20H35N5010 H3L (6623)

1,4,7-Tris(carboxymethyl)-13,16-dioxa-1,4,7,10,19-pentaazacycloheicos-9,20-dione;  
-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ sp KCl 25°C 0.08M U K1=17.4 1994FCa (100556)1062

Gd+++ gl KCl 25°C 0.10M C K1=17.44 1992CKa (100557)1063

Data also for some related ligands

\*\*\*\*\*

C20H37N508 H3L (7381)

Diethylenetriamine-N,N,N',N",N"-pentaethanoic acid bis(isopropylamide);

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ gl KCl 25°C 0.10M C K1=17.07 1997WCa (100729)1064

\*\*\*\*\*

C20H37N5010 H3L MEA CAS 129009-83-2 (7322)

N,N'-Bis(2-methoxyethylcarbamoylmethyl)diethylenetriamine;

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ gl NaClO<sub>4</sub> 25°C 0.10M C H K1=16.84 1997ICa (100734)1065

DH(K1)=-27.5 kJ mol<sup>-1</sup>, DS=230

\*\*\*\*\*

C20H38N4010 H3L CAS 214461-75-3 (1659)

10-(2-Hydroxypropyl)-1,4,7,10-tetraazacyclododecane-1,4,7-tris(2-hydroxymethyllethan oic acid);

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Gd+++ gl R4N.X 25°C 0.10M C H K1=19.4 2000BCa (100748)1066

Medium: 0.10 M NMe<sub>4</sub>Cl. K1 corresponds to 3 weeks equilibration.

For complexes formed in minutes: K1=15.2, B(GdHL)=19.8, B(GdH<sub>2</sub>L)=22.8.

\*\*\*\*\*

C20H40N8O4 L CAS 219143-29-0 (1185)  
1,4,7,10-Tetrakis(methylcarbamoylmethyl)-1,4,7,10-tetraazacyclododecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	C	H		K1=12.8 K(GdL+H)=3.4 K(GdL+OH)=5.8	2000BCa	(100846)1067

Medium: 0.10 M NMe4Cl. K1 corresponds to 3 weeks equilibration.  
For complexes formed in minutes: K1=8.6, K(Gd+L+H)=13.2.

Gd+++	gl	R4N.X	25°C	0.10M	U			K1=12.8 K(GdL+H)=3.4 K(GdL+OH)=5.8	1998ABd	(100847)1068

Medium: 0.10 M Me4NNO3.

\*\*\*\*\*

C20H43O4P HL CAS 7785-87-1 (2132)

Didecylphosphoric acid; (C10H21O)2P(0)OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	kin	oth/un	25°C	0.02M	U			K1=4.17	1974GMc	(100906)1069

\*\*\*\*\*

C20H48N408P4 H4L (6569)

1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetrakis(methyleneethylphosphinic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C			K1=16.5	1997HTa	(100994)1070

Gd+++	gl	KNO3	25°C	0.10M	C			K1=16.50	1991LSc	(100995)1071

\*\*\*\*\*

C20H48N4012P4 H8L C8-DOTP (7968)

1,4,7,10-Tetraazacyclododecan-1-(1-octyl-Me-phosphonic acid)-4,7,10-tris(methylene phosphonic ac;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	oth	none	37°C	0.0	C				2001CGb	(100997)1072
								K(GdL+HSA)=4.16		

Method: ultrafiltration. HSA=human serum albumin. K(GdL+BSA)=3.70.

\*\*\*\*\*

C21H17N205As H2L ArsenoBDMPH (5931)

2-Arsonodibenzoylmethanephenylhydrazone; C6H5.CO.C(CO.C6H5):N.NH.C6H4.AsO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	alc/w	27°C	40%	U			K1=14.20 B2=18.66	1990M0c	(101078)1073

Medium: 40% v/v EtOH/H2O, 0.1 M NaClO4

\*\*\*\*\*

C21H17N5		L	(7365)						
2,6-Bis(1-methylbenzimidazol-2-yl)pyridine									
<hr/>									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	sp	non-aq	20°C	100%	U		K1=8.5 K3=6.9	B2=15.20	1997PBa (101087)1074
Medium: CH3CN				*****					
<hr/>				*****					
C21H22N40		HL					CAS 56932-30-0	(5308)	
1-Hydroxy-2-(2-N-methylanabasinyl-alpha-azo)naphthalene;				<hr/>					
<hr/>				*****					
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	sp	oth/un	?	?	U		B2=16.44	1967PAa (101201)1075	
<hr/>				*****					
C21H30N4010		H5L					(7850)		
N,N-Bis[2-[N',N'-bis(carboxymethyl)amino]ethyl]-4-amino-L-phenylalanine;				<hr/>					
<hr/>				*****					
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	gl	KCl	25°C	0.10M	C		K1=22.0	1996DMb (101370)1076	
<hr/>				*****					
C21H31N309		H4L	TTDA-H1P				(7934)		
N'-(2-Hydroxy-1-phenylethyl)di(carboxymethyl)triazadodecanedioic acid;				<hr/>					
<hr/>				*****					
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	M		K1=17.16	2001CWa (101398)1077	
Medium: 0.10 M Me4NN03. Method: by competition with EDTA				<hr/>					
<hr/>				*****					
C21H31N309		H4L	TTDA-H2P				(7935)		
N'-(2-Hydroxy-2-phenylethyl)di(carboxymethyl)triazadodecanedioic acid;				<hr/>					
<hr/>				*****					
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	gl	R4N.X	25°C	0.10M	M		K1=17.44	2001CWa (101403)1078	
Medium: 0.10 M Me4NN03. Method: by competition with EDTA				<hr/>					
<hr/>				*****					
C22H14O9		H5L					CAS 4431-00-9	(3513)	
Aurintricarboxylic acid;				<hr/>					
<hr/>				*****					
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Gd+++	sp	oth/un	25°C	?	U			1967SAa (101500)1079	
				K(Gd+HL)=4.8(?)					
<hr/>				*****					
C22H17AsN4014S3		H6L	Arsenazo	M			CAS 3563-69-7	(623)	
2-(2-Arsenophenylazo)-7-(3-sulfophenylazo)-1,8-dihydroxynaphthalene-3,6-disulfonic acid;				<hr/>					
<hr/>				*****					





C22H31N3010	H5L		CAS 445269-58-9 (8992)
(4S)-4-Benzyl-3,6,10-tris(carboxymethyl)-3,6,10-triazadodecanedioic acid;			
-----			
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo			
Gd+++ gl R4N.X 25°C 0.10M M	K1=23.79	2002CLb (102181)1095	
Medium: 0.1 M Me4NNO3.			
*****			
C22H31N3011	H5L	BOPTA	(7460)
2,5,8-Tris(carboxymethyl)-12-phenyl-11-oxa-2,5,8-triazadodecane-1,9-dicarboxylic acid;			
-----			
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo			
Gd+++ gl NaCl 25°C 0.15M C M	K1=22.61 B(GdHL)=24.33 B(GdHL(ATP))=31.76 B(GdH2L(ATP))=35.43 B(GdH3L(ATP))=38.1	1999BCb (102185)1096	
B(GdH4L(ATP))=40.8, B(GdH5L(ATP))=43.23, B(GdHL(P3010))=32.34, B(GdH2L(P3010))=37.90, B(GdH3L(P3010))=40.88, B(GdH4L(P3010))=43.71.			
-----			
Gd+++ gl R4N.X 25°C 0.10M C H	K1=22.58 B(GdHL)=24.33	1996BCd (102186)1097	
Medium: Me4Cl. DH(GdL)=-4.9 kJ mol-1, DS=87 J K-1 mol-1; DH(GdHL)=3.5, DS=100			
-----			
Gd+++ gl KCl 20°C 0.10M C	K1=22.59	1995UAa (102187)1098	
*****			
C22H35N3010	H5L		CAS 158091-75-9 (7701)
meso-Bis(trans-2-aminocyclohexyl)amine-N,N,N',N",N"-pentaethanoic acid;			
-----			
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo			
Gd+++ gl KCl 25°C 0.10M C	K1=20.42 K(GdL+H)=2.38	2000SMc (102250)1099	
*****			
C22H35N3010	H5L		CAS 158091-75-9 (7700)
rac-Bis(trans-2-aminocyclohexyl)amine-N,N,N',N",N"-pentaethanoic acid;			
-----			
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo			
Gd+++ gl KCl 25°C 0.10M C	K1=20.71 K(GdL+H)=1.92	2000SMc (102252)1100	
*****			
C22H37N5014	H7L		CAS 3234-59-1 (2425)
Tetraethylenepentamineheptaethanoic acid;			
-----			
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo			
Gd+++ vlt R4N.X 30°C 0.01M C	K1=20.42	1981GMh (102326)1101	

Method: polarography, using Cd as indicator ion. Medium: 0.01 M Et4NBr.

Gd+++ gl KN03 25°C 0.10M U K1=20.41 1968MIC (102327)1102  
K(Gd+HL)=14.11  
B(GdH-1L)=5.34

\*\*\*\*\*

C22H40N4O8 H4L CAS 138763-18-5 (8607)  
5,7,12,14-Tetramethyl-1,4,8,11-tetraazacyclotetradecane-N,N',N",N'"-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KN03 40°C 0.50M U T K1=18.23 1995BIA (102356)1103  
K(GdL+H)=4.07

Also data for 80 C.

\*\*\*\*\*

C22H41N5O8 H3L CAS 189687-33-0 (7103)  
Diethylenetriamine-N,N',N"-triethanoic acid-N,N"-bis(butylamide);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl KC1 25°C 0.10M C K1=17.15 1997WCA (102388)1104

\*\*\*\*\*

C22H41N5O10 H3L MMEA CAS 192631-00-8 (7323)  
N,N'-Bis(methyl-2-methoxyethylcarbamoylmethyl)diethylenetriamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl NaCl04 25°C 0.10M C H K1=17.69 1997ICa (102392)1105  
DH(K1)=-35.3 kJ mol-1, DS=220

\*\*\*\*\*

C23H1609Cl2S H4L Chrome azurol S CAS 1667-99-8 (711)  
Chromazurol S;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ sp oth/un 25°C ? U 1967SAa (102559)1106  
K(?)=4.4

\*\*\*\*\*

C23H18N2O3 HL (5561)  
2-(2-Acetylphenylhydrazone)-1,3-diphenyl-prop-1,3-dione;  
C6H5.CO.C(CO.C6H5):N.NH.C6H4.COCH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Gd+++ gl diox/w 30°C 75% U K1=11.00 B2=19.75 1988ESb (102594)1107

\*\*\*\*\*

C23H18O9S H4L Eriochrome cyan CAS 3564-18-9 (433)  
4'-Hydroxy-3,3'-dimethyl-2''-sulfofuchsone-5,5'-dicarboxylic acid;



Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	KCl	25°C	0.10M	M			K1=20.27	1990MMa	(103063)1114
C24H32O14S2		H2L					CAS	204931-03-3	(7822)	
2,3:11,12-Dibenzo-1,4,7,10,13,16,19,22-octaoxacyclotetracosa-2,14-diene-4',4"-disulfonic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	dis	R4N.X	25°C	0.12M	C			K1=1.84	1998SUa	(103193)1115
Medium: 0.12 M Et4NBr.										
Method:solvent extraction into cyclohexane/di(2-ethylhexyl)phosphoric acid										
C24H42N6O12		H6L					(6546)			
1,4,7,10,13,16-Hexaazacyclooctadecane-N,N',N'',N''',N''''-hexaethanoic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaNO3	25°C	0.20M	C			K1=22.95	1991KKa	(103375)1116
								K(Gd+H2L)=17.26		
C24H45N5O12		H3L	HEMEA				CAS	185214-83-9	(7324)	
N,N'-Bis(2-hydroxyethyl-2-methoxyethylcarbamoylmethyl)diethylenetriamine;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	25°C	0.10M	C	H		K1=17.49	1997ICa	(103443)1117
DH(K1)=-35.1 kJ mol-1, DS=217										
C25H32N2O7		H2L					(7374)			
1,15-Diaza-3,4:12,13-dibenzo-5,8,11-trioxacyclooctadecane-N,N'-diethanoic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	KNO3	25°C	0.5M	C			K1=5.55	1993YNa	(103730)1118
C26H23N5O2		HL					(5918)			
Hippuric monohydrazone-3-hydrazino-4-benzyl-6-phenylpyridazine;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	diox/w	30°C	75%	U			K1=12.03 B2=22.54	1985RSb	(103880)1119
C26H27N3O10		H4L					(7231)			
2-((2-Amino-5-methylphenoxy)-methyl)-6-methoxy-8-aminoquinoline-N,N,N',N'-tetraethanoic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Gd+++ gl R4N.X 25°C 0.10M C K1=13.54 1993YTa (103963)1120  
 \*\*\*\*  
 C26H32N4O14 H4L CAS 372109-77-8 (8980)  
 9,20-Dihydroxy-10,21-dioxo-23,24-dioxa-3,6,14,17-tetraazatricyclotetracosatetraenonetetraethanoic:  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl NaCl 25°C 0.16M M K1=17.6 2001SKe (104047)1121  
 K(GdL+H)=9.36  
 K(GdHL+H)=9.04  
 K(Gd+H2L)=8.81  
 K(Gd+H3L)=6.80  
 K(Gd+H4L)=3.90, K(Gd+H5L)=3.7, K(Gd+H6L)=3.6, K(Gd+H7L)=3.0,  
 K(Gd+HL)=13.0.  
 \*\*\*\*  
 C26H33N3O12S3 H6L (7354)  
 1,1,1-Tris(((2-hydroxy-5-sulfobenzyl)amino)methyl)ethane;  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl NaCl 25°C 0.16M C K1=11.86 1998LCa (104063)1122  
 K(GdL+H)=6.55  
 \*\*\*\*  
 C26H34N6O8 H4L CAS 132709-65-0 (8941)  
 3,6,14,17,23,24-Hexaazatricyclotetracosa-1,8,10,12,19,21-hexaene-3,6,14,17-tetraacetic acid;  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl KCl 25°C 0.10M M K1=21.7 1996MBb (104094)1123  
 Method: competitive titration with arsenazo-III.  
 \*\*\*\*  
 C26H38N6 L CAS 180684-75-7 (7295)  
 1,8,14,17,24,31-Hexaazatricyclo[25.3.1.1.0.0]dotriaconta-10,12,14,26,28,  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl KNO3 25°C 0.20M C K1=5.6 1996FJa (104205)1124  
 \*\*\*\*  
 C27H24N4O L BAHP (1023)  
 Benzoylacetone-monohydrazone-3-hydrazino-4-benzyl-6-phenylpyridazine;  
 -----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Gd+++ gl diox/w 30°C 75% U K1=8.40 1983RSa (104384)1125  
 \*\*\*\*  
 C27H32N6O8 H3L CAS 319430-96-1 (8037)  
 4-[2-(2-Hydroxybenzoylamino)ethyl]-1,7-bis[2-(1,2-dihydro-3-hydroxy-1-methyl-2-oxo-4-pyridinyl+;





Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++		ISE non-aq	25°C	100%	U			K1=3.53	1982MDa	(104883)1137
Medium: propylene carbonate										
*****										
C28H64N4012P4		H4L						CAS 154882-99-2	(8222)	
1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetramethylenephosphonic acid tetrabutyl ester;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	R4N.X	25°C	0.10M	C			K1=12.19	2001BKb	(105067)1138
Medium: 0.10 M Me4NCl.										
*****										
C30H41N5010		H3L						(7506)		
1,4,7,10,13-Tetraaza-1,13-(2-methoxybenzyl)-tridecane-2,12-dione-4,7,10-triethanoic acid;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	KCl	25°C	0.10M	U			K1=16.82	1998WLb	(105295)1139
*****										
C30H44N206		H3L						(6508)		
N,N'-Bis(2-hydroxy-3-methyl-5-tert-butylbenzyl)diaminoethane-N,N'-diethanoic acid;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	sp	KCl	25°C	0.10M	M			K1=20.38	1990MMa	(105316)1140
*****										
C31H24N40		HL						CAS 88700-85-0	(1409)	
1,2-Diphenyl-1,2-ethanedione-3-(4-benzyl-6-phenyl)-pyridazinyl hydrazone;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	gl	diox/w	30°C	75%	U	I		K1=9.14	1983RRa	(105403)1141
In 75% MeOH: K1=7.61; 75% DMF: 6.39										
*****										
C31H32N2013S		H6L	Xylenol orange		CAS 63721-85-5	(432)				
5,5'-Bis-N,N-bis(carboxymethyl)aminomethyl-4'-hydroxy-3,3'-dimethylfuchsone-2"-sulfonic acid;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Gd+++	sp	NaNO3	20°C	0.20M	U				1963BBb	(105471)1142
B(Gd2L2)=43.1										
*****										
C32H28N8010S2		H4L	Diantipyrylazo		CAS 14918-39-9	(5368)				
2,7-Bis(antipyryinylphenylazo)chromotropic acid;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Gd+++	sp	KNO <sub>3</sub>	?	0.20M	U	1968BBa (105570)1143
K(?)=80.3						*****
C32H34N4O2		L		CAS 163892-66-8	(7329)	
1-Phenyl-1,1-di(2,3-dimethyl-1-phenyl-3-pyrazolyl-5-one)butane;C6H5C(C3H7)((C2N2(O)(CH <sub>3</sub> ) <sub>2</sub> (C6H5)) <sub>2</sub>						
-----						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	sp	diox/w	25°C	100%	C	1997KMa (105630)1144 K(La(NO <sub>3</sub> ) <sub>2</sub> +L)=4.00
*****						
C32H45N5O10		H3L			(7507)	
1,4,7,10,13-Pentaaza-1,13-di(2-ethyl-(2-methoxyphenyl))tridecane-2,12-dione-4,7,10-triethanoic a;						
-----						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	KCl	25°C	0.10M	U	K1=16.91 1998WLb (105784)1145
*****						
C33H44N3O14P		H6L			CAS 193901-91-6 (7981)	
(4,4-Diphenylcyclohexyl)(methylene-2-dien pentaethanoic acid) phosphoric acid;						
-----						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	NaClO <sub>4</sub>	25°C	0.10M	C	K1=22.06 2001CCa (105938)1146 K1 from competitive titration using EDTA. In 0.10 M Me4NCl, K1=23.2.
*****						
C33H45N7O12		H3L			CAS 282529-02-6 (7690)	
Tris[3-hydroxy-1-(methoxyethyl)-2-oxo-1,2-didehydropyridine-4-carboxamido)ethyl]amine;						
-----						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	KCl	25°C	0.10M	C	K1=19.69 2000J0a (105979)1147 B(GdHL)=22.80 B(GdH2L)=25.88
*****						
Additional method: spectrophotometry.						
*****						
C34H53N5O8		H3L			(7508)	
1,4,7,10,13-Pentaaza-1,13-bis(adamantanyl)tridecane-2,12-dione-4,7,10-triethanoic acid;						
-----						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Gd+++	gl	KCl	25°C	0.10M	U	K1=16.85 1998WLb (106092)1148
*****						
C34H54O8		H2L		Lasalocid	CAS 25999-20-6 (2335)	
Lasalocid acid;						



\*\*\*\*\*

C37H44N2013S H6L MeThymol Blue (428)  
3,3'-Bis(N,N-di(carboxymethyl)aminomethyl)thymolsulfonephthalein;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	NaClO4	30°C	0.10M	U				1980NAb	(106601)1155
								K(Gd+H3L)=4.30		
								K(Gd+H2L)=6.70		
								K(GdH2L+H)=4.74		

Also data for GdHnL(OH) species

\*\*\*\*\*

C47H46N604 L (7367)  
2,6-Bis(1-(3,5-dimethoxybenzyl)benzimidazol-2-yl)-4-(4-diethylamino)phenyl)pyridine  
;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	gl	non-aq	25°C	100%	C				1997PBa	(107315)1156
								K3=6.1		

Medium: CH3CN; 0.1 M Et4NClO4

\*\*\*\*\*

C52H69N07 L CAS 178626-47-6 (8569)  
5,11,17,23-Tetra-t-butyl-25-(diethylcarbamoyl)methoxy-27-carboxymethoxy-26,28-dihydroxycalix[4]ar

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	non-aq	25°C	100%	C			K1=6.02	2002BBC	(107512)1157
Method:	uv/vis	spectroscopy.	Medium:	DMSO.	Also data for the 25-methoxyethyl(carbamoylmethoxy)- and 25-di-(n-hexyl-carbamoyl)methoxy- derivatives					

C62H94N204S2 L (8109)  
5,11,17,23-Tetrakis(1,1-dimethylethyl)-25-27-bis[2-methylthio)ethoxy]...calix(4)arene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	cal	non-aq	25°C	100%	U	H		K1=5.06	2001NJa	(107703)1158
Method:	microcalorimetry.	Medium:	MeCN..	DH(K1)=-146	kJ mol-1					

C76H116N408 L (8156)  
p-tert-Butylcalix(4)arene tetradiisopropylethanoamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	cal	non-aq	25°C	100%	U	H		K1=5.24	2001NJa	(107880)1159
Method:	microcalorimetry.	Medium:	MeCN..	DH(K1)=-79.1	kJ mol-1					

Polymer HL Bleomycin (2324)

Bleomycin A2, B2 etc.

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	oth/un	25°C	?	U				1980LPb (108089)1160	

$$K_{\text{eff}}=4.34 \text{ pH } 6.8$$

Method: fluorescence

\*\*\*\*\*  
Polymer (1526)  
Bovine serum albumin protein

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	nmr	NaCl	27°C	0.15M	C	M		$K_1=4.35$ $B(Gd(CO_3)L)=>8.0$ $B(GdH(CO_3)L)=>16.0$	1985JAa (108103)1161	

Method: proton relaxation enhancement.

\*\*\*\*\*  
Polymer L (3532)  
Human transferrin;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Gd+++	sp	oth/un	25°C	0.10M	U				1992HCA (108214)1162	

$$K_{\text{eff}}(Gd+L)=7.96$$
$$K_{\text{eff}}(GdL+Gd)=5.94$$

Medium: N-(2-Hydroxyethyl)piperazine-N'-2-ethanesulfonic acid, pH 7.4

## REFERENCES

- 2005SYa V Smagina,E Yudina; Zh.Neorg.Khim.,50,213 (2005)  
2004AMb R Amirov,A Mustafina,Z Nugaeva; J.Inclusion Phenom.,49,203 (2004)  
2004LBb Y Luo,R Byrne; Geochim.Cosmo.Acta,68,691 (2004)  
2004LLa Y Lu,G Laurent,H Pereira; Talanta,62,959 (2004)  
2004LMa Y Luo,F Millero; Geochim.Cosmo.Acta,68,4301 (2004)  
2004LWa Y Liu,H Wang,L Wang,H Zhang; Thermochim.Acta,414,65 (2004)  
2004MIA I Matsubayashi,E Ishiwata,Y Hasegawa; Talanta,63,625 (2004)  
2004NJa T Nomkoko,G Jackson,B Nakani; J.Chem.Soc.,Dalton Trans.,741 (2004)  
2004NJb E Nomkoko,G Jackson,B Nakani; J.Chem.Soc.,Dalton Trans.,1432 (2004)  
2004SBb J Schijf,R Byrne; Geochim.Cosmo.Acta,68,2825 (2004)  
2003BGa C Bianchini,G Giambastiani,F Vizza; Org.Biomol.Chem.,1,879 (2003)  
2003DCa A De Namor,S Chahine,O Jafou,K Baron; J.Coord.Chem.,56,1245 (2003)  
2003GNa M Ganjali,L Naji,T Poursaberi,S Haghgo; Anal.Chim.Acta,475,59 (2003)  
2003GSb B Garg,B Singh,D Kumar,P Singh; Indian J.Chem.,42A,79 (2003)  
2003MBa A Mohamed,M Bakr,K El-Fattah; Thermochim.Acta,405,235 (2003)  
2003MYc A Merce,L Yano,M Khan,G Bouet; J.Solution Chem.,32,1075 (2003)  
2002BBC P Beer,G Brindley,O Fox,A Grieve,M Ogden; J.Chem.Soc.,Dalton Trans.,3101  
(2002)  
2002BDc A Bismondo,P Di Bernardo,R Portanova; Polyhedron,21,1393 (2002)  
2002CLb T Cheng,T Lee,M Ou,C Li,G Liu,Y Wang; Helv.Chim.Acta,85,1033 (2002)

- 2002KAa E Kozlovskii,S Aleksandrov,L Chesnokova; *Zh.Neorg.Khim.*,47,1566 (2002)
- 2002KNc M Komiya,Y Nishikido,Y Umebayashi; *J.Solution Chem.*,31,931 (2002)
- 2002NWa K Nicholson,S Wood; *J.Solution Chem.*,31,703 (2002)
- 2002SSa B Song,T Storr,S Liu,C Orvig; *Inorg.Chem.*,41,685 (2002)
- 2001BIA C Bonal,Y Israeli,J Morel; *J.Chem.Soc.,Perkin Trans.II*,1075 (2001)
- 2001BKb L Burai,R Kiraly,I Lazar,E Brucher; *Eur.J.Inorg.Chem.*,813 (2001)
- 2001CCA P Caravan,C Comuzzi,W Crooks; *Inorg.Chem.*,40,2170 (2001)
- 2001CGb P Caravan,M Greenfield,X Li,A Sherry; *Inorg.Chem.*,40,6580 (2001)
- 2001CWa T-H Cheng,Y-M Wang,K-T Lin; *J.Chem.Soc.,Dalton Trans.*,3357 (2001)
- 2001GYb P Gomez-Tagle,A Yatsimirsky; *Inorg.Chem.*,40,3786 (2001)
- 2001NJa A D de Namor,O Jafou; *J.Phys.Chem.B*,105,8018 (2001)
- 2001SBb C Sunderland,M Botta,K Raymond; *Inorg.Chem.*,40,6746 (2001)
- 2001SBf J Schijf,R Byrne; *Geochim.Cosmo.Acta*,65,1037 (2001)
- 2001SKe B Song,G Kurokawa,S Liu,C Orvig; *Can.J.Chem.*,79,1058 (2001)
- 2001VSA R Viguier,G Serratrice,A Dupraz; *Eur.J.Inorg.Chem.*,1789 (2001)
- 2001WZa Z-M Wang,Z-F Zhou,H-K Lin; *Acta Chimica Sinica*,59,701 (2001)
- 2001XRa L Xu,S Rettig,C Orvig; *Inorg.Chem.*,40,3734 (2001)
- 2000ANa V Athawale,S Nerkar; *Monatsh.Chem.*,131,267 (2000)
- 2000BCa A Bianchi,L Calabi,C Giorgi,P Losi; *J.Chem.Soc.,Dalton Trans.*,697 (2000)
- 2000CDa C Comuzzi,P Di Bernardo,M Tolazzi; *Polyhedron*,19,2427 (2000)
- 2000CWa T-H Cheng,Y-M Wang,W-T Lee; *Polyhedron*,19,2027 (2000)
- 2000CXa S Cohen,J Xu,E Radkov,K Raymond; *Inorg.Chem.*,39,5747 (2000)
- 2000DCa S Deberdt,S Castet,J Dandurand; *Chem.Geol.*,167,75 (2000)
- 2000JOa A Johnson,B O'Sullivan,K Raymond; *Inorg.Chem.*,39,2652 (2000)
- 2000KBa G Klungness,R Byrne; *Polyhedron*,19,99 (2000)
- 2000LBa Y Luo,R Byrne; *J.Solution Chem.*, 29,1089 (2000)
- 2000LKC I Lazar,R Kiraly,Z Takacs; *J.Coord.Chem.*,51,293 (2000)
- 2000SBb L Sarka,I Banyai,E Brucher; *J.Chem.Soc.,Dalton Trans.*,3699 (2000)
- 2000SBC L Sarka,L Burai,E Brucher; *Chem.Eur.J.*,6,719 (2000)
- 2000SMc Y Sun,A Martell,J Reibenspies; *Inorg.Chem.*,39,1480 (2000)
- 2000TBB O Teslyuk,S Bel'tyukova et al.; *Zh.Neorg.Khim.*,45,2103 (2000)
- 1999BCb A Bianchi,L Calabi,M Foresti; *Inorg.Chim.Acta*,288,244 (1999)
- 1999DNA N Dobrynina,L Nikolayeva,A Petrosyan; *Zh.Neorg.Khim.*,44,1160 (1999)
- 1999FBa N Fatin-Rouge,J-C Bunzli; *Inorg.Chim.Acta*,293,53 (1999)
- 1999SBC J Schijf,R Byrne; *Polyhedron*,18,2839 (1999)
- 1999SBd H Schmitt-Willich,M Brehm,C Ewers; *Inorg.Chem.*,38,1134 (1999)
- 1999WWa Y-M Wang,Y-J Wang,Y-L Wu; *Polyhedron*,18,109 (1999)
- 1999YKa S Yun,S Kang,S Yun; *Thermochim.Acta*,331,13 (1999)
- 1998ABd L Alderighi,A Bianchi,L Calabi; *Eur.J.Inorg.Chem.*,1581 (1998)
- 1998BMb C Bonal,J-P Morel,N Morel-Desrosiers; *J.Chem.Soc.,Faraday Trans.*,94,1431 (1998)
- 1998BMC C Bonal,J-P Morel,N Morel-Desrosiers; *J.Solution Chem.*, 27,361 (1998)
- 1998BRA L Burai,J Ren,A Sherry; *Inorg.Chem.*,37,69 (1998)
- 1998CCb C Chang,Y-H Chen,H-Y Chen,F-K Shieh; *J.Chem.Soc.,Dalton Trans.*,3243 (1998)
- 1998EGa A El-Binary,M Ghoneim,A El-Sonbati; *Monatsh.Chem.*,129,1259 (1998)
- 1998HGA R Hedinger,M Ghisletta,K Hegetschweiler; *Inorg.Chem.*,37,6698 (1998)
- 1998LBB X Liu,R Byrne; *J.Solution Chem.*, 27,803 (1998)
- 1998LBC Y Liu,X Bai,Y Inoue,M Ouchi; *J.Phys.Chem.B*,102,4871 (1998)
- 1998LCA M Lowe,P Caravan,C Orvig; *Inorg.Chem.*,37,1637 (1998)

- 1998LHa Y Liu,B Han,Z Zhang,J Guo, Y.Chen; *Thermochim.Acta*,317,1 (1998)
- 1998PAa V Panyushkin,N Achrimenko,A Khachatrian; *Polyhedron*,17,3053 (1998)
- 1998SUa T Sasaki,S Umetani,M Matsui; *Bull.Chem.Soc.Jpn.*,71,371 (1998)
- 1998WLb Y-M Wang,S-T Lin,Y-J Wang; *Polyhedron*,17,2021 (1998)
- 1998YHa S Yajima,Y Hasegawa; *Bull.Chem.Soc.Jpn.*,71,2825 (1998)
- 1997ABA S Aime,M Botta,S Crich et al; *Inorg.Chem.*,36,2992 (1997)
- 1997BZa J-H Bi,X-D Zhao,S-S Ni,F-X Xie; *Chem.J.of Chin.Univ.*,18,1251 (1997)
- 1997CMa P Caravan,P Mehrkhodavandi,C Orvig; *Inorg.Chem.*,36,1316 (1997)
- 1997EFa M Elhabiri,P Figueiredo,K Toki; *J.Chem.Soc.,Perkin Trans.II*,355 (1997)
- 1997EIa M Eid; *J.Indian Chem.Soc.*,74,97 (1997)
- 1997GMa F Gao,Y-T Ma,C-J Niu,J-Z Ni; *Chem.J.of Chin.Univ.*,18,1929 (1997)
- 1997HRb E Hosten,H Rohwer; *Anal.Chim.Acta*,345,227 (1997)
- 1997HTa J Huskens,D Torres,Z Kovacs et al; *Inorg.Chem.*,36,1495 (1997)
- 1997HTb Y Hasegawa,K Takashima,F Watanabe; *Bull.Chem.Soc.Jpn.*,70,1047 (1997)
- 1997ICa H Imura,G Choppin,W Cacheris; *Inorg.Chim.Acta*,258,227 (1997)
- 1997IHa Y Issa,W Hegazy; *J.Indian Chem.Soc.*,74,542 (1997)
- 1997KMa M Kuznetsov,Y Medvedev; *Koord.Khim.*,23,223 (1997)
- 1997LBb B Li,R Byrne; *Aquatic Geochem.*,3,99 (1997)
- 1997LBd X Liu,R Byrne; *Geochim.Cosmo.Acta*,61,1625 (1997)
- 1997LQa Y Liu,A-D Qi,R-T Chen,Y-M Zhang; *Acta Chimica Sinica*,55,1091 (1997)
- 1997MAb M Moustafa,A Amin,R Issa; *Monatsh.Chem.*,128,423 (1997)
- 1997PBa S Petoud,J-C Bunzli,F Renaud et al; *Inorg.Chem.*,36,5750 (1997)
- 1997PPb S Patnaik,C Panda; *J.Indian Chem.Soc.*,74,494 (1997)
- 1997RPb F Renaud,C Piguet,J-C Bunzli; *Chem.Eur.J.*,3,1646 (1997)
- 1997STA A Saito,H Tomari,G Choppin; *Inorg.Chim.Acta*,258,145 (1997)
- 1997WCa Y Wang,T Cheng,G Liu; *J.Chem.Soc.,Dalton Trans.*,833 (1997)
- 1997WHa Y Wang,W deW Horrock Jr; *Inorg.Chim.Acta*,263,309 (1997)
- 1996ADA N Atanova,N Dobrynina,Y Kiryanov et al; *Zh.Neorg.Khim.*,41,245 (1996)
- 1996BCd A Bianchi,L Calabi,L Ferrini at al; *Inorg.Chim.Acta*,249,13 (1996)
- 1996BJa L Burai,S Jakab,R Kiraly,I Lazar,I Toth; *J.Chem.Soc.,Dalton Trans.*,1113 (1996)
- 1996DAb N Darwish,N Abdel-Ghani,Y Issa,A Tawansi; *J.Indian Chem.Soc.*,73,103 (1996)
- 1996DMb K Deal,R Motekaitis,A Martell,M Welch; *J.Med.Chem.*39,3096 (1996)
- 1996FJa P Fitzsimmons,S Jackels; *Inorg.Chim.Acta*,246,301 (1996)
- 1996GMa C Geze,C Mouro,F Hindre,A Vacca et al.; *Bull.Soc.Chim.Fr.*,133,267 (1996)
- 1996HBa J Huskens,H van Bekkum,J Peters; *Inorg.Chim.Acta*,245,51 (1996)
- 1996HYa Y Hasegawa,N Yamazaki,S Usui; *Bull.Chem.Soc.Jpn.*,69,2169 (1996)
- 1996KDC V Kolhe,K Dwivedi; *J.Indian Chem.Soc.*,73,265 (1996)
- 1996MBb L Miao,D Bell,G Rothremel,S Jackels; *Supramol.Chem.*,6,365 (1996)
- 1996PJa A Patel,J Joshi; *J.Indian Chem.Soc.*,73,71 (1996)
- 1996PPa N Patel,M Patel,J Joshi; *J.Indian Chem.Soc.*,73,69 (1996)
- 1996Sza U Schilbach,K Zwietasch; *Monatsh.Chem.*,127,265 (1996)
- 1996TKa E Toth,R Kiraly,J Platzek et al; *Inorg.Chim.Acta*,249,191 (1996)
- 1996YLa R Yanping,Z Li,Y Kaiyu,W Liufang; *Polyhedron*,15,2231 (1996)
- 1995BIA J-H Bi; *Chem.J.of Chin.Univ.*,16,674 (1995)
- 1995CHA P Caravan,T Hedlund,S Liu,C Orvig; *J.Am.Chem.Soc.*,117,11230 (1995)
- 1995HAA V Hietapelto,R Anttila et al; *J.Alloys and Compounds*,225,312 (1995)
- 1995IFa Y Issa,H Fattah,M Omar,A Soliman; *Monatsh.Chem.*,126,163 (1995)
- 1995KHa W Kim,D Hrcicir,G Kiefer et al; *Inorg.Chem.*,34,2225 (1995)

- 1995KMa M Kuznetsov,Y Medvedev et al; *Zh.Neorg.Khim.*,40,1307 (1995)
- 1995LBc X Liu,R Byrne; *Marine Chem.*,51,213 (1995)
- 1995MHa H Maumela,R Hancock,L Carlton; *J.Am.Chem.Soc.*,117,6698 (1995)
- 1995MMa R Ma,R Motekaitis,A Martell; *Inorg.Chim.Acta*,233,137 (1995)
- 1995MTa S Meshkova,Z Topilova et al; *Zh.Neorg.Khim.*,40,1346 (1995)
- 1995PAa V Panushkin,N Akhriimenko; *Koord.Khim.*,21,747 (1995)
- 1995PRA C Paul-Roth,K Raymond; *Inorg.Chem.*,34,1408 (1995)
- 1995SSd G Sengupta,P Sanyal,N Ghosh; *J.Indian Chem.Soc.*,72,547 (1995)
- 1995UAa F Uggeri,S Aime,P Anelli et al; *Inorg.Chem.*,34,633 (1995)
- 1995WJa J M Wagener,N V Jarvis; *S.Afr.J.Chem.*,48,85 (1995)
- 1995XFa J Xu,S Franklin,D Whisenhunt,K Raymond; *J.Am.Chem.Soc.*,117,7245 (1995)
- 1994CRA G Choppin,E Rizkalla,T El-Ansi et al; *J.Coord.Chem.*,31,297 (1994)
- 1994FCa S Frey,C Chang,J Carvalho et al; *Inorg.Chem.*,33,2882 (1994)
- 1994KCa K Kumar,C Chang et al; *Inorg.Chem.*,33,3567 (1994)
- 1994KDa V Kolhe,K Dwivedi; *Oriental J.Chem.*,10,150 (1994)
- 1994KJa K Kumar,T Jin,X Wang et al; *Inorg.Chem.*,33,3823 (1994)
- 1994MMe R Ma,R Motekaitis,A Martell; *Inorg.Chim.Acta*,224,151 (1994)
- 1994MRa R Ma,J Reibenspies,A Martell; *Inorg.Chim.Acta*,223,21 (1994)
- 1994RCb K Reddy,S Cao,C Orr,I Fabian et al; *J.Chem.Soc.,Dalton Trans.*,2497 (1994)
- 1994S0a B Satyanarayana,K Omprakash,A Pal; *J.Indian Chem.Soc.*,71,625 (1994)
- 1994SSa J Shukla,R Sharma; *Monatsh.Chem.*,125,247 (1994)
- 1994TBa E Toth,E Brucher,I Lazar,I Toth; *Inorg.Chem.*,33,4070 (1994)
- 1994TBB E Toth,E Brucher; *Inorg.Chim.Acta*,221,165 (1994)
- 1993ALA R Anttila,L Lajunen et al; *Acta Chem.Scand.*,47,535 (1993)
- 1993ATA Y Agrawal,P Thomaskutty; *Indian J.Chem.*,32A,277 (1993)
- 1993BCc P di Bernardo,G Choppin,R Portanova; *Inorg.Chim.Acta*,207,85 (1993)
- 1993BRa J Bollinger,D Roundhill; *Inorg.Chem.*,32,2821 (1993)
- 1993CCb A Cassol,G Choppin,P di Bernardo et al; *J.Chem.Soc.,Dalton Trans.*,1695 (1993)
- 1993DSA R Delgado,Y Sun,R Motekaitis et al; *Inorg.Chem.*,32,3320 (1993)
- 1993EEa A El-Ansary,W El-Hawary,A Atwa; *Indian J.Chem.*,32A,913 (1993)
- 1993FKb F Firsching,J Kell; *J.Chem.Eng.Data*,38,132 (1993)
- 1993INA Y Inoue,K Nakagawa,T Hakushi; *J.Chem.Soc.,Dalton Trans.*,1333,2279 (1993)
- 1993KCa K Kumar,C Chang,M Tweedle; *Inorg.Chem.*,32,587 (1993)
- 1993KRb S Kang,R Ranganathan et al; *Inorg.Chem.*,32,2912 (1993)
- 1993LBa J Lee,R Byrne; *Geochim.Cosmo.Acta*,57,295 (1993)
- 1993LBB J Lee,R Byrne; *J.Solution Chem.*,22,751 (1993)
- 1993LLa Y Liu,T-B Lu,M-Y Tan,T Hakushi et al; *J.Phys.Chem.*,97,4548 (1993)
- 1993LLb Y Liu,T-B Lu,M-Y Tan; *Acta Chimica Sinica*,51,874 (1993)
- 1993MLa N Morel-Desrosiers,C Lhermet,J Morel; *J.Chem.Soc.,Faraday Trans.*,89,1223 (1993)
- 1993MMa R Ma,A Martell; *Inorg.Chim.Acta*,209,71 (1993)
- 1993RAa A Ramadan,M A-Moez et al; *Monatsh.Chem.*,124,647 (1993)
- 1993RCa E Rizkalla,G Choppin,W Cacheris; *Inorg.Chem.*,32,582 (1993)
- 1993VLa S Verma,S Limaye,M Saxena; *Indian J.Chem.*,32A,545 (1993)
- 1993YNa T Yao,S Ni,J Xu; *J.Inorg.Chem.(China)*,9,77 (1993)
- 1993YTa A Yuchi,A Tanaka,M Hirai,T Ysaui et al; *Bull.Chem.Soc.Jpn.*,66,3377 (1993)
- 1992AAb S Aime,P Anelli,M Botta et al; *Inorg.Chem.*,31,2422 (1992)

- 1992CBa A Cassol,P di Bernardo,R Portanova; *J.Chem.Soc., Dalton Trans.*, 469 (1992)  
 1992CKa J Carvalho,S Kim,C Chang; *Inorg.Chem.*, 31, 4065 (1992)  
 1992CMc E Clarke,A Martell; *Inorg.Chim.Acta*, 196, 185 (1992)  
 1992FIa F Firsching; *J.Chem.Eng.Data*, 37, 497 (1992)  
 1992GBa C Geraldes,E Brucher,S Cortes; *J.Chem.Soc., Dalton Trans.*, 2517 (1992)  
 1992HCa W Harris,Y Chen; *Inorg.Chem.*, 31, 5001 (1992)  
 1992JTa G Jackson,J du Toit; *S.Afr.J.Chem.*, 45, 82 (1992)  
 1992LRa I Lazar,R Ramasamy,E Brucher et al; *Inorg.Chim.Acta*, 195, 89 (1992)  
 1992MBb A M-Tang,J Bunzli; *Inorg.Chim.Acta*, 192, 201 (1992)  
 1992MSb M Majdan,P Sadowski; *Monatsh.Chem.*, 123, 987 (1992)  
 1992RAd P Reddy,T Adharani et al; *Indian J.Chem.*, 31A, 855 (1992)  
 1992RMa G Rothermel,L Miao,A Hill et al; *Inorg.Chem.*, 31, 4854 (1992)  
 1992SSc Sahadev,R Sharma et al; *Monatsh.Chem.*, 123, 25, 883, 1099 (1992)  
 1992WJa X Wang,T Jin,V Comblin et al; *Inorg.Chem.*, 31, 1095 (1992)  
 1992YNa M Yamamoto,N Nakasuka,M Tanaka; *Bull.Chem.Soc.Jpn.* 65, 1566 (1992)  
 1992ZNa Y-F Zhang,C-J Niu,J-Z Ni; *Acta Chimica Sinica*, 50, 135 (1992)  
 1991BCa E Brucher,S Cortes,F Chavez et al; *Inorg.Chem.*, 30, 2092 (1991)  
 1991BLb R Byrne,J Lee,L Bingler; *Geochim.Cosmo.Acta*, 55, 2729 (1991)  
 1991BPb T Baranova,S Pirkes,A Bugayevskii; *J.Chem.Thermodyn.*, 23, 543 (1991)  
 1991CMb E Clarke,A Martell; *Inorg.Chim.Acta*, 190, 27, 37 (1991)  
 1991DTa B Dash,P Tripathy et al; *Monatsh.Chem.*, 122, 341 (1991)  
 1991FBa F Firsching,S Brune; *J.Chem.Eng.Data*, 36, 93 (1991)  
 1991GLc L Garcia-Rodenas,S Liberman; *Talanta*, 38, 313 (1991)  
 1991HJa X Huang,B Jiang,J Yin; *Acta Chimica Sinica*, 49, 359 (1991)  
 1991ITa S-I Ishiguro,R Takahashi; *Inorg.Chem.*, 30, 1854 (1991)  
 1991JTa G Jackson,J du Toit; *J.Chem.Soc., Dalton Trans.*, 1463 (1991)  
 1991KBb I Kim,S Bae,S Yun; *Thermochim.Acta*, 184, 39 (1991)  
 1991KKa M Kodama,T Koike,A Mahatma,K Kimura; *Inorg.Chem.*, 30, 1270 (1991)  
 1991LSc I Lazar,A Sherry,R Ramasamy et al; *Inorg.Chem.*, 30, 5016 (1991)  
 1991MOa C Monk; *J.Chem.Soc., Dalton Trans.*, 1479 (1991)  
 1991NNb J Narkhede,G Natrajan,S Sangal; *J.Indian Chem.Soc.*, 68, 400 (1991)  
 1991OKa E Ohyoshi,S Kohata; *J.Inorg.Biochem.*, 43, 45 (1991)  
 1991SKb K Sawada,M Kuribayashi,T Suzuki,Miyamoto; *J.Solution Chem.*, 20, 829 (1991)  
 1991WPb J Westrenen,J Peters,H Bekkum et al; *Inorg.Chim.Acta*, 181, 233 (1991)  
 1990ATA N Abdel-Ghani,A Tawansi et al; *Bull.Soc.Chim.Fr.*, 127, 188 (1990)  
 1990BSe E Brucher,A Sherry; *Inorg.Chem.*, 29, 1555 (1990)  
 1990CBe A Cassol,P di Bernardo,P Zanonato; *Inorg.Chim.Acta*, 171, 217 (1990)  
 1990CQa W Cacheris,S Quay,S Rocklage; *Magn.Res.Imaging*.8, 467 (1990)  
 1990DOb M Devdas,K Omprakash et al; *Indian J.Chem.*, 29A, 192 (1990)  
 1990HLa T-M Hseu,K-L Liu; *J.Chih.Chem.Soc.(Taipei)*, 37, 237 (1990)  
 1990HYa Y Hasegawa,N Yamazaki,S Usui,G Choppin; *Bull.Chem.Soc.Jpn.*, 63, 2169  
 (1990)  
 1990KMD M Kodama,A Mahatma,T Koike; *Bull.Chem.Soc.Jpn.*, 63, 2639 (1990)  
 1990LSb S Limaye,M Saxena; *J.Indian Chem.Soc.*, 67, 162 (1990)  
 1990MMA R Motekaitis,A Martell,M Welch; *Inorg.Chem.*, 29, 1463 (1990)  
 1990MOc H Mohamed,M Omar,Y Issa; *Monatsh.Chem.*, 121, 351 (1990)  
 1990NIA K Nakagawa,Y Inoue,T Hakushi; *J.Chem.Res.(S)*, 348 (1990)  
 1990PJb N Patel,J Joshi; *J.Indian Chem.Soc.*, 67, 902 (1990)  
 1990PLa E Proskurina,E Lebedeva et al; *Zh.Neorg.Khim.*, 35, 1908 (1088) (1990)  
 1990RSc P Reddy,K Sudhakar; *Indian J.Chem.*, 29A, 158 (1990)

- 1990RSe P Reddy,K Sudhakar; Indian J.Chem.,29A,1182 (1990)  
 1990TSa S Tabassum,K Siddiqi et al; Indian J.Chem.,29A,82 (1990)  
 1990YKb S Yun,I Kim, Y Kim; Thermochim.Acta,162,341 (1990)  
 1989AMa E Afonin,T Matkovskaya,N Petchurova; Zh.Neorg.Khim.,34,59(34) (1989)  
 1989APd E Afonin,N Pechurova; Vestnik Moskov Univ.,30(1)105 (1989)  
 1989BBf L Bingler,R Byrne; Polyhedron,8,1315 (1989)  
 1989CMb J Charlier,E Merciny; Anal.Chim.Acta,220,187 (1989)  
 1989GDa B Garg,R Dixit,N Kiran,J Sharma; Bull.Soc.Chim.Fr.,I,168 (1989)  
 1989HMa Y Hasegawa,Y Morita,M Hase et al; Bull.Chem.Soc.Jpn.,62,1486 (1989)  
 1989MFa G Makoushova,B Feifel et al; Zh.Neorg.Khim.,34,628(349) (1989)  
 1989MJa M Menon,J James; J.Chem.Soc.,Faraday Trans.I,85,2683 (1989)  
 1989MJb M Menon,J James; J.Solution Chem.,18,735 (1989)  
 1989MSc R Motekaitis,Y Sun,A Martell; Inorg.Chim.Acta,159,29 (1989)  
 1989NDa R Nagar,P Dwivedi,R Sharma; Indian J.Chem.,28A,722 (1989)  
 1989NOb M Rao,K Omprakash; Indian J.Chem.,28A,174 (1989)  
 1989PEa R Petrola; Finn.Chem.Lett.,16,29 (1989)  
 1989SBb E Samokhvalova,A Borisova et al; Zh.Neorg.Khim.,34,2538 (1989)  
 1989SBc A Sherry,R Brown et al; Inorg.Chem.,28,620 (1989)  
 1989SHa G Sharma; Indian J.Chem.,28A,340 (1989)  
 1989SPa D Sawyer,J Powell; Polyhedron,8,1425 (1989)  
 1989SSg U Sharma,S Sharma,U Rani; Thermochim.Acta,141,401 (1989)  
 1989TMa M Tissier,G Mousset,J Juillard; J.Chem.Soc.,Faraday Trans.I,85,1337  
 (1989)  
 1989YSa I Yoshida,F Sagara,K Ueno; Bull.Chem.Soc.Jpn.,62,2296 (1989)  
 1989ZPa T Zakharova,S Pirkes et al; Zh.Neorg.Khim.,34,44(25) (1989)  
 1988BCd A Bandopadhyay,A Chaudhury; Indian J.Chem.,27A,332 (1988)  
 1988CCb C Chang,P H-L Chang,S-Y Qin; Inorg.Chem.,27,944 (1988)  
 1988CCc C Chang,P H-L Chang et al; Inorg.Chem.,27,3786 (1988)  
 1988CLb G Choppin,Q Liu,E Rizkalla; Inorg.Chim.Acta,145,309 (1988)  
 1988CMD D Czakis-Sulikowska,A Malinowska; Monatsh.Chem.,119,677 (1988)  
 1988ESb B El-Shetary,S Stefan et al; Can.J.Chem.,66,2362 (1988)  
 1988GBa P Grant,P Baisden et al; Inorg.Chem.,27,1156 (1988)  
 1988GSA B Garg,S Singh,R Basnet et al; Polyhedron,7,147 (1988)  
 1988HSa Y Hasegawa,T Sugawara,G Choppin; Inorg.Chim.Acta,143,277 (1988)  
 1988Kta R Kiraly,I Toth,L Zekany,E Brucher; Acta Chim.Acad.Sci.Hung.,125,519  
 (1988)  
 1988LLa L Lajunen,M Lajunen,G Choppin et al; Inorg.Chim.Acta,147,127 (1988)  
 1988MCa J M'Halla,M Chemla,R Bury,F David; J.Chim.Phys.,85,121 (1988)  
 1988MIA P M Milyukov; Izv.Vysh.Uchebn.Zaved.Khim.,31,23 (1988)  
 1988MSG M Majdan,P Sadowski; Monatsh.Chem.,119,1341 (1988)  
 1988NOa A Nagendram,K Omprakash,A Pal,M Reddy; Indian J.Chem.,27A,267 (1988)  
 1988OHa E Ohyoshi; Bull.Chem.Soc.Jpn.,61,689 (1988)  
 1988RNA E Rizkalla,C Niu,G Choppin; Inorg.Chim.Acta,146,135 (1988)  
 1988SJb W Szczepaniak,B Juskowiak,W Ciszewska; Inorg.Chim.Acta,147,261 (1988)  
 1988SSd I Svetlova,N Smirnova et al; Zh.Neorg.Khim.,33,1135(643) (1988)  
 1988SSg M Shoukry,E Shoukary; Indian J.Chem.,27A,364 (1988)  
 1988TRb A Taha,A Ramadan,M Abdel-Moez et al.; Acta Chim.Acad.Sci.Hung.,125,3  
 (1988)  
 1988VSc S Verma,M Saxena; Indian J.Chem.,27A,1068 (1988)  
 1988YSa I Yoshida,F Sagara, and K Ueno; Bull.Chem.Soc.Jpn.,61,2639 (1988)

- 1988ZTa I Zheltvai,M Tischenko,Z Hafagy; *Zh.Neorg.Khim.*,33,592(333) (1988)  
 1987APa E Afonin,N Pechurova,L Martynenko; *Zh.Neorg.Khim.*,32,3124(1810) (1987)  
 1987BCd A Bandopadhyay,A Chaudhury; *Indian J.Chem.*,26A,853 (1987)  
 1987CMe J Charlier,E Merciny,J Fuger; *Anal.Chim.Acta*,192,95 (1987)  
 1987DDc D Deolankar,Y Deshpande; *Indian J.Chem.*,26A,68 (1987)  
 1987ECa P Ettaiah,K Charyulu,K Omprakash et al; *Indian J.Chem.*,26A,437 (1987)  
 1987EGb T Eriksen,I Grenthe,I Puigdomenech; *Inorg.Chim.Acta*,127,131 (1987)  
 1987ESa R El-Shetary,S Stefan,E Zidan; *Monatsh.Chem.*,118,1101 (1987)  
 1987GBa B Garg,R Basnet,S Singh; *Bull.Soc.Chim.Fr.*,II,948 (1987)  
 1987HCa T Hseu,C Chang,Z Lin; *J.Chih.Chem.Soc.(Taipei)*,34,187 (1987)  
 1987KSc L Khan, Siddiqi,N Khan, Kursehy, Zaidi; *Indian J.Chem.*,26A,969 (1987)  
 1987LSc S Limaye,M Saxena; *J.Indian Chem.Soc.*,64,657 (1987)  
 1987MSa C Melios,J Souza-Campos et al; *Inorg.Chim.Acta*,139,163 (1987)  
 1987NCa C Niu,G Choppin; *Inorg.Chim.Acta*,131,277 (1987)  
 1987PEa R Petrola; *Ann.Acad.Sci.Fennicae*,215 (1987)  
 1987PLa R Petrola,P Lampen,S Lindroos; *Talanta*,34,445 (1987)  
 1987PPa M Philip,M Peerzada,J Joshi; *J.Indian Chem.Soc.*,64,436 (1987)  
 1987RRc P Reddy,P Reddy,M Reddy; *Proc.Indian Acad.Sci.*,99,297 (1987)  
 1987RSc M Rao,B Sethuram,T Rao; *Bull.Soc.Chim.Belges*,96,245 (1987)  
 1987SMd S Shetty,N Mahadevan,R Sathe; *Indian J.Chem.*,26A,76 (1987)  
 1987S0a B Satyaratana,K Omprakash et al; *Indian J.Chem.*,26A,710 (1987)  
 1987TSb S Tabassum,K Siddiqi,N Khan,R Kureshy; *Indian J.Chem.*,26A,489,523 (1987)  
 1987VSa S Verma,M Saxena; *J.Indian Chem.Soc.*,64,725 (1987)  
 1987VSB S Verma,M Saxena; *Proc.Indian Acad.Sci.*,99,217 (1987)  
 1987YJa J Yin,B Jiang,T Sun,H Sun; *J.Inorg.Chem.(China)*,3,69 (1987)  
 1986AJc B Arbad,D Jahagirdar; *Indian J.Chem.*,25A,557 (1986)  
 1986ALa F Arnaud-Neu,E Loufouilou et al; *J.Chem.Soc., Dalton Trans.*,2629 (1986)  
 1986BDa P Barthelemy,J Desreux,J Massaux; *J.Chem.Soc., Dalton Trans.*,2497 (1986)  
 1986CDB G Choppin,A Dadgar,E Rizkalla; *Inorg.Chem.*,25,3581 (1986)  
 1986CLc G Choppin,L Lajunen; *Inorg.Chem.*,25,3512 (1986)  
 1986C0b C Chang,V Ochaya; *Inorg.Chem.*,25,355 (1986)  
 1986FMA F Firsching,J Mohammadzadel; *J.Chem.Eng.Data*,31,40 (1986)  
 1986GKb T Gushchina,G Kotenko; *Koord.Khim.*,12(3)325 (1986)  
 1986GSb A Gahlot,S Shamar,R Mehta; *Indian J.Chem.*,25A,386 (1986)  
 1986HMa F Hirsching,J Mohammadzadei; *J.Chem.Eng.Data*,31,40 (1986)  
 1986LCa L Lajunen,G Choppin; *Inorg.Chim.Acta*,119,83 (1986)  
 1986LDa M Lochin,J Desreux,E Merciny; *Inorg.Chem.*,25,2646 (1986)  
 1986LLc L Lajunen,M Lajunen,G Choppin; *Inorg.Chim.Acta*,119,87 (1986)  
 1986MIA M Masoud,N Ibrahim et al; *Indian J.Chem.*,25A,389 (1986)  
 1986NBA M Naoum,B Barsoum; *Indian J.Chem.*,25A,398 (1986)  
 1986NSa G Narayana,S Swamy,P Lingaiah; *Indian J.Chem.*,25A,491 (1986)  
 1986PLb R Petrola,R Larja; *Finn.Chem.Lett.*,13,177 (1986)  
 1986PLc J Powell,D Ling,P Tse; *Inorg.Chem.*,25,585,587 (1986)  
 1986RCa E Rizkalla,G Choppin,W D'Olieslager; *Inorg.Chem.*,25,2327 (1986)  
 1986RMB P Reddy,V Rao; *Inorg.Chim.Acta*,125,191 (1986)  
 1986RSc M Rao,B Sethuram,T Rao; *J.Indian Chem.Soc.*,63,663 (1986)  
 1986SGc K Sarkar,B Garg; *Transition Met.Chem.*,11,326 (1986)  
 1986SKb N Skorik,A Kochmanek,O Voronkova; *Zh.Neorg.Khim.*,31,1137(646) (1986)  
 1986SZb Y Sal'nikov,N Zhuravleva; *Zh.Neorg.Khim.*,31,873(E:496) (1986)  
 1986XJa Xiao Wenjin,Ji Zhengping,Qin Zibin; *Acta Chimica Sinica*,704 (1986)

- 1986ZBa I Zheltvai,L Belevich,M Tischenko; *Zh.Neorg.Khim.*,31,2149(1239) (1986)  
 1985AAa A el-Ansary,S Abu-el-Wafa,Y Issa; *Indian J.Chem.*,24A,803 (1985)  
 1985ANa S Ali,A Nassar et al; *Indian J.Chem.*,24A,537 (1985)  
 1985BBb P Becker,B Bilal; *J.Solution Chem.*,14,407 (1985)  
 1985CBa G Choppin,J Brock; *Inorg.Chim.Acta*,109,99 (1985)  
 1985ECa P Ettaiah,K Charyulu,A Pal,M Reddy; *Indian J.Chem.*,24A,890 (1985)  
 1985EEb B El-Shetary,G El-Inany,A El-Atrash; *J.Chem.Soc.Pak.*,7,17 (1985)  
 1985GMb G Gross,T Medved,S Novak et al; *Zh.Obshch.Khim.*,55,734 (1985)  
 1985HWb T Hseu,S Wu,Z Lin; *J.Chih.Chem.Soc.(Taipei)*,32,287 (1985)  
 1985JAA G Jackson; *Inorg.Chim.Acta*,107,101 (1985)  
 1985KBB R Kiraly,E Brucher; *J.Less Common Metals*,112,227 (1985)  
 1985LBC S Lubkeova,P Balgavy et al; *Chem.Zvesti*,39,317 (1985)  
 1985MMa F Mulla,F Marsicano,B Nakani et al; *Inorg.Chem.*,24,3076 (1985)  
 19850Ha E Ohyoshi; *Anal.Chem.(USA)*,57,446 (1985)  
 19850Hb E Ohyoshi; *Bull.Chem.Soc.Jpn.*,58,405 (1985)  
 1985PLa J Powell,D Ling; *Inorg.Chem.*,24,2967 (1985)  
 1985RSb A Ramadan,M Seada et al; *Monatsh.Chem.*,116,463 (1985)  
 1985SGa T Smirnova,I Gorelov,A Pavlov; *Zh.Neorg.Khim.*,30,551(310) (1985)  
 1985SNb L Sirotkova,P Novomesky,E Dvorakova; *Chem.Zvesti*,39,639 (1985)  
 1985TPa P Tse,J Powell; *Inorg.Chem.*,24,2727 (1985)  
 1984AFa M Albin,G Farber,W Horrocks; *Inorg.Chem.*,23,1648 (1984)  
 1984AIa S Ali,N Ibrahim et al; *Indian J.Chem.*,23A,1049 (1984)  
 1984APa Z Akhrymenko,V Panushkin,L Sydorenko; *Koord.Khim.*,10,1633 (1984)  
 1984BKc E Brucher,C Kukri,R Kiraly; *Inorg.Chim.Acta*,94,45 (1984)  
 1984BMa K Bukietynska,A Mondry; *Polyhedron*,3,31 (1984)  
 1984KTb R Kumar,S Tripathi,G Chaturvedi; *Monatsh.Chem.*,115,283 (1984)  
 1984MFa E Merciny,J Fuger; *Anal.Chim.Acta*,160,87 (1984)  
 19840Ha E Ohyoshi; *Talanta*,31,1129 (1984)  
 1984SGb R Saxena,A Gupta; *Indian J.Chem.*,23A,785 (1984)  
 1984TPa P Tse,J Powell,M Potter et al; *Inorg.Chem.*,23,1437 (1984)  
 1984YLa Yao Kemin,Liu Min,Wang Guangren et al; *Chem.J.of Chin.Univ.*,603 (1984)  
 1983AGb Y Agrawal; *Indian J.Chem.*,22A,80 (1983)  
 1983ANb M-C Almasio,F Arnaud-Neu et al; *Helv.Chim.Acta*,66,1296 (1983)  
 1983ASa B Arbad,D Shelke,D Jahagirdar; *Indian J.Chem.*,22A,124 (1983)  
 1983BTa I Bezlytskaya,M Tischenko et al; *Koord.Khim.*,9,777 (1983)  
 1983CRb C Chang,M Rowland; *Inorg.Chem.*,22,3867 (1983)  
 1983KBd Y Kozlov,V Babich et al; *Zh.Obshch.Khim.*,53,1606 (1983)  
 1983KKb G Kim,Y Kim,S Yun; *Polyhedron*,2,663 (1983)  
 1983LRb L Lugina,V Romanenko,N Davidenko; *Zh.Neorg.Khim.*,28,665(375) (1983)  
 1983MCC J Morrison,W Cleland; *Biochemistry*,22,5507 (1983)  
 1983MPc N Mohanty,R Patnaik; *Indian J.Chem.*,22A,820 (1983)  
 1983MSC J Majer,L Sirotkova,I Valaskova; *Chem.Zvesti*,37,183 (1983)  
 1983PMa S Pirkes,G Makushova et al; *Zh.Neorg.Khim.*,28,2969(1684) (1983)  
 1983PSc R Pizer,R Selzer; *Inorg.Chem.*,22,1359 (1983)  
 1983RRa E Rizkalla,A Ramadan et al; *Polyhedron*,2,1155 (1983)  
 1983RSa A Ramadan,M Seada; *Talanta*,30,245 (1983)  
 1983SDa R Saxena,S Dhawan; *Indian J.Chem.*,22A,89 (1983)  
 1983SKb R Sandhu,R Kalia; *J.Indian Chem.Soc.*,60,19 (1983)  
 1983SSb K Siddiqi,M Shah,V Islam,S Zaidi; *Indian J.Chem.*,22A,355 (1983)  
 1982BSb I Batyaev,S Shilov; *Zh.Fiz.Khim.*,56,2444 (1982)

- 1982CBc G Choppin,P Bertrand,Y Hasegawa et al; Inorg.Chem.,21,3722 (1982)  
 1982DBa S Dubey,B Bhuyan; Indian J.Chem.,21A,442 (1982)  
 1982FKb T Fukusawa,I Kawasuji et al; Bull.Chem.Soc.Jpn.,55,726 (1982)  
 1982GMb S Garg,S Mukherjee,B Garg,R Singh; J.Indian Chem.Soc.,59,1038 (1982)  
 1982HMa S Hassan,W Mahmoud; Anal.Chem.(USA),54,228 (1982)  
 1982KKc A Kapustnirov,Yu Kozlov,I Gorelov; Zh.Obshch.Khim.,52,663 (1982)  
 1982KNa H Kojima,H Nonaka,M Hirota; Bull.Chem.Soc.Jpn.,55,2988 (1982)  
 1982KYc Y Kim,S Yun; Thermochim.Acta,59,299 (1982)  
 1982LMa K Lal,S Malhotra; Indian J.Chem.,21A,1007 (1982)  
 1982LPC A Lapitskaya,S Pirkes et al; Zh.Neorg.Khim.,27,2148(1215) (1982)  
 1982LTa S Lakhani,G Thakur,S Sangal; J.Indian Chem.Soc.,59,801 (1982)  
 1982Maa V Mironov,N Avramenko et al; Koord.Khim.,8,636 (1982)  
 1982MBa M Mayadeo,S Bhattacharjee; J.Indian Chem.Soc.,59,800 (1982)  
 1982MDa J Massaux,J Desseux; J.Am.Chem.Soc.,104,2967 (1982)  
 1982MPd V Mischenko,N Poluekerov,L Ovchar; Zh.Neorg.Khim.,27,1397(787) (1982)  
 1982MSc K Mehta,K Sharma,R Mehta; Indian J.Chem.,21A,656 (1982)  
 1982OCa K Omprakash,A Chandra,M Reddy; Indian J.Chem.,21A,322 (1982)  
 1982PPd J Powell,M Potter,H Burkholder,E Potter; Polyhedron,1,277 (1982)  
 1982RFa E Riecanska,E Fuleova,J Majer; Chem.Zvesti,36,501 (1982)  
 1982SLb S Swamy,P Lingaiah; Indian J.Chem.,21A,654 (1982)  
 1981BDa B Bhuyan,S Dubey; Indian J.Chem.,20A,756 (1981)  
 1981BDC B Bhuyan,S Dubey; J.Indian Chem.Soc.,58,613 (1981)  
 1981EIa S Etaiw,G El-Inany et al; J.Inorg.Nucl.Chem.,43,1920 (1981)  
 1981EIC S Etaiw,R Issa,N El-Assy; J.Inorg.Nucl.Chem.,43,303 (1981)  
 1981FCa F Firsching,R Cuca; J.Chem.Eng.Data,26,116 (1981)  
 1981GCa Gao Hongcheng,Chen Dian,Wu Jingguang etc; Chem.J.of Chin.Univ.,417 (1981)  
 1981GMh A Garg,A Madhavan,V Garg,W Malik; Indian J.Chem.,20A,994 (1981)  
 1981KBa Z Konteatis,H Brittain; J.Inorg.Nucl.Chem.,43,1675 (1981)  
 1981KSe R Kumar,R Sharma,G Chaturvedi; J.Inorg.Nucl.Chem.,43,2503 (1981)  
 1981KTb R Kiraly,I Toth,E Brucher; J.Inorg.Nucl.Chem.,43,345 (1981)  
 1981MBb S Mathur,C Bhandari; Pol.J.Chem.,55,285 (1981)  
 1981MCb A Malinowska,D Sulikowska; Pol.J.Chem.,55,963 (1981)  
 1981NSc V Novak,M Svicekova et al; Chem.Zvesti,35,481 (1981)  
 1981RSb V Reddy,B Sethuram,T Rao; Indian J.Chem.,20A,1140 (1981)  
 1981SKg R Sandhu,R Kumar; Thermochim.Acta,47,239 (1981)  
 1981ZLa S Zielinski,L Lomozik et al; Monatsh.Chem.,112,1245 (1981)  
 1980BDd B Bhuyan,S Dubey; J.Indian Chem.Soc.,57,289 (1980)  
 1980CCa G Choppin,R Cannon; Inorg.Chem.,19,1889 (1980)  
 1980KBC Y Kozlov,V Babich; Zh.Neorg.Khim.,25,2852(1574) (1980)  
 1980KBD Z Konteatis,H Brittain; Inorg.Chim.Acta,40,51 (1980)  
 1980KDC J Kragten,L Decnop-Weaver; Talanta,27,1047 (1980)  
 1980KTb R Kumar,S Tripathi et al; Indian J.Chem.,19A,1217 (1980)  
 1980LPb R Lenkinski,B Peerce et al; J.Am.Chem.Soc.,102,7088 (1980)  
 1980MDB J Massaux,J Desreux,C Delchambre et al; Inorg.Chem.,19,1893 (1980)  
 1980MGc G Makhmeeva,V Gontar et al; Zh.Neorg.Khim.,25,855(467) (1980)  
 1980MMe L Martynenko,N Muratova,A Borisova; Zh.Neorg.Khim.,25,713(591) (1980)  
 1980NAb R Nayan; J.Inorg.Nucl.Chem.,42,1743 (1980)  
 1980NSF T Nakano,Y Suzuki; Nippon Kagaku Kaishi,10,1485 (1980)  
 1980PPF C Panda,R Patnaik; J.Indian Chem.Soc.,57,23 (1980)  
 1980RPa E Riccankk,Z Pikulikova,J Majer; Chem.Zvesti,34,190 (1980)

- 1980SBc S Shilov,N Batyaev; *Zh.Neorg.Khim.*,25,409(223) (1980)  
 1980SDa A Samir,N Dobrynina et al; *Zh.Neorg.Khim.*,25,3250(1781) (1980)  
 1980SDb A Samir,N Dobrynina et al; *Zh.Neorg.Khim.*,25,2977(1637) (1980)  
 1980SDc C Sharma,T De; *J.Less Common Metals*,70,63 (1980)  
 1980SGa J Sharma,B Garg,R Singh; *J.Inorg.Nucl.Chem.*,42,399 (1980)  
 1980SGb T Smirnova,I Gorelov; *Zh.Neorg.Khim.*,25,2967(1631) (1980)  
 1980SLb S Swamy,P Lingaiah; *Indian J.Chem.*,19A,493 (1980)  
 1980SSc R Shekhawat,N Sankhla,R Mehta; *Pol.J.Chem.*,54,391 (1980)  
 1980VCa P Volpe,A Chagas,C Airolidi; *J.Inorg.Nucl.Chem.*,42,1321 (1980)  
 1980ZMa S Zaidi,S Mukherjee; *J.Inorg.Nucl.Chem.*,42,455 (1980)  
 1979BEb A Borisova,A Evseev et al; *Zh.Neorg.Khim.*,24,1515(840) (1979)  
 1979DBb J Dumonceau,S Bigot,M Treuil; *Compt.Rend.*,287C,325 (1979)  
 1979HJa R Hancock,G Jackson et al; *J.Chem.Soc., Dalton Trans.*,1384 (1979)  
 1979JMa I Zheltvai,E Melenteva,M Tischenko; *Zh.Neorg.Khim.*,24,1214(675) (1979)  
 1979KRp M Kotoucek,M Kucerova J Lasovsky; *Coll.Czech.Chem.Comm.*,44,1559 (1979)  
 1979KSb A Kettrup,T Seshadri,M Cramer; *Talanta*,26,303 (1979)  
 1979KSc R Kumar,R Sharma,G Chaturvedi; *Monatsh.Chem.*,110,907 (1979)  
 1979LAb L Lajunen et al; *Finn.Chem.Lett.*11 (1979)  
 1979LSb P Lehtonen et al; *Finn.Chem.Lett.*53 (1979)  
 1979MBd J Majer,P Butvin et al; *Chem.Zvesti*,33,742 (1979)  
 1979NDa S Nagpal,S Dubey,H Kalra,D Puri; *Indian J.Chem.*,18A,270 (1979)  
 1979NSb P Nair,K Srinivasulu; *J.Inorg.Nucl.Chem.*,41,251 (1979)  
 1979PLb A Passoja,L Lajunen; *Finn.Chem.Lett.*42 (1979)  
 1979PPa J Powell,M Potter et al; *J.Inorg.Nucl.Chem.*,41,1771 (1979)  
 1979SKe R Sandhu,R Kalia; *Thermochim.Acta*,30,351 (1979)  
 1979VMa G Viswanath,K Menon et al; *J.Inorg.Nucl.Chem.*,41,717 (1979)  
 1978AGc R Agarwal; *J.Indian Chem.Soc.*,55,984 (1978)  
 1978BKd K Balaji,S Kumar,P Gupta-Bhaya; *Anal.Chem.*,50,1972 (1978)  
 1978BRb H Brittain; *Anal.Chim.Acta*,96,165 (1978)  
 1978C0a G Choppin,E Orebaugh; *Inorg.Chem.*,17,2300 (1978)  
 1978GKb C Gupta,P Kanungo,R Mehta; *Indian J.Chem.*,16A,1101 (1978)  
 1978MCd M Mayadeo,A Chaubal,S Vartak; *J.Indian Chem.Soc.*,55,450 (1978)  
 1978MNb Y Masuda,T Nakamori,E Sekido; *Nippon Kagaku Kaishi*,2,204 (1978)  
 1978MPb J Miller,J Powell; *Inorg.Chem.*,17,774 (1978)  
 1978MSj M Mali,D Sehgal,R Mehta; *J.Indian Chem.Soc.*,55,510 (1978)  
 1978NBa A Nabil,A Borisova et al; *Zh.Neorg.Khim.*,23,364(203) (1978)  
 1978NLa V Novak,J Lukansky et al; *Chem.Zvesti*,32,32 (1978)  
 1978NLb V Novak,J Lucansky,M Svicekova,J Majer; *Chem.Zvesti*,32,19 (1978)  
 1978PMa L Pethe,B Mali; *J.Indian Chem.Soc.*,55,846 (1978)  
 1978PPb R Petrola,K Poppius et al; *Anal.Chim.Acta*,99,393 (1978)  
 1978SAb A Al-Shawali,A El-Hilaly; *Inorg.Chim.Acta*,26,167 (1978)  
 1978SGf J Sharma,B Garg,R Singh; *Monatsh.Chem.*,109,847 (1978)  
 1978SSI J Sharma,I Singh,B Garg,R Singh; *J.Indian Chem.Soc.*,55,542 (1978)  
 1977AKa Y Agrawal,H Kapoor; *J.Inorg.Nucl.Chem.*,39,479 (1977)  
 1977CGc G Choppin,M Goedeken,T Gritmon; *J.Inorg.Nucl.Chem.*,39,2025 (1977)  
 1977CMa P Carpenter,C Monk,R Whewell; *J.Chem.Soc., Faraday Trans.I*,73,553 (1977)  
 1977EBa G Efremova,R Buchkova et al; *Zh.Neorg.Khim.*,22,954(527) (1977)  
 1977GGb T Gritmon,M Goedken,G Choppin; *J.Inorg.Nucl.Chem.*,39,2021 (1977)  
 1977GMa J Gatez,E Merciny,G Duyckaerts; *Anal.Chim.Acta*,94,91 (1977)  
 1977HCb Y Hasegawa,G Choppin; *Inorg.Chem.*,16,2931 (1977)

- 1977ILb R Izatt,J Lamb et al; J.Am.Chem.Soc.,99,8344 (1977)  
 1977MBb G Manku,A Bhat; Indian J.Chem.,15A,138 (1977)  
 1977SKd N Skorik; Zh.Neorg.Khim.,22,1425(776) (1977)  
 1977SKf S Sandhu,J Kumaria,R Sandhu; Monatsh.Chem.,108,1105 (1977)  
 1977SSc O Sakovich,N Skorik; Zh.Neorg.Khim.,22,98(51) (1977)  
 1976BFc I M Batyaev,R C Fogileva; Zh.Neorg.Khim.21,1199 (1976)  
 1976BKa E Brucher,R Kiraly,I Toth; Inorg.Nucl.Chem.Lett.,12,167 (1976)  
 1976GKd I P Gorelov,A I Kapustnikov; Zh.Neorg.Khim.21,2554 (1976)  
 1976GMb J Gatez,E Merciny et al; Anal.Chim.Acta,84,383 (1976)  
 1976LAb L Lajunen; Finn.Chem.Lett.31 (1976)  
 1976LAc Lajunen,L H J; Finn.Chem.Lett.36 (1976)  
 1976LAd L Lajunen; Finn.Chem.Lett.53 (1976)  
 1976MLb O Makitie et al; Finn.Chem.Lett.3 (1976)  
 1976NDa R Nayan,A Dey; J.Coord.Chem.,6,13 (1976)  
 1976NKa V Novak,M Kotoucek,J Lukansky,J Majer; Chem.Zvesti,21,687 (1976)  
 1976NNa J Narkhede,G Natarajan; Indian J.Chem.,14A,131 (1976)  
 1976OCa E Orebaugh,G Choppin; J.Coord.Chem.,5,1976 (1976)  
 1976OCb E Orebaugh,G Choppin; J.Coord.Chem.,5,123 (1976)  
 1976PEa R Petrola; Finn.Chem.Lett.157 (1976)  
 1976PKb J Powell,S Kulprathipanji; Inorg.Chem.,15,493 (1976)  
 1976SAc R Sandhu; Thermochim.Acta,17,270 (1976)  
 1976SAe R Sandhu; Indian J.Chem.,14A,1020 (1976)  
 1976SPa Y Suzuki,J Powell; Bull.Chem.Soc.Jpn.,49,2327 (1976)  
 1976TRa S Tobia,E Rizkalla; J.Chem.Soc.,Dalton Trans.,569 (1976)  
 1976YCa S Yun,G Choppin,D Blakeway; J.Inorg.Nucl.Chem.,38,587 (1976)  
 1975BKa E Brucher,E Kiraly,I Nagypal; J.Inorg.Nucl.Chem.,37,1009 (1975)  
 1975DPa E Dvorakova,Z Pikulikova,J Majer; Chem.Zvesti,29,44 (1975)  
 1975DTa N Dyatlova,V Temkina; Koord.Khim.,1,66 (1975)  
 1975MHa N Moulin,M Hussonois,L Brillard et al; J.Inorg.Nucl.Chem.,37,2521 (1975)  
 1975NMa N Nepomnyaschaya,A Menkov,A Lensky; Zh.Neorg.Khim.,20,1810(1010) (1975)  
 1975PFb J Powell,J Farrell et al; Inorg.Chem.,14,786 (1975)  
 1975PLa S Pyrkes,A Lapitskaya,T Zakharova; Zh.Neorg.Khim.,20,2929(1621) (1975)  
 1975TDa M Tokmadjan,N Dobrynina et al; Izv.Akad.Nauk(USSR),2,460 (1975)  
 1975YBa S Yun,J Bear; J.Inorg.Nucl.Chem.,37,1757 (1975)  
 1974BFa I Batyaev,R Fogileva; Zh.Neorg.Khim.,19,670(363) (1974)  
 1974BKb E Brucher CE Kukri,L Zekany; J.Inorg.Nucl.Chem.,36,2620 (1974)  
 1974BKe E Brucher,R Kiraly,I Nagypal; Magyar Kem.Foly.,80,135 (1974)  
 1974BPb I Batyaev,N Pusankova; Zh.Neorg.Khim.,19,2023(1108) (1974)  
 1974CMd F Chatellain,A Merbach; Chimia,22,609 (1974)  
 1974GGa I Grenthe,G Gardhammar; Acta Chem.Scand.,A28,125 (1974)  
 1974GMc N Gyseva,A Mikhailichenko et al; Zh.Neorg.Khim.,19,2994(1637) (1974)  
 1974JOb D Johnson; J.Chem.Soc.,Dalton Trans.,1671 (1974)  
 1974KPd N Kurkina,N Petrova,N Skorik; Zh.Neorg.Khim.,19,661(358) (1974)  
 1974KRa M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,36,607 (1974)  
 1974KSa F Kai,Y Sadakane; J.Inorg.Nucl.Chem.,36,1404 (1974)  
 1974LOa A Lokio; Finn.Chem.Lett.,5 (1974)  
 1974MLa O Makitie,L Lajunen,H Saarinen; Finn.Chem.Lett.96 (1974)  
 1974NBC N D Ngo,K Burkov; Zh.Neorg.Khim.,19,1249(E:680) (1974)  
 1974NLa V Novak,J Lukansky,M Svicekova,J Majer; Chem.Zvesti,28,324 (1974)  
 1974PJa N Polyektov,I Zheltvai,M Tischenko; Zh.Neorg.Khim.,19,3257(1783) (1974)

- 1974POa H Powell; J.Chem.Soc., Dalton Trans., 1108 (1974)  
 1974RMg E Riacanska, J Majer, A Bumbalova; Chem.Zvesti, 28, 768 (1974)  
 1974SAa H Saarinen; Acta Chem.Scand., A28, 589 (1974)  
 1974STb O Sunar S Tak, C Trivedi; J.Inorg.Nucl.Chem., 36, 1163 (1974)  
 1973AKa T Amaya, H Kakihana, M Maeda; Bull.Chem.Soc.Jpn., 46, 1720 (1973)  
 1973AKb T Amaya, H Kakihana, M Maeda; Bull.Chem.Soc.Jpn., 46, 2889 (1973)  
 1973BPd I Batyaev, N Puzankova; Zh.Neorg.Khim., 18, 4, 981 (1973)  
 1973BSg V Biryulina, V Serebrennikov; Zh.Obshch.Khim., 43, 9, 1865 (1973)  
 1973CDC G Choppin, A Dadgar, R Stampfli; J.Inorg.Nucl.Chem., 35, 875; 1703 (1973)  
 1973DMA I Dellien, L Malmsten; Acta Chem.Scand., 27, 2877 (1973)  
 1973FDA Y Fridman, N Dolgashova, D Sarbaev et al; Zh.Neorg.Khim., 18, 176 (1973)  
 1973FMA P Feige, D Mocker, R Dreyer, R Munze; J.Inorg.Nucl.Chem., 35, 3269 (1973)  
 1973FMB P Feige, D Mocker, R Dreyer, R Munze; J.Inorg.Nucl.Chem., 35, 3629 (1973)  
 1973FPb M Farrow, N Purdie; J.Solution Chem., 2, 503; 513 (1973)  
 1973GBd I Gorelov, V Babich; Zh.Neorg.Khim., 18, 840 (1973)  
 1973HHc S Hubert, M Hussonois, R Guillaumont; J.Inorg.Nucl.Chem., 35, 2923 (1973)  
 1973KSD F Kai, Y Sadakane, H Yokoi, H Aburada; J.Inorg.Nucl.Chem., 35, 2128 (1973)  
 1973LPb A Lapitskaya, S Pirkes; Zh.Neorg.Khim., 18, 1204 (1973)  
 1973Maa G Manku; Bull.Chem.Soc.Jpn., 46, 1704 (1973)  
 1973MSe Y Masuda, H Sakai, S Misumi; Japan Analyst, 22, 1577 (1973)  
 1973NMa P Nedden, E Merciny, G Duyckaerts; Anal.Chim.Acta, 64, 197 (1973)  
 1973PAC N Poluektov, L Alakaeva, M Tischenko; Zh.Neorg.Khim., 18, 1, 81 (1973)  
 1973PMb R Petrola, O Makitie; Suomen Kem., B46, 10 (1973)  
 1973PSb J Powell, T Swaminathan; J.Chromatography, 76, 459 (1973)  
 1973RSb J Reidler, H Silber; J.Phys.Chem., 77, 1275 (1973)  
 1973SPE N Snezhko, N Pechurova et al; Zh.Neorg.Khim., 18, 3220(E:1714) (1973)  
 1973TEc L Tomilova, I Efimov, V Peshkova; Zh.Anal.Khim., 28, 4, 666 (1973)  
 1973TRb M Taqui-Khan, P Reddy; J.Inorg.Nucl.Chem., 35, 2813; 2821 (1973)  
 1973Tza M Tischenko, I Zheltvai, N Poluektov; Zh.Neorg.Khim., 18, 2390 (1973)  
 1972BFe I Batyaev, R Fogileva; Zh.Neorg.Khim., 17, 391 (1972)  
 1972BKd T Beloedova, L Kazakova, N Skorik; Zh.Neorg.Khim., 17, 6, 1580 (1972)  
 1972BLa J Bear, C Lin; J.Inorg.Nucl.Chem., 34, 2368 (1972)  
 1972CBb A Cassol, P di Bernardo, R Portanova et al; Gazz.Chim.Ital., 102, 1118  
 (1972)  
 1972DCb A Dadgar, G Choppin; J.Inorg.Nucl.Chem., 34, 1297 (1972)  
 1972DCC G Degischer, G Choppin; J.Inorg.Nucl.Chem., 34, 3823 (1972)  
 1972DSd N Dutt, S Sanyal, U Sharma; J.Inorg.Nucl.Chem., 34, 2261 (1972)  
 1972DSe N Dutt, S Sanyal; J.Inorg.Nucl.Chem., 34, 651 (1972)  
 1972FGa Y Fridman, S Gorokhov, T Fokina et al; Zh.Neorg.Khim., 17, 1268 (1972)  
 1972GBd I Gorelov, V Babich; Zh.Neorg.Khim., 17, 641 (1972)  
 1972GOa I Grenthe, H Ots; Acta Chem.Scand., 26, 1217; 1229 (1972)  
 1972GSe N Guseva, E Sklenskaya et al; Radiokhim., 14, 1, 132 (1972)  
 1972KKc A Kertes, E Kassierer; Inorg.Chem., 11, 2108 (1972)  
 1972KKd E Kassierer, A Kertes; J.Inorg.Nucl.Chem., 34, 3209; 3221 (1972)  
 1972MCd G Manku, R Chadha; J.Inorg.Nucl.Chem., 34, 357 (1972)  
 1972PSd S Pirkes, M Shestakova et al; Zh.Neorg.Khim., 17, 2, 395 (1972)  
 1972SCd R Stampfli, G Choppin; J.Inorg.Nucl.Chem., 34, 205 (1972)  
 1972SSi P Spitsyn, V Shvarev, T Popyvanov; Zh.Neorg.Khim., 17, 4, 966 (1972)  
 1972SSj G Shabanova, N Skorik; Zh.Obshch.Khim., 42, 204 (1972)  
 1972STD H Schurmans, H Thun, F Verbeek et al; J.Electroanal.Chem., 38, 209 (1972)

- 1972TRc M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,34,967 (1972)  
 1972USA L Usherenko,N Skorik; Zh.Neorg.Khim.,17,2918(E:1533) (1972)  
 1971AWa G Anderegg,F Wenk; Helv.Chim.Acta,54,216 (1971)  
 1971BGb V Babich,I Gorelov; Zh.Anal.Khim.,26,9,1832;1842;1943 (1971)  
 1971DGa I Dellien,I Grenthe; Acta Chem.Scand.,25,1387 (1971)  
 1971DGc H Daudet,R Guillaumont; Radiochem.Radioanal.Lett.,8,175 (1971)  
 1971DRa N Dutt,S Rahut,S Sur; J.Inorg.Nucl.Chem.,33,121 (1971)  
 1971DRb N Dutt,S Rahut; J.Inorg.Nucl.Chem.,33,1725 (1971)  
 1971EKa V Egorova,V Kumok; Zh.Obshch.Khim.,4,8,1786 (1971)  
 1971GBa R Guillaumont,L Bourderie; Bull.Soc.Chim.Fr.,2806 (1971)  
 1971GDb R Guillaumont,B Desire,M Galin; Radiochem.Radioanal.Lett.,8,189 (1971)  
 1971GKb G Geier,U Karlen; Helv.Chim.Acta,54,135 (1971)  
 1971ISa H Irving,K Sharpe; J.Inorg.Nucl.Chem.,33,203;217;233 (1971)  
 1971JWa A Jones,D Williams; J.Chem.Soc.(A),3159 (1971)  
 1971KBf N Kozachenko,I Batyaev; Zh.Neorg.Khim.,16,125(E:66) (1971)  
 1971KOa H Koshimura,T Okubo; Anal.Chim.Acta,55,163 (1971)  
 1971MAa G Manku; Australian J.Chem.,24,925 (1971)  
 1971MAb G Manku; J.Inorg.Nucl.Chem.,33,285 (1971)  
 1971MAC G Manku; J.Inorg.Nucl.Chem.,33,3173 (1971)  
 1971MAF G Manku; Z.Anorg.Allg.Chem.,382,202 (1971)  
 1971MGb A Mikhailichenko,N Guseva et al; Zh.Neorg.Khim.,16,11,3101 (1971)  
 1971MNa E Merciny,P Nedden,G Duyckaerts; Anal.Lett.,4,29 (1971)  
 1971NIb D Nelson,D Irish; J.Chem.Phys.,54,4479 (1971)  
 1971PJb J Powell,D Johnson; J.Inorg.Nucl.Chem.,33,3586 (1971)  
 1971SSd P Spitsyn,V Shvarev,G Zvonareva; Isvest.VUZ.Khim.,14,1,28 (1971)  
 1971SSI P Spitsyn,V Shvarev,M Korepina; Zh.Anal.Khim.,26,11,2121 (1971)  
 1970BBh N Belkova,I Batyaev,V Mironov; Zh.Neorg.Khim.,15,8,2138 (1970)  
 1970DRa N Dutt,S Rahut; J.Inorg.Nucl.Chem.,32,1033 (1970)  
 1970DSc N Dutt,U Sharma; J.Inorg.Nucl.Chem.,32,1035 (1970)  
 1970GDa D Goel,Y Dutt,R Singh; J.Inorg.Nucl.Chem.,32,2119 (1970)  
 1970GMb R Gupta,G Manku,A Bhat,B Jain; Australian J.Chem.,23,1387 (1970)  
 1970JWa A Jones,D Williams; J.Chem.Soc.(A),3138 (1970)  
 1970KLe A Klygin,V Lekae,N Nikolskaya et al; Zh.Anal.Khim.,25,1,76 (1970)  
 1970KRa N Kostromina,E Romanenko; Zh.Neorg.Khim.,15,7,1782 (1970)  
 1970PGb I Pyatnitskii,E Gavrilova; Ukr.Khim.Zh.,36,3,284 (1970)  
 1970PKe D Pakhomova,V Kumok,V Serebrennikov; Zh.Neorg.Khim.,15,5,1211 (1970)  
 1970PLc N Poluektov,R Lauer,M Sandu; Zh.Anal.Khim.,25,11,2118 (1970)  
 1970RDa R Roulet,T Duc; Helv.Chim.Acta,53,1873 (1970)  
 1970RFa R Roulet,J Feuz,T Duc; Helv.Chim.Acta,53,1876 (1970)  
 1970SBa T Sweet,D Brengartner; Anal.Chim.Acta,52,173 (1970)  
 1970SEa T Seshadri; Talanta,17,168 (1970)  
 1970SSI L Shtenke,N Skorik,V Kumok; Zh.Neorg.Khim.,15,5,1214 (1970)  
 1970TTb N Tsirulnikova,V Temkina et al; Zh.Anal.Khim.,25,5,839 (1970)  
 1970VMa G Varlamova,N Mitrofanova et al; Zh.Neorg.Khim.,15,5,1239 (1970)  
 1969AIb B Afghan,J Israeli; Talanta,16,1601 (1969)  
 1969ALa A Aziz,S Lyle; Anal.Chim.Acta,47,49 (1969)  
 1969BCa J Bear,M Clark; J.Inorg.Nucl.Chem.,31,1517 (1969)  
 1969BCb J Bear,M Clark; J.Inorg.Nucl.Chem.,31,2811 (1969)  
 1969CMb D Campbell,T Moeller; J.Inorg.Nucl.Chem.,31,1077 (1969)  
 1969DNb N Dutt,K Nag,T Seshadri; J.Inorg.Nucl.Chem.,31,1435 (1969)

- 1969DNc N Dutt,K Nag; *J.Inorg.Nucl.Chem.*,31,1867 (1969)  
 1969DRa N Dutt,S Rahut; *J.Inorg.Nucl.Chem.*,31,3177 (1969)  
 1969DSb N Dutt,T Seshadri; *J.Inorg.Nucl.Chem.*,31,2153;3336 (1969)  
 1969FPa D Fay,N Purdie; *J.Phys.Chem.*,73,3462 (1969)  
 1969GEc B Garnsey,D Ebdon; *J.Am.Chem.Soc.*,91,50 (1969)  
 1969IEa R Izatt,D Eatough,J Christensen et al; *J.Chem.Soc.(A)*,45;47 (1969)  
 1969JCC A Jones,G Choppin; *J.Inorg.Nucl.Chem.*,31,3523 (1969)  
 1969JPa E Jercan,G Popa; *An.Univ.Bucuresti,Chim.*,18,43 (1969)  
 1969KAf V Krumina,K Astakhov,S Barkov; *Zh.Fiz.Khim.*,43,611;1196;2792 (1969)  
 1969MGF A Moutte,R Guillaumont; *Rev.Chim.Minrale*,6,603 (1969)  
 1969MKi A Mikhailichenko,I Kurdin; *Radiokhim.*,11,356(E:348) (1969)  
 1969MSa O Makitie,H Saarinen; *Anal.Chim.Acta*,46,314 (1969)  
 1969MSb O Makitie,H Saarinen; *Ann.Acad.Sci.Fennicae*,149 (1969)  
 1969NDb V Novak,E Dvorakova,M Svicekova et al; *Chem.Zvesti*,23,330 (1969)  
 1969NDc V Novak,E Dvorakova,M Svicekova et al; *Chem.Zvesti*,23,861 (1969)  
 1969PCa J Powell,A Chughtai,J Ingemanson; *Inorg.Chem.*,8,2216 (1969)  
 1969PJa G Popa,E Jercan; *An.Univ.Bucuresti,Chim.*,18,71 (1969)  
 1969PKe D Pakhomova,V Kumok,V Serebrennikov; *Zh.Neorg.Khim.*,14,5,1434 (1969)  
 1969RFa R Roulet,J Feuz,T Duc; *Helv.Chim.Acta*,52,2154 (1969)  
 1968BBa A Bezdekova,B Budesinsky; *Collec.Czech.Chem.Commun.*,33,4178 (1968)  
 1968CLd A Carson,P Laye,P Smith; *J.Chem.Soc.(A)*,141,1384 (1968)  
 1968CMa G Choppin,L Martinez-Perez; *Inorg.Chem.*,7,2657 (1968)  
 1968DKc N Davidenko,G Komashko,K Yatsimirskii; *Zh.Neorg.Khim.*,13,117 (1968)  
 1968DRb R Dreyer,J Redlich,R Syhre; *Z.Phys.Chem.*,238,417 (1968)  
 1968DZb N Davidenko,A Zholdakov; *Zh.Neorg.Khim.*,13,11,2955 (1968)  
 1968GCa M Gouveia,R Carvalho; *J.Inorg.Nucl.Chem.*,30,2219 (1968)  
 1968KKc C Ke,P Kong,M Cheng,N Li; *J.Inorg.Nucl.Chem.*,30,961 (1968)  
 1968MAe O Makitie; *Suomen Kem.*,B41,31 (1968)  
 1968MDc K Munshi,A Dey; *Rev.Chim.Minrale*,5,619 (1968)  
 1968MIC S Misumi; *Nippon Kagaku Kaishi*,89,723 (1968)  
 1968NLa V Novak,J Lucansky,J Majer; *Chem.Zvesti*,22,721 (1968)  
 1968NLb V Novak,L Lucansky,J Majer; *Chem.Zvesti*,22,733 (1968)  
 1968PFa J Powell,L Farrell,W Neillie,R Russell; *J.Inorg.Nucl.Chem.*,30,2223  
 (1968)  
 1968PIa J Powell,J Ingemanson; *Inorg.Chem.*,7,2459 (1968)  
 1968TKe L Thompson,S Kundra; *Inorg.Chem.*,7,338 (1968)  
 1968VLa V Vasileva,O Lavrova,N Dyatlova et al; *Zh.Obshch.Khim.*,38,3,473 (1968)  
 1967CCd R Carvalho,G Choppin; *J.Inorg.Nucl.Chem.*,29,725;737 (1967)  
 1967DZa N Davidenko,A Zholdakov; *Zh.Neorg.Khim.*,12,633 (1195) (1967)  
 1967DZb N Davidenko,A Zholdakov; *Zh.Neorg.Khim.*,12,1195 (1967)  
 1967ECa T Evseeva,E Cherstvenkova; *Zh.Anal.Khim.*,22,1,35 (1967)  
 1967EMb A Elkhilyali,L Martynenko,V Spitsyn; *Proc.Acad.Sci.(USSR)*,176,886 (855)  
 (1967)  
 1967GDb B Gupta,Y Dutt,R Singh; *Indian J.Chem.*,5,214;322 (1967)  
 1967GDC B Gupta,Y Dutt,R Singh; *J.Inorg.Nucl.Chem.*,29,1806 (1967)  
 1967GWa I Grenthe,D Williams; *Acta Chem.Scand.*,21,341,347 (1967)  
 1967KDa M Kabachnik,I Dyatlova,T Medved; *Proc.Acad.Sci.(USSR)*,175,621 (351)  
 (1967)  
 1967LNa S Lyle,S Naqvi; *J.Inorg.Nucl.Chem.*,29,2441 (1967)  
 1967MAi O Makitie; *Suomen Kem.*,B40,27;128;267 (1967)

- 1967Ta W Ooghe,H Thun,F Verbeek; *Anal.Chim.Acta*,39,397 (1967)  
 1967PAa V Podgornova,K Abdullaeva,S Talipov; *Uzbeksk.Khim.Zh.*,6,9 (1967)  
 1967PBb B Pokric,M Branica; *Croat.Chem.Acta*,39,11 (1967)  
 1967SAa S Sangal; *J.Prakt.Chem.*,36,126 (1967)  
 1967SSa I Seliverstova,O Samoilova et al; *Zh.Obshch.Khim.*,37,12,2643 (1967)  
 1967SSo Z Sheka,E Sinyavskaya; *Zh.Neorg.Khim.*,12,377 (1967)  
 1967STD H Schurmans,H Thun,F Verbeek; *J.Inorg.Nucl.Chem.*,29,1759 (1967)  
 1967TPb I Tananaev,S Petushkova; *Zh.Neorg.Khim.*,12,81 (1967)  
 1967VSc V Vdovenko,O Stebunov,V Shcherbakov; *Zh.Neorg.Khim.*,12,1706 (1967)  
 1967WCa J Walker,G Choppin; *Adv.Chem.Series*,71,127 (1967)  
 1966DDa N Davidenko,V Deribon; *Zh.Neorg.Khim.*,11,53 (99) (1966)  
 1966DMA E Dvorakova,J Majer; *Chem.Zvesti*,20,233 (1966)  
 1966FKa U Frolova,V Kumok,V Serebrennikov; *Izv.VUZ.Khim.*,9,176 (1966)  
 1966FPb F Firsching,T Paul; *J.Inorg.Nucl.Chem.*,28,2414 (1966)  
 1966GDa B Gupta,Y Dutt,R Singh; *J.Indian Chem.Soc.*,43,610 (1966)  
 1966GGb M Gouveia,R Carvalho; *J.Inorg.Nucl.Chem.*,28,1683 (1966)  
 1966JMc V Jokl,J Majer,H Scharff,H Kroll; *Mikrochim.Acta*,63 (1966)  
 1966KPb M Krishnamurthy,N Prasad; *Indian J.Chem.*,4,316 (1966)  
 1966KRB N Kostromina,E Romanenko; *Zh.Neorg.Khim.*,11,598 (1116) (1966)  
 1966NSb V Novak,M Svicekova,J Majer; *Chem.Zvesti*,20,252 (1966)  
 1966PRb J Powell,D Rowlands; *Inorg.Chem.*,5,819 (1966)  
 1966SSg N Skorik,V Serebrennikov; *Zh.Neorg.Khim.*,11,416 (764) (1966)  
 1966TJb N Thakar,S Jogdeo,C Kanekar; *J.Inorg.Nucl.Chem.*,28,2297 (1966)  
 1966TVa H Thun,E Verbeek,W Vanderleen; *J.Inorg.Nucl.Chem.*,28,1949 (1966)  
 1966VLa V Vasileva,O Lavrova et al; *Zh.Obshch.Khim.*,36,4,674 (1966)  
 1965ANb G Anderegg; *Helv.Chim.Acta* 48,825 (1965)  
 1965CGa G Choppin,A Graffeo; *Inorg.Chem.*,4,1254 (1965)  
 1965DKb N Dyatlova,M Kabachnik,T Medved; *Proc.Acad.Sci.(USSR)*,161,307 (607)  
 (1965)  
 1965DTa N Dyatlova,V Temkina,Y Belugin; *Zh.Neorg.Khim.*,10,612 (1131) (1965)  
 1965GEa G Geier; *Ber.Buns.Phys.Chem.*,69,617 (1965)  
 1965PGe V Panasyuk,V Golub; *Zh.Neorg.Khim.*,10,1482 (2732) (1965)  
 1965TVa H Thun,F Verbeek,W Vanderleen; *J.Inorg.Nucl.Chem.*,27,1813 (1965)  
 1965YCa H Yoneda,G Choppin,J Bear,A Graffeo; *Inorg.Chem.*,4,244 (1965)  
 1964DAb N Davidenko; *Zh.Neorg.Khim.*,9,859 (1584) (1964)  
 1964DVa H Deelstra,F Verbeek; *Anal.Chim.Acta*,31,251 (1964)  
 1964GRa I Grenthe; *Acta Chem.Scand.*,18,283 (1964)  
 1964ICb H Irving,J Conesa; *J.Inorg.Nucl.Chem.*,26,1945 (1964)  
 1964KSe V Kumok,V Serebrennikov; *Zh.Neorg.Khim.*,9,2148 (1964)  
 1964LAA F L'Eplattenier,G Anderegg; *Helv.Chim.Acta*,47,1792 (1964)  
 1964PCa Personal Communication etc; *Chem.Soc.Spec.Publ.*,no.17 (1964)  
 1964PKa J Powell,R Kolat,G Paul; *Inorg.Chem.*,3,518 (1964)  
 1964PKb J Powell,R Karraker,R Kolat,J Farrell; *Rare Earth Research II*,New York,p.512-4 (1964)  
 1964PSd J Powell,Y Suzuki; *Inorg.Chem.*,3,690 (1964)  
 1964SPa R Stagg,J Powell; *Inorg.Chem.*,3,242 (1964)  
 1964THa L Thompson; *Inorg.Chem.*,3,1015 (1964)  
 1964THb L Thompson; *Inorg.Chem.*,3,1319 (1964)  
 1964YCa H Yoneda,G Choppin,J Bear,J Quagliano; *Inorg.Chem.*,3,1642 (1964)  
 1963AKb N Akselrud; *Uzbeksk.Khim.Zh.*,32,800 (1963)

- 1963AKd N Akselrud; Zh.Neorg.Khim.,8,11 (1963)  
 1963BBb B Budensinsky,A Besdekova; Z.Anal.Chem.,196,17 (1963)  
 1963BCb J Bear,G Choppin,J Quagliano; J.Inorg.Nucl.Chem.,25,513 (1963)  
 1963BUa B Budensinsky; Collec.Czech.Chem.Commun.,28,2902 (1963)  
 1963DKb H Dunsmore,T Kelly,G Nancollas; Trans.Faraday Soc.,59,2606 (1963)  
 1963GRd I Grenthe; Acta Chem.Scand.,17,2487 (1963)  
 1963GTa I Grenthe,I Tobiasson; Acta Chem.Scand.,17,2101 (1963)  
 1963K0c N Kostromina; Zh.Neorg.Khim.,8,988 (1900) (1963)  
 1963THb L Thompson; J.Inorg.Nucl.Chem.,25,819 (1963)  
 1963TLa L Thompson,J Loraas; Inorg.Chem.,2,594 (1963)  
 1963TLb L Thompson,J Loraas; Inorg.Chem.,2,89 (1963)  
 1962BCa J Bear,G Choppin,J Quagliano; J.Inorg.Nucl.Chem.,24,1601 (1962)  
 1962HKa R Hering,W Kruger,G Kuhn; Z.Chem.,2,374 (1962)  
 1962Kbc P Kovalenko,K Bagdasarov; Zh.Neorg.Khim.,7,739;1765;1769 (1962)  
 1962KPa R Kolat,J Powell; Inorg.Chem.,1,293 (1962)  
 1962MFb T Moeller,R Ferrus; Inorg.Chem.,1,55 (1962)  
 1962MHa T Moeller,T Hseu; J.Inorg.Nucl.Chem.,24,1635 (1962)  
 1962MMc J Mackey,M Miller,J Powell; J.Phys.Chem.,66,311 (1962)  
 1962MTc T Moeller,L Thomson; J.Inorg.Nucl.Chem.,24,499 (1962)  
 1962PMa J Powell,J Mackey; Inorg.Chem.,1,418 (1962)  
 1962RKA A Roppongi,T Kato; Bull.Chem.Soc.Jpn.,35,1086;1092 (1962)  
 1962THa L Thompson; Inorg.Chem.,1,490 (1962)  
 1962THb L Thompson; J.Inorg.Nucl.Chem.,24,1083 (1962)  
 1962YZa K Yatsimirskii,Y Zhukov; Zh.Neorg.Khim.,7,818 (1583),1463 (1962)  
 1961CCa G Choppin,J Chopoorian; J.Inorg.Nucl.Chem.,22,97 (1961)  
 1961GRA I Grenthe; J.Am.Chem.Soc.,83,360 (1961)  
 1961MFb T Moeller,R Ferrus; J.Inorg.Nucl.Chem.,20,261 (1961)  
 1961SOa A Sonesson; Acta Chem.Scand.,15,1 (1961)  
 1960GFa I Grenthe,W Fernelius; J.Am.Chem.Soc.,82,6258 (1960)  
 1959BDb R Betts,O Dahlinger; Can.J.Chem.,37,91 (1959)  
 1959HCa R Harder,S Chaberek; J.Inorg.Nucl.Chem.,11,197 (1959)  
 1959SOa A Sonesson; Acta Chem.Scand.,13,1437 (1959)  
 1959SOb A Sonesson; Acta Chem.Scand.,13,998,1437 (1959)  
 1958CGa R Courtney,R Gustafson,S Chaberek et al; J.Am.Chem.Soc.,80,2121 (1958)  
 1958F0b B Freasier,A Oberg,W Wendlandt; J.Phys.Chem.,62,700 (1958)  
 1958SOb A Sonesson; Acta Chem.Scand.,12,165 (1958)  
 1958SRa L Staveley,T Randall; Trans.Faraday Society,26,157 (1958)  
 1957NOa W Noddak,G Oertel; Z.Elektrochem.,61,1216 (1957)  
 1956GNb E Gelles,G Nancollas; Trans.Faraday Society,52,680 (1956)  
 1956GNC E Gelles,G Nancollas; Trans.Faraday Society,52,98 (1956)  
 1956SPa F Spedding,J Powell,E Wheelwright; J.Am.Chem.Soc.,78,34 (1956)  
 1955WSa E Wheelwright,F Spedding; US AEC - ISC,637 (1955)  
 1954SGa G Schwarzenbach,R Gut,G Anderegg; Helv.Chim.Acta,37,937 (1954)  
 1954SJa F Spedding,S Jaffe; J.Am.Chem.Soc.,76,882 (1954)  
 1953KUa J Kury; Thesis,Univ.California,UCRL-2271 (1953)  
 1953WSa E Wheelwright,F Spedding,G Schwarzenbach; J.Am.Chem.Soc.,75,4196 (1953)  
 1952LAb W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)  
 1951MFb T Moeller,N Fogel; J.Am.Chem.Soc.,73,4481 (1951)  
 1944MKa T Moeller,H Kremers; J.Phys.Chem.,48,395 (1944)  
 1932ENa G Endres; Z.anorg.Chem., 205,321 (1932)

## EXPLANATORY NOTES

DATA Flags are :-

- T Data at other TEMPERATURES
- I Data with various BACKGROUNDS
- H Data for THERMOCHEMICAL quantities
- M Data for TERNARY Complexes

EVALUATION Flags are :-

T or IUP=T signifies EVALUATION RATING = Tentative by IUPAC

---

END