

SC-Database

Software version = 5.81 Data version = 4.62
 Experiment list contains 1840 experiments for
 (no ligands specified)
 3 metals : Hg⁺⁺, Hg₂⁺⁺, HgR⁺
 (no references specified)
 (no experimental details specified)

e- HL Electron (442)
 Electron;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg ⁺⁺	EMF	non-aq	25°C	100%	C	IH		E ₀ (Hg(l)/Hg ₂ ⁺⁺)= -301 mV	1980APa	(516) 1
Medium: DMSO, 1 M NH ₄ ClO ₄ . E ₀ referred to E ₀ (aq)=0 for the Ag(s)/Ag ⁺ elect.										
Hg ⁺⁺		sol oth/un	25°C	dil	U	T		K(Hg(l)=Hg(aq))=-6.52	19740Na	(517) 2
K=-5.79(80 C)										
Hg ⁺⁺	EMF	non-aq	25°C	100%	U			K(Hg + Hg(l)=Hg ₂ ⁺⁺)=1.6	1974SLa	(518) 3
Medium: DMSO, 1 M MClO ₄ (M=Li or Na)										
Hg ⁺⁺	EMF	non-aq	25°C	100%	U			K(Hg + Hg(l)=Hg ₂ ⁺⁺)=2.70	1973CCa	(519) 4
Medium: acetonitrile										
Hg ⁺⁺	EMF	non-aq	25°C	100%	U			K(Hg + Hg(l)=Hg ₂ ⁺⁺)=3.4	1972FDa	(520) 5
Medium: DMSO, 0.1 M LiClO ₄										
Hg ⁺⁺		sol NaCl	25°C	6.10M	U	T		K(Hg(l)=Hg(aq))=-6.78	1972GHa	(521) 6
Conc. of NaCl: in M units; K=-7.24(5 C), -6.38(45 C), -5.95(70 C); log K=-6.043 -1639.8/T+1.92301log T										
Hg ⁺⁺	EMF	oth/un	25°C	1.00M	U			K=-28.1(-0.83V) K'=-34.5(-1.02V)	1972GKa	(522) 7
Medium: Na ₂ SO ₄ ; K: HgSe(s)+2e=Hg(l)+Se ⁻ . K': HgTe(s)+2e=Hg(l)+Te ⁻										
Hg ⁺⁺	EMF	oth/un	250°C	100%	U			K(Hg + Hg(l)=Hg ₂ ⁺⁺)=2.18	1972SDa	(523) 8
Medium: (Na,K)NO ₃										
Hg ⁺⁺	EMF	non-aq	25°C	100%	U			K(Hg + Hg(l)=Hg ₂ ⁺⁺)=0.6	1971BGa	(524) 9

Medium: N,N-dimethylacetamide, 0.1 M LiClO4

Hg++ sol none 25°C 0.00 U T 1971GHd (525) 10
K(Hg(l)=Hg(aq))=-6.54
K=-6.69(0 C), -6.58(20 C), -6.40(40 C), -6.17(60 C), -5.91(80 C),
-5.62(100 C), -5.31(120 C)

Hg++ sp oth/un 125°C 100% U T H 1971TFa (526) 11
K(Hg + Hg(l)=Hg2++)=5.32
Medium: (Na,Al)Cl(n(Na):n(Al)=35:65); DH=-68.2 kJ mol-1; K=4.34(175 C),
3.18(250 C) M units; Method: also current-voltage studies and Raman

Hg++ sp oth/un 125°C 100% U T H 1971TFa (527) 12
K=4.48
Medium: (Na,Al)Cl(n(Na):n(Al)=35:65); DH=-56.9 kJ mol-1;
K(Hg++ + Hg3+=2Hg2++)=3.65(175 C), 2.70(250 C). Raman also used

Hg++ EMF oth/un 135°C 100% U 1969APa (528) 13
K(Hg + Hg(l)=Hg2++)=4.6
Medium: (Na,K,Al)Cl

Hg++ EMF oth/un 150°C 100% U 1968HPa (529) 14
K(Hg + Hg(l)=Hg2++)=4.56
Medium: (Na,K,Al)Cl

Hg++ EMF non-aq 20°C 100% U 1967KBa (530) 15
K(Hg++ + Hg(l) = Hg2++)=0.7
Medium: Me2NCHO, 0.1 M HClO4

Hg++ EMF NaClO4 25°C 2.0M U I 1962ZSa (531) 16
K=30.95(915.44 mV)
K: 2Hg+2e=Hg2. In 2 M HClO4 K=31.12(920.36 mV)

Hg++ EMF none 25°C 0.0 U 1956HSa (532) 17
K=30.68(907.5 mV)
K: 2Hg+2e=Hg2. K(Hg+Hg(liq)=Hg2)=1.94

Hg++ EMF none 20°C 0.0 U H 1954SAa (533) 18
K(Hg+Hg(liq)=Hg2)=1.93
DH(K)=3.4 kJ mol-1, DS=25 J K-1 mol-1, 0 to 40 C

Br- HL Bromide CAS 10035-10-6 (19)
Bromide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.15M C H K1=6.49 2003AGb (1945) 19
Metal is CH3Hg+. By calorimetry, DH(K1)=-37.6 kJ mol-1, DS(K1)=
-1.8 J K-1 mol-1.

Hg ⁺⁺	sp	alc/w	20°C	100%	U				1991GAa	(1946)	20
											K3=3.08
Medium: MeOH											
Hg ⁺⁺	sp	oth/un	20°C	var	U	M			1991GAb	(1947)	21
											K(HgI ₂ +L)=1.92 K(HgI ₂ L+L)=0.84
Hg ⁺⁺	sp	non-aq	20°C	100%	C				1991GAc	(1948)	22
											K4=0.42
Medium: methanol.											
Hg ⁺⁺	ISE	non-aq	25°C	100%	C	H	K1=16.2	B2=31.44	1990PDa	(1949)	23
							K3=5.74				K4=3.26
Medium: Acetonitrile, 0.1 M (PyH)CF ₃ SO ₃ DH(K1)=-58.9, DH(K2)=-49.1, DH(K3)=-31.1, DH(K4)=-31.9 kJ mol ⁻¹											
Hg ⁺⁺	ISE	non-aq	25°C	100%	C	H	K1=10.01	B2=18.08	1985AIa	(1950)	24
							K3=5.13				K4=2.35
Medium: DMSO, 1 M NH ₄ ClO ₄ . DH(K1)=-24.0 kJ mol ⁻¹ , DH(K2)=-32.9, DH(K3)=-27.7, DH(K4)=-21.5. In 0.1 M: K1=10.81, B2=19.75, B3=25.34; DH(K1)=-20.0											
Hg ⁺⁺	ISE	non-aq	25°C	100%	C	H	K1=10.73	B2=19.46	1985AIa	(1951)	25
							K3=4.71				K4=1.9
Medium: Pyridine, 0.1 M (PyH)CF ₃ SO ₃ ; DH(K1)=-13.6, DH(K2)=-8.7, DH(K3)=-14.4, DH(K4)=-7.5 kJ mol ⁻¹											
Hg ⁺⁺	sp	none	20°C	0.0	U	M			1984BSe	(1952)	26
											B(HgBrI)=3.64 B(HgBrCl)=2.46
Hg ⁺⁺	sp	NaClO ₄	20°C	1.0M	U	I			1984GAc	(1953)	27
											K3=2.34 K4=1.91
At I=0 corr. K3=2.23, K4=1.40											
Hg ⁺⁺	cal	oth/un	25°C	0.50M	U	TIH			1984VKc	(1954)	28
											K(HgBr ₂ +Br)=2.10 K(HgBr ₂ +2Br)=3.89
DH(K3)=-10.96 kJ mol ⁻¹ ; DS(K3)=3.5 J mol ⁻¹ K ⁻¹ ; DH(HgBr ₂ +2Br)=-26.23 kJ mol ⁻¹ ; DS=-13.5											
Hg ⁺⁺	oth	non-aq	25°C	100%	C	H	K1=12.92	B2=21.96	1981ABc	(1955)	29
							B3=27.62				B4=30.22
Medium: DMSO, 0.1 M NH ₄ ClO ₄ . Mean values from potentiometry (amalgam) and calorimetry. DH(B1)=-20.0; DH(B2)=-44.1; DH(B3)=-68.5; DH(B4)=-85.8 kJ mol ⁻¹											

Hg++ ISE non-aq 25°C 100% C H K1=12.14 B2=20.20 1981APb (1956) 30
B3=25.33
B4=27.87

Medium: DMSO, 1.0 M NH₄ClO₄. DH(K1)=-24.7; DH(B2)=-56.6; DH(B3)=-84.4;
DH(B4)=-103.5 kJ mol⁻¹

Hg++ sp NaClO₄ 20°C var U M 1980GAc (1957) 31
K(HgI₂+HgBr₂=2HgIBr)=1.26
K(HgCl₂+HgBr₂=2HgClBr)=0.70
K(HgBr₂+Cl)=0.23

Hg++ cal NaClO₄ 25°C 0.5M U TI K1=9.14 B2=17.33 1980VKb (1958) 32
DH(K1)=-41.8 kJ/mol
DH(B2)=-85.8

For T=60 C: K1=8.43; B2=15.87; DH1=-34.9 kJ/mol; DH(Hg+2L)=-72.0 kJ/mol
Also data for 0 M and 2 M NaClO₄; T=40 C

Hg++ sp oth/un 20°C 0.01M U M 1978BSa (1959) 33
K(Hg(SCN)₂+HgBr₂)=0.81

Hg++ cal NaClO₄ 25°C 0.50M C H 1977EKc (1960) 34
DH(K1)=-42.7 kJ mol⁻¹, DH(K2)=-46.4, DH(K3)=-12.6, DH(K4)=-14.4.

Hg++ vlt non-aq 25°C 100% C K3=7.0 1977GPb (1961) 35

Medium: hexamethylphosphotriamide

Hg++ sol NaClO₄ 20°C 1.00M U M 1975ZCa (1962) 36
B(Hg(Oxalate)Br)=9.09
B(Hg(Oxalate)Br₂)=8.91

Hg++ oth non-aq 42°C 100% U TIH 1974EAa (1963) 37
K(2HgL₂=Hg₂L₄)=1.2

Medium: C₆H₆. K=3.0(55.6 C). In C₆H₅CH₃: K=2.3(42.1 C), K=1.7(55.6 C).
Also p-xylene, mesitylene. Method: Vapor phase osmometry

Hg++ EMF non-aq 30°C 100% U K1=12.0 B2=15.1 1974JAc (1964) 38
B3=17.7

Medium: pyridine, containing 0.2 M LiClO₄. m units

Hg++ vlt NaClO₄ ? var U B4=20.2 1974KIb (1965) 39

Hg++ dis R4N.X 55°C ? U T H 1974NGc (1966) 40
K3=2.15
K4=1.79

Medium: NH₄NO₃(H₂O)₂. DH(K3)=-15.9 kJ mol⁻¹, DH(K4)=-18.0; K3=2.04, K4=1.65
(70 C); K3=1.93, K4=1.54(85 C) m units

Hg ⁺⁺	EMF non-aq	25°C	100%	U				1974SLa	(1967)	41	
						B3=28.32					
						B4=29.20					
Medium: DMSO, 1 M MClO ₄ (M=Li,Na)											

Hg ⁺⁺	EMF non-aq	25°C	100%	U		B2=35.4		1973CCa	(1968)	42	
						B3=42.4					
						B4=46.7					
Medium: MeCN											

Hg ⁺⁺	gl	NaClO ₄	25°C	0.50M	U	I	K1=9.04	B2=17.3	1972ALa	(1969)	43
							B(Hg(OH)L)=5.68				
K1=9.3, B2=17.5, B(Hg(OH)L)=5.90(I=3). redox electrode also used											

Hg ⁺⁺	EMF non-aq	?	100%	U		B2=20.2		1972BGa	(1970)	44	
Medium: ethylene glycol, 0.1 M LiClO ₄											

Hg ⁺⁺	EMF non-aq	25°C	100%	U		B2=22.2		1972FDa	(1971)	45	
						B3=28.0					
						B4=30.4					
Medium: DMSO, 0.1 M LiClO ₄											

Hg ⁺⁺	EMF non-aq	90°C	100%	U	T	H	B2=14.00		1972KRa	(1972)	46
							B4=18.18				
Medium: (Me ₂ NH ₂) ₂ SO ₄ . DH(B ₄)=-7.9 kJ mol ⁻¹ ; B2=14.83, B4=16.82(101 C); B2=12.69, B4=15.75(115 C) x units											

Hg ⁺⁺	EMF non-aq	?	100%	U				1971BGa	(1973)	47	
							B4=37.9				
Medium: N,N-dimethylacetamide, 0.1 M LiClO ₄											

Hg ⁺⁺	sp	NaClO ₄	20°C	0.10M	U	M			1971BPd	(1974)	48
							K(HgCl ₂ +L=HgL+2Cl)=2.37				
							K(HgCl ₂ +2L=HgL ₂ +2Cl)=4.08				
							K(HgCl ₃ +L=HgL+3Cl)=2.40				
							K(HgCl ₃ +2L=HgL ₂ +3Cl)=4.0				
Medium: HClO ₄ . K(HgCl ₃ +3L=HgL ₃ +3Cl)=5.4. K(HgCl ₄ +L)=HgL+4Cl)=2.5, K(HgCl ₄ +2L=HfL ₂ +4Cl)=4.3, K(HgCl ₄ +3L=HgL ₃ +4Cl)=5.4, K(HgCl ₄ +4L=HgL ₄ +4Cl)=6.2											

Hg ⁺⁺	EMF	NaClO ₄	25°C	0.40M	U		K1=9.07	B2=17.21	1970DSe	(1975)	49
							B3=19.8				
							B4=21.8				
Medium: HClO ₄											

Hg ⁺⁺	vlt non-aq	25°C	100%	U			B2=24.17		1970MDa	(1976)	50
							B3=31.62				
							B4=34.73				
Medium: DMF, containing 0.1 M Et ₄ NClO ₄											

Hg ⁺⁺	dis	NaClO ₄	25°C	0.50M	U				1970SIa	(1977)	51

K3=2.27

K4=1.60

Hg++ sp oth/un ? 0.10M U 1969N0c (1978) 52

K(HgA+L)=5.8

Medium: KBr.H6A=methylthymol blue

Hg++ sol oth/un 20°C 2.20M U 1968GYa (1979) 53

Ks(HgBr2(s)+Hg=Hg2Br2)=-0.7

Medium: Ca(NO3)2

Hg++ sp NaClO4 0.10M U M 1968N0a (1980) 54

K(Hg(EDTA)+L)=5.5

Hg++ ISE mixed 25°C 20% U I B2=8.1 1968PMe (1981) 55

B3=9.5

Also polarography. Medium:20% C5H5N. B2=12.1,B3=14.5(80%). Also 10,40,60%

Hg++ oth oth/un 25°C var U 1967JCa (1982) 56

K4=1.2

Method:from molar volumes.

Hg++ ISE NaClO4 25°C 3.0M U H K1=9.40 B2=17.98 1965ARa (1983) 57

K3=2.76

K4=1.49

By calorimetry: DH(K1)=DH(K2)=-40.1 kJ mol⁻¹, DH(K3)=-10.9, DH(K4)=-18.4;

DS(K1)=45.6 J K⁻¹ mol⁻¹,DS(K2)=29.7,DS(K3)=16.7,DS(K4)=-33.9

Hg++ cal NaClO4 24°C 0.60M U T H 1964CIa (1984) 58

Medium:0.5 M NaClO4,0.1 HClO4, DH(K1)=-46.4 kJ mol⁻¹(7 C),-42.6(25 C),-41.8 (40 C); DH(B2)=-94.5(7 C),-88.7(25 C),-89.5(40 C). Also DS values

Hg++ oth oth/un 0°C var U 1964D0a (1985) 59

K(Hg(CF3)2+L)=0.2

Hg++ dis non-aq 150°C 100% U 1964ZMb (1986) 60

Kd(HgBr2(salt melt))=0.96

K3=0.90

K4=0.95

Medium: (Li/K)NO3 eutectic. Distribution into "polyphenyleutectic"

Hg++ cal oth/un 25°C var U H 1963BBc (1987) 61

K3=2.26

K4=1.38

DH(K3)=-8.69 kJ mol⁻¹, DH(K4)=-14.5

Hg++ cal NaClO4 25°C 0.50M U H 1963BSc (1988) 62

K1/K2=ca.0.9

K3=2.1

K4=1.7

DH(K1)=-42.3, DH(K2)=-44.8, DH(K3)=-13, DH(K4)=-17, DH(B2)=87.0, DH(B4)=-117 J K⁻¹ mol⁻¹.

Hg++ ix NaClO4 23°C 3.0M U I 1963EMb (1989) 63

K3=1.6

K4=1.0

Method:anion exchange. At I=0.3: K3=2.5, K4=2.1

Hg++ EMF NaClO4 40°C 0.60M U T K1=8.70 B2=16.46 1963HIa (1990) 64

Medium:0.5 M NaClO4,0.1 HClO4. At 7 C:K1=9.53, K2=8.85

Hg++ cal none 25°C 0.0 U H 1961MPa (1991) 65

I=0 corr. DH(K1)=-44.4 kJ mol⁻¹. DS=40 J K⁻¹ mol⁻¹

Hg++ cal NaClO4 25°C 0.50M U H 1960GKa (1992) 66

Medium: HClO4. DH(B4)=-116 kJ mol⁻¹. DS=13 J K⁻¹ mol⁻¹

Hg++ sp NaClO4 25°C 0.50M U T H 1958PAa (1993) 67

K3=2.10

K4=1.5

K(HgL2(s)=HgL2)=-1.18

K3=2.23(1.2 C), 2.20(13.8 C); K4=1.1(1.2 C), 1.91(13.8 C); K=-2.03(5.1 C), -1.66(40 C). DH(K3)=-8.8 kJ mol⁻¹, DH(K)=18 J K⁻¹ mol⁻¹, DS=26 J K⁻¹ mol⁻¹

Hg++ dis NaClO4 25°C 0.50M U T K1=2.13 1958STa (1994) 68

K4=1.36

K(HgL4+2L)=0.5

K3=2.36(5 C), 2.04(35 C). DH(K3)=-18 kJ mol⁻¹, DS=-20; DH(K4)=-7.9, DS=0
K4=1.41(5 C), 1.26(35 C). m units

Hg++ sol oth/un ? var U 1957KPa (1995) 69

K(HgO(s)+H2O+3L=HgL3+2OH)=0.3

Hg++ dis NaClO4 25°C 0.0 U I 1957MAa (1996) 70

Kd(HgL2 into C6H6)=0.05

At I=0.5 M, Kd=0.15

Hg++ EMF NaClO4 25°C 0.50M U K1=8.94 B2=16.88 1957MAa (1997) 71

K3=2.27

K4=1.75

Hg++ con non-aq 25°C 100% U 1952ECa (1998) 72

K3=6.00

K4=2.04

K(2HgBr2+Br=Hg2Br5)=7.00

Medium:MeCN.

Hg++ ISE NaClO4 25°C 0.50M U K1=9.05 B2=17.33 1948BJb (1999) 73

K3=2.41

K4=1.26

B4=21.00

Hg++ EMF NaCl04 25°C 0.50M C 1946SIa (2000) 74
K(HgBr2+Hg=2HgBr)=0.76

Method: Pt/Hg(II),Hg(I) electrode.

Hg++ sol none 25°C 0.0 U 1939GAa (2001) 75

K3=2.04
K(HgBr2(s)=HgBr2)=-1.77
K(HgBr2(s)+Br=HgBr3)=0.27

Hg++ sp oth/un 22°C var U 1933FLa (2002) 76

K3.K4=4.15

Medium: KBr

Hg++ sp oth/un 16°C var U 1928JOa (2003) 77

K3.K4=5.80

Medium: KBr.

Hg++ sol oth/un 34°C dil U T 1924TPa (2004) 78

K(HgBr2(s)=HgBr2)=-1.72

K=-1.39(55.5 C), -1.15(78 C), -0.92(96.5 C)

Hg++ dis oth/un 25°C dil U 1906PAa (2005) 79

B4=21.89

Hg++ ISE oth/un 25°C var U B2=17.18 1903SHA (2006) 80

B4=21.63
K3.K4=4.45

Method: Hg electrode. Medium: KBr. Kd(HgL2 into C6H6)=0.05

Hg++ sol oth/un 25°C var U K1=9.40 B2=17.7? 1902MOa (2007) 81

Medium: Hg(NO3)2

CN- HL Cyanide CAS 74-90-8 (230)

Cyanide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaCl04 25°C 2.00M U B2=34.01 1981BPb (2690) 82

Hg++ vlt oth/un 22°C 0.01M U B2=35.3 1981KTc (2691) 83

B3=38.9
B4=42.0

Hg++ sp oth/un 25°C 2.00M U M 1980BPa (2692) 84

B(HgBr3(CN))=6.60
B(HgBr2(CN)2)=14.40
B(HgBr(CN)3)=17.18
B(Hg(CN)4)=19.51

Hg ⁺⁺	sp	NaCl	25°C	2.00M	U			1977BPb (2693)	85	
								$K(\text{HgCl}_4+4\text{CN}=\text{Hg}(\text{CN})_4)=26.32$		
Hg ⁺⁺	EMF	NaClO ₄	25°C	1.00M	U			1972FAa (2694)	86	
								$K(\text{Hg}+\text{Cr}(\text{III})\text{CN}=\text{CrNCHg})=7.5$ $K(\text{CrCN}+\text{Cr}(\text{CN})\text{Hg})=7.6$		
Hg ⁺⁺	sp	none	25°C	0.0	U	M		1971BPf (2695)	87	
								$K(\text{Hg}(\text{CN})_2+\text{Fe}(\text{II})(\text{CN})_6)=2.4$ $K(\text{Hg}(\text{CN})_2+\text{Mo}(\text{IV})(\text{CN})_8)=1.3$		
								$K(\text{Hg}(\text{CN})_2+\text{Ru}(\text{II})(\text{CN})_6)=1.89$. By potentiometry: $K(\text{Hg}(\text{CN})_2+\text{Fe}(\text{III})(\text{CN})_8)=2.2$, $K(\text{Hg}(\text{CN})_2+\text{Mo}(\text{V})(\text{CN})_8)=1.3$		
Hg ⁺⁺	sp	NaClO ₄	25°C	2.00M	U			1971EBa (2696)	88	
								$K(\text{Hg}+\text{Cr}(\text{III})\text{CN})=1.45$		
								Medium: LiClO ₄ . By kinetics, $K=1.38$		
Hg ⁺⁺	con	oth/un	0°C	var	U			1971GHF (2697)	89	
								$K(2\text{HgL}_2+2\text{HF}=\text{Hg}_2\text{L}_3+\text{HL}+\text{HF}_2)=-0.5$		
								Medium: HF		
Hg ⁺⁺	sp	none	25°C	0.0	U			1971GMa (2698)	90	
								$B(\text{Hg}(\text{SCN})(\text{CN}))=-0.28$		
Hg ⁺⁺	ISE	KNO ₃	30°C	3.0M	U			1968ADc (2699)	91	
								$B_5=40.5$ $B_6=42.6$ $B_7=38.2(?)$		
Hg ⁺⁺	vlt	NaNO ₃	25°C	2.0M	U	M		1968AMa (2700)	92	
								$B(\text{Hg}(\text{CN})_2\text{SCN})=36.3$ $B(\text{Hg}(\text{CN})_3\text{SCN})=38.7$ $B(\text{Hg}(\text{CN})_2\text{Cl})=36.2$ $B(\text{Hg}(\text{CN})_3\text{Cl})=39.4$		
								$B(\text{Hg}(\text{CN})_2\text{Br})=36.0$, $B(\text{Hg}(\text{CN})_3\text{Br})=39.1$		
Hg ⁺⁺	oth	oth/un	25°C	5.0M	U		$K_1=2.27$	$B_2=5.99$	1968CPa (2701)	93
									Method: Raman spectra. Medium: NaI	
Hg ⁺⁺	sp	oth/un	25°C	var	U	I		1968CPa (2702)	94	
								$K(\text{HgI}_2+\text{HgL}_2=2\text{HgLI})=-0.89$		
									Medium: HgL ₂ . In 0.4 M HgI ₂ , by solubility: $K=-0.85$	
Hg ⁺⁺	ISE	mixed	25°C	20%	U	I	$K_1=22.9$	$B_2=26.5$	1968PMe (2703)	95
							$B_3=28.4$			
										Also by: polarography. Medium: pyridine/H ₂ O. $B_2=28.6(80\%)$ and other values
Hg ⁺⁺	vlt	non-aq	195°C	100%	U		$B_2=6.50$	1967ETa (2704)	96	
										Medium: molten KSCN

Hg++ ISE oth/un 40°C 0.0 U T H T K1=16.26 B2=31.28 1965CIa (2705) 97
K3=3.37
K4=2.42

Medium:0 corr. 10 C: K1=17.97, K2=16.74, K3=3.81, K4=2.81; 25 C: K1=17.00,
K2=15.75, K3=3.56, K4=2.66

Hg++ cal oth/un 25°C 0.0 U H 1965CIa (2706) 98
DH(K1)=-96.1 kJ mol⁻¹, DH(K2)=-106.6, DH(K3)=-31.8, DH(K4)=-30.1;
DS(K1)=2.9 J K⁻¹ mol⁻¹, DS(K2)=-56.0, DS(K3)=-37.6, DS(K4)=-50.6

Hg++ ISE oth/un 25°C var U B2=36.57 1964ASa (2707) 99
B3=40.64
B4=43.54
B5=44.40
B6=45.19

Hg++ sp oth/un 25°C dil U I M 1964BGB (2708) 100
K(HgL2+HgCl2=2HgLC1)=0.93
K(HgL2+HgBr2=2HgLBr)=0.29
K(HgL2+HgI2=2HgLI)=-0.96

In dioxan: K=1.08(Cl), 0.24(Br), -0.7(I)

Hg++ vlt none 25°C 0.0 U B2=35.21 1961MUa (2709) 101
B3=38.85
B4=41.47

Hg++ vlt NaNO3 30°C 2.0M U I M 1961NHa (2710) 102
K(HgL3+Cl)= -0.4
K(HgL3+Br)=0.36
K(HgL3+SCN)=0.46

In 4M NaCl04 (spectrophotometry) K(HgL2+Cl)=-0.25

Hg++ oth oth/un ? var U 1961PJa (2711) 103
K4/K3=-1

Method: ir.

Hg++ sol NaNO3 23°C 2.0M U 1959NHa (2712) 104
K(Hg(OH)2+HgL2=2Hg(OH)L)=2.42
K(HgO(s)+HgL2=2Hg(OH)L)=-0.99

By polarography: K(Hg(OH)2+HgL2=2Hg(OH)L)=2.45. At 30 C: B(Hg(OH)L)=28.86

Hg++ vlt NaNO3 30°C 2.0M U B2=33.9 1958Nca (2713) 105
K3=4.2
K4=2.5

Hg++ gl NaNO3 20°C 0.10M U T K1=18.00 B2=34.70 1957ANc (2714) 106
K3=3.83
K4=2.98
B4=41.52

Hg++ EMF none 25°C 0.0 U 1957TMb (2715) 107
B4=41.51

Method: emf with Hg electrode

Hg++ vlt none 25°C 0.0 U 1957TMb (2716) 108
B2=35.25
K3=3.71

Hg++ oth NaCl04 25°C var U 1954WDa (2717) 109
K2/K1=-1.3

Medium: 0.01 to 1 M; method:chemical analysis; 0-25 C

Hg++ sp NaCl04 ? 1.0M U 1953PEc (2718) 110
K1/K2=-0.95

Hg++ cal oth/un ? ? U HM 1951YAA (2719) 111
DH(B3)=-224.7, DH(B4)=-246.9 kJ mol⁻¹. DH(HgL2Cl)=-195.8, DH(HgL2Br)=-197.5,
DH(HgL2I)=-205.9, DH(HgL2I2)=-210.9

Hg++ gl oth/un rt var U 1949GAa (2720) 112
B2=21.7
B4=27.7(?)

Hg++ gl oth/un 2°C dil U 1946BJa (2721) 113
K(HgL2+HL=HgL3+H)=-5.52
K(HgL2+2HL=HgL4+2H)=-12

Hg++ ISE oth/un 12°C var U 1941BJa (2722) 114
K4=ca.3

Hg++ ISE oth/un 12°C var U 1932BDa (2723) 115
B4=41.7 to 43.2

Hg++ oth oth/un 100°C var U 1928BRa (2724) 116
K(HgL2+Cl)=-0.11
K(HgL2+Br)=0.06

Method: boiling point

Hg++ sol oth/un 20°C var U 1909HWa (2725) 117
K(HgL2+NO3)=-0.36
Ks(HgL2(s)=HgL2)=-0.40
K(HgL2+OH=HgL2(OH))=0.2

Hg++ EMF oth/un 25°C var U 1906PAa (2726) 118
B4=41.65

Medium: not specified; method: emf with Hg electrode

Hg++ EMF oth/un 25°C var U 1905SSa (2727) 119
B4=41.66

Medium: not specified; method: emf with Hg electrode

Hg++ EMF oth/un ? var U 1903B0a (2728) 120

B4=41.4

Medium: not specified; method: emf with Hg electrode.

Hg++ EMF oth/un 25°C var U 1903SHa (2729) 121

B4=41.4

Medium: not specified; method: emf with Hg electrode

Hg++ dis oth/un 25°C var U 1903SHa (2730) 122

K(HgL2(aq)=HgL2(Et2O))=-1.64

CO3-- H2L Carbonate CAS 465-79-6 (268)

Carbonate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl none 25°C 0 C R 2005PBa (3237) 123

K(Hg(OH)2+CO2(g)=HgCO3)=-0.70

K(Hg(OH)2+HCO3=Hg(OH)CO3)=0.98

IUPAC evaluated. K(Hg(OH)2+CO2(g)+H=HgHCO3)=3.63

Ks(HgCO3.2H2O(s)+3H2O=3Hg(OH)2+CO2(g))=-11.27 (3M NaClO4)

Hg++ gl NaClO4 25°C 0.50M U K1=11.01 B2=14.50 1980BMB (3238) 124

B(HgHL)=15.08

K(Hg+H2O+L=Hg(OH)L+H)=4.40

Hg++ ISE NaClO4 25°C 3.00M C 1976HHa (3239) 125

*Ks=7.20

*Ks: HgL.2HgO(s)+6H=3Hg+3H2O+CO2(g)

Hg++ sol NaClO4 25°C 3.00M C K1=10.65 1976HHb (3240) 126

B(1,1,1)=15.05

B(-1,1,1)=4.40

B(p,q,r): pH+qHg+rL=Hp(Hg)qLr

Cl- HL Chloride CAS 7647-01-0 (50)

Chloride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl none 25°C 0 C H R K1=7.31 B2=14.00 2005PBa (4939) 127

K3=0.93

K4=0.61

K(Hg+HgCl2=2HgCl)=0.61

B(HgH-1Cl)=4.27

IUPAC evaluated (R). DH(K1)=-21.3 kJ mol-1, DH(B2)=-49.1, DH(K3)=0.5

DH(K4)=-10.5. D(SIT) values:K1=-0.22(04),B2=-0.39(03),K3=0.01(05)

Hg++ gl NaClO4 25°C 0.15M C H K1=5.21 2003AGb (4940) 128

Metal is CH3Hg+. By calorimetry, DH(K1)=-23.7 kJ mol-1, DS(K1)=

20.4 J K-1 mol⁻¹.

Hg ⁺⁺	sp	alc/w	20°C	100%	U				1991GAa	(4941)	129
											K3=1.28
Medium: MeOH											

Hg ⁺⁺	sp	oth/un	20°C	var	U	M			1991GAb	(4942)	130
											K(HgBr ₂ +L)=3.17
											K(HgBr ₂ L+L)=0.25
											K(HgI ₂ +L)=0.99
											K(HgI ₂ L+L)=-0.64

Hg ⁺⁺	sp	non-aq	20°C	100%	C				1991GAc	(4943)	131
											K4=0.75
Medium: methanol.											

Hg ⁺⁺	ISE	non-aq	25°C	100%	C	H	K1=15.1	B2=29.61	1990PDa	(4944)	132
							K3=2.81				
							K4=2.90				
Medium: Acetonitrile, 0.1 M (PyH)CF ₃ SO ₃											
DH(K1)=-50.5, DH(K2)=-41.5, DH(K3)=-31.1, DH(K4)=-19.7 kJ mol ⁻¹											

Hg ⁺⁺	ISE	non-aq	25°C	100%	C	H	K1=8.89	B2=15.94	1985AIa	(4945)	133
							K3=3.97				
							K4=1.97				
Medium: Dimethylsulfoxide 1M NH ₄ ClO ₄ ;											
DH(K1)=-19.2, DH(K2)=-29.7, DH(K3)=-20.1, DH(K4)=-16.5 kJ mol ⁻¹											

Hg ⁺⁺	ISE	non-aq	25°C	100%	C	H	K1=10.59	B2=18.99	1985AIa	(4946)	134
							K3=4.60				
							K4=2.64				
Medium: Pyridine, 0.1 M (PyH)CF ₃ SO ₃ ;											
DH(K1)=-14.9, DH(K2)=-6.0, DH(K3)=-10.4, DH(K4)=-6.8 kJ mol ⁻¹											

Hg ⁺⁺	sp	NaClO ₄	20°C	0.50M	U	I			1984GAc	(4947)	135
											K3=0.81
At I=0 corr. K3=0.70, K4=0.50											

Hg ⁺⁺	gl	NaClO ₄	25°C	0.50M	C		K1=6.76	B2=13.24	1982NBb	(4948)	136
							B3=14.19				
							B4=15.24				

Hg ⁺⁺	cal	NaClO ₄	25°C	0.50M	U	TIH			1982VKa	(4949)	137
											K3=1.03
											K(HgL ₂ +2L)=1.98
DH(K3) = -0.25 kJ mol ⁻¹ ; DH(HgL ₂ +2L) = -9.38 kJ mol ⁻¹ .											

Hg ⁺⁺	ISE	non-aq	25°C	100%	C	H	K1=10.87	B2=17.97	1981APb	(4950)	138
							B3=21.96				
							B4=24.04				

Medium: DMSO, 1.0 M NH₄ClO₄. DH(K₁)=-20.3 kJ mol⁻¹, DH(B₂)=-48.8, DH(B₃)=-68.9, DH(B₄)=-82.9

Hg++ cal NaClO₄ 25°C 0.5M U TI K₁=6.74 B₂=13.22 1980VKb (4951) 139
DH(K₁)=-23.6 kJ mol⁻¹
DH(B₂)=-51.7

For T=60 C: K₁=6.37; B₂=12.37; DH₁=-16.8 kJ/mol; DH(Hg+2L)=-40.0 kJ/mol
Also data for 0 M and 2 M NaClO₄; T=40 C

Hg++ sp alc/w 20°C 100% U M 1979GAa (4952) 140
K(HgI₂+HgCl₂=2HgICl)=1.09
K(HgBr₂+HgCl₂=2HgBrCl)=0.70

Medium: MeOH

Hg++ sp oth/un 20°C 0.01M U M 1978BSa (4953) 141
K(Hg(SCN)₂+HgCl₂)=1.0

Hg++ vlt non-aq 25°C 100% C 1977GPb (4954) 142
K₃=5.8

Medium: hexamethylphosphotriamide

Hg++ gl NaClO₄ 25°C 3.00M C I M K₁=7.22 B₂=14.00 1977SJB (4955) 143
K₃=1.07
K₄=1.07
B(-1,1,-1)=-9.87
B(-1,2,-2)=-15.25

B(-2,3,-5)=-37.79

pH+qHgCl₂+rCl=Hp(HgCl₂)qCl_r; B(p,q,r)

Hg++ oth NaNO₃ 25°C 1.00M U 1976BAb (4956) 144
K₃=0.894
K(HgCl₂+2Cl)=2.025

Method: Refractometry.

Hg++ cal NaClO₄ 25°C 1.0M C K₁=6.72 B₂=13.23 1975CGe (4957) 145
K₃=1.00
K₄=0.97

DH(K₁)=23.2 kJ mol⁻¹, DS=51 J K⁻¹ mol⁻¹; DH(K₂)=27.7, DS=32;

DH(K₃)=1.0, DS=16; DH(K₄)=7.6, DS=-7

Hg++ oth non-aq 42°C 100% U TIH 1974EAa (4958) 146
K(2HgL₂=Hg₂L₄)=1.8

Medium: C₆H₆. Method: vapour phase osmometry. K=3.6(55.6 C).

In C₆H₅CH₃: K=2.0(42 C), 1.8(55.6 C)

Hg++ EMF non-aq 30°C 100% U K₁=8.8 B₂=11.1 1974JAc (4959) 147
B₃=13.1

Medium: pyridine, 0.2 M LiClO₄; m units

Hg++ EMF oth/un ? var U 1974KIb (4960) 148

B4=15.1

Hg++ EMF R4N.X 55°C ? U T H K1=5.30 B2=10.30 1974NGb (4961) 149
Medium: NH4NO3(H2O)x(x=2). DH(K1)=-30.1 kJ mol⁻¹, DS=10.5 J K⁻¹ mol⁻¹(x=2).
K1=5.12, K2=4.85(x=2, 70 C), K1=4.92, K2=4.58(x=2, 85 C) x units

Hg++ dis R4N.X 55°C ? U T H 1974NGc (4962) 150
K3=1.18
K4=0.68
Medium: NH4NO3(H2O)2. DH(K3)=-26.4 kJ mol⁻¹; DH(K4)=27.2, K3=0.96, K4=0.88(70 C)
K3=0.81, K4=1.04(85 C) m units

Hg++ EMF non-aq 25°C 100% U B2=21.11 1974SLa (4963) 151
B3=26.93
B4=28.32
Medium: DMSO, 1 M (Li, Na)ClO4

Hg++ sp alc/w 25°C 60% U T K1=3.0 B2=9 1973ABd (4964) 152
Medium: 60% v/v EtOH/H2O, 0.5 M LiClO4. K or log K ?

Hg++ ISE none 25°C 0.0 C IH K2=6.53 1973ACa (4965) 153
K3=1.22
K(HgCl2(s)=HgCl2(aq))=-0.59

Data also for various MeOH/water mixtures

Hg++ ISE alc/w 25°C 8.1% U I K2=6.93 1973ACa (4966) 154
K3=1.06
Medium: 8.1% w/w MeOH/H2O. K2=6.53, K3=1.22(0%); K2=6.90, K3=1.30(16.5%)

Hg++ EMF non-aq 25°C 100% U B2=35.1 1973CCa (4967) 155
K3=6.0
K4=4.2

Medium: MeCN

Hg++ EMF non-aq ? 100% U B2=16.3 1972BGa (4968) 156
Medium: ethylene glycol, 0.1 M LiClO4

Hg++ EMF NaClO4 25°C 1.0M U 1972CIa (4969) 157
K(Hg+OH+L=HgOHL+H)=3.67

Hg++ EMF non-aq 25°C 100% U B2=21.2 1972FDa (4970) 158
B3=26.9
B4=23.5

Medium: DMSO, 0.1 M LiClO4, Et4NC1O4

Hg++ EMF non-aq 90°C 100% U T H B2=12.20 1972KRa (4971) 159
B4=14.70
Medium: dimethylammoniumsulphate. DH(B4)=-5.1 kJ mol⁻¹; B2=11.38, B4=13.51
(101 C); B2=9.85, B4=12.75(115 C) x units

Hg++ EMF non-aq 25°C 100% U 1971BGa (4972) 160
 B3=37.7
 Medium: N,N-dimethylacetamide

Hg++ EMF NaClO4 25°C 0.40M U 1970DSe (4973) 161
 K3=0.96
 K4=0.38
 Medium: HClO4

Hg++ vlt non-aq 25°C 100% U B2=24.16 1970MDa (4974) 162
 B3=31.23
 B4=34.57
 Medium: DMF, 0.1 M Et4NClO4

Hg++ dis NaClO4 25°C 0.50M U 1970SIa (4975) 163
 K3=0.85
 K4=1.00

Hg++ oth none 50°C 0.0 U T K1=5.99 B2=12.51 1969HEa (4976) 164
 B3=14.50
 Evaluated from literature data. At 100 C: K1=5.65, B2=11.41, B3=13.25;
 150 C: K1=5.50, B2=10.71, B3=12.46

Hg++ sp NaCl ? 0.10M U M 1969NOc (4977) 165
 K(HgA+L)=3.9
 H6A=methylthymolblue

Hg++ dis oth/un 200°C 100% U T M 1969ZAa (4978) 166
 Kd(HgLA(melt))=HgLA(org)=0.49
 Medium: (Li,K)NO3, LiNO3 content 43%. org=polyphenol. A=Br. When X=I, K=0.78.
 Many other data, 165 to 200 C

Hg++ EMF NaClO4 25°C 1.0M U 1968CGa (4979) 167
 K(Hg(OH)2+2H+2L)=19.6
 K(HgOHL+H+L)=9.56
 K(HgClOH+H)=3.1

Hg++ EMF NaClO4 25°C 1.0M U K1=6.72 B2=13.23 1968CGb (4980) 168
 K3=1.00
 K4=0.97
 B4=15.20

Hg++ ISE mixed 25°C 20% U I K1=2.2 B2=4.3 1968PMe (4981) 169
 Also polarography. Medium:20% pyridine. B2=7.9, B3=10(80%). Also in 10,40,60%

Hg++ oth oth/un 23°C var U K2=>2 1968SCc (4982) 170
 K3 > 1
 Method:electrical migration or transference number. Medium:LiCl var

Hg++ vlt non-aq 25°C 100% U T B2=31.1 1966FSa (4983) 171

B3=37.1

B4=39.3

Medium:MeCN

Hg++ EMF NaClO4 35°C 0.50M U T K2=6.35 1966VSb (4984) 172
K1/K2=0.24

K2=6.87(0 C),6.67(12.5 C),6.48(25 C); K1/K2=0.31(0 C),0.28(12.5 C),0.26(25C)

Hg++ ISE NaClO4 25°C 3.0M U H K1=7.07 B2=13.98 1965ARa (4985) 173
K3=0.75
K3K4=2.13

By calorimetry: DH(K1)=-24.2 kJ mol⁻¹, DH(K2)=-27.2, DH(K3)=-4.18,
DH3+DH4=-10.5. DS(K1)=53.9 J K⁻¹ mol⁻¹,DS(K2)=41.4,DS(K3)=0, DS3+DS4=5.4

Hg++ EMF NaClO4 25°C 0.10M U B2=15.5 1965BPg (4986) 174
Medium:HClO4

Hg++ gl oth/un 25°C 0.0 U H 1965PIa (4987) 175
K(Hg(OH)2+Cl=HgClOH+OH)=-4.09

K(HgOHCl+Cl=HgCl2+OH)=-3.77

By calorimetry:DH(Hg(OH)2+Cl)=5.0 kJ mol⁻¹, DS=-61.0 J K⁻¹ mol⁻¹;
DH(HgOH+Cl)=5.1, DS=-55.2

Hg++ cal NaClO4 24°C 0.60M U T H 1964CIa (4988) 176
DH(K1)=-28.2kJ mol⁻¹, DS=37.6 J K⁻¹ mol⁻¹(8 C); -23.0,49.7(25 C); -23.4,
60.0(40 C). DH(B2)=-58.7,DS=57.3(8 C); -53.3,69.0(25 C); -52.3,76.9(40 C)

Hg++ dis non-aq 150°C 100% U H 1964ZMb (4989) 177
Kd(HgL2(melt)=HgL2(org))=0.38
K3=0.8
K4=0.8

Medium: (Li/K)NO3 eutectic; org=polyphenyl eutectic; m unit.
DH(Kd)=-15.5 kJ mol⁻¹

Hg++ ix NaClO4 23°C 3.0M U I 1963EMb (4990) 178
K3=0.70
K4=0.60

Method:anion exchange. At I=0.3:K3=1.1, K4=1.2

Hg++ EMF NaClO4 40°C 0.60M U T K1=6.58 B2=12.76 1963HIa (4991) 179
K1=7.23(7 C),6.62(25 C); K2=6.72(7 C),6.36(25 C)

Hg++ ix oth/un 25°C 10.0M U I 1962MIa (4992) 180
K(H+HgL4)=0.6
K(H+HHgL4)=-0.05

Medium: LiCl.

Hg++ cal none 25°C 0.0 U H 1961MPa (4993) 181
I=0 corr. DH(K1)=-20 kJ mol⁻¹, DS=71 J K⁻¹ mol⁻¹

Hg++ cal NaClO4 25°C 0.50M U H 1960GKa (4994) 182
 Medium: HClO4. DH(K1)=-25 kJ mol⁻¹, DS=46.4 J K⁻¹ mol⁻¹; DH(K2)=-29, DS=26;
 DH(K3)=-9.2, DS=-13; DH(K4)=0.4; DS=21; DH(B4)=-62.3, DS=81.6

Hg++ vlt non-aq 20°C 100% U 1959GPa (4995) 183
 B4=ca.30
 Medium: HCONMe2, 1 M LiClO4

Hg++ sp NaClO4 25°C 0.50M U T 1958PAa (4996) 184
 K3=0.66
 K3K4=1.76
 K3=1.12(1.5C), 0.83(39.7C), K3K4=2.04(1.5C), 1.72(39.7C). DH(K3)=-10 kJ m⁻¹,
 DS=-2.5 J K⁻¹ mol⁻¹; DH(B2)=-56

Hg++ dis NaClO4 25°C 0.50M U K1=6.74 B2=13.22 1957MAa (4997) 185
 K3=0.95
 K4=1.05
 Kd(HgCl2=HgCl2(in C6H6))=-1.06 (I=0), -0.96(I=0.5)

Hg++ gl oth/un RT var U M K1=6.8 B2=13.4 1955DWb (4998) 186
 K3=0.57
 K4=1.46
 K(HgOH+H+2Cl=HgCl2+H2O)=12.40

Hg++ sp NaClO4 18°C 1.0M U 1953PEc (4999) 187
 K3=0.50
 K1/K2=0.40

Hg++ con non-aq 25°C 100% U 1952ECa (5000) 188
 K3=6.00
 K4=2.23
 K(2HgL2+L=Hg2L5)=6.70
 Medium: MeCN

Hg++ EMF NaClO4 25°C 0.50M U K1=6.74 B2=13.22 1947LJa (5001) 189
 K3=0.85
 K4=1.00
 B4=15.07

Hg++ EMF NaClO4 25°C 0.50M C 1946SIa (5002) 190
 K(HgCl2+Hg=2HgCl)=0.255
 Method: Pt/Hg(II),Hg(I) electrode.

Hg++ sol none 25°C 0.0 U 1939GAa (5003) 191
 Ks(HgCl2(s)=HgCl2)=-0.57
 Ks(HgCl2(s)+Cl=HgCl3)=1.30
 K3=1.87

Hg++ sol KCl 25°C var U T 1934TOa (5004) 192
 K(2HgL2+L=Hg2L5)=1.26

K=1.51(0 C), 1.16(34 C), 0.72(100 C); K3K4=1.66(34 C), 1.89(100 C)

Hg++ sp KCl 22°C var U 1933FLa (5005) 193
K3K4=2.06

Hg++ oth oth/un 100°C var U 1928BRa (5006) 194
K3K4=1
K(3HgL2=Hg3L6)=-0.41

Hg++ sp KCl 16°C var U 1928JOa (5007) 195
K3=0.70

Hg++ dis NaCl 25°C var U 1916LIa (5008) 196
K3=0.99
K4=0.69
K(Hg2L4+L=Hg2L5)=1.57
K(Hg2L5+L=Hg2L6)=1.28

Hg++ dis oth/un 25°C var U T 1915LIa (5009) 197
K(2HgL2+2L=Hg2L6)=-0.55
Medium: HgCl2. K=-0.44(40 C). By freezing point, 0 C, K=-0.79. 100 C(B. Pt)
K=-0.17. Kd(HgL2 into C6H6)=-1.08(25 C), -1.03(40 C)

Hg++ dis oth/un 25°C var U 1912DRa (5010) 198
K3=1.13

By EMF B2=14.03

Hg++ sol oth/un 25°C var U K1=7.28 1908BHa (5011) 199

Hg++ dis KCl 25°C var U 1907SBa (5012) 200
K3=1.06

Hg++ ISE KCl 25°C var U 1906PAa (5013) 201
B4=16.20

Hg++ con oth/un 25°C var U 1904LHa (5014) 202
K(2HgL2+H2O=Hg2L20+2H+2L)=-16

Hg++ EMF KCl 25°C var U 1903SHa (5015) 203
B2=14.0
B4=15.95
K3K4=1.95

Hg++ sol oth/un 25°C var U K1=7.46 B2=14.01 1902MOa (5016) 204

Hg++ EMF oth/un 16°C var U B2=13.82 1901LUa (5017) 205

CrO4-- H2L Chromate CAS 7738-94-5 (2382)
Chromate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sol non-aq 147°C 100% U 1969MBd (6492) 206
log Kso=-1.37-3537/T

Medium: fused (Li,K)NO3, 43% Li. Temp: 147-192 C

F- HL Fluoride CAS 7644-39-3 (201)
Fluoride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 20°C var U M 1979GAb (6949) 207
K(HgCl2+L)=0.12
K(HgBrL+L)=-0.85
K(HgI2+L)=-0.96

Hg++ EMF NaClO4 25°C 0.50M U T H K1=1.03 1955PAa (6950) 208
K1=1.01(15 C), 1.05(35 C). DH(K1)=3.6 kJ mol-1, DS=33 J K-1 mol-1. At I=0
K1=1.56, DS=55

FClBrI HL (541)
Halides, comparative (for book data under ligand 80)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt non-aq 20°C 100% U 1966BKa (7394) 209
B4(Cl)=32.9
Medium: DMF, 0.1 M LiClO4. B4=35.2(Br), 36.6(I), 22.5(SCN), 26.5(SC(NH2)2)

Hg++ sol oth/un 25°C 1.0M U I M 1966CZb (7395) 210
B(HgBrI2)=25.7
B(HgBr2I2)=27.35
Ks(HgI2)=-28.19

Medium: LiNO3. Data also in other nitrates

Hg++ con alc/w 100% U M 1965CEa (7396) 211
K((F3CSe)2Hg+HgCl2)=1.3

Also Raman spectra, solubility, infrared spectra. Medium: MeOH. K=1.18(Br),
0.31(I), 0.39(SCN), low for CN

Hg++ dis non-aq 25°C 100% U IHM 1964ELa (7397) 212
K'(HgClBr)=1.16
K'(HgClI)=1.50
K'(HgBrI)=0.76

Medium: C6H6. In 0.5 M NaClO4: K'(HgClBr)=1.20

Hg++ dis non-aq 150°C 100% U M 1964ZMa (7398) 213
K(HgCl2+Cl+Br)=2.79
K(HgCl2+2Br)=2.61
K(HgCl2+2I)=1.77
K(HgBr2+2I)=1.52

Medium:(Li/K)NO3 eutectic. Data also for many other mixed complexes

 Hg++ dis non-aq 150°C 100% U M 1964ZMb (7399) 214
 Kd(HgClBr)=0.59
 K(HgCl2+HgBr2=2HgClBr)=1.85
 K(HgCl2+HgI2=2HgClI)=-0.35

Med:(Li/K)NO3 eutectic. Kd: HgXY(melt)=HgXY(polyphenyl eutectic)
 Kd=1.95(HgClI), 2.57(HgBrI)

 Hg++ sp oth/un 23°C 1.0M U M 1963SHa (7400) 215
 K(HgBr4+I=HgBr3I+Br)=3.20
 K(HgBr4+2I=HgBr2I2+2Br)=5.49
 K(HgBr4+3I=HgBrI3+3Br)=7.40
 K(HgBr4+4I=HgI4+4Br)=8.76

 Hg++ sp NaClO4 25°C .001M U M 1961SHc (7401) 216
 K(HgCl2+HgBr2=2HgClBr)=1.14
 K(HgCl2+HgI2=2HgClI)=1.35
 K(HgBr2+HgI2=2HgBrI)=1.07

 Hg++ sol NaNO3 20°C 0.50M U M 1960CZa (7402) 217
 K(Hg(SCN)2(s)+Br)=0.43 ?

 Hg++ sp alc/w ? 100% U M 1957DEa (7403) 218
 K(HgCl2+HgBr2=2HgClBr)=0.3

Medium: MeOH

 Hg++ dis NaClO4 25°C 0.50M U M 1957MAa (7404) 219
 K(HgCl2+HgBr2=2HgClBr)=2.0
 K(HgCl2+HgI2=2HgClI)=1.75
 K(HgBr2+HgI2=2HgBrI)=1.10
 K(HgBrI+Br)=1.85

K(HgBr2I+Br)=1.49, K(HgBrI2+Br)=1.88, K(HgI3+Br)=1.10. Also Kd(C6H6) values

I- HL Iodide CAS 10034-85-2 (20)
 Iodide;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl NaClO4 25°C 0.15M C H K1=8.61 2003AGb (8030) 220
 Metal is CH3Hg+. By calorimetry, DH(K1)=-54.8 kJ mol-1, DS(K1)=-
 -19 J K-1 mol-1.

 Hg++ sp alc/w 20°C 100% U 1991GAa (8031) 221
 K3=5.26

Medium: MeOH

 Hg++ sp non-aq 20°C 100% C 1991GAc (8032) 222
 K4=-0.40

Medium: methanol.

Hg++ ISE non-aq 25°C 100% C H K1=17.4 B2=34.27 1990PDA (8033) 223
K3=7.41
K4=3.02

Medium: Acetonitrile, 0.1 M (PyH)CF3SO3
DH(K1)=-67.6, DH(K2)=-59.6, DH(K3)=-41.1, DH(K4)=-42.4 kJ mol⁻¹

Hg++ ISE non-aq 25°C 100% C H K1=11.48 B2=21.23 1985AIA (8034) 224
K3=5.96
K4=2.47

Medium: Dimethylsulfoxide 1M NH4ClO4;
DH(K1)=-32.4, DH(K2)=-40.4, DH(K3)=-28.1, DH(K4)=-23.0 kJ mol⁻¹

Hg++ ISE non-aq 25°C 100% C H K1=11.72 B2=21.55 1985AIA (8035) 225
K3=4.83
K4=2.0

Medium: Pyridine, 0.1 M (PyH)CF3SO3;
DH(K1)=-18.3, DH(K2)=-16.8, DH(K3)=-16.2, DH(K4)=-4.3 kJ mol⁻¹

Hg++ sp none 20°C 0.0 U M 1984BSe (8036) 226
B(HgClI)=5.88
B(HgBrI)=3.64

Hg++ sp NaClO4 20°C 0.50M U I 1984GAc (8037) 227
K3=3.69
K4=2.38

At I=0 corr. K3=3.79, K4=2.03

Hg++ gl NaClO4 25°C 0.50M C K1=12.87 B2=23.82 1982NBb (8038) 228
B3=27.60
B4=29.83

Hg++ ISE non-aq 25°C 100% C H K1=13.52 B2=23.27 1981APb (8039) 229
B3=29.28
B4=31.91

Medium: DMSO, 0.1 M NH4ClO4. DH(K1)=-33.2; DH(B2)=-72.6; DH(B3)=-100.7;
DH(B4)=-121.8 kJ mol⁻¹

Hg++ sp NaClO4 20°C var U M 1980GAc (8040) 230
K(HgCl2+HgI2=2HgClI)=1.40
K(HgBr2+HgI2=2HgBrI)=1.26
K(HgCl2+I)=0.98
K(HgBr2+I)=0.52

Hg++ ISE mixed 25°C 82% U K1=26.22 B2=29.23 1979TBc (8041) 231
B3=32.00
B4=35.79

Medium: 82%(vol) DMF/H2O; In 82% Formamide, K1=22.38, B2=25.20, B3=28.00,
B4=31.74

Hg++ vlt non-aq 25°C 100% C 1977GPb (8042) 232
 K3=7.2
 Medium: hexamethylphosphotriamide

Hg++ oth non-aq 42°C 100% U T H 1974EAa (8043) 233
 K(2HgI2=(HgI2)2)=1.2
 K(3HgI2=(HgI2)3)=3.1
 Medium: benzene, 42.1 C. At 55.6 C K(2HgI2=(HgI2)2)=0, K(3HgI2=(HgI2)3)=3.5.
 Also toluene (0.9,2.4),p-xylene and mesitylene. Method:vapor phase osmometry

Hg++ EMF non-aq 30°C 100% U K1=18.8 B2=23.6 1974JAc (8044) 234
 B3=23.4
 Medium:pyridine, 0.2 M LiClO4

Hg++ EMF non-aq 25°C 100% U 1974SLa (8045) 235
 B3=30.36
 B4=32.34
 Medium: DMSO, 1 M (M)ClO4(M=Li,Na)

Hg++ oth alc/w ? 100% U I M 1974YMc (8046) 236
 K(HgBr4+L=HgBr3L+Br)=0.66
 Medium: MeOH. K=1.15 in formamide. K=0.45 in DMF. Method: Raman

Hg++ gl NaClO4 25°C 0.50M U 1973AHa (8047) 237
 K(Hg+I+H2O=Hg(OH)I+H)=8.9

Hg++ sol NaClO4 25°C 0.50M U M 1973BPc (8048) 238
 K(HgL2+Cl)=0.75
 K(HgL2+Br)=1.64
 K(HgL3+L)=5.7
 K(HgL2Cl+Cl)=1.18
 K(HgI2Br+Br)=3.10

Hg++ vlt non-aq 25°C 100% U B2=38.2 1973CCa (8049) 239
 B3=45.9
 B4=48.7
 Medium: MeCN

Hg++ EMF oth/un 20°C dil U T HM 1972BPe (8050) 240
 K(HgCl2+L=HgClL+Cl)=5.77
 K(HgClL+L=HgL2+Cl)=4.87
 DH(HgCl2+L=HgClL+Cl)=-46.9 kJ mol⁻¹; K=6.05(10 C), 5.48(30 C)
 DH(HgClL+L=HgL2+Cl)=-51.4; K=5.14(10 C), 4.52(30 C)

Hg++ EMF non-aq 25°C 100% U B2=24.2 1972FDa (8051) 241
 B3=30.4
 B4=32.6
 Medium: DMSO, 0.1 M LiClO4

Hg++ EMF non-aq 90°C 100% U T B2=19.46 1972KRa (8052) 242

Hg++ dis NaClO4 25°C 0.50M U 1967Mwa (8063) 253
Kd(HgI2=HgI2(in CCl4))=1.1

Hg++ cal NaClO4 24°C 0.60M U T H 1964CIa (8064) 254
Medium:0.5 NaClO4,0.1 HClO4. DH(K1)=-79.0(8 C) kJ mol-1, -75.2(25 C), -72.3
(40 C); DH(B2)=-142.1(8 C),-142.7(25 C),-144.2(40 C), with other values

Hg++ sol NaClO4 25°C 1.0M U B2=26.0 1964CZc (8065) 255
B3=27.65
B4=29.3
Kso=-28.19

Hg++ dis non-aq 150°C 100% U H 1964ZMb (8066) 256
Kd(HgI2(melt)=HrI2(org))=1.58
K3=1.18
K4=1.11
Medium:(Li/K)NO3 eutectic. DH(D)=-11.3 kJ mol-1, org=polyphenyl eutectic

Hg++ ix NaClO4 23°C 3.0M U I 1963EMb (8067) 257
K3=3.0
K4=1.4
Method:anion exchange. At I=0.3:K3=3.8, K4=2.6

Hg++ EMF NaClO4 40°C 0.60M U K1=12.40 B2=22.93 1963HIa (8068) 258
K(HgL2(s)=HgL2)=-3.87
K(HgL2(s)=HgL+L)=-14.42
Also solubility. Medium:0.5 NaClO4,0.1 HClO4. At 7 C: K1=13.58, K2=11.63,
K(HgL2(s)=HgL+L)=-16.20; K(HgL2(s)=HgL2)=-4.43(8C), -4.09(25C)

Hg++ sol NaClO4 24°C 0.60M U T H 1963HIa (8069) 259
Medium:0.5 NaClO4,0.1 HClO4.DH(HgL2(S)=HgL2)=31.8(16 C) kJ mol-1,29.3(25 C),
29.3(25 C), 26.8(32 C)

Hg++ sp alc/w 25°C 100% U K3=4.9 1961Dwa (8070) 260
Medium: MeOH

Hg++ cal none 25°C 0.0 U H 1961MPa (8071) 261
I=0 corr. DH(K1)=-73.6 kJ mol-1, DS=10 J K-1 mol-1

Hg++ cal NaClO4 25°C 0.50M U H 1960GKa (8072) 262
Medium: HClO4, DH(B4)=-186 kJ mol-1, DS=-56.1 J K-1 mol-1

Hg++ vlt non-aq 20°C 100% U K3= ca.4 to 5 1959GPa (8073) 263
K4=2.79
B4=38.79
Medium: HCONMe2, 0.1 LiClO4

Hg++ sp NaClO4 25°C 0.50M U T H 1958PAa (8074) 264

$K_3=3.64$
 $K_4=2.39$
 $K_3=3.70$, $K_4=2.64(2.1 \text{ C})$; 3.47 , $2.25(39.7 \text{ C})$; 3.33 , $1.8(58.9 \text{ C})$. $DH(K_3)=-15$
 kJ mol^{-1} , $DH(K_4)=-17$. By solubility $DH(\text{HgL}_2(\text{s})=\text{HgL}_2)=28$

Hg^{++} $\text{sol oth/un ? var U}$ $1957\text{KPa (8075) 265}$
 $K(\text{HgO}(\text{s})+\text{H}_2\text{O}+3\text{L}=\text{HgL}_3+2\text{OH})=3.97$

Hg^{++} $\text{dis NaClO}_4 \text{ 25}^\circ\text{C } 0.50\text{M U I}$ $1957\text{MAa (8076) 266}$
 $K_d(\text{HgL}_2 \text{ into benzene})=1.78$
 $K_d=1.66(I=0)$

Hg^{++} $\text{dis NaClO}_4 \text{ 25}^\circ\text{C } 0.50\text{M U}$ $K_1=12.87 \text{ B}_2=23.82 \text{ 1957MAa (8077) 267}$
 $K_3=3.67$
 $K_4=2.37$

Hg^{++} $\text{dis KNO}_3 \text{ 25}^\circ\text{C } 0.03\text{M U I}$ $1957\text{MVb (8078) 268}$
 $K_3=3.70$
 $K_4=2.16$
 $K_d(\text{HgL}_2 \text{ into benzene})=1.67$
 At $I=0$ corr. $K_3=3.71$, $K_4=2.02$

Hg^{++} $\text{cal none 25}^\circ\text{C } 0.0 \text{ U H}$ $1954\text{WIa (8079) 269}$
 $DH(\text{B}_4)=180.6 \text{ kJ mol}^{-1}$, $DS=-57.5 \text{ J K}^{-1} \text{ mol}^{-1}$

Hg^{++} $\text{cal oth/un 25}^\circ\text{C } \text{var U H}$ $1954\text{YSa (8080) 270}$
 $DH(K_1)=-69.5 \text{ kJ mol}^{-1}$, $DS=25 \text{ J K}^{-1} \text{ mol}^{-1}$

Hg^{++} $\text{ISE oth/un ? var U}$ $1953\text{GOa (8081) 271}$
 $\text{B}_4=30.18$

Hg^{++} $\text{con non-aq 25}^\circ\text{C } 100\% \text{ U T}$ $1952\text{ECa (8082) 272}$
 $K_3=5.95$
 $K_4=1.61$
 $\text{B}(\text{HgL}_2)_2\text{L}=6.95$
 Medium: MeCN. At 50 C $K_3=5.85$, $K_4=1.48$, $\text{B}=6.85$

Hg^{++} $\text{sol oth/un 25}^\circ\text{C } \text{var U}$ $K_1=13.15 \text{ 1952YSa (8083) 273}$
 $\text{B}(\text{Hg}_2\text{L})=13.75$

Hg^{++} $\text{sol oth/un 25}^\circ\text{C } \text{var U}$ $K_1=12.36 \text{ 1951YAc (8084) 274}$
 $\text{B}(\text{Hg}_2\text{L})=13.62$

Hg^{++} $\text{sol NaClO}_4 \text{ 25}^\circ\text{C } 0.50\text{M U I}$ $1949\text{BSb (8085) 275}$
 $K(\text{HgL}_2(\text{s})=\text{HgL}_2)=-4.13$
 At $I=0$ corr. $K=-3.98$

Hg^{++} $\text{ISE NaClO}_4 \text{ 25}^\circ\text{C } 0.50\text{M U}$ $K_1=12.87 \text{ B}_2=23.82 \text{ 1949QSa (8086) 276}$
 $K_3=3.78$
 $K_4=2.23$

Hg++	vlt oth/un	17°C	0.0	U				1946MSa	(8087)	277
								B4=27		
Hg++	EMF NaCl04	25°C	0.50M	C				1946SIa	(8088)	278
								K(HgI2+Hg=2HgI)=2.06		
Method: Pt/Hg(II),Hg(I) electrode.										
Hg++	sol none	25°C	0.0	U				1941BRa	(8089)	279
								K(HgL2(s)=HgL2)=-4.01		
Hg++	sol none	25°C	0.0	U				1939GAa	(8090)	280
								K3=3.56		
								K4=1.86		
								K(HgL2(s)=HgL2)=-3.88		
								K(HgL2(s)+L=HgL3)=-0.32		
Hg++	sol none	18°C	0.0	U				1937TPa	(8091)	281
								K(HgL2(s)=HgL2)=-4.12		
Hg++	sp oth/un	22°C	var	U				1933FLa	(8092)	282
								K3.K4=5.04		
Hg++	sp oth/un	16°C	var	U				1928JOa	(8093)	283
								K3.K4=7.92		
Hg++	sol a/c/w	25°C	100%	U I				1908HKa	(8094)	284
								K(HgL2(S)=HgL2)=-1.16		
Medium: MeOH. In EtOH: K=-1.40										
Hg++	ISE oth/un	25°C	var	U				1906PAa	(8095)	285
								B4=30.53		
Hg++	sol non-aq	25°C	100%	U				1903SHA	(8096)	286
								K(HgL2(s)=HgL2)=-2.31		
								Kd(HgL2 into C6H6)=1.58		
Medium: C6H6. In KI var, by Hg electrode, B2=24.42, B4=30.28, K3.K4=5.86										
Hg++	sol oth/un	25°C	var	U				K1=13.40 B2=25?	1902MOa	(8097) 287
								K(HgL2(s)=HgL2)=-3.88		

NH3		L	Ammonia					CAS 7664-41-7	(414)	
Ammonia										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt non-aq	25°C	100%	U				B2=17.0	1973MTa	(9160) 288
Medium: Me2NCHO, 0.5 M Et4NCl04										
Hg++	ISE NaCl04	25°C	1.0M	U				B2=17.8	1964WDa	(9161) 289

Hg++ vlt R4N.X 25°C 0.10M U 1962TRa (9162) 290
B4=19.26

Medium: NH4NO3.

Hg++ cal R4N.X 27°C 2.0M U H 1957YMa (9163) 291
Medium: NH4NO3. DH(B2)=-103.3 kJ mol⁻¹; DH(K3)=-13.8; DH(K4)=-15.1;
DS(B2)=-9.6; DS(K3)=-26.8; DS(K4)=-34.7.

Hg++ cal R4N.X rt 3.0M U H 1952FYa (9164) 292
Medium: NH4NO3. DH(B4)=-119.2 kJ mol⁻¹; DS=-32.2 J K⁻¹ mol⁻¹

Hg++ gl R4N.X 22°C 2.0M U K1=8.8 B2=17.5 1941BJa (9165) 293
K3=1.00
K4=0.78
B4=19.3

Medium: NH4NO3

NH3O L Hydroxylamine; CAS 5470-11-1 (1808)
Hydroxylamine; NH2.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE mixed 20°C 50% U K1=10.94 B2=12.88 1980IPa (9265) 294
B3=14.87
B4=15.78

Medium: 50% EtOH/acetone

NO2- HL Nitrite CAS 7782-77-6 (635)
Nitrite;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaCl04 25°C 1.00M C K1=5.94 B2=9.91 1988EAa (9373) 295
B3=11.45
B4=11.86

Hg++ sol NaCl04 20°C 1.00M U M 1975ZCa (9374) 296
B(Hg(Oxalate)(NO2))=9.34
B(Hg(Oxalate)(NO2)2)=9.32

Hg++ sp oth/un 20°C 0.0 U K1=2.41 B2=3.85 1973CZa (9375) 297

Hg++ sp oth/un 20°C 0.0 U M 1973CZa (9376) 298
B(HgClL)=5.35
K(HgClL3)=23.15
K(HgCl2L2)=20.59

Hg++ sp NaCl04 25°C 0.01M U I 1971TLa (9377) 299
B4=11.6

I=0.012. When I=0.005, B4=11.2

Hg++ gl oth/un ? var U 1932BWa (9378) 300
B4=14.9

Hg++ ISE oth/un 25°C var U 1906PAa (9379) 301
B4=13.54

NO3- HL Nitrate CAS 7697-37-2 (288)
Nitrate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
Hg++ oth oth/un 25°C var U K1=0.11 B2=0.11 1968DIa (9702) 302
Methods: Raman spectra, infrared spectra.

Hg++ oth mixed 23°C 90% U K1=0.83 B2=1.56 1966WFa (9703) 303
Medium: 90% i-PrOH, 0.5 M HNO3

Hg++ EMF NaNO3 25°C var U K1=0.35 1956HSd (9704) 304

Hg++ EMF NaClO4 25°C 3.0M U K1=0.11 K2=-0.1 1946ISa (9705) 305

N3- HL Azide CAS 7782-79-8 (441)
Azide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
Hg++ sp NaClO4 25°C 1.00M U H K1=6.98 B2=14.39 1976AAa (10229) 306
DH(K1)=-30.4 kJ mol⁻¹; DH(K2)=-37.1

Hg++ EMF non-aq 25°C 100% U 1971BGa (10230) 307
B4=28.5

Medium: MeCONMe2, 0.1 M LiClO4

Hg++ sp NaClO4 28°C 0.25M U I K1=7.15 B2=14.12 1965MKa (10231) 308
K1=7.30(I=0.15),7.48(I=0.05),7.75(I=0); K2=7.08(I=0.15),7.26(0.05),7.49(I=0)

Hg++ cal oth/un 25°C 0.0 U H 1956GWc (10232) 309
DH(Kso(Hg2L2(s)))=125 kJ mol⁻¹

Hg++ ISE oth/un 25°C 0.0 U 1952SUa (10233) 310
Kso(Hg2L2(s))=-9.15

OCN- HL Cyanate CAS 661-20-1 (6165)
Cyanate, Fulminate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt alc/w 25°C 25% U B2=29.8 1970KSb (10298) 311

B4=36.4

Medium:25% MeOH

OH- HL Hydroxide (57)
Hydroxide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl none 25°C 0 C H R 2005PBa (11558) 312
*K1=-3.40
*B2=-5.98
*B3=-21.1

IUPAC evaluated (R). DH(*K1)=26.2 kJ mol⁻¹, DH(*B2)=51.5

*Kso(HgO(s)+2H=Hg+H2O)=2.37, DH=-25.3. D(SIT): *K1=-0.14(3), *K2=-0.14(2)

Hg++ gl NaClO4 25°C 0.15M C H K1=9.18 2003AGb (11559) 313
K(CH3Hg+CH3HgOH)=2.32

Metal is CH3Hg+. By calorimetry, DH(K1)=-35.8 kJ mol⁻¹, DS(K1)=55.7
J K⁻¹ mol⁻¹; DH(K)=-16.1, DS(K)=-9.

Hg++ gl oth/un 25°C 0.10M C K1=10.20 B2=21.20 1987GGc (11560) 314
Medium: KSO3CH3

Hg++ gl NaClO4 25°C 0.10M U K1=-3.10 1984PTa (11561) 315

Additional method: Hg electrode.

Hg++ oth none 25°C 0.0 U K1=10.6 B2=21.83 1983RCa (11562) 316
Recalculation of literature data

Hg++ gl NaClO4 25°C 3.0M C *K1=-3.48 1979CFb (11563) 317
*B2=-6.18

Hg++ gl NaClO4 25°C 3.00M C *K1=-3.48 1979CIa (11564) 318
*B2=-6.18

Hg++ gl NaNO3 30°C 1.00M U *K1=-3.2 1978THa (11565) 319
*K2=-3.0

Hg++ gl NaClO4 25°C 3.00M C *K1=-3.58 1977SJB (11566) 320
*B(1,2)=-6.228
*B(2,2)=-4.84

Hg++ cal NaClO4 25°C 1.00M U HM 1976CGb (11567) 321
K(HgClOH+H)=3.05
K(HgSCNOH+H)=3.4

$K(\text{Hg}(\text{OH})_2 + \text{H}) = 2.6$
 $K(.5\text{HgCl}_2 + .5\text{Hg}(\text{OH})_2) = -0.5, \text{DH} = 0$
 $K(\text{HgCl} + \text{HgOH} = \text{HgClOH} + \text{Hg}) = 0.6, \text{DH} = -0.8 \text{ kJ mol}^{-1}. \text{DH}(\text{HgClOH} + \text{H}) = -20,$
 $K(\text{HgSCN} + \text{HgOH} = \text{Hg}(\text{SCN})(\text{OH}) + \text{Hg}) = 0.3, \text{DH} = 1. \text{DH}(\text{HgSCNOH} + \text{H}) = -22, \text{DH}(\text{Hg}(\text{OH})_2 + \text{H}) = -20.7$

Hg++ cal NaClO4 25°C 1.0M C 1975CGe (11568) 322

*K1 = -3.65

*K2 = -2.64

DH(*K1) = -20.7 kJ mol⁻¹, DS = 0 J K⁻¹ mol⁻¹; DH(*K2) = -20.7, DS = 20

Hg++ EMF NaClO4 25°C 1.00M U 1970CGc (11569) 323

*K1 = -3.65

*B2 = -6.29

Hg++ EMF NaClO4 25°C 1.00M U 1968CGa (11570) 324

*K1 = -3.84

*B2 = -6.38

Hg++ cal NaClO4 25°C 3.00M U H 1967AKb (11571) 325

DH(*K1) = 30.2 kJ mol⁻¹, DS = 33 J K⁻¹ mol⁻¹; DH(*K2) = 10.9, DS = -14;

DH(*B(2,1)) = 12.8, DS = -9; DH(*B(2,2)) = 53.0, DS = 79

Hg++ gl NaClO4 25°C 0.50M U 1963KOb (11572) 326

*K1 = -3.68

*K2 = -2.57

Hg++ gl NaClO4 25°C 3.0M U 1962AHa (11573) 327

*K1 = -3.55

*B2 = -6.21

*B(2,1) = -2.67

*B(2,2) = -5.16

*B(4,3) = -6.40. *B(m,n): mHg + nH₂O = Hg_m(OH)_n + nH

In 3M Ca(ClO₄)₂ *K1 = -3.49, *B2 = -5.96, *B(2,1) = -2.67, *B(2,2) = -4.95

Hg++ cal NaClO4 25°C 0.88M U H 1962LGa (11574) 328

Medium: HClO₄. DH(*K_{so}) = -23.6 kJ mol⁻¹. Data also for I = 8.76: DH(*K_{so}) = -28.1

Also DH for mixtures HClO₄-HCl, HBr, HI; HgO(s)

Hg++ sol none 25°C 0.0 U T 1961AHb (11575) 329

K_s(HgO(s) + H₂O = Hg(OH)₂) = -3.65

HgO(s) = rh, red; K_s = -3.50(35 C), -3.29(50 C), -3.13(60 C)

HgO(s) = rh, yellow; K_s = -3.63(35 C), -3.12(60 C) plus others

Hg++ sol NaClO4 25°C 3.0M U 1961DTa (11576) 330

*K_{so} = 2.41

K_s(HgO(s) + H₂O = Hg(OH)₂) = -3.75

*K1 = -3.23

*B2 = -6.16

K_{so} = -26.0

Hg ⁺⁺	sol	NaNO ₃	23°C	2.0M	U		1959NHa (11577)	331
							$K_s(\text{HgO}(s)+\text{H}_2\text{O}=\text{Hg}(\text{OH})_2)=-3.41$	
Hg ⁺⁺	vlt	NaNO ₃	30°C	2.0M	U	B2=21.40	1959NHa (11578)	332
Hg ⁺⁺	sol	oth/un	35°C	var	U		1959SAa (11579)	333
							$K_s(\text{HgO}(s)+\text{H}_2\text{O}=\text{Hg}(\text{OH})_2)=-3.5$	
Hg ⁺⁺	cal	NaClO ₄	25°C	5.50M	U	H	1959SLd (11580)	334
							Medium:HClO ₄ . DH(*K _{so} =-18.7 kJ mol ⁻¹ . DH(*K _{so})=-19.2(I=4.2), -20.1(I=3.3), -21.4(I=2.21), -22.80(I=1.12))	
Hg ⁺⁺	gl	NaNO ₃	25°C	0.10M	U	TIH	1958ASa (11581)	335
							*B2=-6.52 DH(*B2)=45.2 kJ mol ⁻¹ . *B2=-6.72(13 C), -6.26(30 C), -6.00(40 C)	
Hg ⁺⁺	vlt	KNO ₃	25°C	1.0M	U		1954G0a (11582)	336
							*K1=-3.5 *K2=-4.05	
Hg ⁺⁺	gl	NaClO ₄	25°C	0.50M	U		1952HSa (11583)	337
							*K1=-3.70 *K2=-2.60	
Hg ⁺⁺	oth	none	25°C	0.0	U		1952LAb (11584)	338
							K _{so} =-25.52	
Hg ⁺⁺	con	oth/un	25°C	var	U		1941BJa (11585)	339
							*K1=-2.4	
Hg ⁺⁺	gl	oth/un	21°C	dil	U		1941BJa (11586)	340
							*K1=-2.8 *K2=-3.5	
Hg ⁺⁺	sol	none	25°C	0.0	U		1939GHa (11587)	341
							K1=11.51 B2=22.66 *K1=-2.49 *K2=-2.85 *K _{so} =1.72 *K _s (HgO+H=HgOH)=-0.77	
Hg ⁺⁺	sol	none	25°C	0.0	U		1938GHa (11588)	342
							*K3=-14.85 K _s (HgO+H ₂ O=Hg(OH) ₂)=-3.65 K _s (HgO+H ₂ O+OH=Hg(OH) ₃)=-4.50	
Hg ⁺⁺	sol	none	25°C	0.0	U		1920FUa (11589)	343
							*K3=-14.77 K _s (HgO+H ₂ O=Hg(OH) ₃)=-3.61 K _s (Hg)+H ₂ O+OH=Hg(OH) ₃)=-4.30	

Hg++ sol oth/un 18°C var U K1=11.86 B2=22.13 1917K0a (11590) 344
 Kso=-25.86
 Ks(HgO+H2O=Hg(OH)2)=-3.73

Hg++ ISE oth/un 18°C var U 1910ALa (11591) 345
 Kso=-25.4

Hg++ oth oth/un ? ? U 1904FAa (11592) 346
 Kso=-25.82

Hg++ sol oth/un 25°C dil U 1902SCa (11593) 347
 Ks(HgO+H2O=Hg(OH)2)=-3.63

 O2 L Oxygen CAS 7782-44-7 (83)
 Dioxygen, also oxide; O--, and superoxide, O2-

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF non-aq 227°C 100% U 1969ETa (12629) 348
 Kso=-13.3 (M units)

Ligand=Oxide, O--; Medium: Fused(Na,K)OH (51% Na)

 PO4--- H3L Phosphate CAS 7664-38-2 (176)
 Phosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 3.0M C P 2005PBa (13208) 349
 K(Hg+HPO4)=8.8
 K(Hg+HPO4=HgPO4+H)=3.25

IUPAC evaluated(P). *Ks(Hg3(PO4)2(s)+2H=3Hg+2HPO4)=-24.6

*Ks((HgOH)3PO4(s)+4H=3Hg+HPO4+3H2O)=-9.4, Ks(HgHPO4(s)=Hg+HPO4)=-13.1

Hg++ ISE NaClO4 25°C 3.00M C 1975QDa (13209) 350
 K(Hg+HL)=8.80
 K(Hg+HL=HgL+H)=3.25

K(HgHL(s)=Hg+HL)=-13.1
 K(Hg3L2(s)+2H=3Hg+2HL)=-24.6; K((HgOH)3L(s)+4H=3Hg+HL+3H2O)=-9.4

Hg++ sol oth/un 20°C var U 1972G0d (13210) 351
 K(Hg3L2(s)+4H=3Hg+2H2L)=-6.0

Hg++ ISE none 25°C 0.0 U 1949VCa (13211) 352
 Ks(HgHL(s)=Hg+HL)=-12.40

Hg++ ISE none 25°C 0.0 U 1929BRa (13212) 353
 Ks(HgHL(s)=Hg+HL)=-14.52

Hg++ sol oth/un 20°C dil U 1929LAa (13213) 354
 Kso=-6.6

P207---- H4L Pyrophosphate CAS 2466-09-3 (198)
Diphosphate; from (HO)2PO.O.PO(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF NaNO3 27°C 0.75M U 1960YDa (13595) 355
B(Hg(OH)L)=17.45

P3010----- H5L CAS 10380-08-2 (1001)
Triphosphate; from (HO)2PO.O.PO(OH).O.PO(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 25°C 1.00M U I K1=7.16 B2=8.90 1962SIb (13864) 356
B(Hg2(OH)L)=13.65
B(Hg2(OH)2L)=20.05
K(Hg2+HL)=4.34

Medium: Na+. In K+: K1=7.84, B2=9.47, B(Hg2(OH)L)=14.22, B(Hg2(OH)2L)=20.35

S-- H2L Sulfide CAS 7783-06-4 (705)
Sulfide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sol oth/un 25°C 0.3M C 2000JMa (14377) 357
Ks(HgS+(x-1)S=HgSxOH+H)=-15.7

Dissolution of cinnabar in H2S solutions containing S(orth), pH 6-10, to form polysulfides. Medium not stated. Ks(HgS+HS+2(x-1)S=Hg(Sx)2+H)=-11.7.

Hg++ sol KCl 25°C 0.70M M 1997PHa (14378) 358
K(HgS(s)+H2S=Hg(HS)2)=-5.36
K(HgS(s)+HS=Hg(HS)S)=-5.34
K(HgS(s)+2HS=HgS2+H2S)=-7.14
K(HgS+HS+nS(θ)=HgHS(Sn))=-3.97

For K(HgS(s)+HS+nS(rhom)): n=4-6.

Hg++ sol KCl 25°C 0.7M C 1995PHa (14379) 359
Ks(HgS+H2S(aq)=Hg(HS)2)=-5.76
Ks(HgS(s)+HS=HgS2H)=-4.82
Ks(HgS(s)+HS=HgS2+H)=-13.41
Ks(2HgS+H+H2O=Hg2SOH+H2S)=-8.4

Method: dissolution of cinnabar, red HgS, in 0.7 m KCl, 0.5-30 mM NaHS, buffered to pH 1-13. Ks(Hg3S2Cl2+H2S=3HgS(s)+2H+2Cl)=-1.26.

Hg++ sol KCl 25°C 0.7M C 1995PHa (14380) 360
Ks(2Hg(s)+2HS+nS=Hg2S4SnH2)=1.

Method: dissolution of cinnabar, red HgS, in 0.7 m KCl, 0.5-30 mM NaHS, buffered to pH 1-13, in presence of S(s).The product is Hg2(S(II)4(S(θ)n)H2

Hg++ vlt NaCl 25°C ? U 1994ZMa (14381) 361
K1eff=7.8
K2eff=5.0

Medium: sea water, pH=8. Method: cathodic stripping square wave voltammetry

Hg++ oth none ? 0 U 1990DKa (14382) 362
*Ks(HgS(black)+H=Hg+HS)=-38.9
*Ks(HgS(red)+H=Hg+HS)=-39.5

From recalculation of literature data.

Hg++ oth none 25°C 0.0 C 1989DYa (14383) 363
KHg+HS=HgS+H)=28.5
*Kso(HgS)=-38.5
Kso(ZnS)=-10

Calculated from literature data, based on K(H+S)=17.0. HgS is metacinnabar
For cinnabar, *Kso(HgS)=-39.8, Kso(HgS)=-11.3.

Hg++ oth none 25°C 0 U 1988LIa (14384) 364
Kso(HgS,red)=-56.4
*Kso(HgS,red)=-39.1
Kso(HgS,black)=-56.1
*Kso(HgS,black)=-38.7

Derived from thermodynamic data and K(H+S=HS)=17.3.

Hg++ oth none 25°C 0 U 1988SBc (14385) 365
Kso(HgS,cinnabar)=-58.36
Kso(HgS,metacinnabar)=-57.07

Method: recal. from literature data using K(H+S=HS)=18.57 and K(H+HS)=6.99

Hg++ dis oth/un 25°C 0.69M U 1985DYa (14386) 366
K(Hg+2H2S=HgHS2+3H)=17.77
K(Hg+2H2S=Hg(HS)2+2H)=23.96

Hg++ sol oth/un 150°C 0.00 U 1981SZb (14387) 367
K(HgS(s)+H2S=Hg(HS)2)=-4.63

Hg++ oth none 50°C 0.0 M T 1969HEa (14388) 368
Estimated from literature data. Cinnabar: Kso=-50.02(50 C); -44.25(100 C);
-39.91(150 C); -36.51(200 C); -33.83(250 C); -31.72(300 C)

Hg++ sol none 25°C 0.0 U B2=50.23 1964PCa (14389) 369
K(HgL(s)+L=HgL2)=-1.5
K(HgL(s)+2H=HgL+H2S(g))=-30.76
K(HgL(s)+H2L(g)=Hg(HL)2)=-6.2

Also by Hg electrode. I=0 corr.

Hg++ ISE KCl 20°C 1.0M U 1963SWa (14390) 370
Kso(black HgS)=-50.96
K(HgS(s)+H2S=Hg(SH)2)=-5.97
K(HgHS2+H)=6.19

K(HgS2+H)=-8.30

Hg++ oth none 25°C 0.0 U T 1959CZa (14391) 371
Kso(HgL)=-52.73
From thermodynamic data. Kso=-43.40(100 C), -35.57(200 C), -26.89(400 C),
-22.16(600 C)

Hg++ sol oth/un rt var U 1959DGc (14392) 372
K(HgL(s)+L=HgL2)=1.08
K(HgL2+2H)=20.88?

Hg++ ISE none 25°C 0.0 U 1952GGc (14393) 373
Kso(HgL)=-51.52

Hg++ oth none 25°C 0.0 U 1952LAb (14394) 374
Kso(HgL)=-53.8
K(HgL(s)+L=HgL2)=0.58
From thermodynamic data. HgL(s)=metacinnabarite

Hg++ sol oth/un 25°C var U 1950MAa (14395) 375
K(HgL(s)+L=HgL2)=ca.0

Hg++ oth none 25°C 0.0 U I 1946Tsa (14396) 376
K(HgL(s)+2H=Hg+H2S(g))=-31.1
K(HgS2+2H=Hg(SH)2)=7.0
From thermodynamic data. HgL(s)=metacinnabarite

Hg++ sol oth/un 25°C var U 1931K0a (14397) 377
Kso(HgL)=-53.5
K(HgS(s)+2H=Hg+H2S(g))=-30.6

Also by Hg electrode

Hg++ ISE oth/un 18°C var U 1909BZa (14398) 378
Kso(HgL)=-47.17

Hg++ sol oth/un 25°C var U B2=54.7 1908KNa (14399) 379
Kso(HgL)=-53.5

Also by Hg electrode

SCN- HL Thiocyanate CAS 463-56-9 (106)
Thiocyanate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=16.53 1986ECa (15023) 380

Hg++ ISE non-aq 25°C 100% C H T K1=6.77 B2=11.8 1985AIa (15024) 381
K3=3.1

Medium: pyridine, 0.1 M Et4NClO4. DH(K1)=-2.5 kJ mol⁻¹, DH(K2)=3.1, DH(K3)=
0.1; DS(K1)=121 J K⁻¹ mol⁻¹, DS(K2)=102, DS(K3)=60

Hg++ ISE non-aq 25°C 100% C H T K1=7.49 B2=13.08 1985AIa (15025) 382
K3=2.95
K4=2.24

Medium: DMSO, 1 M NH4ClO4. DH(K1)=-29.7 kJ mol⁻¹, DH(K2)=-31.4, DH(K3)=-9.8,
DH(K4)=-17.5; DS(K1)=50 J K⁻¹ mol⁻¹, DS(K2)=2, DS(K3)=24, DS(K4)=-16

Hg++ cal NaClO4 25°C 0.50M U TI 1984VKa (15026) 383
DH(K1)=-50.08 kJ mol⁻¹; DS(K1)=5.9 J K⁻¹ mol⁻¹; DH(B2)=-102.4; DS(B2)=-22.8

Hg++ ISE non-aq 25°C 100% C H K1=9.33 B2=14.99 1981APb (15027) 384
B3=17.95
B4=20.26

Medium: DMSO, 0.1 M NH4ClO4. DH(K1)=-28.1; DH(B2)=-59.1; DH(B3)=-68.9;
DH(B4)=-85.6 kJ mol⁻¹

Hg++ cal NaClO4 25°C 1.0M C K1=9.08 B2=16.86 1975CGe (15028) 385
K3=2.80
K4=0

DH(K1)=51.2 kJ mol⁻¹, DS=2 J K⁻¹ mol⁻¹; DH(K2)=51.2, DS=23;
DH(K3)=18, DS=-7; DH(K4)=18, DS=-22

Hg++ sol NaClO4 20°C 1.00M U M 1975ZCa (15029) 386
B(Hg(Oxalate)(SCN))=8.37

Hg++ EMF oth/un ? var U 1974KIb (15030) 387
B4=20.3

Hg++ cal NaClO4 25°C 1.0M U H 1974KUE (15031) 388
DH(B4)=-145.31 kJ mol⁻¹; DS=-72.0 J K⁻¹ mol⁻¹

Hg++ EMF non-aq 25°C 100% U B2=16.08 1974SLa (15032) 389
B3=19.00
B4=20.41

Medium: DMSO, 1 M (Li,Na)ClO4

Hg++ EMF non-aq ? 100% U B2=16.85 1972BGa (15033) 390
Medium: ethylene glycol, 0.1 M LiClO4

Hg++ EMF non-aq 25°C 100% U B2=16.1 1972FDa (15034) 391
B3=19.1
B4=21.2

Medium: DMSO, 0.1 M LiClO4

Hg++ sp NaClO4 25°C 1.0M U T H 1971AKb (15035) 392
K(Hg+CrL)=4.22

Medium: HClO4; B=4.42(15 C)

Hg++ cal NaClO4 25°C 1.0M U H 1971AKb (15036) 393
DH(K1)=-49.8 kJ mol⁻¹, DS=7.1 J K⁻¹ mol⁻¹; DH(K2)=-50.6, DS=-20.1;

DH(K3)=-20.5, DS=-14.2; DH(K4)=-20.9, DS=-33.1

Hg++ EMF non-aq ? 100% U 1971BGa (15037) 394
B4=26.8

Medium: N,N-dimethylacetamide, 0.1 M LiClO4

Hg++ sp none 25°C 0.0 U M 1971GMa (15038) 395
K(HgL2+HgCl2=2HgClL)=0.91
K(HgL2+HgBr2=2HgBrL)=0.10
K(HgL2+HgI2=2HgIL)=-0.96

Hg++ sp oth/un 25°C dil U 1971GMa (15039) 396
B(HgLCl)=0.91
B(HgLBr)=0.10
B(HgLI)=-0.96

Hg++ EMF NaClO4 25°C 1.0M U T K1=9.08 B2=16.86 1970CGb (15040) 397
B3=19.70
B4=21.67

By solubility: Kso=-19.00, Ks(HgL(s)+L)=-2.70, K3=2.80, K3.K4=4.8

Hg++ gl NaClO4 25°C 1.0M U 1970CGc (15041) 398
K(Hg2+L+H2O=Hg(OH)L+H)=5.65

Hg++ dis NaClO4 25°C 0.50M U 1970SIa (15042) 399
K3=2.73
K4=2.02

Hg++ sp oth/un ? 0.10M U M 1969NOc (15043) 400
K(HgA+L)=5.7

Medium: KSCN. A=methyl thymol blue

Hg++ vlt non-aq 40°C 100% U I T K1=16.2 1969PVb (15044) 401
B4=22.7

Medium: 20% w/w N-methylacetamide-DMF. K1=17.7, B4=25.2(0%); K1=15.0, B4=21.1 (40%); K1=14.4, B3=17.3, B4=19.52(w=80); K1=14.6, B4=20.5(100%)

Hg++ sol oth/un 20°C 4.60M U 1968GYa (15045) 402
Ks(HgL2(s)+Hg=Hg2L2)=-0.81

Medium: Ca(NO3)2

Hg++ sp NaClO4 ? 0.10M U 1968NOa (15046) 403
K(Hg(EDTA)+L)=5.9

Hg++ ISE mixed 25?°C 20% U I B2=7.6 1968PMe (15047) 404
B3=9.2
B4=10

Also polarography. Medium: 20% C5H5N. In 80%: B3=9.7. Also 10%,40%,60%

Hg++ sol NaNO3 20°C 2.0M U 1968YGa (15048) 405

$K_s(\text{HgI}_2(\text{s})+\text{Br}=\text{HgI}_2\text{Br})=0.56$

$K_s(\text{HgI}_2(\text{s})+2\text{NO}_2)=-1.03$

Hg++ sol KNO3 20°C 4.60M U 1966GBb (15049) 406

$K_s(\text{HgI}_2(\text{s})=\text{HgI}_2)=-1.83$

$K_s(\text{HgI}_2(\text{s})+\text{Hg}=\text{Hg}_2\text{I}_2)=-0.70$

Hg++ sp NaClO4 25°C 1.0M U 1964CZb (15050) 407

$K(\text{HgI}_2(\text{s})+2\text{L}=\text{HgI}_2\text{L}_2)=-0.27$

$B(\text{HgI}_2\text{L}_2)=27.92$

$K_s(\text{HgI}_2)=-28.19$

Hg++ vlt oth/un 30°C var U B2=17.60 1964SKa (15051) 408

B3=20.40

B4=21.23

Hg++ sol NaNO3 20°C 0.50M U 1962CSa (15052) 409

$B(\text{HgI}_2(\text{NO}_2))=5.98$

$B(\text{HgI}_2\text{Cl})=6.82$

$B(\text{HgI}_2\text{Br})=7.57$

$B_3=7.24$

$K(\text{HgI}_2(\text{s})=\text{Hg}+2\text{L})=-7.15$ assumed

Hg++ vlt KNO3 25°C 0.20M U TI T B2=16.43 1962TEa (15053) 410

B3=19.14

B4=21.12

B2=17.26, B3=19.85, B4=22.05(15 C); B2=15.74, B3=18.39, B4=20.23(35 C);

At I=0 corr B2=18.08, B3=20.66, B4=22.61(15 C)); 16.58, 19.23, 20.83(35 C)

Hg++ sol NaNO3 20°C 0.50M U T 1960CZa (15054) 411

$K(\text{HgI}_2(\text{s})+\text{Br}=\text{HgI}_2\text{Br})=0.43$

$B(\text{HgI}_2\text{Br})=7.59(?)$

Hg++ ISE KNO3 20°C 3.5?M U 1960GRd (15055) 412

B5=22.05

B6=21.67

Hg++ ISE alc/w 20°C 100% U I 1960GRd (15056) 413

B4=24.36

Medium: MeOH, 1.5?M KNO3. B5=21.41(2.5 M MeOH), 22.29(10 M MeOH). Data also in acetone/H2O mixtures

Hg++ vlt NaClO4 25°C 1.0M U T B2=16.07 1960NAb (15057) 414

K3=2.88

K4=1.99

B4=20.94

Hg++ sol NaNO3 20°C 0.50M U 1959CFd (15058) 415

$K(\text{HgI}_2(\text{s})+\text{Cl}=\text{HgI}_2\text{Cl})=-0.39$

$B(\text{HgI}_2\text{Cl})=7.00(?)$

Hg++ sol R4N.X 20°C 1.40M U I T 1959CZb (15059) 416
K(HgL2(s)=HgL2)=-2.47
K(HgL2(s)+L=HgL3)=0.13
K(HgL2(s)=Hg+2L)=-6.80(?)
B3=6.94(?)

Medium: NH4NO3; also K(HgL2+L) for other nitrate solutions with I=4

Hg++ sp oth/un 20°C var U 1957GTa (15060) 417
B4=21.65
B5=21.67

Also Hg electrode

Hg++ dis non-aq 25°C 100% U I 1957MAa (15061) 418
Kd(HgL2(aq)=HgL2(org))=-2.2
Media: C6H6, NaClO4(I=0.5); Kd=-2.5(I=0). Also in toluene: Kd=-2.2(I=0)
K(HgL2(s)=HgL2)=-2.66(I=0). Also solubility

Hg++ sol oth/un ? dil U 1956KSc (15062) 419
K(ZnHgL4(s)=Zn+HgL4)=-6.66

Hg++ sol none 20°C 0.0 U 1956KSd (15063) 420
K(CoHgL4(s)=Co+HgL4)=-5.82

Hg++ ISE NaClO4 25°C 0.30M U TIH T 1956T0a (15064) 421
B4=21.23
B4=21.67(20 C), 20.80(30 C). At I=0 corr: B4=21.89; DH(B4)=-146 kJ mol⁻¹,
DS(B4)=-84 J K⁻¹ mol⁻¹ at 25 C

Hg++ sp oth/un 25°C var U M B2=17.47 1956YTa (15065) 422
B(HgLBr)=17.80
B(HgLC1)=16.08
B(HgBr2)=17.33, B(HgCl2)=13.22 assumed

Hg++ sol oth/un 18°C dil U 1955SCb (15066) 423
K(CoHgL4(s)=Co+HgL4)=-6.54
K(CuHgL4(s)=Cu+HgL4)=-7.48
K(ZnHgL4(s)=Zn+HgL4)=-7.51
K(CdHgL4(s)=Cd+HgL4)=-5.42

Hg++ vlt oth/un 18°C var U 1949KSb (15067) 424
B4=19.30

Hg++ oth oth/un 16°C var U 1946GMa (15068) 425
K3=1.68
K4=0.62

Method: magneto-optical data

Hg++ ISE oth/un 18°C var U 1905GRa (15069) 426
B4=22.4

Hg++ ISE oth/un 25°C var U 1905SSa (15070) 427
B4=21.99

S03-- H2L Sulfite CAS 7782-99-2 (801)
Sulfite;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF NaClO4 25°C 0.50M C H B2=23.33 1976MHc (15457) 428
B3=24.1

Method: Hg electrode. By calorimetry: DH(B2)=91 kJ mol⁻¹.

Hg++ sol NaNO3 var U 1972PBg (15458) 429
K(HgO(s)+2L+H2O=HgL2+2OH)=0.43

Hg++ sol oth/un 25°C var U I M 1966CZb (15459) 430
Ks(HgI2(s)+L)=0.12
B(HgI2L)=28.31

In 3 M NaClO4: B(HgI3L)=29.77, K(HgI4+L=HgI3L+I)=0.47

Hg++ sol NaClO4 21°C 0.50M U M 1964CZa (15460) 431
K(Hg(SCN)2(s)+L)=3.95

Hg++ ISE oth/un 18°C 3.0M U I B2=22.85 1955TBa (15461) 432
Method: Hg electrode. Medium: Na2SO4. At I=0 corr.: B2=24.07, K3=0.89

S04-- H2L Sulfate CAS 7664-93-9 (15)
Sulfate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.5M C P K1=1.4 B2= 2.4 2005PBa (16235) 433
IUPAC evaluated(P). B2 uncertain

Hg++ con oth/un 25°C 0.0 U M 1968YMa (16236) 434
K(Hg(en)+L)=2.47

Hg++ EMF oth/un 25°C var U B2=1.5 1957KSb (16237) 435

Hg++ sp NaClO4 25°C 0.33M U K1=1.42 1957PTa (16238) 436

Hg++ EMF NaClO4 25°C 0.50M U K1=1.34 B2=2.44 1946ISa (16239) 437

S203-- H2L Thiosulfate CAS 73686-28-7 (177)
Thiosulfate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal NaClO4 25°C 1.0M U H 1974KUE (16852) 438

DH(B3)=-160.9 kJ mol⁻¹, DS=97.9 J K⁻¹ mol⁻¹

Hg++ sol NaNO3 var U 1972PBg (16853) 439
K(HgO(s)+2L+H2O=HgL2+2OH)=0.48

Hg++ vlt NaNO3 25°C 0.20M U 1970MSc (16854) 440
K3=2.48

Hg++ sp NaClO4 25°C 3.0M U M 1966CZa (16855) 441
K(HgI4+L=HgI3L+I)=0.36
B(HgI3L)=29.66

Hg++ sol NaClO4 25°C 1.0M U 1964CZc (16856) 442
K(HgI2(s)+L)=0.66
B(HgI2L)=28.86
Kso(HgL2)=-28.19

Hg++ ISE none 25°C 0.0 U B2=29.18 1961NSa (16857) 443
B3=30.3
Method: Hg electrode. By polarography B2=29.27, B3=30.8

Hg++ sol oth/un 25°C var U B2=29.4 1957TOa (16858) 444

Hg++ ISE none 25°C 0.0 U B2=29.86 1954TOb (16859) 445
K3=2.40
K4=1.35

Se-- H2L Selenide (6335)
Selenide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF oth/un 25°C 1.0M U 1972GKa (16941) 446
Kso=-58
Medium: Na2SO4

Hg++ sol oth/un 25°C dil C 1971MGd (16942) 447
Kso(HgSe)=-51.9
K(Hg+HSe+OH)=51.2
K(Hg+2HSe+2OH)=61.0
K(Hg+2HSe+OH)=52.8
Method: 203Hg radiometric measurement of HgSe dissolution in selenide
media, 0.015-0.081 M.

Hg++ oth none 25°C 0.0 U 1964BUE (16943) 448
Kso=-64.5

Hg++ vlt oth/un 25°C var U 1948LNa (16944) 449
Kso(HgL)=-59

SeCN- HL Selenocyanate CAS 73102-11-2 (440)
Selenocyanate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal NaClO4 25°C 1.0M U H 1974KUE (16984) 450
DH(B4)=-192.5 kJ mol-1, DS=-96.2 J K-1 mol-1

Hg++ vlt KNO3 25°C 0.30M U T B2=21.4 1972MTa (16985) 451
B3=25.7
35 C: B2=20.4, B3=24.5

Hg++ sol NaClO4 25°C 1.0M U M 1965CZa (16986) 452
B(HgI2L)=28.0
B(HgI2L2)=29.42
Ks(HgI2)=-27.19
B(HgI3L)=29.74
K(HgI4+L=HgI3L+I)=0.44

Hg++ sol oth/un 18°C dil U 1960LCa (16987) 453
K(CuHgL4(s)=Cu+HgL4)=-9.80

Hg++ ISE NaNO3 25°C 0.30M U TIH 1956TOa (16988) 454
B3=26.40
K4=2.47
B4=28.87
B4=30.07(15 C), 29.46(20 C), 28.33(30 C). In 0.8 M NaNO3 B4=28.73
At I=0 corr: B4=29.95, DH(B4)=-194.6 kJ mol-1, DS=-87.0 J K-1 mol-1

SeO3-- H2L Selenite CAS 7783-00-8 (2391)
Selenite;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sol NaNO3 25°C 1.0M U B2=12.48 1957TOa (17061) 455
Kso(HgL)=-13.82

Hg++ sol oth/un 25°C var U 1909RPa (17062) 456
K(HgL(s)+L=HgL2)=-1.38

SeO4-- H2L Selenate CAS 7783-08-6 (459)
Selenate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt NaNO3 25°C 1.0M U B2=36.8 1957TOa (17102) 457
Ligand: selenosulfate, SeSO3--

CH2O2 HL Formic acid CAS 64-18-6 (37)
Methanoic acid; H.COOH

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      ISE NaClO4 25°C 3.00M U I      K1=3.62  B2=5.90  1982Kcd (17611) 458
                                         B3=6.72
-----

```

```

-----
Hg++      gl  NaClO4 25°C 3.0M C          K1=3.61  B2=7.10  1977RWa (17612) 459
-----
Hg++      EMF oth/un 25°C 0.10M U          K1=5.43      1973PZa (17613) 460
*****
CH3NO          L      Formamide          CAS 75-12-7 (3536)
Methanoic acid amide; HCO.NH2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  NaNO3 20°C 1.0M U          K1=2.06      1976BMg (17677) 461
*****
CH4N2O          L      Urea          CAS 57-13-6 (2018)
Carbamide, Urea; (H2N)2CO
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  NaNO3 20°C 1.0M U          K1=2.06      1976BMg (17719) 462
-----
Hg++      ISE oth/un 30°C 0.10M U          B2=2.1      1969GLa (17720) 463
*****
CH4N2S          L      Thiourea          CAS 62-56-6 (51)
Thiocarbamide, Thiourea; (H2N)2CS
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      EMF KNO3 25°C 0.09M U T H      K1=12.07  B2=16.83  1988MMe (17827) 464
                                         B3=20.70
DH(K1)=-218 kJ mol-1; DH(B2)=-170.9; DH(B3)=-198
-----

```

```

-----
Hg++      vlt KNO3 25°C 0.10M U          B2=22.43      1986ECa (17828) 465
-----

```

```

-----
Hg++      ISE mixed 25°C 82% U          B4=28.42      1979MTd (17829) 466
Medium: 82% DMF/H2O
-----

```

```

-----
Hg++      ISE KNO3 25°C 0.10M U          K1=18.60      1978SGd (17830) 467
                                         K(Hg+HL)=13.27
                                         B(Hg(OH)L)=25.37
-----

```

```

-----
Hg++      EMF NaClO4 25°C 0.50M C  H      K1=11.4  B2=22.11  1976MHc (17831) 468
                                         B3=25.15
                                         B4=27.10
                                         B(Hg2L3)=36.0
-----

```

Method: Hg electrode. By calorimetry: DH(K1)=-74 kJ mol-1; DH(B2)=-144,

DS(B2)=-60 J K-1 mol-1; DH(B3)=-188, DS(B3)=-148, DH(B4)=-203, DS(B4)=-161

Hg++ sp oth/un 20°C 4.10M U 1973SUa (17832) 469
B(HgBr3L)=22.87

Hg++ cal none 25°C 0.0 C H 1972EJa (17833) 470
K(Hg(CN)2+L)=2.074
K(Hg(CN)2+2L)=2.644
DH(Hg(CN)2+L)=-5.35 kJ mol-1, DH(Hg(CN)2+2L)=-41.7.

Hg++ ISE oth/un 30°C 0.10M U B2=21.3 1969GLa (17834) 471
B3=24.2
B4=25.8

Hg++ cal alc/w 25°C 20% U IH 1968IEb (17835) 472
K'(Hg(CN)2+L)=2.03
K''(Hg(CN)2L+L)=0.77

Medium: 20% EtOH. DH'=-10.0 kJ mol-1, DS=5.4 J K-1 mol-1; DH''=-35.9, DS=-107
40%: K'=1.94, DH'=-18.9, DS'=-26.3; K''=1.04, DH''=-34.3, DS''=-95. Data to 92%

CH4N2Se L Selenourea CAS 630-10-4 (4207)
Selenocarbamide; (H2N)2CSe

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 30°C 0.10M U B2=24.0 1969GLa (17865) 473
B3=30.2
B4=32.9

CH5N L Methylamine CAS 74-89-5 (155)
Methylamine; CH3.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaCl04 25°C 0.15M C H K1=7.78 2003AGb (18016) 474
Metal is CH3Hg+. By calorimetry, DH(K1)=-39.6 kJ mol-1, DS(K1)=
16 J K-1 mol-1.

Hg++ vlt non-aq 25°C 100% U B2=17.0 1973MTa (18017) 475
Medium: 0.5 Et4N.Cl04 in HCON(CH3)2

Hg++ gl KNO3 25°C 0.50M U K1=8.66 B2=17.86 1972BJa (18018) 476

Hg++ gl oth/un 25°C 0.0 U H 1966PCa (18019) 477
K(HgCl2+L=HgClL+Cl)=2.40
K(HgClL+L=HgL2+Cl)=2.21

Medium: 0 corr, By calorimetry: DH(HgCl2+L)=-28.4 kJ mol-1, DS=-50.2;
DH(HgClL)=-4.2, DS=29.3

Hg++ gl oth/un 25°C 0.50M U K1=8.6 B2=17.9 1950BJa (18020) 478

K3=0.4

CH5N3 L Guanidine (3535)
Diaminomethylimine; H2N.C(:NH)NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 27°C 1.0M U B2=24.96 1964WDa (18045) 479

CH5N3O L Semicarbazide CAS 563-41-7 (373)
Semicarbazide, N-Aminourea; H2N.CO.NH.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 30°C 0.10M U B2=11.6 1969GLa (18053) 480
B3=15.2

CH5N3S L CAS 79-19-6 (372)
Thiosemicarbazide; H2N.CS.NH.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 30°C 0.10M U B2=22.4 1969GLa (18078) 481
B3=24.8

Hg++ ISE a/c/w 25°C 40% U B4=27.3 1961TKb (18079) 482
Medium: 40% EtOH, 0.05 NaC2H3O2

Hg++ ISE NaNO3 20°C 0.80M U T B4=26.77 1960TKa (18080) 483
B4=26.25(25 C), 25.75(30 C), 24.80(40 C), 23.93(50 C)

CH5N3Se L CAS 21198-79-8 (371)
Selenosemicarbazide; H2N.CSe.NH.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 30°C 0.10M U B2=26.9 1969GLa (18088) 484
B3=30.4
B4=32.4

C2H02Cl3 HL Trichloroacetic CAS 76-03-9 (1205)
Trichloroethanoic acid; Cl3C.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 25°C 0.10M U K1=3.08 1973LUa (18334) 485

C2H2 L Acetylene CAS 74-85-1 (703)

Ethyne; HCCH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sol oth/un 25°C 0.0 U 1965TUa (18356) 486
Kso(HgL2(OH)2)=-37.10

C2H2N2S3 H2L Bismuthiol I CAS 1072-71-5 (6261)
2,5-Dimercapto-1,3,4-thiadiazole;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.10M U M 1970GSb (18369) 487
K(HgCl2+L=HgClL+Cl)=7.15
K(HgClL+L=HgL2+Cl)=6.54
K(HgClL+OH=HgLOH+Cl)=4.86

C2H2O4 H2L Oxalic acid CAS 144-62-7 (24)
Ethanedioic acid; (COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sol NaClO4 20°C 1.00M U I M K1=7.25 1975ZCa (18918) 488
B(HgLN02)=9.34
B(HgL(NO2)2)=9.32
B(HgLBr)=9.09
B(HgLBr2)=8.91
B(HgL(SCN))=8.37, B(HgL(acetate))=8.31, B(HgL(acetate)2))=8.57
B(HgL(Tartrate))=7.66, B(HgL(Tartrate)2)=9.16

Hg++ ISE oth/un 25°C 0.05M U K1=9.87 1973CSd (18919) 489

Hg++ ISE oth/un 25°C 0.10M U K1=9.66 1973LUa (18920) 490

Hg++ dis NaClO4 20°C 0.10M U K1=<4 1963STc (18921) 491

C2H3O2Cl HL Chloroacetic CAS 79-11-8 (34)
Chloroethanoic acid; ClCH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 3.0M C K1=2.95 B2=5.61 1977RWa (19365) 492

Hg++ ISE oth/un 25°C 0.10M U K1=4.64 1973LUa (19366) 493

C2H4 L Ethylene CAS 74-85-1 (478)
Ethene; H2C:CH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ kin NaClO4 25°C 1.0M U 1953BPa (19426) 494
K(Hg+L=HgLOH+H)=6.54

C2H4N2 L CAS 6011-14-9 (5501)
(Cyanomethyl)amine; CN.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 25°C 0.50M U I K1=5.69 B2=10.56 1983HNa (19441) 495
Medium: 0.5 M LHN03

C2H4N2S3 HL CAS 97049-30-4 (4220)
5-Mercapto-1,3,4-thiadiazolidine-2-thione; cyclo(-NH.NH.CS.S.C(SH)-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 20°C 0.10M U K1=4.15 1970GKc (19456) 496

C2H4N4 HL CAS 61-82-5 (1265)
3-Amino-1,2,4-triazole; C2H2N3.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M U I 1997DBa (19478) 497
K(Hg+HL)=3.28

Data also for I=0.5 and 1.0 M

C2H4OS2 HL CAS 2042-42-4 (592)
(Methoxy)dithiomethanoic acid; CH3O.CS.SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 25°C var U M 1970AFa (19513) 498
B(HgL(CN)2)=35.18

C2H4O2 HL Acetic acid CAS 64-19-7 (36)
Ethanoic acid; CH3.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.15M C H K1=3.36 2003AGb (19983) 499
Metal is CH3Hg+. By calorimetry, DH(K1)=-3.35 kJ mol-1, DS(K1)=
53 J K-1 mol-1.

Hg++ gl alc/w 25°C 100% M K1=8.5 B2=16.1 1994MPc (19984) 500
Medium: MeOH

Hg++ ISE NaClO4 25°C 3.00M U I K1=4.00 B2=7.39 1982Kcd (19985) 501
B3=8.30

Hg++ gl NaNO3 30°C 1.00M U K1=3.32 B2=7.01 1978THa (19986) 502

Hg++ gl NaClO4 25°C 3.0M C K1=4.22 B2=8.45 1977RWa (19987) 503
Also measured by redox. K1=4.15, B2=8.44

Hg++ con NaNO3 25°C 0.10M U K1=6.1 B2=8.60 1975LBa (19988) 504

Hg++ sol NaClO4 20°C 2.00M U M 1975ZCa (19989) 505
B(Hg(Oxalate)L)=8.31
B(Hg(Oxalate)L2)=8.57

Hg++ gl NaNO3 34°C 1.00M U TI K1=3.48 B2=6.09 1974KBa (19990) 506
B3=9.24

In EtOH, K1=5.60, B2=10.62

Hg++ ISE oth/un 25°C 0.10M U K1=5.89 1973LUa (19991) 507

Hg++ EMF oth/un 20°C 0.02M U I K1=4.65 B2=5.65 1972KBa (19992) 508
B3=6.00

Medium: 0.02-0.5 acetate. In MeOH: K1=7.00, B2=9.60, B3=11.00

Hg++ gl NaClO4 30°C 1.0M U K1=5.55 B2=9.30 1964BSe (19993) 509
B3=13.28
B4=17.06

Hg++ sol oth/un ? ? U B2=8.43 1953MAa (19994) 510

C2H4O2S H2L Thioglycolic CAS 68-11-1 (596)
Mercaptoethanoic acid; HS.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.15M C H K1=16.72 2003AGb (20326) 511
K(CH3Hg+CH3HgL)=6.25
K'(CH3Hg+HL)=10.26
K''(CH3Hg+(CH3Hg)2L)=5.2

Metal is CH3Hg+. Calorimetry: DH(K1)=-71 kJ mol⁻¹, DS(K1)=82 J K⁻¹ mol⁻¹;
DH(K)=-38, DS(K)=-8; DH(K')=-43.1, DS(K')=52; DH(K'')=-49, DS(K'')=-64.

Hg++ EMF NaClO4 25°C 0.10M U K1=34.5 B2=40.50 1981BCc (20327) 512
K(Hg+HL)=36.1

Hg++ nmr oth/un 28°C ? U M 1975HMa (20328) 513
K(HgLC1+OH=HgLOH+Cl)=3.16
K(HgLC1+His=HgL(His)+Cl)=2.61

Hg++ EMF KNO3 12°C 1.0M U T B2=45.52 1954SKa (20329) 514
25 C: B2=43.82

C2H4O3 HL Glycolic acid CAS 79-14-1 (33)

2-Hydroxyethanoic acid; HO.CH2.COOH

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++       gl  NaCl04 25°C 3.0M C      T K1=3.06  B2=7.05  1977RWa (20555) 515
*****
C2H5NO2    HL   Glycine          CAS 56-40-6 (85)
2-Aminoethanoic acid; H2N.CH2.COOH
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++       gl  NaCl04 25°C 0.15M C  H   K1=7.85          2003AGb (21571) 516
                K(CH3Hg+CH3HgL)=2.33
                K'(CH3Hg+HL)=2.00
Metal is CH3Hg+. Calorimetry: DH(K1)=-43.7 kJ mol-1, DS(K1)=4 J K-1 mol-1
DH(K)=-6.2, DS(K)=24; DH(K')=-2.9, DS(K')=28.
-----
```

```
-----
Hg++       gl  KNO3   35°C 0.10M C  M   K1=9.71  B2=18.25  1998ZWa (21572) 517
Data for ternary complexes with 3,3,9,9-tetramethyl-4,8-diazaundecane-
2,10-dione dioxime
-----
```

```
-----
Hg++       gl  NaCl   37°C 0.15M U TI   K1=3.962 B2=7.33  1992MTa (21573) 518
at 0.5 M KNO3, 20 C: B1=10.3, B2=19.2; at 0.6 M NaNO3, 25 C: B2=18.36
-----
```

```
-----
Hg++       nmr KNO3 25°C 0.10M U  M   K1=10.5  B2=19.10  1988RPa (21574) 519
Medium: D2O
-----
```

```
-----
Hg++       gl  NaNO3 25°C 0.10M U      K1=12.2  B2=19.20  1974VBa (21575) 520
-----
```

```
-----
Hg++       gl  oth/un 25°C 0.0 U  HM          1966PCa (21576) 521
                K'(HgCl2+L=HgClL+Cl)=3.42
                K''(HgClL+L=HgL2+Cl)=2.61
Medium:0 corr. By calorimetry:DH(K')=-25.5 kJ mol-1, DS=-20.9 J K-1 mol-1;
DH(K'')=-12.3, DS=8.4
-----
```

```
-----
Hg++       vlt KNO3 25°C 0.60M U      B2=18.36          1966TAb (21577) 522
-----
```

```
-----
Hg++       gl  oth/un 22°C 0.01M U      B2=18.2          1952PEa (21578) 523
Medium: Hg(NO3)2
-----
```

```
-----
Hg++       gl  KNO3 20°C 0.50M U      K1=10.3  B2=19.2  1945FLa (21579) 524
*****
C2H5N3O2    L   Biuret          CAS 108-19-0 (1126)
Carbomoylurea (Allophanic acid); H2N.CO.NH.CO.NH2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++       gl  NaCl04 25°C 0.01M U T H   K1=10.90          1979SBa (21851) 525
DH(K1)=-136 kJ mol-1
-----
```

Hg++ gl NaClO4 25°C 0.01M U K1=10.90 1975SSb (21852) 526

C2H6N2 L CAS 124-42-5 (4215)
Acetamidine; CH3.C(:NH)NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.10M U M 1970GSb (21903) 527
K(HgCl2+L=HgClL+Cl)=5.06
K(HgClL+L=HgL2+Cl)=4.49
K(HgClL+OH=HgLOH+Cl)=4.98

C2H6N2S L Methyl-Thiourea CAS 598-52-7 (1077)
N-Methylthiourea; CH3.NH.CS.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF KNO3 25°C 0.09M U T H K1=14.19 B2=18.64 1988MMe (22010) 528
B3=21.48
DH(K1)=-19.7 kJ mol-1; DH(B2)=-63; DH(B3)=-175

C2H6OS HL CAS 60-24-2 (841)
2-Mercaptoethanol; HS.CH2.CH2.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ nmr oth/un 28°C ? U M 1975HMa (22066) 529
K(HgLC1+OH=HgLOH+Cl)=3.69

C2H6O2S2 CAS 51554-68-8 (2123)
Ethylthiosulfonic acid; C2H5.S2O2H HL

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 20°C 1.00M U B2=17.98 1974GSb (22163) 530
B3=20.51
B4=22.89

C2H7N L Dimethylamine CAS 124-40-3 (802)
Dimethylamine; CH3.NH.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.15M C H K1=7.82 2003AGb (22225) 531
Metal is CH3Hg+. By calorimetry, DH(K1)=-31.8 kJ mol-1, DS(K1)=
43 J K-1 mol-1.

C2H7N L Ethylamine CAS 75-04-7 (156)
Ethylamine; CH3.CH2.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	gl	oth/un	25°C	0.50M	U		K1=8.90 B2=18.44	1983HNa (22272)	532
Medium: 0.5 M LHN03									

Hg++	gl	oth/un	25°C	0.10M	U	M		1976PBa (22273)	533
K(Hg(CN)2+L)=0.75									

Hg++	vlt	non-aq	25°C	100%	U		B2=16.5	1973Mdb (22274)	534
Medium: HCON(CH3)2, 0.4 M Et4NC104									

 C2H7NO L Ethanolamine CAS 141-43-5 (1057)
 2-Aminoethanol; H2N.CH2.CH2.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	cal	none	25°C	0.0	U		K1=8.86 B2=17.63	1970EAa (22403)	535

Hg++	ISE	mixed	25°C	20%	U	I	K1=16.32 B2=17.78 B3=17.90 B4=18.43	1969MPe (22404)	536
------	-----	-------	------	-----	---	---	---	-----------------	-----

Medium:EtOH, 0.4 LiNO3. K1=16.29, B2=17.72, B3=18.16 (0% EtOH). K1=16.61, B2=17.81, B3=18.08, B4=18.93 (40%). K1=16.83, B2=18.17, B3=18.4, B4=19.09(60%)

Hg++	ISE	mixed	25°C	80%	U	I	K1=16.95 B2=18.25 B3=18.8 B4=19.48	1969MPe (22405)	537
------	-----	-------	------	-----	---	---	--	-----------------	-----

Medium:EtOH, 0.4M LiNO3. K1=17.00, B2=18.33, B3=19.15, B4=19.94 (90%), B2=18.34, B3=19.65, B4=20.0 (95%). B3=19.71, B4=20.49 (100%)

Hg++	gl	NaCl04	30°C	1.0M	U	T	K1=8.92 B2=17.56	1964PCa (22406)	538
Medium: KCl04. 50 C: K1=8.64, K2=8.26									

Hg++	oth	KN03	25°C	0.40M	U		K1=8.51 B2=17.32	1956BJb (22407)	539

C2H7NS HL CAS 60-23-1 (588)									
2-Aminoethanethiol; H2N.CH2.CH2.SH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	sp	NaCl04	20°C	1.00M	U	M		1972GSh (22493)	540
K(Hg+NiL2)=7.11									

 C2H7O2PS2 HL CAS 5930-72-3 (4229)
 O,O-Dimethyldithiophosphoric acid; (CH3O)2.PS.SH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	EMF	alc/w	25°C	40%	U		B2=25.5 B3=28.0	1970TCa (22544)	541

B4=30.5

Medium: 40% EtOH, 0.3 N KNO3

C2H8N2 L Ethylenediamine CAS 107-15-7 (23)

1,2-Diaminoethane; H2N.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.15M C H K1=8.17 2003AGb (23164) 542
K(CH3Hg+CH3HgL)=4.85
K'(CH3Hg+HL)=5.41

Metal is CH3Hg+. By calorimetry, DH(K1)=-48.6 kJ mol⁻¹, DS(K1)=-7 J K⁻¹ mol⁻¹. DH(K)=-35.2, DS=-25; DH(K')=-42.5, DS=-39.

Hg++ gl KNO3 20°C 0.10M C M 2003LBa (23165) 543
B(HgAL)=18.43
K(HgA+L)=11.72
K(HgA+L=HgAL(OH)+H)=11.07

A is cytidine.

Hg++ gl KNO3 20°C 0.10M U K1=13.85 B2=22.22 1999LBa (23166) 544
B(HgHL)=16.95

Hg++ gl NaClO4 25°C 3.00M U K1=16.749 B2=25.970 1988WIa (23167) 545
B(HgHL)=8.82
B(HgHL2)=20.75

Hg++ oth NaClO4 25°C 0.10M U K1=14.179 B2=23.34 1988WIa (23168) 546
K(Hg+OH+L)=23.865
K(Hg+HL+L)=18.459
K(Hg+2HL+L)=21.994
K(Hg+2HL)=13.1012

Recalculation of literature data.

Hg++ vlt KNO3 25°C 0.10M U B2=22.92 1986ECa (23169) 547

Hg++ gl KNO3 25°C 0.10M C TIH R K1=14.3 B2=23.3 1984PAa (23170) 548
IUPAC evaluation

Hg++ vlt NaNO3 20°C 1.0M U K1=10.79 1980BMc (23171) 549

Hg++ vlt non-aq 25°C 100% U B2=14.00 1979SZa (23172) 550
Medium: DMSO, 0.1 M NaClO4

Hg++ gl NaNO3 20°C 1.0M U K1=12.13 1976BMg (23173) 551

Hg++ gl oth/un 25°C 0.10M U M 1976PBa (23174) 552
K(Hg(CN)2+L)=2.12
K(Hg(CN)2+HL)=0.60

Hg++ vlt non-aq 25°C 100% U B2=23.5 1973MKa (23175) 553
Medium: HCON(CH3)2, 0.5 M Et4NC104

Hg++ gl oth/un 25°C 0.0 U HM 1966PCa (23176) 554
K'(HgCl2+L=HgClL+Cl)=5.54
K''(HgClL+L=HgL2+Cl)=4.19
Medium: 0 corr.By calorimetry: DH(K')=-36.4 kJ mol-1, DS=-16.7 J K-1 mol-1;
DH(K'')=-37.6, DS=-46.0

Hg++ vlt KNO3 40°C 0.10M U T H B2=21.94 1961RMa (23177) 555
B3=21.74
B2=24.36(10 C), 23.18(25 C); B3=24.1(10 C),23.09(25 C).
DH(B2)=-137.5 kJ mol-1, DS=-20.9 J K-1 mol-1

Hg++ vlt KNO3 25°C 0.10M U K1=14.3 B2=23.3 1956WMc (23178) 556
B(HgL(OH))=23.8
K(Hg+L+HL)=18.6
K(Hg+L+2HL)=22.2
K(Hg+2HL)=12.9

Hg++ vlt KNO3 25°C 0.10M U B2=23.18 1955NMa (23179) 557
B3=23.06

Hg++ ISE KNO3 25°C 1.0M U B2=23.42 1950BJa (23180) 558

C3H4N2 L Imidazole CAS 288-32-4 (90)
1,3-Diazole, imidazole; C3H4N2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaCl04 25°C 0.30M C TIH T K1=9.18 B2=18.18 1997SJa (23898) 559
IUPAC evaluation. I=0.5 M: DH(K1)=-75.0 kJ mol-1, DH(K2)=-32.1; B2=18.19

Hg++ gl NaCl04 25°C 0.50M U H K1=9.18 B2=18.18 1978MHa (23899) 560
B(Hg(OH)L)=21.86
By calorimetry, DH1=-75 kJ mol-1, DS1=77, DH(B2)=-107, DH(HgOHL)=-114

Hg++ gl NaCl04 25°C 3.00M C I M K1=9.18 B2=18.19 1977SJc (23900) 561
K(HgL+Cl)=7.23
K(HgL+2Cl)=7.95
K(HgL+3Cl)=8.97
K(HgL+OH)=12.68
K(HgL2+Cl=HgL2Cl)=0.70; K(HgL2+2Cl=HgL2Cl2)=1.0

Hg++ gl KCl 25°C .058M U T K1=3.57 B2=6.95 1961SMa (23901) 562
K1=3.84(0 C), 3.26(45 C)

Hg++ ISE oth/un 27°C 0.15M U B2=16.74 1960BDa (23902) 563

C3H4N2S HL Imidazolethiol CAS 872-35-5 (1823)

2-Mercaptoimidazole; C3H3N2.SH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.10M	U			K1=8.34	1977STc (23971)	564

C3H4O3		HL		Pyruvic acid				CAS 127-17-3	(1152)	
2-Oxopropanoic acid; CH3.CO.COOH										
Hg++	vlt	NaClO4	30°C	0.20M	C			K1=1.28	1989GMc (24053)	565
Method: polarography. Medium pH 2.5.										
Hg++	gl	NaClO4	25°C	0.11M	U	TIH		K1=1.63	1984GMc (24054)	566
Data for 30-50 C. Also data for 0.03-0.11 M NaClO4. At I=0.0 M, K1=2.32										
DH(K1)=31.9 kJ mol ⁻¹ , DS(K1)=138 J K ⁻¹ mol ⁻¹ .										

C3H4O4		H2L		Malonic acid				CAS 141-82-2	(79)	
Propanedioic acid; CH2(COOH)2										
Hg++	con	oth/un	25°C	var	U			B(Hg+2HL)=4.58	1968SAa (24466)	567

C3H5NO2S2		H2L						CAS 29596-83-6	(3558)	
N-(Dithiocarboxy)aminoethanoic acid; HS.CS.NH.CH2.COOH										
Hg++	ISE	KNO3	20°C	1.00M	U			B2=32.0 B3=33.72	1968TTa (24658)	568

C3H6N2OS		L						CAS 591-08-2	(1423)	
N-Acetylthiourea;CH3.CO.NH.CS.NH2										
Hg++	ISE	mixed	25°C	82%	U			B4=19.05	1979MTd (24772)	569
Medium: 82% DMF/H2O										

C3H6N2O2		L		D-Cycloserine				CAS 68-41-7	(907)	
D-4-Amino-1,2-oxazolidine-3-one;										
Hg++	ISE	KNO3	25°C	0.40M	U			B2=14.7 K(Hg(H-1L)2+H)=5.93	1963LOa (24795)	570

K(Hg(H-1L)L+H)=5.44

C3H60S2 HL Xanthic acid CAS 151-01-9 (590)
(Ethoxy)dithiomethanoic acid; CH3.CH2O.CSSH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 25°C var U M 1970AFa (24874) 571
B(HgL(CN)2)=35.26

C3H602 HL Propionic acid CAS 79-09-4 (35)
Propanoic acid; CH3.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 3.0M C K1=4.33 B2=8.80 1977RWa (25008) 572

C3H602S HL CAS 2444-37-3 (1074)
(Methylthio)ethanoic acid; CH3.S.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=11.93 1986ECa (25091) 573

C3H603 HL Methoxyacetic CAS 625-45-6 (29)
Methoxyethanoic acid; CH3.O.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 3.00M C K1=3.54 B2=6.91 1977RWa (25599) 574

C3H7NOS2 HL CAS 59333-68-5 (4240)
N-(2-Hydroxyethyl)dithiocarbamic acid; HO.CH2.CH2.NH.CSSH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 20°C 1.00M U B2=31.7 1968TTa (25670) 575
B3=34.55

C3H7N02 HL Alanine CAS 56-41-7 (86)
2-Aminopropanoic acid; H2N.CH(CH3).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=12.4 B2=19.60 1974VBa (26185) 576

Hg++ vlt KNO3 25°C 0.60M U B2=18.5 1966TAb (26186) 577

Hg++ gl oth/un 21°C .005M U B2=18.8 1953PEa (26187) 578
Medium: 0.005 M Hg(NO3)2

Hg++ gl oth/un 21°C 0.01M U B2=18.4 1952PEa (26188) 579
Medium: Hg(NO3)2

C3H7NO2 HL B-Alanine CAS 107-95-9 (575)
3-Aminopropanoic acid; H2N.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaCl 37°C 0.15M U K1=3.49 B2=6.77 1992MTa (26455) 580

Hg++ gl NaClO4 25°C 0.50M C T K1=11.306 B2=19.481 1986GGa (26456) 581
B(HgH-1L)=6.51
B(HgH-1L2)=10.02

C3H7NO2 HL Sarcosine CAS 107-97-1 (87)
N-Methyl-2-aminoethanoic acid; CH3.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 20°C 0.01M U B2=18.7 1952PEa (26603) 582
Medium: Hg(NO3)2

C3H7NO2S H2L Cysteine CAS 52-90-4 (96)
2-Amino-3-mercaptopropanoic acid; H2N.CH(CH2.SH)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.15M C H K1=16.60 2003AGb (26783) 583

K(CH3Hg+CH3HgL)=8.70
K'(CH3Hg+HL)=15.18
Metal is CH3Hg+. Calorimetry: DH(K1)=-76.2 kJ mol⁻¹, DS(K1)=62 J K⁻¹
mol⁻¹; DH(K)=-57, DS(K)=-25; DH(K')=-86.2, DS(K')=1.

Hg++ gl NaClO4 25°C 0.15M C H K(CH3Hg+(CH3Hg)2L)=3.47
K'(CH3Hg+CH3HgHL)=4.15
K''(CH3Hg+H2L)=8.96

Metal is CH3Hg+. Calorimetry: DH(K)=-22 kJ mol⁻¹, DS(K)=-8 J K⁻¹ mol⁻¹;
DH(K')=-36.2, DS(K')=-42; DH(K'')=-56, DS(K'')=-16.

Hg++ nmr KNO3 25°C 0.30M U K3=0.87
K(HgL2+HL)=1.01
K(HgHL2+HL)=1.49

Hg++ dis NaClO4 25°C 1.0M C B2=42.7 1988SKf (26786) 586
K(Hg+2HL)=40.0

Method: extraction of 203Hg-labelled complex into dithizone/CCl4 solution.

Hg++ EMF NaClO4 25°C 0.10M U K1=37.8 B2=44.00 1981BCc (26787) 587
K(Hg+2HL)=38.3

Hg++ gl oth/un 25°C 1.00M U K1=43.68 1977NZa (26788) 588
Medium: KI

Hg++ gl NaNO3 25°C 0.10M U B2=39.4 1974VBa (26789) 589

Hg++ gl KNO3 25°C 0.10M U K1=14.21 1964LMa (26790) 590

Hg++ gl oth/un 20°C 0.00 U B2=20.5 1953PEa (26791) 591
Medium: 0.0025 M Hg(NO3)2

Hg++ ISE KNO3 25°C 1.0M U T K1=43.57 1953SKb (26792) 592
K1=45.40(12 C)

C3H7NO3 HL Serine CAS 56-45-1 (49)
2-Amino-3-hydroxypropanoic acid; H2N.CH(CH2.OH)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 35°C 0.10M C M K1=8.96 B2=17.60 1998ZWa (27139) 593
Data for ternary complexes with 3,3,9,9-tetramethyl-4,8-diazaundecane-
2,10-dione dioxime

Hg++ gl KNO3 25°C 0.10M M M K1=4.42 1996AEa (27140) 594
Data for ternary complexes with dipicolinic acid.

Hg++ gl NaNO3 25°C 0.10M U K1=11.7 B2=19.10 1974VBa (27141) 595

Hg++ vlt KNO3 25°C 0.60M U B2=17.34 1966TAb (27142) 596

Hg++ gl oth/un 20°C .005M U B2=17.5 1953PEa (27143) 597
Medium: 0.005 Hg(NO3)2

C3H7NS2 HL CAS 128-04-1 (2125)
Dimethyldithiocarbamic acid; (CH3)2N.CSSH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=36.0 1991BSe (27275) 598

C3H8N2O2 HL CAS 71292-18-7 (356)
2,3-Diaminopropanoic acid; H2N.CH2.CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 25°C 0.10M U K1=8.48 B2=15.90 1971HMd (27551) 599
K(Hg+HL)=4.56
K(Hg+L+HL)=12.32

C3H8N2S L DiMe-Thiourea CAS 61805-96-7 (1078)
1,3-Dimethylthiourea; CH3.NH.CS.NH.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	KNO3	25°C	0.09M	U	T H		K1=13.45 B2=17.62 B3=21.02	1988MMe (27627)	600

DH(K1)=-194 kJ mol⁻¹; DH(B2)=-216; DH(B3)=-195

C3H8N2S L Ethyl-thiourea CAS 625-53-6 (1079)
N-Ethylthiourea; C2H5.NH.CS.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	KNO3	25°C	0.09M	U	T H		K1=14.42 B2=18.66 B3=22.46	1988MMe (27633)	601

DH(K1)=-110 kJ mol⁻¹; DH(B2)=-28; DH(B3)=-93

C3H8O5S2 H2L BAL CAS 59-52-9 (379)
2,3-Dimercaptopropan-1-ol; HS.CH2.CH(SH).CH2(OH)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	NaClO4	25°C	0.10M	U			K1=44.1 B2=51.90 K(Hg+2HL)=45.1	1981BCc (27659)	602

Hg++	ISE	NaClO4	25°C	0.10M	U			K1=44.8 B2=51.91	1980CJa (27660)	603
------	-----	--------	------	-------	---	--	--	---------------------	-----------------	-----

Hg++	gl	NaClO4	25°C	0.10M	U			K1=25.74 B2=34.35	1977CJb (27661)	604
------	----	--------	------	-------	---	--	--	----------------------	-----------------	-----

C3H8O3S3 H3L (1324)
1,3-Dimercaptopropanesulfonic acid; HS.CH2.CH2.CH(SH).SO3H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	NaClO4	25°C	0.10M	U			K1=41.8 B2=53.10 K(Hg+2HL)=41.0	1981BCc (27763)	605

Hg++	EMF	KNO3	?	0.10M	U			K1=41.29	1966PRa (27764)	606
------	-----	------	---	-------	---	--	--	----------	-----------------	-----

C3H8O3S3 H3L Unithiol CAS 74-61-3 (1271)
2,3-Dimercaptopropanesulfonic acid; HS.CH2.CH(SH).CH2.SO3H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	25°C	0.50M	U	TI		K1=26.47 B2=35.45	1995NUa (27787)	607

Data also for I=0, I=1.0, I=1.5

Hg++	ISE	NaClO4	25°C	0.10M	U			K1=42.2 B2=53.10	1980CJa (27788)	608
------	-----	--------	------	-------	---	--	--	---------------------	-----------------	-----

 Hg++ dis oth/un ? ? U B2=53.1 1973RPa (27789) 609

 Hg++ EMF KNO3 ? 0.10M U K1=39.71 1966PRa (27790) 610

 C3H8S HL Propylmercaptan CAS 75-33-2 (2515)
 2-Propanethiol, Isopropylmercaptan; CH3.CH(SH).CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl alc/w 20°C 25% U T H K1=7.84 1978SKf (27807) 611
 DH=-44.02 kJ mol⁻¹. Data also available when T=10 and 30. Alternative
 methods: Conductivity and amperometric techniques.

Hg++ con alc/w 20°C 25% C TIH 1978SKj (27808) 612
 Kso(HgL2)=-7.84
 Medium: 25% v/v EtOH/H2O. Additional methods: potentiometry (25% EtOH/H2O)
 polarography (25% EtOH/H2O, 0.2 M NaClO4). Data for 10 and 30 C. DH values

 C3H9As L CAS 593-88-4 (2296)
 Trimethylarsine; (CH3)3.As

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ cal non-aq 30°C 100% U H 1976GGb (27809) 613
 In benzene. DH(HgCl2L)=-74.8 kJ mol⁻¹; DH(HgBr2L)=-71.9.

Hg++ cal non-aq 30°C 100% U H 1976GGb (27810) 614
 K(HgI2+L=0.5(HgI2L)2)=5.78
 In benzene. DH=-70.0 kJ mol⁻¹(Hg); DS=-120.

 C3H9N L n-Propylamine CAS 107-10-8 (2356)
 1-Aminopropane; H2N.CH2.CH2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ vlt non-aq 25°C 100% U B2=16.7 1973MTa (27832) 615
 Medium: DMF, 0.5M (C2H5)4NC1O4

 C3H9N L iso-Propylamine CAS 75-31-0 (157)
 2-Propylamine; CH3.CH(CH3).NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl oth/un 25°C 0.50M U K1=8.75 B2=18.27 1983HNa (27845) 616
 Medium: 0.5 M LHN03

Hg++ vlt non-aq 25°C 100% U B2=16.3 1973MTa (27846) 617
 Medium: DMF, 0.5M (C2H5)4NC1O4

C3H9NO L CAS 109-85-3 (1575)
2-Methoxyethylamine; CH3O.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 30°C 1.0M U T K1=9.19 B2=17.84 1964PCa (27903) 618
50 C: K1=8.27, K2=8.36

C3H9OPS2 HL CAS 999-83-7 (4241)
Methyl(ethyl)dithiophosphonic acid; (CH3S)(C2H5S)PO.H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF alc/w 25°C 40% U B2=28.3 1970TCa (27993) 619
B3=30.3

Medium: 40% EtOH, 0.3 M KNO3

C3H10N2 L CAS 78-90-0 (2905)
1,2-Diaminopropane; CH3.CH(NH2)CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt non-aq 25°C 100% U B2=24.0 1973MKa (28165) 620
Medium: DMF, (C2H5)4NClO4

Hg++ vlt KNO3 40°C 0.10M U T H B2=22.23 1961RMa (28166) 621
B3=21.85
B2=24.75(10 C), 23.51(25 C); B3=24.57(10 C), 23.30(25 C).
DH(B2)=-141.3 kJ mol-1, DS=-25.1 J K-1 mol-1

Hg++ vlt KNO3 25°C 0.10M U B2=23.53 1955NRa (28167) 622
B3=23.25

C3H10N2 L Propanediamine CAS 109-76-2 (123)
1,3-Diaminopropane; H2N.CH2.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.15M C H K1=7.81 2003AGb (28304) 623
K(CH3Hg+CH3HgL)=3.92
K'(CH3Hg+HL)=6.77

Metal is CH3Hg+. By calorimetry, DH(K1)=-51 kJ mol-1, DS(K1)=-23 J K-1 mol-1. DH(K)=-38.6, DS=-56; DH(K')=-45.9, DS=-24.

Hg++ gl KNO3 20°C 0.10M C M 2003Lba (28305) 624
B(HgAL)=19.55
K(HgA+L)=12.84
K(HgA+L=HgAL(OH)+H)=11.07

A is cytidine.

Hg++ gl KNO3 20°C 0.10M U K1=15.42 B2=19.90 1999LBa (28306) 625
B(HgH2L2)=37.50

Hg++ vlt non-aq 25°C 100% U B2=11.85 1979SZa (28307) 626
Medium: DMSO, 0.1 M NaClO4

Hg++ gl oth/un 25°C 0.10M U M 1976PBa (28308) 627
K(Hg(CN)2+L)=1.08
K(Hg(CN)2+HL)=0.25

C3H10N2 L CAS 109-81-9 (1308)
N-Methyl-1,2-diaminoethane; CH3.NH.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 1.00M C H B2=22.45 1982ABc (28362) 628
By calorimetry: DH(B2)=-110.5 kJ mol-1, DS(B2)=58.6

C3H11N3 L CAS 21292-99-6 (2975)
Propane-1,2,3-triamine; H2N.CH2.CH(NH2).CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.15M C H K1=8.54 2003AGb (28487) 629
K(CH3Hg+CH3HgL)=6.11
K'(CH3Hg+HL)=7.30
K''(CH3Hg+H2L)=2.99
K'''(CH3Hg+(CH3Hg)2L)=2.65

Metal is CH3Hg+. Calorimetry: DH(K1)=-46.8 kJ mol-1, DS(K1)=7 J K-1 mol-1;
DH(K)=-36, DS=-4; DH(K')=-44.4, DS=-9; DH(K'')=-32, DS=-32, DH(K''')=-12.

Hg++ gl KCl 20°C 0.50M U I K1=19.6 1950PSa (28488) 630
K(Hg+HL)=17.9

In 0.5 M KBr: K1=21.8, K(Hg+HL)=21.3

C4H2N2O4 L CAS 50-71-5 (8155)
1,3-Diazacyclohexane-2,4,5,6-tetraone, Pyrimidine-2,4,5,6-tetrone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=7.09 1976BMg (28617) 631

C4H2N2S2 H2L CAS 104409-71-4 (569)
1,2-Dicyano-1,2-dimercaptoethylene, Dimercaptomaleonitrile; (NC.C(SH):)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaClO4 25°C 0.30M U B2=43.31 1981ISa (28619) 632

C4H4N2 L Pyrimidine CAS 289-95-2 (4247)

1,3-Diazine, pyrimidine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=1.99 1976BMg (28778) 633

C4H4N2O2 HL Uracil CAS 66-22-8 (412)
2,4-Dihydroxypyrimidone, 2,4-Pyrimidinedione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=8.10 B2=14.96 1989MPa (28858) 634

Hg++ gl NaClO4 30°C 0.10M U K1=7.30 B2=13.59 1978SSa (28859) 635

C4H4N2S HL CAS 1450-85-7 (1521)
2-Mercapto-1,3-diazine, 2-Mercaptopyrimidine; C4H3N2.SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 30°C 0.50M U K1=6.88 B2=11.88 1989WIa (28937) 636
B3=15.0

C4H5N3O HL Cytosine CAS 71-30-7 (1096)
2-Oxy-6-aminopyrimidine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=7.85 B2=14.12 1989MPa (29411) 637

Hg++ ISE NaClO4 27°C 0.10M U B2=10.90 1961FBa (29412) 638

C4H6N2 L Methylpyrazole CAS 453-58-3 (368)
3-Methyl-1,2-diazole; C3H3N2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=3.31 1976BMg (29503) 639

C4H6N2S HL Methimazole CAS 60-56-0 (1824)
N-Methyl-2-mercaptoimidazole; C3H2N2(CH3).SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=8.50 1977STc (29663) 640

C4H6O4 H2L Succinic acid CAS 110-15-6 (112)
1,4-Butanedioic acid; HOOC.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 27°C 0.75M U B2=7.28 1960YDa (29980) 641
B(HgL(OH))=13.45

C4H6O4S H2L Thiodiacetic CAS 123-93-3 (140)
2,2'-Thiodiglycolic acid, Thiodiethanoic acid; HOOC.CH2.S.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=13.51 1986ECa (30218) 642

Hg++ sp NaClO4 25°C 0.50M C K1=8.83 B2=15.95 1976NAb (30219) 643
B(HgHL)=10.68

C4H6O4S H3L Thiomalic acid CAS 70-49-5 (109)
2-Mercaptosuccinic acid, 2-Sulfanyl-1,4-butanedioic acid; HOOC.CH(SH).CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M U K1=9.94 B2=18.07 1965LMa (30335) 644

C4H6O5 H2L Diglycolic acid CAS 110-99-6 (243)
Di(carboxy)methyl ether, 2,2'-Oxydiethanoic acid; HOOC.CH2.O.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaClO4 25°C 1.00M U K1=6.7 1985MMa (30881) 645
B(HgHL)=8.50

C4H6O6 H2L DL-Tartaric acid CAS 133-37-9 (94)
DL-Tartaric acid,DL-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sol NaClO4 20°C 3.00M U M 1975ZCa (31024) 646
B(Hg(Oxalate)L)=7.66
B(HgOxL2)=9.16

C4H6O6 H2L L-Tartaric acid CAS 87-69-4 (92)
L-Tartaric acid, L-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ con NaNO3 25°C 0.10M U K1=7.0 1975Lba (31274) 647

Hg++ dis NaClO4 20°C 0.10M U K1=<4 1963STc (31275) 648

C4H7NO2 HL (8137)
(S)-Azetidione-2-carboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	25°C	0.10M	C			K1=10.55 B2=20.97	1989ARa (31442)	649

C4H7N04		H2L		Aspartic acid				CAS 56-84-8	(21)	
Aminobutanedioic acid; H2N.CH(CH2.COOH).COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	25°C	0.10M	M	M		K1=6.72	1996AEa (31865)	650
Data for ternary complexes with dipicolinic acid.										
Hg++	gl	KNO3	25°C	0.10M	M			K1=6.10 B2=10.18	1981GVa (31866)	651
Hg++	gl	NaNO3	25°C	0.10M	U			K1=13.2 B2=20.00	1974VBa (31867)	652

C4H7N04		H2L		IDA				CAS 142-73-4	(118)	
Iminodiethanoic acid; HN(CH2.COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.15M	C	H		K1=7.86	2003AGb (32271)	653
K(CH3Hg+CH3HgL)=2.50										
K'(CH3Hg+HL)=2.33										
Metal is CH3Hg+. Calorimetry: DH(K1)=-41.5 kJ mol ⁻¹ , DS(K1)=11 J K ⁻¹ mol ⁻¹										
DH(K)=-5.8, DS=28; DH(K')=-2.8, DS=35.										

Hg++	con	NaNO3	25°C	0.10M	U			K1=13.1 B2=20.20	1975LBa (32272)	654
Hg++	sol	NaClO4	25°C	0.10M	U			K1=11.76	1967SKg (32273)	655

C4H8N2O3		HL		Asparagine				CAS 70-47-3	(17)	
2-Aminobutanedioic acid 4-amide; H2N.CH(CH2.CO.NH2).COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	25°C	0.10M	M	M		K1=4.16	1996AEa (32701)	656
Data for ternary complexes with dipicolinic acid.										
Hg++	gl	NaNO3	25°C	0.10M	U			K1=11.4 B2=18.60	1974VBa (32702)	657

C4H8N2O3		HL		Gly-Gly				CAS 556-50-3	(54)	
Glycyl-glycine; H2N.CH2.CO.NH.CH2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	20°C	0.20M	U			K1=2.58	1982RRd (33029)	658
Hg++	gl	oth/un	21°C	0.01M	U			B2=12.4	1952PEa (33030)	659
Medium: Hg(NO3)2										

C4H8N2S L Thiosinamine CAS 109-57-9 (2377)
1-Allylthiourea; CH2:CH.CH2.NH.CS.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF KNO3 25°C 0.09M U T H K1=15.03 B2=18.53 1988MMe (33156) 660
DH(K1)=9 kJ mol-1; DS(K1)=320 J K-1 mol-1; DH(B2)=-73.6; DS(B2)=107

C4H8N2S HL CAS 2055-46-1 (1522)
3,4,5,6-Tetrahydro-pyrimidine-2-thiol; C4H7N2.SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 30°C 0.50M U K1=4.2 B2=11.50 1989WIa (33163) 661

C4H8O2 L Dioxan CAS 123-91-1 (2281)
1,4-Diethylene dioxide; cyclo(-CH2.CH2.O.CH2.CH2.O-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1974FGa (33201) 662
K(HgCl2+L)=0.58
K(HgBr2+L)=2.36

In benzene. For HgCl2, DH=-26.9 kJ mol-1; DS=-77.
For HgBr2, DH=-22.7; DS=-68.

C4H8O3 HL CAS 300-85-6 (30)
3-Hydroxybutanoic acid; CH3.CH(OH).CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 3.00M C K1=4.25 B2=8.36 1977RWa (33622) 663

C4H8O3 HL CAS 2544-06-1 (28)
3-Methoxypropanoic acid; CH3.O.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 3.00M C K1=4.24 B2=8.45 1977RWa (33634) 664

C4H8O3 HL CAS 591-81-1 (39)
4-Hydroxybutanoic acid; HO.CH2.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 3.0M C K1=4.35 B2=8.45 1977RWa (33655) 665

C4H8S L CAS 110-01-0 (150)
Tetrahydrothiophene; cyclo(-CH2.CH2.S.CH2.CH2-)

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  alc/w  25°C  50%  C          K1=>3.6      1979SRa (33735) 666
-----
Hg++      cal non-aq 30°C 100% U  H          1976FGa (33736) 667
                        K(Hg(SCN)2+L)=1.36
Medium: MeCN. DH=-38.6 kJ mol-1; DS=-102

```

```

*****
C4H9NO2      HL      Aminoisobutyric CAS 144-90-1 (188)
2-Amino-2-methylpropanoic acid; H2N.C(CH3)2.COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  KNO3  35°C  0.10M C  M      K1=9.04  B2=18.09  1998ZWa (33839) 668
Data for ternary complexes with 3,3,9,9-tetramethyl-4,8-diazaundecane-
2,10-dione dioxime
-----

```

```

Hg++      gl  oth/un 19°C 0.01M U          B2=18.3      1952PEa (33840) 669
Medium: Hg(NO3)2

```

```

*****
C4H9NO2      HL      2-Aminobutyric CAS 2835-81-6 (571)
2-Aminobutanoic acid; CH3.CH2.CH(NH2).COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  NaClO4 25°C 0.10M U          K1=6.55  B2=12.02  1976SSf (33915) 670
-----

```

```

Hg++      gl  oth/un 17°C 0.01M U          B2=18.5      1952PEa (33916) 671
Medium: 0.005-0.01 M Hg(NO3)2, 15-20 C

```

```

*****
C4H9NO2      HL          CAS 927-60-6 (4268)
Hydroxyisobutyramide;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  KCl    25°C 0.10M U  M          1970GSb (34005) 672

```

```

K(HgCl2+L=HgClL+Cl)=5.48
K(HgClL+L=HgL2+Cl)=5.09
K(HgClL+OH=HgLOH+Cl)=4.69

```

```

*****
C4H9NO2S      HL          CAS 88806-98-8 (3019)
2-Amino-3-mercaptopropanoic acid methyl ester, cysteine methyl ester;
HSCH2CH(NH2)COOCH3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  KNO3  25°C 0.10M U          K2=6.33      1969PPd (34057) 673

```

```

K(2HgL+L=Hg2L3)=9.89
K(3HgL+L=Hg3L4)=12.86

```

C4H9NO2S HL Methylcysteine CAS 1187-84-4 (84)
2-Amino-3-methylmercaptopropanoic acid; H2N.CH(CH2.S.CH3)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	dis	NaClO4	35°C	0.10M	U	M		K1=7.43 B2=13.38	1990TSb (34096)	674

Method: electrophoresis. Ternary complexes with NTA

Hg++	gl	KNO3	25°C	0.10M	U			K1=7.20 B2=13.01	1964LMa (34097)	675
------	----	------	------	-------	---	--	--	------------------	-----------------	-----

C4H9NO3 HL Threonine CAS 72-19-5 (48)
2-Amino-3-hydroxybutanoic acid; H2N.CH(CH(OH).CH3)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaNO3	25°C	0.10M	U			K1=11.7 B2=18.70	1974VBA (34307)	676

Hg++	gl	oth/un	20°C	.005M	U			B2=17.5	1953PEa (34308)	677
------	----	--------	------	-------	---	--	--	---------	-----------------	-----

Medium: 0.005 Hg(NO3)2

C4H9N3S L (3587)
5-Methyl-2-thioxo-1,3,4-triazahex-4-ene (acetone thiosemicarbazone)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	alc/w	25°C	40%	U			B4=27.3	1961TKb (34433)	678

Medium: 40% EtOH, 0.052 M NaC2H3O2

C4H10N2O HL CAS 27620-10-6 (4273)
alpha-Hydroxyisobutyramidine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	0.10M	U	M			1970GSb (34516)	679

K(HgCl2+HL=HgClHL+Cl)=4.02
K(HgClHL+HL=Hg(HL)2+Cl)=3.57
K(HgClHL+OH=Hg(OH)HL+Cl)=4.86

C4H10N2O2 L (3588)
2,3-Diaminopropanoic acid methyl ester; CH2(NH2).CH(NH2).CO.OCH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	oth/un	25°C	0.10M	U			K1=6.38 B2=11.48	1971HMd (34523)	680

K(HgLOH+H)=7.81

Hg++	gl	oth/un	25°C	0.10M	U			K1=6.38 B2=11.48	1968HMb (34524)	681
------	----	--------	------	-------	---	--	--	------------------	-----------------	-----

K(HgLOH+H)=7.81

C4H10O2S L CAS 111-48-8 (4275)
3-Thiapentan-1,5-diol; HO.CH2.CH2.S.CH2.CH2.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaNO3	25°C	1.0M	C			K1=>3.85	1979SRa (34684)	682
Hg++	EMF	NaClO4	25°C	0.50M	C	H		K1=6.37 B2=10.47 B3=11.5 B4=14.1	1976MHc (34685)	683

Method: Hg electrode. By calorimetry: DH(K1)=-33.3 kJ mol⁻¹; DH(B2)=-69.6, DS(B2)=-33 J K⁻¹ mol⁻¹; DH(B3)=-62, DS(B3)=13, DH(B4)=-70, DS(B4)=34

C4H11N L Butylamine CAS 109-73-9 (159)
1-Aminobutane; CH3.CH2.CH2.CH2.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt	non-aq	25°C	100%	U			B2=16.8	1973MTa (34766)	684
Medium: DMF, 0.5 M Et4NC1O4										
Hg++	gl	KNO3	25°C	0.50M	U			K1=8.74 K3=0.9 K4=1.0	1972BJa (34767)	685
Hg++	gl	oth/un	25°C	0.50M	U			K1=8.7 K3=0.9 K4=1	1950BJa (34768)	686

Medium: C4H11N.HNO3

C4H11N L t-Butylamine CAS 75-64-9 (158)
2-Amino-2-methylpropane; H2N.C(CH3)3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	oth/un	25°C	0.50M	U			K1=8.77 B2=26.77	1983HNa (34789)	687

Medium: 0.5 M LHNO3

C4H11NOS L (1220)
1-Hydroxy-3-thia-5-aminopentane; HO.CH2.CH2.S.CH2.CH2.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	30°C	1.0M	U	T		K1=10.51 B2=18.26	1953Mca (34889)	688

50 C: K1=8.99, K2=7.32

C4H11NO2 L Diethanolamine CAS 111-42-2 (89)
2,2'-Iminodiethanol; HN(CH2.CH2.OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.50M	U	H		K1=7.84 B2=15.66	1978MHa (34958)	689

By calorimetry, DH1=-80 kJ mol⁻¹, DS1=117 J K⁻¹ mol⁻¹, DH(B2)=-115, DS(B2)=87

Hg++	ISE	alc/w	25°C	60%	U	I		B2=18.79 B3=19.6	1969MPe (34959)	690
------	-----	-------	------	-----	---	---	--	------------------	-----------------	-----

Medium: 0-100% EtOH, 0.4 M LiNO₃
 B2(0%)=17.70, B3(0%)=19.14, B3(100%)=20.26, B4(100%)=20.42

Hg++	gl	KNO3	25°C	0.50M	U			K1=7.84 B2=15.66	1956BJb (34960)	691
------	----	------	------	-------	---	--	--	------------------	-----------------	-----

 C4H11NO3 L Tris buffer CAS 77-86-1 (550)
 2-Amino-2-(hydroxymethyl)-propan-1,3-diol; (HO.CH2)3C.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++	gl	NaClO4	25°C	0.15M	C	H		K1=6.71	2003AGb (35056)	692
------	----	--------	------	-------	---	---	--	---------	-----------------	-----

Metal is CH3Hg+. By calorimetry, DH(K1)=-44.6 kJ mol⁻¹, DS(K1)=-21 J K⁻¹ mol⁻¹.

 C4H11NS HL CAS 108-02-1 (1792)
 1-Mercapto-2-(N,N-dimethyl)aminoethane; HS.CH2.CH2.N(CH3)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++	gl	KNO3	20°C	0.25M	U	I		K1=10.36 B2=20.28	1973MSd (35136)	693
------	----	------	------	-------	---	---	--	-------------------	-----------------	-----

0.25 KNO₃, 25% MeOH: K1=10.52, K2=9.93; 25% EtOH: K1=10.55, K2=10.32

 C4H11OPS HL CAS 866-53-5 (3595)
 Diethylphosphinothioic acid; (C2H5)2.POSH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++	ISE	alc/w	25°C	40%	U			B2=26.2 B3=29.8 B4=33.5	1967TSa (35201)	694
------	-----	-------	------	-----	---	--	--	-------------------------	-----------------	-----

Medium: 40% EtOH, 0.8 M KNO₃

 C4H11OPS2 HL CAS 999-87-1 (4284)
 O-(1-Methylethyl) hydrogen P-methylphosphonodithioate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++	EMF	alc/w	25°C	40%	U			B2=28.5 B3=31.0	1970TCa (35202)	695
------	-----	-------	------	-----	---	--	--	-----------------	-----------------	-----

Medium: 40% EtOH, 0.3 M KNO₃

 C4H11OPS2 HL CAS 995-79-9 (4283)

O-Ethyl hydrogen P-ethylphosphonodithioate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	alc/w	25°C	40%	U			B2=29.0 B3=31.6	1970TCa (35206)	696

Medium: 40% EtOH, 0.3 M KNO3

C4H110PS2 HL CAS 1000-53-9 (4285)

O-Propyl hydrogen P-methylphosphonodithioate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	alc/w	25°C	40%	U			B2=28.6 B3=31.2	1970TCa (35208)	697

Medium: 40% EtOH, 0.3 M KNO3

C4H1102PS2 H3L CAS 298-06-6 (210)

O,O'-Diethyldithiophosphoric acid; (C2H5O)2P(S)SH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	alc/w	25°C	40%	U			B2=27.7 B3=28.2 B4=29.9	1970TCa (35232)	698

Medium: 40% EtOH, 0.3 M KNO3

Hg++	ISE	alc/w	25°C	40%	U			B2=29.1 B3=30.9 B4=33.7	1967TSa (35233)	699
------	-----	-------	------	-----	---	--	--	-------------------------------	-----------------	-----

Medium: 40% EtOH, 0.8 M KNO3

C4H1103P HL CAS 762-04-9 (1329)

Diethylphosphonic acid; (C2H5.0)2P(O)H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	nmr	non-aq	25°C	100%	U	I M		K(HgCl2+HL)=0.11 K(HgBr2+HL)=-0.60 K(HgI2+HL)=-1.04 K(Hg(SCN)2+HL)=0.76	1981PEa (35245)	700

Medium: pyridine: K(Hg(CN)2+HL)=-2.0; K(HgCl2+HL)=-0.17, K(HgBr2+HL)=-0.32,
In DMSO: K(HgI2+HL)=-0.54, K(Hg(SCN)2+HL)=0.11

C4H1103PS HL CAS 2465-65-8 (3596)

Phosphorothioic acid 00-diethyl ester; (C2H5O)2.POSH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++ ISE a/c/w 25°C 40% U B2=24.0 1967TSa (35250) 701
B3=26.4
B4=27.7

Medium: 40% EtOH, 0.8 M KNO3

Hg++ vlt oth/un 25°C 1.0M U B2=23.5 1961TSa (35251) 702
B3=22.6
B4=20.1

C4H11O3PSe HL CAS 41118-97-2 (3597)
Phosphoroselenoic acid 00-diethyl ester; (C2H5O)2.POSEH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 1.0M U B2=28.6 1966TSa (35253) 703
B3=30.3
B4=32.7

C4H11PS2 HL CAS 886-54-6 (3591)
Diethylphosphinodithioic acid; (CH3.CH2)2PSSH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF a/c/w 25°C 40% U B2=31.1 1970TCa (35294) 704
Medium: 40% EtOH, 0.3 M KNO3

Hg++ ISE a/c/w 25°C 40% U B2=33.6 1967TSa (35295) 705
B3=36.0
B4=38.2

Medium: 40% EtOH, 0.8 M KNO3

C4H12N2 L Putrescine CAS 110-60-1 (360)
1,4-Diaminobutane; H2N.(CH2)4.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M C M 2003Lba (35363) 706
B(HgAL)=20.50
K(HgA+L)=13.79
K(HgA+L=HgAL(OH)+H)=11.36

A is cytidine.

Hg++ gl KNO3 20°C 0.10M U K1=16.94 1999Lba (35364) 707
B(HgH2L2)=39.44

Hg++ gl oth/un 20°C 1.0M U K1=17.96 1962SSc (35365) 708
K(Hg+HL)=10.99
K(HgHL+HL)=6.83

Medium: Ba(ClO4)2

C4H12N2 L CAS 563-86-0 (59)
DL-2,3-Diaminobutane; H2N.CH(CH3).CH(CH3).NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=21.51 1962SKa (35379) 709

C4H12N2 L Dimeen CAS 110-70-3 (125)
N,N'-Dimethyl-1,2-diaminoethane; CH3.NH.CH2.CH2.NH.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt non-aq 25°C 100% U B2=11.78 1979SZa (35421) 710
Medium: DMSO, 0.1 M NaClO4

C4H12N2 L Butanediamine CAS 20759-15-3 (58)
meso-2,3-Diaminobutane; H2N.CH(CH3).CH(CH3).NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=20.33 1962SKa (35489) 711

C4H13N3 L Dien CAS 111-40-0 (584)
1,4,7-Triazaheptane, 2,2'-Iminobis(ethylamine), diethylenetriamine;
NH2.(CH2)2.NH.(CH2)2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M C M 2004LBa (35784) 712
B(HgAL)=21.60
K(HgA+L)=9.80
B(HgAHL)=28.15
K(HgA+HL)=6.39

H2A is cytidine-5'-monophosphoric acid.

Hg++ gl KNO3 20°C 0.10M C M 2003LBa (35785) 713
B(HgAL)=22.08
K(HgA+L)=15.37
K(HgA+L=HgAL(OH)+H)=14.21
B(HgAHL)=27.47

A is cytidine. B(HgA+HL)=10.80.

Hg++ gl KNO3 20°C 0.10M U K1=17.62 B2=24.41 1999LBa (35786) 714
B(HgHL)=20.72
B(HgHL2)=32.86

Hg++ gl oth/un 25°C 0.10M U M 1976PBa (35787) 715
K(Hg(CN)2+L)=2.52
K(Hg(CN)2L+Hg(CN)2)=0.52
K(Hg(CN)2+HL)=1.68

Hg++ vlt KNO3 40°C 0.10M U T H B2=23.76 1961RMa (35788) 716
B3=23.43

At 25 C: B2=25.02, B3=24.5; DH(B2)=-150.5kJ mol⁻¹, DS=-29.3 J K⁻¹ mol⁻¹

Hg++ vlt KNO3 25°C 0.10M U B2=25.06 1955NRa (35789) 717
B3=24.00

Hg++ gl KCl 20°C 0.50M U K1=21.8 1950PSa (35790) 718
K(HgOHL+H)=7.7

C5H4N2O4 H2L Orotic acid CAS 65-86-1 (624)

1,2,3,6-Tetrahydro-2,6-dioxo-4-pyrimidincarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=8.6 1987MPa (36113) 719
B(Hg2L3)=20.03
K(Hg+L2)=13.2

L2=orotic acid dimer

C5H4N4O HL Hypoxanthine CAS 68-94-0 (1174)

6-Hydroxypurine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 35°C 0.10M U TIH K1=7.37 1979RPa (36191) 720
Medium: KClO4. DH(K1)=-9.37 kJ mol⁻¹, DS(K1)=109 J K⁻¹ mol⁻¹.

At 45 C, K1=7.46. At 35 C, I=0.0 M: K1=9.55.

C5H5N L Pyridine CAS 110-86-1 (31)

Pyridine, Azine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.50M U H K1=5.1 B2=10.0 1978MHa (36639) 721
By calorimetry, DH1=-36 kJ mol⁻¹, DS1=23, DH(B2)=-69, DS(B2)=40

Hg++ cal non-aq 30°C 100% U M 1976AGa (36640) 722
K(HgI2+Py)=1.74

Medium: MeCN

Hg++ cal non-aq 30°C 100% U H 1976FGa (36641) 723
K(Hg(SCN)2+L)=1.84

Medium: MeCN. DH=-41.5 kJ mol⁻¹; DS=-102.

Hg++ cal non-aq 30°C 100% U H 1974DGa (36642) 724
K(HgA2+2L)=0.52

In benzene. HA=thiobenzoyl-1,1,1-trifluoroacetone; DH=-31 kJ mol⁻¹; DS=-93

Hg++ gl KNO3 25°C 0.50M U K1=5.1 B2=10.00 1972BJa (36643) 725
K3=0.3
K4=0.3

Hg++ gl oth/un 25°C 0.50M U K1=5.1 B2=10.0 1950BJa (36644) 726
K3=0.4

Medium: 0.5 M C5H5N.HNO3

C5H5N5 L Adenine CAS 73-24-5 (237)
6-Aminopurine; H2N.C5H3N4

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ dis NaClO4 35°C 0.10M C M K1=7.81 B2=13.92 1989MMF (36971) 727
K(Hg(nta)+L)=5.95
B(Hg(nta)L)=19.25

Method: paper electrophoresis. Medium pH=8.5.

C5H6N2O2 HL Thymine CAS 65-71-4 (413)
2,4-Dihydroxy-5-methylpyrimidine; C4HN2(CH3)(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=10.65 B2=20.70 1984PTa (37276) 728
Additional method: Hg electrode.

Hg++ gl NaClO4 30°C 0.10M U K1=7.93 B2=14.70 1978SSa (37277) 729

Hg++ ISE NaClO4 27°C 0.10M U B2=21.2 1961FBa (37278) 730

C5H7NO2 HL Glutarimide CAS 1121-89-7 (4312)
Piperidine-2,6-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 45°C 50% C K1=8.69 B2=15.77 1996MMc (37509) 731
Medium: 50% v/v MeOH/H2O, 0.10 M KNO3.

C5H7NO4S2 H3L CAS 36061-59-3 (1953)
Bis(carboxymethyl)dithiocarbamic acid; (HOOC.CH2)2.N.CSSH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF KNO3 20°C 1.00M U B2=30.92 1968TTa (37557) 732
B3=32.33

C5H8N2S L (6089)
N,N'-Divinylthiourea; CH2:CH.NH.CS.NH.CH:CH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF KNO3 25°C 0.09M U T H K1=13.38 B2=17.04 1988MMe (37724) 733
DH(K1)=-141 kJ mol⁻¹; DS(K1)=-218 J K⁻¹ mol⁻¹; BH(B2)=-196; DS(B2)=-332

C5H8O2 HL Acetylacetone CAS 123-54-6 (164)
Pentane-2,4-dione; CH3.CO.CH2.CO.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ con NaNO3 25°C 0.10M U K1=12.9 B2=20.10 1975Lba (37985) 734

C5H8O4S2 H2L CAS 2068-24-8 (908)
2,2'-(Methylenebis(thio))bis-ethanoic acid; HOOC.CH2.S.CH2.S.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=10.25 1986ECa (38395) 735

C5H9NO2 HL Proline CAS 147-85-3 (44)
Pyrrolidine-2-carboxylic acid; C4H8N.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 35°C 0.10M C K1=9.44 B2=18.74 1998Zwa (38618) 736
Data for ternary complexes with 3,3,9,9-tetramethyl-4,8-diazaundecane-
2,10-dione dioxime.

Hg++ gl NaNO3 25°C 0.10M U K1=12.2 B2=20.10 1974VBa (38619) 737

Hg++ vlt KNO3 25°C 0.60M U B2=19.25 1966TAb (38620) 738

Hg++ gl oth/un 17°C 0.01M U B2=20.5 1952PEa (38621) 739
Medium: Hg(NO3)2

C5H9NO3 HL Hydroxyproline CAS 51-35-4 (416)
4-Hydroxy-2-pyrrolidinecarboxylic acid; C4H7N(OH)(COOH)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 17°C 0.01M U B2=17.7 1952PEa (38735) 740
Medium: Hg(NO3)2

C5H9NO3S H2L N-Acetyl-Cys CAS 616-91-1 (1187)
N-Acetylcysteine; CH3.CO.NH.CH(CH2.SH)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF NaClO4 25°C 0.10M U K1=38.4 B2=45.60 1981BCc (38816) 741
K(Hg+2HL)=35.0

C5H9NO4 H2L Glutamic acid CAS 56-86-0 (22)
2-Aminopentanedioic acid; H2N.CH(CH2.CH2.COOH)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	25°C	0.10M	M			K1=5.60 B2= 9.66	1981GVa (39087)	742
Hg++	gl	NaNO3	25°C	0.10M	U			K1=12.8 B2=19.20	1974VBa (39088)	743
Hg++	EMF	oth/un	25°C	?	U			K1=6.30 B2=11.36	1972SSe (39089)	744

C5H9NO4 H2L MIDA CAS 4408-64-4 (190)
N-Methyliminodiethanoic acid; CH3.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	20°C	0.10M	U			K1=5.47 B2=9.15 K(HgL(OH)2+H=HgLOH)=9.18	1955SAa (39256)	745

C5H9NS2 HL CAS 25769-03-3 (3623)
Pyrrolidine-N-carboxydithioic acid; C4H8N-CSSH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt	KNO3	25°C	0.10M	U			B2=37.5	1991BSe (39333)	746

C5H9N3 L Histamine CAS 51-45-6 (103)
4(5)-(2'-Aminoethyl)imidazole; C3H3N2.CH2.CH2.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	.058M	U T			K1=6.01 B2=10.63	1961SMa (39539)	747

C5H9N3S HL (1822)
2-Mercaptohistamine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.10M	U			K1=12.45	1977STc (39608)	748

C5H10NO7P H4L PMIDA CAS 5994-61-6 (2433)
N-(Phosphonomethyl)iminodiethanoic acid; H2O3P.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	oth	KNO3	RT	0.10M	C			K1=>16	1980MVa (39678)	749

C5H10N2O2 HL CAS 2762-32-5 (3041)

Piperazine-2-carboxylic acid; C4H9N2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 22°C 0.10M U K1=4.1 1960REb (39723) 750

C5H10N2O2S L CAS 29061-28-7 (2621)
4,5-Dimethoxyimidazolidine-2-thione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE mixed 25°C 82% U K1=15.43 B2=18.02 1979MTd (39728) 751
B3=20.87

Medium: 82% DMF/H2O

C5H10N2O3 HL Glutamine CAS 56-85-9 (18)
2-Aminopentanedioic acid 5-amide; H2N.CH(CH2.CH2.CO.NH2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=11.5 B2=18.70 1974VBa (39818) 752

Hg++ gl NaClO4 25°C 0.10M U K1=5.70 B2=10.35 1973TSb (39819) 753

C5H10N2O3 HL Ala-Gly CAS 687-69-4 (55)
Alanyl-glycine; H2N.CH(CH3).CO.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.20M U K1=2.42 1982RRd (39889) 754

C5H10N2O3 HL Gly-DL-Ala CAS 926-77-2 (66)
Glycyl-DL-alanine; H2N.CH2.CO.NH.CH(CH3).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.20M U K1=2.80 B2=5.00 1982RRd (39938) 755

C5H10O5S2 HL CAS 110-50-9 (591)
(Butoxy)dithiomethanoic acid; CH3.CH2.CH2.CH2O.CSSH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ dis oth/un 25°C 0.25M U B2=>27 1982SAa (40159) 756

Hg++ sp oth/un 25°C var U M 1970AFa (40160) 757
B(HgL(CN)2)=35.43

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ dis oth/un 25°C 0.25M U B2=>27 1982SAa (40159) 756

Hg++ sp oth/un 25°C var U M 1970AFa (40160) 757
B(HgL(CN)2)=35.43

C5H10O2 HL Pivalic acid CAS 75-98-9 (3026)
Trimethylethanoic acid, 2,2-Dimethylpropanoic acid; (CH3)3C.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 25°C 0.10M U K1=5.92 1973LUa (40216) 758

C5H11N L CAS 1003-03-8 (304)
Cyclopentylamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 25°C 0.50M U K1=8.89 B2=18.51 1983HNa (40394) 759
Medium: 0.1 M LHNO3

C5H11N L Piperidine CAS 110-89-4 (105)
Perhydropyridine; cyclo(-CH2.CH2.CH2.NH.CH2.CH2-) C5H11N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% U H K1=5.48 B2=11.92 1989PSa (40447) 760
B3=13.5
In DMSO; ionic medium: 0.1M Et4NC104

Hg++ gl KCl 25°C 0.50M U H K1=8.70 B2=17.44 1978MHa (40448) 761
By calorimetry, DH(K1)=-45 kJ mol⁻¹, DS=23 J K⁻¹ mol⁻¹; DH(B2)=-74, DS=87

Hg++ gl KNO3 25°C 0.50M U K1=8.74 B2=17.44 1972BJa (40449) 762

Hg++ gl KNO3 25°C 0.50M U K1=8.70 B2=17.44 1950BJa (40450) 763

C5H11NO L CAS 109-02-4 (2279)
N-Methyl-tetrahydro-1,4-oxazine, N-methyl-morpholine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1974FGa (40464) 764
K(HgCl2+L)=2.44
K(HgBr2+L)=2.61
K(HgI2+L)=2.45

In benzene. For HgCl2, DH=-37.9 kJ mol⁻¹; DS=-79 J K⁻¹ mol⁻¹. For HgBr2,
DH=-37.1; DS=-73. For HgI2, DH=-33.6; DS=-64.

C5H11NO2 HL Valine CAS 72-18-4 (43)
2-Amino-3-methylbutanoic acid; H2N.CH(CH3)2COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 35°C 0.10M C M K1=8.90 B2=17.42 1998ZWa (40715) 765
Data for ternary complexes with 3,3,9,9-tetramethyl-4,8-diazaundecane-
2,10-dione dioxime

Hg++ gl NaNO3 25°C 0.10M U K1=3.46 B2=6.83 1989MPa (40716) 766

Hg++ gl NaNO3 25°C 0.10M U K1=11.7 B2=18.90 1974VBa (40717) 767

C5H11NO2 HL Nor-Valine CAS 760-78-1 (689)
2-Aminopentanoic acid; CH3.CH2.CH2.CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 19°C .005M U B2=17.7 1953PEa (40837) 768
Medium: 0.005 Hg(NO3)2.

Hg++ gl oth/un 20°C 0.00 U B2=17.6 1952PEa (40838) 769
Medium: 0.0005 Hg(NO3)2.

C5H11NO2S HL Methionine CAS 63-68-3 (42)
2-Amino-4-(methylthio)butanoic acid; H2N.CH(CH2.CH2.S.CH3)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=12.8 B2=19.50 1974VBa (41098) 770

Hg++ vlt KNO3 25°C 0.60M U B2=17.62? 1966TAb (41099) 771

Hg++ gl KNO3 25°C 0.10M U K1=6.52 B2=11.45 1964LMa (41100) 772

C5H11NO2S H2L D-Penicillamine CAS 52-67-5 (1323)
D-2-Amino-3-mercapto-3-methylbutanoic acid; (CH3)2C(SH)CH(NH2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M C K1=18.86 B2=24.95 1983SLc (41187) 773
K(Hg+HL+L)=22.83

Hg++ EMF NaClO4 25°C 0.10M U K1=37.8 B2=44.50 1981BCc (41188) 774
K(Hg+2HL)=37.8

C5H11NO2S H2L Penicillamine CAS 52-66-4 (350)
DL-2-Amino-3-mercapto-3-methylbutanoic acid; (CH3)2C(SH)CH(NH2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.50M U 1999KPa (41261) 775

B(HgHL2)=52.03
B(HgH3L3)=72.43

By solvent extraction: B(HgH2L2)=59.03, B(HgH3L2)=61.02, B(HgH4L2)=62.47.

Hg++ gl NaNO3 25°C 0.10M M M 1990SHa (41262) 776

K(HgL2+H)=8.88
K(HgL2+2H)=16.35

K(HgL2+3H)=19.06

K(HgL2+Ni)=8.22

K(HgL2+H+Ni)=13.53; K(HgL2+Co)=5.95

Hg++ nmr KNO3 25°C 0.30M U 1988CAb (41263) 777

K3=3.59

K(HgL2+HL)=3.35

K(HgHL2+HL)=3.11

Hg++ ISE NaClO4 25°C 0.10M U K1=38.3 B2=44.40 1980CJa (41264) 778

Hg++ gl KNO3 25°C 0.10M U K1=16.15 1964LMa (41265) 779

Hg++ gl KNO3 25°C 0.15M U K1=17.5 B2=23.50 1962KRa (41266) 780

C5H11NO2S2 HL CAS 1528-32-9 (2127)

Di(2-hydroxyethyl)dithiocarbamic acid; (HO.CH2.CH2)2N.CSSH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 20°C 1.00M U K1=31.96 B2=34.92 1968TTa (41298) 781

C5H11NS2 HL CAS 147-84-2 (2126)

Diethyldithiocarbamic acid; (CH3.CH2)2N.CSSH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=38.2 1991BSe (41352) 782

Also data for n-Pr(K1=38.0), i-Pr(42.9), n-Bu(39.4), i-Bu(42.0) and many other N-disubstituted dithiocarbamic acids.

Hg++ vlt non-aq 25°C 100% U K1=42.3 1977ZCa (41353) 783

Medium: DMSO, 0.2 M Bu4NClO4

Hg++ sp non-aq ? 100% U M 1968SRg (41354) 784

K(Hg(HA)2+2HL=HgL2+2H2A)=2.31

Medium: CCl4. H2A=dithizone

C5H12N2O HL CAS 62626-14-6 (4329)

2-Hydroxy-2-methylbutyramidine; H2N.C(:NH).C(OH)(CH3).CH2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.10M U M 1970GSb (41462) 785

K(HgCl2+HL=HgClHL+Cl)=4.27

K(HgClHL+HL=Hg(HL)2+Cl)=3.95

K(HgClHL+OH=Hg(OH)HL+Cl)=4.76

C5H12N2O L TMU CAS 632-22-4 (146)

Tetramethylurea; (CH3)2N.CO.N(CH3)2

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      cal oth/un 25°C    ? U  H                      1980ACa (41478) 786
HgX2(s)+2L=HgL2X2(s) DH = -36.5 X = Cl, DH = -29.4 X = Br
*****
C5H12N2O2      HL    Ornithine      CAS 1069-31-4 (46)
2,5-Diaminopentanoic acid; H2N.CH2.CH2.CH2.CH(NH2)COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  KNO3    25°C 0.10M U I                      1970CMc (41576) 787
                                           K(Hg+HL)=4.83
                                           K(HgHL+HL)=4.32
I=1.0 M, K(Hg+HL)=4.52, K(HgHL+HL)=3.29
*****
C5H12N2S      L                      CAS 105-55-5 (2379)
1,3-Diethylthiourea; C2H5.NH.CS.NH.C2H5
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      EMF KNO3    25°C 0.09M U T H    K1=14.52 B2=18.67 1988MMe (41623) 788
                                           B3=21.88
DH(K1)=-155 kJ mol-1; DH(B2)=-170; DH(B3)=-133
*****
C5H12N2S      L                      CAS 2782-91-4 (6088)
N,N,N',N'-Tetramethylthiourea; (CH3)2N.CS.N(CH3)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      EMF KNO3    25°C 0.09M U T H    K1=14.04 B2=18.36 1988MMe (41628) 789
                                           B3=21.90
DH(K1)=-190 kJ mol-1; DH(B2)=-133; DH(B3)=-134
*****
C5H12O3S4      H3L                    CAS 19872-38-9 (4331)
2,3-Dimercaptopropylthioethanesulfonic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      dis oth/un  ?    ? U                      B2=52.4      1973RPa (41654) 790
-----
Hg++      EMF KNO3    ?    0.10M U                      K1=41.33     1968PRc (41655) 791
*****
C5H12O4S3      H3L                    CAS 19872-36-7 (4332)
2,3-Dimercaptopropanoxyethanesulfonic acid; HS.CH2.CH(SH).CH2.O.CH2.CH2.HSO3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      dis oth/un  ?    ? U                      B2=54.5     1973RPa (41668) 792
-----

```

Hg++ EMF KNO3 ? 0.10M U K1=41.45 1968PRc (41669) 793

 C5H12O5S4 H3L CAS 35617-14-2 (4333)
 2,3-Dimercaptopropanesulfonethanesulfonic acid; HS.CH2.CH(SH).CH2.SO2.CH2CH2.HSO3

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ dis oth/un ? ? U B2=52.5 1973RPa (41699) 794

Hg++ EMF KNO3 ? 0.10M U K1=42.16 1968PRc (41700) 795

 C5H13N L CAS 616-24-0 (5502)
 3-Aminopentane CH3.CH2.CH(NH2).CH2.CH3

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 25°C 0.50M U K1=8.67 B2=18.08 1983HNa (41716) 796
 Medium: 0.1 M LHNO3

 C5H13OPS L CAS 14806-54-3 (3640)
 Diethylphosphinothioic acid O-methyl ester

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE alc/w 25°C 40% U B2=13.7 1967TSa (41805) 797
 B3=16.0
 B4=17.4

Medium: 40% EtOH; 0.8 M KNO3

 C5H13OPS2 HL CAS 24392-61-8 (4340)
 O-(1-Methylethyl-hydrogen-P-ethylphosphonodithioate;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF alc/w 25°C 40% U B2=29.7 1970TCa (41806) 798
 B3=32.3

Medium: 40% EtOH, 0.3 M KNO3

 C5H15N3 L CAS 13531-52-7 (738)
 1,4,8-triazaoctane, N-(2-Aminoethyl)propane-1,3-diamine; H2NCH2CH2NHCH2CH2CH2NH2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M C M 2004LBa (42004) 799
 B(HgAL)=24.27
 K(HgA+L)=12.47
 B(HgAHL)=30.43
 K(HgA+HL)=8.23

H2A is cytidine-5'-monophosphoric acid.

Hg++ gl KNO3 20°C 0.10M C M 2003Lba (42005) 800

B(HgAL)=28.59
K(HgA+L)=21.88
B(HgAHL)=33.95
K(HgA+HL)=16.84

A is cytidine. B(HgAH2L)=39.34, K(HgA+H2L)=12.91.

C6HF5 L CAS 363-72-4 (4345)
Pentafluorobenzene; C6HF5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 25°C 100% U M 1973PHa (42021) 801

K(HgL2+py)=1.30
K(HgL2+bpy)=1.74

Medium: CCl4. In benzene, K(HgL2+py)=0.32, K(HgL2+bpy)=1.28

C6H5NO2 HL Picolinic acid CAS 98-98-6 (391)
2-Pyridine-carboxylic acid; C5H4N.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 20°C 50% U K1=5.45 B2=10.10 1987SIa (42547) 802

Hg++ sp NaNO3 20°C 1.00M U K1=8.16 B2=15.34 1984CPb (42548) 803

Hg++ ISE NaNO3 20°C 0.10M U K1=7.7 B2=15.4 1960ANb (42549) 804

C6H5NO3 H2L CAS 609-71-2 (5910)
2-Hydroxypyridine-3-carboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp alc/w 20°C 50% C K1=10.81 B2=21.22 1991ISb (42724) 805
K(Hg+HL)=7.02
B(Hg(OH)2L)=29.16

Medium: 50% v/v EtOH/H2O; 0.1M NaClO4

C6H5NO3 HL 4-Nitrophenol CAS 100-02-7 (454)
4-Nitrohydroxybenzene; HO.C6H4.NO2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 1.00M C K1=6.29 B2=12.35 1990ERa (42808) 806

C6H6 L Benzene CAS 71-43-2 (2143)
Benzene, cyclohexatriene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% U M 1974VPb (43167) 807
K(L+HgCl2)=-0.69
K(L+HgBr2)=-0.521

Medium: dichloromethane

Hg++ sp NaClO4 22°C 1.10M U 1964WDa (43168) 808
K(Hg+L=HgH-1L+H)=2.5

C6H6N2O HL CAS 873-69-8 (1258)
Pyridine-2-aldoxime; C5H4N.CH:NOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 24°C 0.10M U K1=6.5 B2=12.20 1962BEa (43300) 809

C6H6N2O L Nicotinamide CAS 98-92-0 (1473)
Pyridine-3-carboxylic acid amide, Vitamin PP, C5H4N.CO.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=3.16 1976BMg (43342) 810

C6H6N4O4 HL Furacilin CAS 59-87-0 (4360)
5-Nitro-2-furfurylidene semicarbazone; NO2.C4H2O.CH:N.NH.CO.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un ? ? U B2=9.56 1968BAa (43503) 811
B(Hg2L3)=9.43

C6H6O HL Phenol CAS 108-95-2 (457)
Hydroxybenzene, phenol; C6H5.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 1.00M C K1=8.24 B2=15.75 1990ERa (43539) 812

C6H6O8S2 H4L Tiron CAS 149-45-1 (104)
4,5-Dihydroxybenzene-1,3-disulfonic acid; (HO)2.C6H2(SO3H)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaClO4 25°C 0.10M U K1=19.86 1972GKc (44458) 813

C6H7N L gamma-Picoline CAS 108-89-4 (325)
4-Methylpyridine; C5H4N.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U M 1976AGa (44824) 814

K(HgI2+L)=1.80

Medium: MeCN

Hg++ cal non-aq 30°C 100% U H 1976FGa (44825) 815

K(Hg(SCN)2+L)=2.07

Medium: MeCN. DH=-45.4 kJ mol⁻¹; DS=-110

C6H7N L Aniline CAS 62-53-3 (583)

Aminobenzene, aniline; C6H5.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 27°C 1.0M U K1=4.61 B2=9.21 1964WDa (44872) 816

C6H8N2 L 2-Picolylamine CAS 29722-36-9 (502)

2-(Aminomethyl)pyridine; C5H4N.CH2NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF NaNO3 20°C 0.10M U B2=20.08 1971ANa (45356) 817

C6H8N2O2S HL (8159)

4-Aminobenzenesulfamide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 20°C 1.0M U K1=14.45 1976BMg (45394) 818

Medium: 1.0 M NaNO3 in 60% v/v EtOH/H2O

C6H8N2O3 HL (8157)

6-Methyl-5-methoxyuracil, 6-Methyl-5-methoxy-2,4-pyrimidinedione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=8.14 1976BMg (45399) 819

C6H8N2O4 H2L (3100)

Cyanomethyliminodiethanoic acid; NC.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=2.77 B2=4.97 1955SAa (45417) 820

C6H8N4O2S L CAS 42026-60-8 (8288)

6-Amino-3-methyl-2-(methylthio)-5-nitroso-4(3H)-pyrimidinone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.1M U IH K1=5.76 B2=11.07 1984MMh (45442) 821

Data for I=0.01-0.20 M and 25-40 C. At I=0.0 M, K1=7.01, K2=6.73.

Hg++ gl KCl 25°C .058M U T K1=7.38 B2=12.38 1961SMa (47567) 833
0 C, K1=7.90, K2=5.50; 45 C, K1=6.85, K2=4.43

Hg++ ISE NaCl04 27°C 0.15M U B2=21.22 1960BDa (47568) 834
K(Hg+L+HL)=18.4
K(Hg+2HL)=15.0

C6H9N3O2S H2L Thiolhistidine CAS 13552-61-9 (5659)
1-Amino-2-(2-Mercaptoimidazole)-propionic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaCl04 25°C 0.10M U K1=12.43 1982TSb (47640) 835

C6H9O6P H3L CAS 4408-72-4 (7015)
Phosphinotriethanoic acid; P(CH2.COOH)3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaCl04 25°C 0.10M U I K1=19.93 B2=32.27 1979PPc (47658) 836
B3=34.16
Method: Hg electrode. In 50% v/v dioxan/H2O: K1=22.8; B2=33.76; B3=34.93

Hg++ gl NaCl04 25°C 0.10M C I K1=19.93 B2=32.27 1979PPd (47659) 837
B3=34.16
Additional methods: polarography and Hg electrode.
In 50% dioxane/H2O: K1=22.8, B2=33.76, B3=34.93.

C6H10 L Cyclohexene CAS 110-83-8 (3054)
Cyclohexene; C6H10

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ dis KNO3 25°C 1.0M U K1=4.34 1939LHa (47669) 838

C6H10N2O4 H2L CAS 96705-91-8 (3103)
Piperazine-2,5-dicarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 22°C 0.10M U K1=3.8 B2=7.1 1964PCa (47727) 839

C6H10N2O4 H2L (3104)
Piperazine-2,6-dicarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 22°C 0.10M U K1=5.1 B2=9.2 1964PCa (47737) 840

C6H10N2O4 H2L CAS 89601-09-2 (3102)

trans-Piperazine-2,3-dicarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 22°C 0.10M U K1=5.6 B2=9.6 1964PCa (47748) 841

C6H10N2O5 H2L ADA CAS 26239-55-4 (2747)
N-(2-Acetamido)iminodiethanoic acid; H2N.CO.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M M M K1=6.44 1996AEa (47843) 842
Data for ternary complexes with dipicolinic acid

Hg++ gl KCl 20°C 0.10M U K1=3.82 B2=6.47 1955SAa (47844) 843

C6H10N4OS L (2622)
4,5-Dimethyl-2,4,6,8-tetraazabicyclo[3,3,0]-octane-3-one-7-thione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE mixed 25°C 82% U K1=15.77 B2=18.59 1979MTd (47891) 844
B3=21.22

Medium: 82% DMF/H2O

C6H10O4S H2L CAS 111-17-1 (139)
3,3'-Thiodipropanoic acid; HOOC.CH2.CH2.S.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=12.78 1986ECa (48182) 845

C6H10O4S2 H2L CAS 7244-02-2 (438)
1,2-Bis(carboxymethylthio)ethane; HOOC.CH2.S.CH2.CH2.S.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=18.05 1986ECa (48243) 846

Hg++ gl NaClO4 25°C 0.50M U B2=18.99 1980NAc (48244) 847

Hg++ gl NaClO4 25°C 0.50M C 1978NAb (48245) 848
K(HgL2+H)=2.10
K(HgHL2+H)=0.41

C6H10O8 H2L Mucic acid CAS 526-99-8 (3650)
2,3,4,5-Tetrahydroxyhexanedioic acid, Galactaric acid; HOOC.(CHOH)4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.05M C K1=2.86 B2= 5.28 2002SFa (48437) 849
 B(HgH-1L)=-3.22
 B(HgH-2L)=-10.40
 B(HgH-1L2)=-3.17
 B(HgH-2L2)=-12.95

 C6H11NO2 HL CAS 37910-65-9 (6018)
 2-Aminocyclopentane-1-carboxylic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.50M C K1=11.166 B2=17.907 1986GGa (48517) 850
 B(HgH-1L)=6.88

cis isomer

 C6H11NO4S H3L CAS 58033-48-5 (3124)
 N-2-Mercaptoethyliminodiethanoic acid; HS.CH2.CH2.N(CH2.COOH)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.10M U K1=16.16 B2=22.33 1955SAa (48612) 851
 K(Hg+HL)=5.05

 C6H11NO5 H2L HIMDA CAS 93-62-9 (192)
 N-(2-Hydroxyethyl)iminodiethanoic acid; HO.CH2.CH2.N(CH2.COOH)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.10M U K1=5.48 B2=8.83 1955SAa (48742) 852
 K(HgLOH+H)=9.56
 K(HgL(OH)2+H)=10.51

 C6H11NO5 H2L (7174)
 N-Carboxymethylthreonine; H00CCH2NHCH(CH(OH)CH3)COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M C K1=10.11 B2=19.22 2001MTb (48824) 853
 B(HgHL2)=22.48
 B(HgH-1L)=6.50

 C6H11O4P H2L CAS 85931-58-4 (5652)
 Ethylphosphinediethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U 1983NPa (49010) 854
 B4=40.9
 B(HgHL4)=44.8
 B(HgH2L4)=47.9

B(HgH3L4)=50.7

Additional method: spectrophotometry. B(HgH4L4)=53.2, B(HgH5L4)=55.3, B(HgH6L4)=57.2.

C6H12N2O3 HL DL-Ala-DL-Ala CAS 2867-20-1 (67)
DL-Alanyl-DL-alanine; H2N.CH(CH3).CO.NH.CH(CH3).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.20M U K1=2.83 1982RRd (49129) 855

C6H12N2O4 H2L EDDA CAS 5657-17-0 (119)
1,2-Diaminoethane-N,N'-diethanoic acid; HOOC.CH2.NH.CH2.CH2.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 25°C 0.10M U M K1=15.4 B2=24.2 1975NKa (49244) 856
Beff(MLCl)=9.9; Beff(MLBr)=12.0; Beff(MLSCN)=10.8. Conditions not stated.

C6H12N2O4 H2L N,N-EDDA CAS 5835-29-0 (2333)
1,2-Diaminoethane-N,N'-diethanoic acid; H2N.CH2.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.10M U K1=9.75 B2=15.80 1955SAa (49303) 857
K(HgLOH+H)=10.15

C6H12O7 HL Gluconic acid CAS 526-95-4 (904)
D-Gluconic acid, 2,3,4,5,6-Pentahydroxyhexanoic acid; HO.CH2(CHOH)4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M C 1996ESa (49723) 858

B(HgH-1L)=-0.9

B(HgH-2L)=-4.03

C6H13NO2 HL Isoleucine CAS 73-32-5 (424)
2-Amino-3-methylpentanoic acid; CH3.CH2.CH(CH3).CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 35°C 0.10M C M K1=9.01 B2=17.30 1998ZWa (49904) 859
Data for ternary complexes with 3,3,9,9-tetramethyl-4,8-diazaundecane-
2,10-dione dioxime

Hg++ gl NaNO3 25°C 0.10M U K1=12.4 B2=19.80 1974VBa (49905) 860

Hg++ gl oth/un 20°C 0.01M U B2=17.6 1952PEa (49906) 861
Medium: Hg(NO3)2.

C6H13NO2 HL Leucine CAS 61-90-5 (47)
2-Amino-4-methylpentanoic acid; H2N.CH(CH2.CH(CH3)2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=11.9 B2=19.50 1974VBa (50077) 862

Hg++ gl oth/un 20°C 0.01M U B2=17.5 1952PEa (50078) 863
Medium: Hg(NO3)2

C6H13NO2 HL Norleucine CAS 616-06-8 (602)
2-Amino-6-oxohexanoic acid (2-Aminocaproic acid) CH3.(CH2)3.CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 20°C 0.10M U T H K1=6.81 B2=12.40 1981SDb (50181) 864
Data for 20-40 C. DH(B2)=-59.5 kJ mol-1, DS(B2)=33.8 J K-1 mol-1.

Hg++ gl oth/un 19°C 0.00 U B2=17.8 1952PEa (50182) 865
Medium: 0.0005-0.005 Hg(NO3)2

C6H13NO2S HL Ethionine CAS 67-21-0 (1909)
2-Amino-4-(ethylthio)butanoic acid; CH3.CH2.S.CH2.CH2.CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M U K1=7.25 B2=13.17 1964LMa (50265) 866

C6H13NO4 HL Bicine CAS 150-25-4 (2124)
N,N-Bis(2-hydroxyethyl)glycine; (HO.CH2.CH2)2N.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=14.17 1962SKa (50369) 867

C6H13N3O3 HL Citrulline (579)
2-Amino-5-ureidovaleric acid; H2N.CO.NH.CH2.CH2.CH2.CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M U K1=6.02 B2=10.95 1970CMc (50578) 868

Hg++ gl oth/un 20°C .005M U B2=18.8 1953PEa (50579) 869
Medium: 0.005 Hg(NO3)2

C6H14N2 L CAS 25155-35-5 (2282)
N,N-Dimethylpiperazine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1974FGa (50656) 870

K(HgI2+L)=3.35

In benzene. DH=-41.1 kJ mol⁻¹; DS=-72 J K⁻¹ mol⁻¹.

C6H14N2O2 HL Lysine CAS 56-87-1 (41)
2,6-Diaminohexanoic acid; H2N.(CH2)4.CH(NH2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=11.3 B2=18.70 1974VBa (50825) 871

C6H14N4O2 HL Arginine CAS 74-79-3 (40)
2-Amino-5-guanidopentanoic acid; H2N.CH((CH2)3.NH.C(:NH)(NH2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=11.5 B2=18.80 1974VBa (51010) 872

Hg++ gl KNO3 25°C 0.10M U K1=5.34 B2=10.21 1970CMc (51011) 873

Hg++ gl oth/un 19°C 0.00 U B2=17.4 1953PEa (51012) 874
Medium: 0.005 Hg(NO3)2

C6H14S L Isopropyl sulfide CAS 625-80-9 (5674)
2,2'-Thiodipropene, diisopropyl sulfide; (CH3)2CH-S-CH(CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% U K1=7.84 B2=13.29 1986MMb (51138) 875
B3=15.92
B4=16.95

Medium: acetone, Bu4NClO4

C6H15N L Hexylamine CAS 111-26-2 (4352)
Hexylamine; CH3.CH2.CH2.CH2.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% U B2=13.43 1989PSa (51159) 876
In DMSO; ionic medium: 0.1M Et4NClO4

C6H15N L Triethylamine CAS 121-44-8 (1340)
N,N,N-Triethylamine; (C2H5)3N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 25°C 0.40M U K1=7.8 B2=14.8 1950BJa (51178) 877
Medium: 0.4 C6H15N, HNO3

C6H15NO3 Triethanolamine CAS 102-71-6 (447)

Tris-(2-hydroxyethyl)amine; L

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE a/c/w 25°C 20% U I B2=16.88 1969MPe (51293) 878
B3=17.31
B4=17.52

Medium: 0-100% EtOH, 0.4 M LiNO3. 0%: B2=16.9, B3=16.63, B4=17.27
B3(60%)=18.14, B4(100%)=18.96, B5(100%)=19.57

Hg++ gl KNO3 25°C 0.50M U K1=6.90 B2=13.08 1950BJa (51294) 879

C6H15OPS2 HL CAS 996-17-8 (4400)

O-Butyl hydrogen P-ethylphosphonodithioate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF a/c/w 25°C 40% U B2=29.8 1970TCa (51478) 880
B3=32.4

C6H15O2PS2 HL (2059)

O,O'-Dipropyl dithiophosphoric acid; (C3H7O)2P(S)SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U 1971DGb (51488) 881
K(2HgL2=Hg2L4)=0.00

Medium: benzene

Hg++ EMF a/c/w 25°C 40% U B2=28.0 1970TCa (51489) 882

B3=29.4

B4=31.3

Medium: 40% EtOH, 0.3 M KNO3

C6H15O2PS2 HL CAS 25134-38-7 (4401)

Phosphorodithioic acid O,O-diisopropyl ester; (CH3.CH(CH3)O)2PS.SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE a/c/w 25°C 40% U B2=28.4 1970TCa (51501) 883

B3=29.7

B4=31.8

Medium: 40% EtOH, 0.3 M KNO3

C6H15O15P3 H6L Ins(1,2,6)P3 CAS 28841-62-5 (6479)

D-myo-Inositol 1,2,6-trisphosphoric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M U 1991LSa (51535) 884

B(HgHL)=18.75
B(Hg2L)=20.92
B(Hg3L)=25.54

C6H15PS2 HL CAS 32338-34-4 (4394)
P,P-Di-(1-methylethyl)phosphinodithioic acid; ((CH3)2CH)2.PS.SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF alc/w 25°C 40% U B2=33.2 1970TCa (51550) 885
Medium: 40% EtOH, 0.3 M KNO3

C6H15PS2 HL CAS 22689-71-0 (4395)
P,P-Dipropylphosphinodithioic acid; (CH3.CH2.CH2)2.PS.SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF alc/w 25°C 40% U B2=32.8 1970TCa (51555) 886
Medium: 40% EtOH, 0.3 M KNO3

C6H16N2 L CAS 124-09-4 (358)
1,6-Diaminohexane; H2N.(CH2)6.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt NaNO3 20°C 1.0M U K1=10.89 1980BMc (51584) 887

Hg++ gl NaNO3 20°C 1.0M U K1=21.9 1976BMg (51585) 888

C6H16N2 L Tetraheen CAS 110-18-9 (124)
N,N,N',N'-Tetramethyl-1,2-diaminoethane; (CH3)2N.CH2.CH2.N(CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt non-aq 25°C 100% U K1=2.60 B2=5.95 1979SZa (51645) 889
Medium: DMSO, 0.1 M NaClO4

Hg++ cal non-aq 30°C 100% U H 1976FGa (51646) 890
K(Hg(SCN)2+L)=4.48
Medium: MeCN. DH=-64.0 kJ mol-1; DS=-126

Hg++ cal non-aq 30°C 100% U H 1974FGa (51647) 891
K(HgCl2+L)=6.0
K(HgBr2+L)=6.60
K(HgI2+L)=6.30

In benzene. For HgCl2, DH=-90.2 kJ mol-1; DS=-182 J K-1 mol-1. For HgBr2,
DH=-94.7; DS=-187. For HgI2, DH=-96.3; DS=-196.

C6H16N2O2 L CAS 93798-65-3 (3119)
3,6-Diaza-1,8-dihydroxyoctane; HO.CH2.CH2.NH.CH2.CH2.NH.CH2.CH2.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=12.10 1986TSa (51688) 892

C6H16N2O2 L CAS 929-59-4 (915)
3,6-Dioxaoctane-1,8-diamine; H2N.CH2.CH2.O.CH2.CH2.O.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C H K1=18.55 1975ANa (51701) 893
Medium: Me4NNO3. DH(K1)=-102.5 kJ mol⁻¹, DS=11.3

C6H17N3 L CAS 35513-87-2 (292)
1,4,9-Triazanonane, 3-Azaheptane-1,7-diamine; H2NCH2CH2NHCH2CH2CH2CH2NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=19.17 1999Lba (51849) 894

C6H17N3 L CAS 56-18-8 (968)
1,5,9-Triazanonane, 4-azaheptane-1,7-diamine; H2N.CH2.CH2.CH2.NH.CH2.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M C M 2004Lba (51899) 895
B(HgAHL)=30.63
K(HgA+HL)=8.08
B(HgAH2L2)=46.69
H2A is cytidine-5'-monophosphoric acid.

Hg++ gl KNO3 20°C 0.10M C M 2003Lba (51900) 896
B(HgAL)=23.28
K(HgA+L)=16.57
K(HgA+L=HgAL(OH)+L)=12.52
A is cytidine.

Hg++ gl KNO3 20°C 0.10M U K1=19.75 1999Lba (51901) 897
B(HgHL)=25.10

C6H18N4 L Trien-tetramine CAS 112-24-3 (11)
1,4,7,10-Tetraazadecane; H2N.CH2.CH2.NH.CH2.CH2.NH.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF KNO3 25°C 1.0M C K1=24.53 1983DWa (52106) 898
Method: Hg electrode.

Hg++ ISE KNO3 25°C 1.00M C H K1=24.15 1982ABc (52107) 899
B(HgHL)=26.35

By calorimetry: DH1=-123.8 kJ mol⁻¹, DS1=47.2

Hg++ EMF non-aq 25°C 100% U B2=18.00 1979SZa (52108) 900
Medium: DMSO

Hg++ vlt NaCl04 25°C 0.20M U H K1=24.5 1976KKb (52109) 901
DH=-126.3 kJ mol⁻¹, DS=45.2

Hg++ gl oth/un 25°C 0.10M U M 1976PBa (52110) 902
K(Hg(CN)2+L)=2.73
K(Hg(CN)2L+Hg(CN)2)=1.81
K(Hg(CN)2+HL)=2.19
K(Hg(CN)2HL+Hg(CN)2)=0.82

K(Hg(CN)2+H2L)=0.90

Hg++ gl KCl 25°C 0.10M U K1=25.0 1957RSb (52111) 903

Hg++ gl KCl 20°C 0.50M U K1=26.26 1950SCa (52112) 904
K(Hg+HL)=20.9

In 0.5 M KBr K1=26.35, K(Hg+HL)=23.6. Corrected for Hg-halide complexes

C6H18N4 L Tren CAS 4097-89-6 (817)
2,2',2''-Triaminotriethylamine; (H2N.CH2.CH2)3N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.50M U I K1=25.8 1950PSa (52199) 905
In 0.5 M KBr K1=27.3. Values corrected for Hg-halide complexes
In 0.1 M KCl K(Hg+HL)=4.5

C7H4N2O7 H2L CAS 609-99-4 (400)
3,5-Dinitrosalicylic acid; (O2N)2.C6H2(OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 25°C 70% U K1=7.24 B2=12.15 1985ARa (52483) 906

Hg++ gl KNO3 35°C 0.10M U K1=3.20 1970DDa (52484) 907

C7H4O3Br2 H2L CAS 3147-55-5 (1116)
3,5-Dibromosalicylic acid; C6H2(OH)(Br)2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 25°C 70% U K1=9.64 B2=5.65 1985ARa (52542) 908

C7H4O3I2 H2L CAS 133-91-5 (4431)
3,5-Iodosalicylic acid; I2.C6H2.(OH)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 25°C 70% U K1=9.52 B2=16.47 1985ARa (52559) 909

C7H5N04 H2L Dipicolinic aci CAS 449-83-2 (418)
2,6-Pyridinedicarboxylic acid; C5H3N.(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M M M K1=5.45 1996AEa (52778) 910
Data for ternary complexes with aspartic acid, serine, asparagine and
N-(2-acetamido)iminodiacetic acid

Hg++ ISE NaNO3 20°C 0.10M U B2=20.28 1960ANb (52779) 911

C7H5O3Cl H2L CAS 321-14-2 (1113)
5-Chlorosalicylic acid; Cl.C6H3(OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 25°C 70% U K1=11.52 B2=6.66 1985ARa (53345) 912

C7H6N2O4 H2L CAS 2683-49-0 (3753)
4-Aminopyridine-2,6-dicarboxylic acid (4-aminodipicolinic acid)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 20°C 0.10M U K1=15.80 B2=24.49 1965ABa (53509) 913

C7H6O2 HL Benzoic Acid CAS 65-85-0 (462)
Benzenecarboxylic acid; C6H5.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ nmr oth/un 28°C ? U M 1975HMa (53836) 914
K(LHgCl+OH=LHgOH+Cl)=4.04
K(LHgCl+His=LHgHis+Cl)=1.74

Hg++ nmr oth/un 28°C ? U M 1975HMa (53837) 915
K(LHgBr+OH=LHgOH+Br)=2.47

C7H6O2S H2L Thiosalicylic CAS 147-93-3 (236)
2-Mercaptobenzoic acid; HS.C6H4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 20°C 50% U K1=12.35 B2=21.1 1987SIa (53907) 916
Medium: 50% EtOH/H2O, 0.1 M NaClO4

Hg++ gl alc/w 25°C 70% U K1=15.98 B2=25.74 1985ARa (53908) 917

Hg++ sol oth/un 25°C 0.10M U K1=24.84 B2=33.47 1973KDb (53909) 918

C7H6O3 H2L Salicylic acid CAS 69-72-7 (14)
2-Hydroxybenzoic acid, Salicylic acid; HO.C6H4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 25°C 100% M K1=7.5 B2=13.8 1994MPc (54232) 919

Hg++ gl alc/w 25°C 70% U K1=11.62 B2=19.53 1985ARa (54233) 920

C7H7NO2 HL Salicylamide CAS 65-45-2 (3155)
2-Hydroxybenzamide; HO.C6H4.CO.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl diox/w 30°C 50% U T H K1=4.61 B2= 8.36 1973PSc (55330) 921
Medium: 50% dioxane/H2O, 0.3 M KNO3. DH and DS values reported.
Data for 40 C.

C7H7NO2 HL 2-Pyridylacetic CAS 16179-97-8 (2211)
2-Pyridylethanoic acid; C5H4N.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.00M M K1=6.68 B2=10.60 1984CPa (55349) 922
B(HgL(OH))=16.76
B(HgL2(OH))=19.12
B(HgL(OH)2)=22.91

C7H7NO2 HL CAS 3222-47-7 (3154)
6-Methylpyridine-2-carboxylic acid; CH3.C5H3N.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaNO3 20°C 0.10M U B2=16.2 1960ANb (55429) 923

C7H7NO2 HL CAS 495-18-1 (184)
Benzohydroxamic acid; C6H5.CO.NH.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M M K1=4.88 B2= 9.66 1996KSc (55503) 924

C7H7NO3 H2L CAS 89-73-6 (204)
2-Hydroxybenzohydroxamic acid (salicylhydroxamic acid); HO.C6H4.CO.NHOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M M K1=6.01 B2= 9.51 1996KSc (55598) 925

C7H7NS L Thiobenzamide CAS 2227-79-4 (1660)
Thiobenzamide; C6H5.CS.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% U 1977SWa (55705) 926
K(HgCl2+L)=3.63
K(HgBr2+L)=3.88

Medium: Et2O

C7H7N2O2F3S HL CAS 73255-69-3 (559)
2-(Trifluoromethanesulfonamidomethyl)pyridine; C5H4NCH2S(:O)2NHCF3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl diox/w 30°C 45% U K1=7.03 B2=12.56 1982MYb (55714) 927
Medium: 45% v/v dioxan/H2O, 0.01 M KNO3

C7H8 L CAS 108-88-3 (2144)
Toluene; C6H5.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% U M 1974VPb (55784) 928
K(L+HgCl2)=-0.555
K(L+HgBr2)=-0.435

Medium: dichloromethane

C7H8N2OS L CAS 3394-05-6 (3182)
N-3-Hydroxyphenylthiourea; HO.C6H4.NH.CS.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ix KNO3 20°C 0.50M U K1=5.8 1958HOb (55851) 929

C7H8N2O2 HL Salicylic hydra CAS 936-02-7 (2646)
2-Hydroxybenzoic acid hydrazide; HO.C6H4.CO.NH.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl diox/w 25°C 25% U K1=5.87 B2=9.20 1975GSb (55875) 930

C7H8N2S HL Phenylthiourea CAS 103-85-5 (625)
1-Phenyl-2-thiourea; C6H5.NH.CS.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=20.43 1986ECa (55945) 931

Hg++ ISE mixed 25°C 82% U 1979MTd (55946) 932
B4=26.48

Medium: 82% DMF/H2O

C7H8N4O2 H2L Theobromine CAS 83-67-0 (5388)
3,7-Dimethylxanthine, 2,6-Dihydroxy-3,7-dimethylpurine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=10.06 1976BMg (56015) 933

C7H8N4S L CAS 3608-75-1 (1799)
2-Pyridinecarboxaldehyde thiosemicarbazone; C5H4N.CH:N.NH.CS.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 25°C 0.10M U M 1975LMb (56023) 934

B(HgHL)=23.6
B(HgH2L2)=42.1
B(HgH2L(EDTA))=44.0

C7H9N L Benzylamine CAS 100-46-9 (3132)
Benzylamine; C6H5.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 25°C 0.50M U K1=7.51 B2=16.52 1983HNa (56360) 935

Medium: 0.1 M LHN03

C7H9N02 L CAS 1195-59-1 (2754)
2,6-Di(hydroxymethyl)pyridine; C5H3N.(CH2OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 0.50M C K1=24.01 1979CPb (56407) 936

K(Hg+HL)=16.71
K(Hg+2HL)=11.69

Protonation constants (Bull. Soc. Chim. Fr., 1972, 4534) B2=13.5, B3=14.6

C7H9N08 H4L CAS 4379-32-2 (5702)
2-Aminopropane-1,3-dioic-N-2-butane-1,4-dioic acid; (HOOC)2CH.NH.CH(COOH)CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=14.36 1988KMa (56473) 937

B(Hg(OH)L)=22.35

C7H10N2O2S HL (560)
2-(Methanesulfonamidomethyl)pyridine; C5H4N.CH2S(:O)2NHCH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	diox/w	30°C	45%	U			K1=9.51 B2=17.61	1982MYb (56685)	938
In 45% v/v dioxan/H2O, 0.01 M KNO3 K1=9.67, B2=17.90										

C7H11NO2		HL						CAS 54162-90-2	(6019)	
2-Aminocyclohexene(4)-1-carboxylic acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaCl04	25°C	0.50M	C			K1=15.901 B2=22.342	1986GGa (56768)	939
B(HgH-1L)=9.67										
B(HgH-1L2)=13.39										
cis isomer. For trans isomer K1=25.184, B2=31.625, B(HgH-1L)=18.93,										
B(HgH-1L2)=22.65										

C7H11NO6		H3L						(2926)		
2-Aminobutanoic-N-propane-1,3-dioic acid; HOOC.CH(C2H5)NH.CH(COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	KNO3	25°C	0.10M	U			K1=13.03	1985KKb (56845)	940

C7H11N3O		HL						CAS 18259-63-7	(2265)	
N,N-Dimethyl-1-methyl-4-aminopyrimidin-2-one;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	nmr	non-aq	25°C	100%	U	M			1980MCb (56963)	941
K(HgCl2+L)=0.11										
Medium: DMSO-d6										

C7H11N3O2		L						CAS 7389-87-9	(3162)	
Histidine methyl ester										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	oth/un	25°C	0.10M	U			K1=5.33 B2=9.47	1971HMc (57003)	942

C7H12N2O3		HL		Gly-Pro				CAS 704-15-4	(257)	
Glycyl-proline; H2N.CH2.CO.NC4H7.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	20°C	0.20M	U			K1=3.13 B2=5.28	1982RRd (57123)	943

C7H12N2O3		HL		Pro-Gly				CAS 2578-97-6	(262)	
Prolyl-glycine; C4H8N.CO.NH.CH2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

 Hg++ gl KCl 20°C 0.20M U K1=3.28 1982RRd (57149) 944

 C7H13NO2 HL CAS 5691-19-0 (4449)
 2-Aminocyclohexanecarboxylic acid; H2N.C6H10.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl NaClO4 25°C 0.50M C K1=11.457 B2=18.93 1986GGa (57445) 945
 B(HgH-1L)=6.89
 B(HgH-1L2)=13.45
 cis isomer. For trans isomer K1=11.291, B2=18.656, B(HgH-1L)=6.61,
 B(HgH-1L2)=9.30

 C7H13NO3 HL (7175)
 3,3'-Dimethylglutaramide; HOOCH2C(CH3)2CH2CONH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl KNO3 25°C 0.10M U K1=1.61 B2=8.61 1995Mwb (57473) 946

 C7H13NO3S H2L CAS 59-53-0 (1269)
 N-Acetyl-penicillamine; CH3.CO.NH.CH(COOH)C(CH3)2SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ EMF NaClO4 25°C 0.10M U K1=35.5 B2=41.90 1981BCc (57490) 947
 K(Hg+2HL)=34.6

 Hg++ ISE NaClO4 25°C 0.10M U K1=35.41 B2=41.61 1980CJa (57491) 948

 C7H13NO4S H2L (3184)
 N-(2-Methylthioethyl)iminodiethanoic acid; CH3.S.CH2.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl KCl 20°C 0.10M U K1=8.01 B2=13.83 1955SAa (57547) 949
 K(Hg(OH)L+HL)=9.82

 C7H13NO5 H2L CAS 62117-07-1 (3171)
 N-(2-Methoxyethyl)iminodiethanoic acid; CH3.O.CH2.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl KCl 20°C 0.10M U K1=5.94 B2=10.03 1955SAa (57575) 950
 K(HgLOH+H)=9.62
 K(HgL(OH)2+H)=-10.75
 K(HgL2OH+H)=10.35

 C7H13NO6 H2L CAS 32013-58-4 (6079)

N-(2,3-Dihydroxypropyl)iminodiethanoic acid; HO.CH2.CH(OH).CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U B2=12.57 1980MRc (57613) 951

C7H14O5S2 HL Hexylxanthic ac CAS 6791-11-3 (4456)
Hexylxanthogenic acid; CH3(CH2)5.0.CSSH (hexoxydithioformic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 25°C var U M B(HgL(CN)2)=35.54 1970AFa (57850) 952

C7H16S L CAS 26158-99-6 (5696)
Pentyl-ethylsulfide; C2H5.S.C5H11

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% U K1=7.96 B2=13.40 1986MMb (58095) 953
B3=16.04
B4=17.11

Medium: acetone, Bu4NC104

C7H18N2 L CAS 110-95-2 (2277)
N,N,N',N'-Tetramethyl-1,3-diaminopropane; (CH3)3N.CH2.CH2.CH2.N(CH3)3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H K(HgCl2+L)=4.48
K(HgBr2+L)=4.85
K(HgI2+L)=5.00

In benzene. For HgCl2, DH=-80.0 kJ mol⁻¹; DS=-179 J K⁻¹ mol⁻¹. For HgBr2,
DH=-84.8; DS=-184. For HgI2, DH=-83.6; DS=-180.

C7H19N3 L Spermidine CAS 124-20-9 (13)
1,5,10-Triazadecane, 4-Azaoctane-1,8-diamine; H2N.(CH2)3.NH.(CH2)4.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M C M B(HgAL)=23.32
K(HgA+L)=11.52
B(HgAHL)=31.47
K(HgA+HL)=8.81

B(HgAH2L)=38.38, K(HgA+H2L)=5.80, B(HgH-1AL)=12.65.

H2A is cytidine-5'-monophosphoric acid.

Hg++ gl KNO3 20°C 0.10M C M 2003Lba (58309) 956

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	nmr	non-aq	34°C	100%	U	M			1981KKc (60112)	963

K(HgCl₂+L)=0.63

Medium: nitromethane

 C8H9NO2 HL CAS 4410-31-5 (4513)
 2-Hydroxy-2-phenylacetamide; C6H5.CH(OH).CO.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	0.10M	U	M			1970GSb (60182)	964

K(HgCl₂+L=HgClL+Cl)=5.41
 K(HgClL+L=HgL2+Cl)=5.05
 K(HgClL+OH=HgLOH+Cl)=4.93

 C8H9NO3 HL CAS 2292-53-7 (8860)
 Mandelohydroxamic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	20°C	0.10M	U			K1=5.46 B2=10.82	1989SMc (60445)	965

 C8H9N2O2F3S HL CAS 58157-03-2 (212)
 2-(Trifluoromethanesulfonamidoethyl)pyridine; C5H4NCH2CH2S(:O)2NHCF3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	diox/w	30°C	45%	M			K1=6.7(1) B2=8.5(0)	1984MYa (60531)	966

 C8H10 L o-Xylene CAS 95-47-6 (3072)
 1,2-Dimethylbenzene, 2-Xylene; CH3.C6H4.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	sp	non-aq	25°C	100%	U	M			1974VPb (60676)	967

K(L+HgCl₂)=-0.485
 K(L+HgBr₂)=-0.376

Medium: dichloromethane

 C8H10N2O HL Mandelamidine CAS 700-63-0 (3825)
 2-Hydroxy-2-phenylacetamidine; C6H5.CH(OH).C(:NH)NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	0.10M	U	M			1970GSb (60716)	968

K(HgCl₂+HL=HgClHL+Cl)=3.86
 K(HgClHL+HL=Hg(HL)₂+Cl)=3.96
 K(HgClHL+OH=Hg(OH)HL+Cl)=4.42

C8H10N2OS HL (4577)
N-Methylaminothioformyl-N-phenylhydroxylamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ oth NaClO4 30°C 0.10M U K1=11.30 B2=22.20 1972MBe (60727) 969

C8H10N2O3S HL CAS 144-80-9 (8160)
4-Aminobenzenesulfonylacetaide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=8.22 1976BMg (60749) 970

C8H10N2S L CAS 538-28-3 (2599)
2-Benzyl-2-thiopseudourea; C6H5.CH2.S.C(:NH)(NH2)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE mixed 25°C 82% U K1=18.89 B2=21.82 1979MTd (60768) 971
B3=24.53

Medium: 82% DMF/H2O

C8H10N2S L (2598)
2-Tolylthiocarbamide; CH3.C6H4.NH.CS.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE mixed 25°C 82% U 1979MTd (60774) 972
B4=27.30

Medium: 82% DMF/H2O

C8H10O2 L CAS 589-29-7 (3801)
1,4-Dimethoxybenzene (4-methoxyanisole); C6H4(OCH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaClO4 26°C 1.0M U 1964WDa (60831) 973
K(Hg+L=HgH-1L+H)=2.7

C8H10O9 H4L CAS 137172-86-2 (6612)
SS-Oxydisuccinic acid; O(CH(COOH)CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.10M C 1992MMa (60904) 974
K1=13.82
K(HgL+H)=5.89
K(HgHL+H)=4.62
K(HgH2L+H)=3.16
K(Hg+HL)=13.75

K(Hg+H2L)=13.57, K(Hg+H3L)=13.33

C8H10O9 H4L CAS 84852-72-2 (6611)
meso-Oxydisuccinic acid; O(CH(COOH)CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	0.10M	C			K1=14.37 K(HgL+H)=5.72 K(HgHL+H)=4.70 K(HgH2L+H)=3.72 K(Hg+HL)=14.12	1992MMa (60916)	975

K(Hg+H2L)=13.97, K(Hg+H3L)=13.72

C8H10O10 H4L (5894)
1-Hydroxy-3-oxapentane-1,2,4,5-tetracarboxylic acid;
HO.CH(COOH).CH(COOH).O.CH(COOH).CH2(COOH)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	0.10M	C			K1=14.18 K(HgL+H)=5.57 K(HgHL+H)=4.33 K(HgH-1L+H)=8.66 K(HgH-2L+H)=8.86	1989MMd (60928)	976

K(HgH-3L+H)=9.88

C8H11As L CAS 696-26-4 (2297)
Dimethylphenylarsine; (CH3)2.As.C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H		K(HgCl2+L) > 5 K(HgBr2+L) > 5 K(HgI2+L)=3.61	1976GGb (60933)	977

In benzene. DH(HgCl2L)=-75.1 kJ mol-1; DH(HgBr2L)=-66.7; DH(HgI2L)=-55.0, DS=-113.

C8H11P L CAS 672-66-2 (2290)
Dimethyl-phenyl-phosphine; (CH3)2.P.C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H			1976GGa (61322)	978
HgCl2+L in benzene. DH(K1)=-109; DH(K2)=-37 kJ mol-1										
Hg++	cal	non-aq	30°C	100%	U	H			1976GGa (61323)	979
HgBr2+L in benzene. DH(K1)=-103; DH(K2)=-43 kJ mol-1										

Hg++ cal non-aq 30°C 100% U H 1976GGa (61324) 980
HgI2+L in benzene. DH(K1)=-92; DH(K2)=-36 kJ mol-1

C8H12N2O2 HL Pyridoxamine CAS 85-87-0 (1175)

4-(Aminomethyl)-5-hydroxy-6-methyl-3-pyridinemethanol;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.50M U K1=7.07 B2=12.25 1976EEa (61421) 981

C8H12N2O8 H4L CAS 35039-85-1 (4537)

1,2-Diaminoethane-N,N'-dimalononic acid; (HOOC)2.CH.NH.CH2.CH2.NH.CH(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=18.64 1972GBd (61507) 982

K(Hg+HL)=14.08

B(HgL(OH))=25.41

C8H13NO6 H3L (5681)

2-Aminobutanoic-N,N-diethanoic acid; CH3CH2CH(COOH)N(CH2COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=14.38 1985KKb (61788) 983

K(Hg+HL)=7.04

C8H14N2O3 HL Pro-Ala CAS 6422-36-2 (263)

Prolyl-alanine; C4H8N.CO.NH.CH(CH3).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.20M U K1=3.19 B2=6.11 1982RRd (61928) 984

C8H14O4S3 H2L (2526)

3,6,9-Trithiaundecanedioic acid; HOOC.CH2.S.C2H4.S.C2H4.S.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.50M U B2=19.05 1980NAc (62124) 985

Hg++ gl NaClO4 25°C 0.50M C 1979NPb (62125) 986

K(HgL2+H)=3.76

K(HgHL2+H)=1.58

C8H14O6S2 H2L (1227)

3,6-Dithia-1,8-octanedioic acid; (HO.C2H4.S.CH(COOH))2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=4.67 1978MJa (62138) 987

C8H16N2O3 HL Gly-Leu CAS 869-19-2 (255)
Glycyl-leucine; H2N.CH2.CO.NH.CH(CH2.CH(CH3)2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.20M U K1=2.77 B2=4.61 1982RRd (62388) 988

C8H16N2O3 HL Leu-Gly CAS 686-50-0 (1248)
Leucyl-glycine; H2N.CH(CH2.CH(CH3)2).CO.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.20M U K1=2.31 1982RRd (62433) 989

C8H16N2O4S2 H2L (1226)
3,6-Dithiaoctanediamine-4,5-dicarboxylic acid; (H2N.C2H4.S.CH(COOH))2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=17.53 B2=28.66 1978MJa (62558) 990

C8H16N10 L (7005)
N,N'-Di(2-(5-tetraazolyl)ethyl)-1,2-diaminoethane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 0.10M U K1=12.50 1981ESa (62614) 991

C8H18N2O5 L [12]aneN2O5 CAS 124775-44-6 (7839)
1-Oxa-7-thia-4,10-diazacyclododecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=10.5 1999AMa (62822) 992
Medium: 0.10 M Et4NClO4.

C8H19N L CAS 111-92-2 (849)
Dibutylamine, 5-azanonane; (C4H9)2NH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% U H K1=4.46 B2=10.08 1989PSa (63023) 993
B3=11.6

In DMSO; ionic medium: 0.1M Et4NClO4

C8H19N3S L CAS 87071-53-2 (719)
1-Thia-4,7,10-triazacyclododecane; cyclo(-S.(C2H4.NH)3.C2H4-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.20M	C		K1=24.32	1984KKa (63146)	994

		C8H19O2PS2		HL			CAS 2253-44-3	(2060)	
O,0'-Dibutyl dithiophosphoric acid; (C4H9O)2P(S)SH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	M		1971DGb (63156)	995
							K(HgL2+py) = 0.79		

Medium: benzene

Hg++	EMF	alc/w	25°C	40%	U		B2=29.40 B3=30.20 B4=32.0	1970TCa (63157)	996
------	-----	-------	------	-----	---	--	---------------------------------	-----------------	-----

Medium: 90% EtOH, 0.3 M KNO3

		C8H19O2PS2		HL			CAS 2253-52-3	(4584)	
O,0-Di-isobutyl phosphorodithioic acid; ((CH3)2.CH.CH2O)2P(S)SH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	M		1971DGb (63167)	997
							K(HgL+py)=0.84		

Medium : benzene

Hg++	EMF	alc/w	25°C	90%	U		B2=29.70 B3=30.20 B4=32.0	1970TCa (63168)	998
------	-----	-------	------	-----	---	--	---------------------------------	-----------------	-----

Medium: 90% EtOH, 0.3 M KNO3

		C8H19PS2		HL			CAS 32435-51-5	(4552)	
Di-n-butyl phosphinedithioic acid; (C4H9)2PSSH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	EMF	alc/w	25°C	40%	U		B2=33.6	1970TCa (63207)	999

Medium: 40% EtOH, 0.3 M KNO3

		C8H20N2		L			CAS 111-51-3	(2278)	
N,N,N',N'-Tetramethyl-1,4-diaminobutane; (CH3)2N.CH2.CH2.CH2.CH2.N(CH3)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H		1974FGa (63218)	1000

K(HgCl2+L)=5.30
K(HgBr2+L)=5.30
K(HgI2+L)=4.30

In benzene. For HgCl2, DH=-85.3 kJ mol-1; DS=-179 J K-1 mol-1. For HgBr2,

DH=-74.3; DS=-143. For HgI2, DH=-78.7; DS=-177.

C8H20N4 L Cyclen CAS 294-90-6 (10)
1,4,7,10-Tetraazacyclododecane; cyclo(-(NH.CH2.CH2.)4-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt NaClO4 25°C 0.20M U H K1=25.5 1976KKb (63292)1001
DH=-98.7 kJ mol⁻¹, DS=157.7

C8H22N4 L CAS 35513-90-7 (1545)
1,4,9,12-Tetraazadodecane; NH2.(CH2)2.NH.(CH2)4.NH.(CH2)2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 1.00M C H K1=23.28 1982ABc (63382)1002
By calorimetry: DH1=-109.6 kJ mol⁻¹, DS1=77.8

C8H23N5 L Tetren CAS 112-57-2 (715)
1,4,7,10,13-Pentaazatridecane (Tetraethylenepentamine);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt NaClO4 25°C 0.20M M H K1=24.8 1978KKb (63472)1003
DH1=-139.7 kJ mol⁻¹

Hg++ gl KNO3 25°C 0.10M U K1=27.7 1958RHa (63473)1004

C9H6N3OClS HL CAS 27004-41-7 (216)
2-(2'-Thiazolylazo)-4-chlorophenol; C3H2NS.N:N.C6H3(Cl).OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp diox/w ? 2% U K1=6.21 B2=12.31 1969KAb (63925)1005
Medium: 2% dioxan, 0.1 M KNO3

C9H9NO3 HL Hippuric acid CAS 495-69-2 (1184)
Benzoylaminoethanoic acid, N-benzoylglycine; C6H5.CO.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U M K1=3.01 B2= 5.73 2001SMa (65056)1006
B(Hg(bpy)L)=17.59
B(Hg(bpy)H-1L)=11.66

C9H11NO2 HL Phenylalanine CAS 63-91-2 (2)
2-Amino-3-phenylpropanoic acid; H2N.CH(CH2.C6H5)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=12.4 B2=19.60 1974VBa (65943)1007

Hg++ vlt KNO3 25°C 0.60M U B2=18.06 1966TAb (65944)1008

Hg++ gl oth/un 20°C .005M U B2=18.7 1953PEa (65945)1009
Medium: 0.005 Hg(NO3)2

C9H11NO2 HL CAS 6052-10-4 (4647)
2-Hydroxy-2-phenylpropionamide; CH3.C(C6H5)(OH)CO.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.10M U 1970GSb (65992)1010
K(HgCl2+L=HgClL+Cl)=5.60
K(HgClL+L=HgL2+Cl)=5.45
K(HgClL+OH=HgLOH+Cl)=4.71

C9H11NO3 H2L Tyrosine CAS 60-18-4 (4)
2-Amino-3-(4-hydroxyphenyl)propanoic acid; HO.C6H4.CH2.CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt oth/un 25°C 0.10M C 2002MRa (66225)1011
Beff(Hg2L)=2.80

Method: oxidation of tyrosine at a Pt electrode. Medium: phosphate buffer, pH 7.0. Complex is adsorbed on electrode.

Hg++ gl NaNO3 25°C 0.10M U K1=12.3 B2=19.50 1974VBa (66226)1012

Hg++ gl oth/un 20°C .002M U B2=17.1 1953PEa (66227)1013
Medium: 0.002 Hg(NO3)2

C9H11NO3 HL Phenylserine CAS 2180-37-2 (2546)
2-Amino-3-hydroxy-3-phenylpropanoic acid; C6H5.CH(OH).CH(NH2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 17°C .005M U B2=17.3 1953PEa (66259)1014
Medium: 0.005 Hg(NO3)2

C9H11NO4S H2L CAS 1080-44-0 (4682)
N-(4-Toluenesulfonyl)glycine, N-tosylglycine; CH3.C6H4.SO2.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U M K1=2.97 B2= 5.28 2001Sma (66421)1015
K(Hg+2H-1L)=16.91
B(Hg+bpy+H-1L)=19.08

Also data for 4-nitrophenylsulfonylglycine complexes.

Hg++ gl diox/w 30°C 45% U K1=13.15 1984MYa (66422)1016

Hg++ vlt oth/un 25°C 0.10M U 1968RFa (66423)1017

B4=15.46

C9H11NO4S2 H3L CAS 97512-83-9 (1330)

N-Benzenesulfonyl-L-cysteine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl diox/w 30°C 50% M 1980MDc (66443)1018

*K(HgH2L2)=-10.49

*K(HgHL2)=-11.55

Medium: 50% v/v dioxane/H2O, 0.50 M NaClO4.

Hg++ gl alc/w 30°C 50% M 1978GMf (66444)1019

*K(Hg(H2L)2)=-3.13

*K(Hg(HL)H2L)=-4.19

*K(Hg(HL)2)=-10.49

*K(HgHL2)=-11.54

Medium: 50% EtOH/H2O, 0.50 M NaClO4.

C9H12 L Mesitylene CAS 108-67-8 (3242)

1,3,5-Trimethylbenzene; C6H3(CH3)3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% U M 1974VPb (66541)1020

K(L+HgCl2)=-0.368

K(L+HgBr2)=-0.269

Medium: dichloromethane

C9H12N2O HL Atrolactamidine CAS 27906-16-1 (3878)

2-Hydroxy-2-phenylpropanoylamidine; C6H5.C(OH)(CH3)C(:NH)NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.10M U 1970GSb (66559)1021

K(HgCl2+HL=HgClHL+HL)=4.0

K(HgClHL+HL=Hg(HL)2+Cl)=3.93

K(HgClHL+OH=Hg(OH)HL+Cl)=4.65

C9H12N2O10 H5L CAS 80921-06-8 (2924)

2,3-Diaminopropanoic-N,N'-di-1,3-propanedioic acid;
(HOOC)2CH.NH.CH(COOH).CH2.NH.CH(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=17.64 1983KBd (66736)1022

B(OH)L=24.27

Method: Hg-electrode

Hg++ ISE KNO3 25°C 0.10M U K1=17.64 1982KBb (66737)1023

C9H13N08 H4L (7012)
1,3-Dicarboxypropane-1-iminodiethanoic acid; HOOC.CH(N(CH2COOH)2)CH2CH2COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=14.33 1977GNb (66908)1024
Method: Hg-electrode

C9H13N304 HL CAS 3992-42-5 (2266)
Deoxycytidine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ nmr non-aq 25°C 100% U M 1980MCb (66991)1025
K(HgCl2+L)=1.30

Medium: DMSO-d6

C9H13N305 L Cytidine CAS 65-46-3 (2152)
Cytidine, Cytosine-1-beta-D-ribofuranoside;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=6.71 B2=11.89 1999LBa (67058)1026

Hg++ nmr non-aq 32°C 100% U 1980MCa (67059)1027
K(HgCl2+L)=1.3

Medium: DMSO-d6

Hg++ nmr non-aq 36°C 100% U K1=1.53 1970KLc (67060)1028
Medium: (CH3)2SO. method: nmr

C9H14N203 L (8153)
5-(2-Propyl)-5-ethyl-2,4,6-trihydroxypyrimidine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=9.20 1976BMg (67124)1029

C9H14N209 H4L CAS 56360-11-3 (2576)
2-Hydroxy-1,3-diaminopropane-N,N'-di(1,3-propanedioic acid)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=19.32 1976GKb (67136)1030
B(Hg(OH)L)=26.45

C9H14N3O8P H2L CMP-5 CAS 63-37-6 (1243)
Cytidine-5'-monophosphoric acid, Cytidilic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=11.80 1999LBa (67253)1031

C9H14N4O3 HL Carnosine CAS 305-84-0 (272)
3-Alanyl-histidine; H2N.CH2.CH2.CO.NH.CH(CH2.C3H3N2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M U K1=8.08 1964LMa (67318)1032
K(Hg+HL)=5.27

C9H16N2O6 H2L CAS 24709-35-8 (3274)
N-(2-(2-Ethoxycarbonylamino)ethyl)iminodiethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.10M U K1=4.5 B2=8.0 1955SAa (67628)1033

C9H18N2O3 HL Ala-Leu CAS 1999-42-4 (264)
Alanyl-leucine; H2N.CH(CH3).CO.NH.CH(CH2.CH(CH3)2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.20M U K1=2.79 1982RRd (67907)1034

C9H19N2O4+ H2L (3277)
2-Di(carboxymethyl)aminoethyltrimethylammonium cation
+

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.10M U K1=2.77 B2=5.0 1955SAa (68002)1035

C9H20N2O2 L 13-AneN202 CAS 60350-15-4 (5662)
1,4-Dioxa-7,11-diazacyclotridecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=13.30 1986TSa (68037)1036

C9H21N3O L (2479)
1-Oxa-4,7,11-triazacyclotridecane; cyclo(-0.(CH2.CH2.NH)2.CH2.CH2.CH2.NH.CH2.CH2-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=18.05 1986TSa (68203)1037

 C9H22N4 L CAS 295-14-7 (9)
 1,4,7,10-Tetraazacyclotridecane; cyclo(-(NH.CH2.CH2.)4.CH2-)

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ vlt NaClO4 25°C 0.20M U H K1=25.3 1976KKb (68248)1038
 DH=-103.3 kJ mol-1, DS=139.3

 C9H24N3O9P3 H6L NOTPH CAS 83843-39-3 (224)
 1,4,7-Triazacyclononane-N,N',N''-tris(methylenephosphonic acid);

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl KCl 25°C 1.0M U K1=23.0 1984KMa (68321)1039
 K(Hg+HL)=17.2

 C9H24N4 L CAS 129880-56-4 (1533)
 1,4,10,13-Tetraazatridecane; H2N.(CH2)2.NH.(CH2)5.NH.(CH2)2.NH2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ ISE KNO3 25°C 1.00M C H K1=22.2 1982ABc (68335)1040
 B(HgH2L)=31.5

By calorimetry: DH1=-98.7 kJ mol-1, DS1=93.7

 C9H24N4 L CAS 4963-47-7 (546)
 Tris-(3-aminopropyl)amine;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl NaNO3 20°C 0.10M U K1=20.49 1962TAb (68389)1041

 C10H6O3 HL CAS 83-72-7 (3294)
 2-Hydroxy-1,4-naphthoquinone;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ sp alc/w 20°C 40% U K1=8.77 B2=16.75 1990SIb (68461)1042
 K(Hg+HL)=4.805
 B(Hg(OH)2L)=32.37

Medium: 40% v/v EtOH/H2O, 0.1 M NaClO4

 C10H7NO5S H2L CAS 3682-32-4 (1812)
 2-Nitroso-1-hydroxynaphthalene-4-sulfonic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Hg++ gl KNO3 35°C 0.10M U K1=4.32 1974LSa (68885)1043

C10H7N08S2 H3L Nitroso-R acid CAS 525-05-3 (1811)
1-Nitroso-2-hydroxynaphthalene-3,6-disulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 10°C 0.10M U H K1=6.15 B2=8.87 1979GBf (69014)1044

C10H7O2F3 HL CAS 326-06-7 (196)
3-Benzoyl-1,1,1-trifluoroacetone; CF3.CO.CH2.CO.C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ dis NaClO4 25°C 0.1M U K1=8.65 B2=15.10 1981MIc (69150)1045
Distribution into CCl4 with trioctylphosphate

C10H8N2 L 2,2'-Bipyridyl CAS 366-18-7 (25)
2,2'-Bipyridine; (C5H4N)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 25°C 0.10M C K1=8.30 B2=16.33 1987GGc (69581)1046
B3=19.04
B(HgLOH)=18.15
B(HgL2OH)=20.65

Medium: KSO3CH3

Hg++ cal non-aq 30°C 100% U M K(HgI2+L)=ca.4
1976AGa (69582)1047

Medium: MeCN

Hg++ cal non-aq 30°C 100% U H K(Hg(SCN)2+L)=4.30
1976FGa (69583)1048

Medium: MeCN. DH=-40.7 kJ mol⁻¹; DS=-52

Hg++ cal non-aq 30°C 100% U H K(HgA2+L) < 0.0
1974DGa (69584)1049

In benzene. HA=thiobenzoyl-1,1,1-trifluoroacetone; DH=<-5 kJ mol⁻¹

Hg++ cal non-aq 30°C 100% U H K(HgCl2+L) > 4
K(HgBr2+L) > 4
K(HgI2+L)=3.63
1974FGa (69585)1050

In benzene. For HgCl2, DH=-32.8 kJ mol⁻¹, DS=<-32. For HgBr2, DH=-40.1, DS=<-56. For HgI2, DH=-48.8, DS=-91.

Hg++ ISE NaNO3 20°C 0.10M U K1=9.64 B2=16.74 1963ANG (69586)1051
K3=2.8

C10H9NO8 H2L CAS 83785-11-9 (685)
2-Nitro-1,4-di(carboxymethoxy)benzene; O2N.C6H3.(OCH2COOH)2

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      EMF none   30°C  0.0 U          K1=3.93      1985TZa (70235)1052
-----
Hg++      gl  oth/un 30°C   ? U          K1=4.30  B2=8.24  1985TZa (70236)1053
*****
C10H9NS          L          CAS 46000-25-3 (4721)
1,4-Dihydro-1-methyl-4-thioquinoline;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      kin oth/un 20°C  0.10M U          K(CH3Hg+L)=9.70
1973GEb (70240)1054
*****
C10H9N3OS        HL          CAS 1823-44-5 (4780)
2-(2'-Thiazolylazo)-4-methylphenol; CH3.C6H3(OH).N:N.C3H3NS
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  diox/w 25°C  10% U          K1=6.11  B2=12.22 1969KAa (70348)1055
*****
C10H9N3OS        HL          CAS 60321-26-8 (4671)
2-(2-Thiazolylazo)methylphenol; C3H2NS.N:N.C6H3(CH3)OH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      sp  diox/w 25°C  10% U T        K1=16.07      1973KSd (70361)1056
Medium: 10% dioxan, 0.1 M KNO3. 15 C: K1=16.10; 35 C: K1=16.03
*****
C10H9N3O2S       HL          CAS 3012-52-0 (217)
2-(2'-Thiazolylazo)-4-methoxyphenol; CH3O.C6H3(OH).N:N.C3H2N2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      sp  NaClO4  ?  0.01M U I          K(Hg+2HL)=8.56
1972LHa (70400)1057
Medium: 0.01-2 M HClO4. In 50% EtOH: K1=11.05, B2=20.4
*****
C10H10O2         HL          Benzoylacetone CAS 93-91-4 (197)
1-Phenylbutane-1,3-dione; C6H5.CO.CH2.CO.CH3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      dis NaClO4 25°C  0.1M U          K1=12.08  B2=23.69 1981MIc (70734)1058
Distribution into CCl4 with trioctylphosphate
*****
C10H11NO3S       H2L        Benzoylcysteine CAS 60199-84-0 (2580)
N-Benzoyl-2-amino-3-mercaptopropanoic acid; C6H5.CO.NHCH(COOH)CH2SH
-----

```

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaNO3	25°C	0.15M	U				1979ZNa (70955)	1059
								K(Hg+2HL)=37.45 K(HgHL2+H)=7.39 K(HgL2+H)=8.17		

Hg++	gl	oth/un	25°C	1.00M	U			B2=41.33	1977NZa (70956)	1060
Medium: KI										

C10H11N04			H2L					CAS 1137-73-1	(2567)	
N-Phenyliminodiethanoic acid; C6H5.N(CH2.COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	KNO3	20°C	0.10M	U			B2=12.9	1964PIa (71003)	1061

C10H1104As			H2L					CAS 51525-18-9	(3907)	
As-Phenylarsinodiethanoic acid; C6H5.As(CH2.COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	KNO3	20°C	0.10M	U			K1=14.7 B2=19.92	1964PIa (71130)	1062

C10H1104P			H2L					CAS 58942-13-5	(7014)	
Phenylphosphino-P,P-diethanoic acid, Diphenylphosphinediethanoic acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	NaClO4	25°C	0.10M	U	I		K1=19.7 B2=31.92 B3=34.21	1979PPc (71138)	1063
Method: Hg electrode. In 50% v/v dioxan/H2O: K1=22.2; B2=33.27; B3=35.14										

Hg++	gl	NaClO4	25°C	0.10M	C	I		K1=19.7 B2=31.92 B3=34.21	1979PPd (71139)	1064
Additional methods: polarography and Hg electrode.										
In 50% dioxane/H2O: K1=22.2, B2=33.27, B3=35.14.										

C10H12N2O4			H2L					CAS 16598-05-3	(967)	
2-Pyridylmethyliminodiethanoic acid; C5H4N.CH2.N(CH2.COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	NaNO3	20°C	0.10M	C	H		K1=14.90 B2=24.10	1981ANb (71261)	1065
DH(K1)=-50.0 kJ mol ⁻¹ , DH(K2)=-48.5 kJ mol ⁻¹										

C10H12N4O4			H2L					Thymine-thymine CAS 3660-32-0	(8529)	
Hexahydrodimethyl-Cyclobuta[1,2:4,3]dipyrimidine-2,4,5,7-tetrone, cis-syn Thymine dimer;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.10M	U			K1=13.55 B(HgH-1L)=6.73 B(HgH-2L)=-1.69	1984PTa (71325)	1066

Additional method: Hg electrode.

C10H13N04S H2L N-Tosylalanine (1584)
 N-(4-Toluenesulfonyl)-3-aminopropanoic acid; CH3.C6H4.SO2.NH.CH2.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaNO3	25°C	0.10M	U	M		K1=3.20 B2= 5.99 K(Hg+2H-1L)=16.42 B(Hg+bpy+H-1L)=18.88	2001SMa (71771)	1067

C10H13N5O4 L Adenosine CAS 58-61-7 (2154)
 Adenosine, Adenine-9-beta-D-ribofuranoside;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	nmr	non-aq	25°C	100%	U	M		K(HgCl2+L)=0.079	1980MCb (71942)	1068

Medium: DMSO-d6

Hg++	nmr	non-aq	36°C	100%	U			K1=0.86	1970KLc (71943)	1069
------	-----	--------	------	------	---	--	--	---------	-----------------	------

Medium: (CH3)2SO

Hg++	ISE	NaClO4	27°C	0.10M	U			B2=8.50	1961FBa (71944)	1070
------	-----	--------	------	-------	---	--	--	---------	-----------------	------

C10H13N5O5 HL Guanosine CAS 118-00-3 (1402)
 2-Aminopurin-6-one-9-ribose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	nmr	non-aq	25°C	100%	U	M		K(HgCl2+L)=0.23	1980MCb (72010)	1071

Medium: DMSO-d6

Hg++	nmr	non-aq	21°C	100%	U			K(Hg+HL)=0.44	1973SFa (72011)	1072
------	-----	--------	------	------	---	--	--	---------------	-----------------	------

Medium: (CH3)2SO

Hg++	nmr	non-aq	36°C	100%	U			K(Hg+HL)=0.77	1970KLc (72012)	1073
------	-----	--------	------	------	---	--	--	---------------	-----------------	------

Medium: (CH3)2SO

C10H14N2O6 L alpha-Thymidine CAS 4449-43-8 (695)
 Thymine-2-desoxyribofuranosyl-5-methyluracil;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	gl	NaNO3	25°C	0.10M	U		K1=7.88 B2=14.94	1987MPa	(72103)1074

Hg++	ISE	NaClO4	27°C	0.10M	U		B2=21.2	1961FBa	(72104)1075

C10H14N5O7P		H2L		AMP-5			CAS 18422-05-4	(842)	
Adenosine-5'-monophosphoric acid, 5-Adenylic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	gl	KNO3	20°C	0.10M	U		K1=12.57 B(HgHL)=17.68	1999Lba	(72454)1076

C10H15NO		L		Ephedrine			CAS 299-42-3	(1836)	
(1-Methylaminoethyl)benzyl alcohol; C6H5.CH(OH)CH(CH3)NHCH3									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	gl	KCl	25°C	.058M	U T		K1=4.24 B2=8.03	1961SMa	(72645)1077
At 0 C: K1=4.50, B2=8.54; 45 C: K1=4.04, B2=7.68									

C10H15N3O4		HL					CAS 838-07-3	(2267)	
5-Methyldeoxycytidine;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	nmr	non-aq	25°C	100%	U	M		1980MCb	(72711)1078
K(HgCl2+L)=1.3									

Medium: DMSO-d6

C10H16N2O8		H4L		EDDS			CAS 52759-67-8	(1100)	
1,2-Diaminoethane-N,N'-di-1,4-butanedioic acid; (CH2.NH.CH(COOH)CH2.COOH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	gl	KNO3	25°C	0.10M	U		K1=14.40 K(Hg+HL)=8.44 B(Hg(OH)L)=23.58	1993VZa	(73140)1079

Hg++	ISE	KNO3	25°C	0.10M	U		K1=17.50 K(Hg+HL)=12.49 K(Hg+OH+L)=24.69	1972Gsi	(73141)1080
------	-----	------	------	-------	---	--	--	---------	-------------

C10H16N2O8		H4L		EDTA			CAS 60-00-4	(120)	
1,2-Diaminoethane-N,N,N',N'-tetraethanoic acid, Sequestric acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg++	vlt	KNO3	25°C	0.10M	U		K1=19.98	1986Eca	(73834)1081

Hg++ EMF NaNO3 29°C 1.0M C H 1986IKb (73835)1082
K(Hg+H4L=HgL+4H)=6.8

Method: Hg/Hg++ electrode. Medium: pH 2.2. DS(K1)=-25 J K-1 mol-1.

Hg++ gl KNO3 25°C 0.10M C T H K1=21.55 1985HWc (73836)1083

Data for 5-35 C. Method: Hg and glass electrodes.

DH(K1)=-54.8 kJ mol-1, DS(K1)=229 J K-1 mol-1.

Hg++ sol KNO3 25°C 1.00M U 1979JPb (73837)1084

K(HgL+H)=3.27

K(HgHL+H)=2.21

Hg++ vlt KNO3 20°C 0.10M U K1=21.80 1978NLb (73838)1085

Hg++ ISE NaClO4 25°C 0.50M U K1=20.80 1977GGb (73839)1086

Hg++ sp NaClO4 25°C 0.10M U M K1=21.75 1975TTa (73840)1087

K(HgL+p-anisidine)=3.40

K(HgL+p-toluidine)=3.11

K(HgL+p-chloroaniline)=2.34

K(HgL+p-nitroaniline)=1.18

K(HgL+aniline)=2.98, K(HgL+m-toluidine)=2.73, K(HgL+m-chloroaniline)=2.44

K(HgL+m-nitroaniline)=2.29, K(HgL+p-iodoaniline)=2.74

Hg++ vlt KNO3 20°C 0.10M U K1=21.78 1970SNa (73841)1088

Hg++ gl KNO3 25°C 0.10M U K1=22.02 1969BNa (73842)1089

K(HgL+H)=3.07

K(Hg+HL)=14.56

Hg++ ISE KNO3 20°C 0.10M U T H K1=21.7 1966Mca (73843)1090

K(HgL+H)=3.19

K1=21.44(30 C), 21.23(40 C). At 25 C: DH(K1)=-37.6 kJ mol-1, DS=280 J K-1 m-1

Hg++ cal KNO3 25°C 0.10M U H 1965WHa (73844)1091

DH(K1)=-80.2 kJ mol-1, DS=155 J K-1 mol-1

Hg++ gl KNO3 20°C 0.10M U K1=21.8 1964ANa (73845)1092

K(Hg+HL)=14.6

Hg++ cal KNO3 20°C 0.10M U H 1963ANf (73846)1093

DH(K1)=-79.1 kJ mol-1, DS=151 J K-1 mol-1

Hg++ oth none ? 0.0 U 1959SRb (73847)1094

K(HgL+NH3)=6.4

K(H+HgLOH)=8.9

Method: vol

Hg++ ISE NaNO3 22°C 0.10M U T K1=21.78 1957SAb (73848)1095

Hg++ ISE NaClO4 25°C 0.10M U K1=22.1 1956SRb (73849)1096
K(HgL+H)=3.3

Hg++ ISE KNO3 25°C 0.10M U T K1=21.64 1956Wmd (73850)1097
K(HgL+H)=14.62

Hg++ vlt none ? 0.0 U K1=21.6 1955MDa (73851)1098

Hg++ ISE KNO3 20°C 0.10M U K1=21.80 1954SGa (73852)1099
K(Hg+HL)=14.6
K(Hg+HL)=8.48
K(HgLOH+H)=9.11

Hg++ vlt oth/un 25°C .065M U K1=22.15 1953GMa (73853)1100

Hg++ vlt KNO3 20°C 0.10M U K1=15.16 1951MKa (73854)1101

C10H16N2O8S2 H4L CAS 20206-12-1 (996)
2,9-Diamino-5,6-dicarboxy-4,7-dithiadecanedioic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K2=12.00 1978MJa (74366)1102

C10H16N2O9 H4L CAS 616-90-0 (2615)
Bis-(2-aminoethylether)-N,N'di(1,3-propanedioic acid); ((HOOC)2CH.NH.CH2.CH2)2O

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=19.90 1979KBe (74376)1103

K(Hg+HL)=15.24
B(Hg(OH)L)=25.74

C10H16O8P2 H4L (6907)
1,2-Diphosphinoethane-P,P,P'P'-tetraethanoic acid;
(HOOC.CH2)2P.CH2.CH2.P(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M C B2=38.85 1992PPb (74948)1104

B(HgH2L2)=49.94
B(HgH4L2)=57.5
B(HgH6L2)=63.7

Additional method: polarography

Hg++ gl NaClO4 25°C 0.10M C B(HgH2L2)=49.4 1982PPc (74949)1105

C10H17N3O6S H3L Glutathione CAS 70-18-8 (333)

Glutamyl-cysteinyl-glycine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaNO3	25°C	0.10M	M	M		K(HgL2+H)=9.89 K(HgL2+2H)=19.13 K(HgL2+3H)=23.43 K(HgL2+4H)=26.78 K(HgL2+5H)=29.26, K(HgL2+6H)=31.47; K(HgL2+Ni)=9.10, K(HgL2+H+Ni)=15.82; K(HgL2+Co)=7.21, K(HgL2+H+Co)=14.48	1990SHa (75121)	1106

Hg++	nmr	non-aq	25°C	100%	U			K(HgL2+L)=3.18	1988SCa (75122)	1107
------	-----	--------	------	------	---	--	--	----------------	-----------------	------

Hg++	vlt	KNO3	25°C	1.0M	U	T		B2=41.58	1953SKb (75123)	1108
------	-----	------	------	------	---	---	--	----------	-----------------	------

B2=43.47(12 C)

 C10H18N2O7 H3L HEDTA CAS 150-39-0 (392)
 N-(Hydroxyethyl)diaminoethane-N,N',N'-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++	ISE	NaClO4	25°C	0.50M	U			K1=19.35	1977GGb (75412)	1109
------	-----	--------	------	-------	---	--	--	----------	-----------------	------

Hg++	gl	KNO3	25°C	0.10M	U			K1=19.97	1969BNa (75413)	1110
------	----	------	------	-------	---	--	--	----------	-----------------	------

2nd method: calorimetry

Hg++	ISE	KNO3	20°C	0.10M	U	T	H	K1=19.47 K(HgL+H)=2.57	1966Mca (75414)	1111
------	-----	------	------	-------	---	---	---	---------------------------	-----------------	------

K1=19.3(30 C),19.1(40 C). At 25 C: DH(K1)=-29.3 kJ mol⁻¹, DS=272 J K⁻¹ mol⁻¹

Hg++	cal	KNO3	25°C	0.10M	U		H	DH(K1)=-83.6 kJ mol ⁻¹ , DS=105 J K ⁻¹ mol ⁻¹	1965WHa (75415)	1112
------	-----	------	------	-------	---	--	---	--	-----------------	------

Hg++	ISE	KNO3	25°C	0.10M	U			K1=20.1	1960HRa (75416)	1113
------	-----	------	------	-------	---	--	--	---------	-----------------	------

Hg++	oth	R4N.X	25°C	0.10M	U			K(HgL+NH3)=6.1 K(HgLOH+H)=8.4	1959SRb (75417)	1114
------	-----	-------	------	-------	---	--	--	----------------------------------	-----------------	------

 C10H19NO4 H2L (3328)
 N-(3,3-Dimethylbutyl)iminodiethanoic acid; (CH3)3C.CH2.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++	gl	KCl	20°C	0.10M	U			K1=5.91 B2=10.71	1955SAa (75639)	1115
------	----	-----	------	-------	---	--	--	------------------	-----------------	------

 C10H20O5 L 15-Crown-5 CAS 33100-27-5 (576)
 1,4,7,10,13-Pentaoxacyclopentadecane; cyclo(-(O.CH2.CH2)5-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	oth/un	25°C	0.10M	U	H T		K1=1.68	1976ITb (76005)	1116
DH=-15.0 kJ mol ⁻¹ .										

C10H20S4		L		14-Ane-S4				CAS 24194-61-4	(175)	
1,4,8,11-Tetrathiacyclotetradecane; cyclo(-(S.CH2.CH2)2.CH2.(S.CH2.CH2)2.CH2-)										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	dis	non-aq	24°C	100%	U	M			1977SMa (76158)	1117
K(HgLC104+C104)=3.18										
K(HgL+C104)=3.87										

C10H21N04		L						CAS 66943-05-3	(5818)	
1-Aza-4,7,10,13-tetraoxacyclopentadecane;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	alc/w	25°C	95%	U			K1=10.3	1993BDd (76184)	1118
Medium: 95% v/v MeOH/H2O, 0.1 M Et4NC104										

C10H21N11		L						(7006)		
1,7-Di(2-(5-tetraazoly)ethyl)-1,4,7-triazaheptane;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaNO3	20°C	0.10M	U			K1=20.25	1981ESa (76212)	1119

C10H22N2O3		L		Cryptand 2,1				CAS 31249-95-3	(835)	
4,7,13-Trioxa-1,10-diazacyclopentadecane (Trioxa(2,1)cryptand);										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	R4N.X	25°C	0.10M	U			K1=16.65	1982NSb (76318)	1120

C10H24N4		L		Cyclam				CAS 295-37-4	(8)	
1,4,8,11-Tetraazacyclotetradecane; cyclo(-(HN.CH2.CH2.NH.(CH2)3)2-)										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	0.50M	U			K1=23.0	1997BLd (76666)	1121
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	sp	NaClO4	25°C	0.50M	U	M			1997GHb (76667)	1122
Keff(Hg+L+I)=30.8 (0.1 M OH-)										
Data also for 3,6,10,13,16,19-Hexaazabicyclo[6.6.6]icosane and its 1,8-diami no derivative										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt	NaClO4	25°C	0.20M	U	H		K1=23.0	1976KKb (76668)	1123

DH=-137.6 kJ mol⁻¹, DS=-20.5

C10H25N5 L 15-Ane-N5 CAS 295-64-7 (99)
1,4,7,10,13-Pentaazacyclopentadecane; cyclo(-(HN.CH2.CH2)5-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.20M M H K1=28.5 1978KKb (76734)1124
DH1=-136.8 kJ mol⁻¹

C10H26N2O12P4 H8L CAS 28698-30-8 (3342)
N,N,N',N'-Tetra(phosphomethyl)cyclohexane-1,2-diamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 25°C 0.10M U K1=9.51 1959BYa (76759)1125

C10H26N4 L Spermine CAS 71-44-3 (291)
4,9-Diazadodecane-1,12-diamine; (H2N.CH2.CH2.CH2.NH.CH2.CH2.)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=18.40 1999Lba (76795)1126
B(HgHL)=26.56

C10H26N4S4 L CAS 55677-43-5 (1178)
1,1,2,2-Tetramercaptoethylamine-ethane; (CH(S.CH2.CH2.NH2)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K(Hg+H2L)=18.57 1976CJa (76818)1127

C10H28N2O12P4 H8L CAS 23605-74-5 (435)
(Hexamethylenedinitrilo)tetra(methylenephosphonic acid);
(CH2.CH2.CH2.N(CH2.PO3H2)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M U K1=9.51 1980ZRb (76839)1128
K(HgL+H)=7.30

K(HgHL+H)=6.51

K(HgH2L+H)=5.97

K(HgH3L+H)=5.46

C10H28N6 L PENTEN CAS 4097-90-9 (3315)
N,N,N',N'-Tetra-(2-aminoethyl)diaminoethane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 1.0M C K1=29.3 2001GLb (76874)1129
B(HgHL)=37.76
B(HgH2LCl)=43.7, B(HgH-1L)=18.5

Hg++ gl KCl 20°C 0.50M U K1=29.59 1953SMa (76875)1130
K(Hg+HL)=27.93
K(Hg+H2L)=23.7
K(HgL+H)=8.59

C11H8N6O7S2 H4L CAS 35322-95-7 (909)
3-Hydroxy-4-(1H-tetrazol-5-ylazo)-2,7-naphthalenedisulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaClO4 25°C 0.10M U 1983PEa (76938)1131
K(Hg+H2L=HgHL+H)=2.06
K(Hg+H2L=HgH-2L+4H)=-10.77

C11H8N6O8S2 H5L CAS 74385-48-1 (897)
2-(1H-Tetrazol-5-ylazo)chromotropic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaClO4 25°C 0.10M U 1983PEa (76951)1132
K(Hg+H3L=HgH2L+H)=0.22

C11H8O3 H2L CAS 86-48-6 (1129)
1-Hydroxy-2-naphthoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 30°C 0.10M U T H K2=0.89 1976SSb (77011)1133

C11H8O3 L CAS 18916-57-9 (581)
4-Methoxy-1,2-naphthoquinone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 34°C 100% U HM 1981KKb (77139)1134
K(HgCl2+L)=0.49

Medium: nitromethane

C11H12N2O2 HL Tryptophan CAS 73-22-3 (3)
2-Amino-3-(3-indolyl)propanoic acid; H2N.CH(CH2.C8H6N)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=11.7 B2=18.70 1974VBa (78209)1135

C11H13NO6S H3L CAS 20531-36-6 (4872)

N-Benzenesulfonyl-1-glutamic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	none	30°C	0.0	U			K(HgL2+H)=5.68 K(HgHL2+H)=4.80	1970GDb (78698)	1136

C11H14N2O L CAS 51036-80-7 (444)

1-(1-Ethoxyethyl)benzimidazole;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	kin	oth/un	80°C	0.20M	C			K(HgCL2+HL=HgCl2L+H)=4.05	1980LKa (78771)	1137

Medium: 0.2 M HgCL2

C11H14N2O L (4854)

Methylglyoxal 4-dimethylaminoanil

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	sp	oth/un	?	?	U			K1=6.08	1969SMa (78776)	1138

C11H14N2O4 H2L (1880)

N-(6-Methyl-2-pyridylmethyl)iminodiethanoic acid; CH3C5H3NCH2N(CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	NaNO3	20°C	0.10M	C	H		K1=14.90 B2=24.00	1981ANb (78884)	1139

DH(K1)=-48.7 kJ mol⁻¹, DS=119 J K⁻¹ mol⁻¹; DH(K2)=-49.6, DS=5

C11H15NO3 L (6281)

Benzaldehyde:tris-buffer Schiff's base; C6H5.CH:N.C(CH2.OH)3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	alc/w	26°C	60%	U			K1=5.17 B2=8.78	1978TPb (79032)	1140

C11H15NO4 HL CAS 18212-81-2 (6280)

Salicylaldehyde:tris-buffer Schiffs base;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	alc/w	26°C	60%	U			K1=6.23	1978TPb (79044)	1141

C11H15N5O5 HL CAS 2140-65-0 (2184)

1-Methylguanosine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++ nmr non-aq 25°C 100% U M 1980MCb (79074)1142
K(HgCl2+L)=0.48

Medium: DMSO-d6

C11H16N2O10 H5L CEDTA CAS 62394-58-5 (1080)

1-Carboxy-1,2-diaminoethane-N,N,N',N'-tetraethanoic acid;
(HOOCCH2)2NCH(COOH)CH2N(CH2COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=20.33 1980KBe (79109)1143
K(Hg+HL)=15.15
B(Hg(OH)L)=27.30

Method: Hg-electrode

C11H16N2S2 L CAS 771500-52-8 (9193)

2,8-Dithia-5-aza-2,6-pyridinophane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=10.68 2004BBe (79118)1144
K(HgL+OH)=3.24

Medium: 0.1 M Me4NO3

C11H16O8S4 H4L CAS 51865-18-0 (1138)

(Propanediylylidenetetraethio)tetra-ethanoic acid; ((HOOC.CH.S)2.CH)2.CH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=16.61 1975JBa (79146)1145
The species has not been identified but it is thought to be Hg+H4L=HgH4L.

C11H18N2O3 L CAS 76-74-4 (8154)

5-(1-Methylbutyl)-5-ethyl-2,4,6-trihydroxypyrimidine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 1.0M U K1=9.23 1976BMg (79203)1146

C11H18N2O8 H4L PDTA CAS 4408-81-5 (1655)

1,2-Diaminopropane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=20.20 1981NSc (79290)1147

Hg++ ISE KNO3 25°C 0.10M U K1=20.33 1980KBc (79291)1148

Hg++ vlt KNO3 20°C 0.10M U K1=22.52 1978NLb (79292)1149

Hg++ vlt KNO3 25°C 1.00M U 1977HDa (79293)1150
K1eff=18.82

Keff at pH 7

Hg++ ISE KNO3 20°C 0.10M U K1=22.81 1964ICb (79294)1151
K(Hg+HL)=3.12

C11H18N2O8 H4L CAS 38539-29-0 (2573)
1,3-Diaminopropane-N,N'-di(1,4-butanedioic acid)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=17.09 1976GKb (79365)1152
K(Hg+HL)=12.78
K(Hg+H2L)=9.59
B(Hg(OH)L)=24.92

C11H18N2O8 H4L CAS 4408-81-5 (923)
1,3-Diaminopropane-N,N,N',N'-tetraethanoic acid; ((HOOCC.H2)2N.CH2.)2.CH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 1.0M C I 1999ANa (79448)1153
B(Hg2L2)=40.43

Method: Glass electrode plus Hg electrode. At I = 0.1 M, B(Hg2L2)=42.1.

Hg++ gl KNO3 20°C 0.10M U H 1964ANa (79449)1154
K(Hg+HL)=13.46

By calorimetry: DH(K1)=-79.0 kJ mol⁻¹, DS=111 J K⁻¹ mol⁻¹

Hg++ gl KNO3 20°C 0.10M U 1964LAa (79450)1155
K(HgL+H)=4.00

By ion-selective electrode: K1=19.92

Hg++ ISE NaNO3 20°C 0.10M C K1=19.70 1957SSa (79451)1156
K(Hg+HL)=12.53

C11H18N2O9 H4L HDPTA CAS 3148-72-9 (431)
1,3-Diamino-2-hydroxypropane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.10M U K1=18.35 1975HAa (79558)1157
B(HgHL)=13.34
K(Hg+HgL=Hg2L)=8.0

Hg++ vlt KNO3 20°C 0.10M U K1=20.59 1962SKa (79559)1158

C11H18N2O9 H4L CAS 668-21-1 (2562)

2-Hydroxy-1,3-diaminopropane-N,N'-di(1,4-butanedioic) acid

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      ISE KNO3   25°C 0.10M U          K1=17.73      1976GKb (79596)1159
                                     K(Hg+HL)=12.90
                                     B(Hg(OH)L)=25.10
*****
```

C11H20N2O3 HL Pro-Leu CAS 52899-07-7 (258)
 Prolyl-leucine; C4H8N.CO.NH.CH(CH2.CH(CH3)2).COOH

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl KCl     20°C 0.20M U          K1=3.13 B2=6.02 1982RRd (79706)1160
*****
```

C11H22N4O2S L CAS 91328-04-4 (1610)
 1,5,8,14-Tetraaza-11-thiacyclohexadecane-2,4-dione;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      vlt NaNO3 25°C 0.20M C M          B(HgH-1L)=8.40
*****
```

C11H23N5O2 L CAS 76201-28-0 (1606)
 1,4,8,11,14-Pentaazacyclohexadecane-5,7-dione;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      vlt NaNO3 25°C 0.20M C M          B(HgH-1L)=10.14
*****
```

C11H25N5O L CAS 91328-02-8 (1605)
 1,5,8,11,14-Pentaazacyclohexadecane-2-one;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      vlt NaNO3 25°C 0.20M C M K1=22.82 1989KKa (79949)1163
                                     B(HgH-1L)=14.10
*****
```

C11H26N4 L CAS 15439-16-4 (7)
 1,4,8,12-Tetraazacyclopentadecane; cyclo(-(NH.CH2.CH2.(N.(CH2)3.)3-)

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      vlt NaClO4 25°C 0.20M U H K1=23.7 1976KKb (79992)1164
DH=-103.3 kJ mol-1, DS=106.7
*****
```

C11H26N4S L CAS 80846-36-2 (720)
 1-Thia-4,7,11,14-tetraazacyclohexadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.20M	C			K1=25.15	1984KKa (80023)	1165

C11H27N5			L					CAS 29783-72-0	(98)	
1,4,7,10,13-Pentaazacyclohexadecane; cyclo(-(NH.CH2.CH2)5.CH2-)										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.20M	M	H		K1=27.4	1978KKb (80033)	1166
DH1=-143.9 kJ mol-1										

C11H28N4S4			L					CAS 55677-44-6	(1179)	
1,1,3,3,-Tetramercaptoethylamine-propane; CH2(CH(S.CH2.CH2.NH2)2)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	0.10M	U			K(Hg+H2L)=18.79	1976CJa (80041)	1167

C12H7N2Cl			L					CAS 4199-89-7	(2751)	
5-Chloro-1,10-phenanthroline;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	35°C	0.10M	C	M		K1=12.64 B2=16.48	1998LYa (80146)	1168
B(HgLA)=21.71										
B(HgHLA)=29.78										
A is 3,3,9,9-tetramethyl-4,8-diazaundecane-2,10-dione dioxime.										

C12H7N3O2			L					CAS 4199-88-6	(449)	
5-Nitro-1,10-phenanthroline;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	35°C	0.10M	C	M		K1=11.40 B2=14.96	1998LYa (80177)	1169
B(HgLA)=20.46										
B(HgHLA)=28.32										
A is 3,3,9,9-tetramethyl-4,8-diazaundecane-2,10-dione dioxime.										

C12H8N2			L					Phenanthroline CAS 66-71-7	(144)	
1,10-Phenanthroline;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	35°C	0.10M	C	M		K1=13.23 B2=18.12	1998LYa (80459)	1170
B(HgLA)=22.86										
B(HgHLA)=30.60										
A is 3,3,9,9-tetramethyl-4,8-diazaundecane-2,10-dione dioxime.										

Hg++ gl oth/un 25°C 0.10M C K1=9.85 B2=19.04 1987GGc (80460)1171
B3=23.13
B(HgLOH)=19.85
B(HgL2OH)=23.35
B(HgL(OH)2)=24.2

Medium: KSO3CH3

Hg++ cal non-aq 30°C 100% U H 1976FGa (80461)1172
K(Hg(SCN)2+L)=4.30

Medium: MeCN. DH=-50.5 kJ mol⁻¹; DS=-84

Hg++ cal non-aq 30°C 100% U H 1974FGa (80462)1173
K(HgBr2+L) > 4
K(HgI2+L) > 4

In benzene. For HgBr2, DH=-70.8 kJ mol⁻¹, DS=<-158. For HgI2, DH=-68.5,
DS=<-150

Hg++ ISE NaNO3 20°C 0.10M U B2=19.65 1963ANg (80463)1174
K3=3.7

Hg++ ISE NaNO3 20°C 0.10M U B2=19 1959ANc (80464)1175
Kso=-24.70

C12H10N2O HL CAS 10354-53-7 (3970)
2-Benzoylpyridine oxime; C5H4N.C(:N.OH).C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 40°C 40% U TIH K1=10.16 B2=17.98 1965SSa (80659)1176
Medium: 40% acetone, 0.05 NaClO4. K1=9.44(20 C),9.79(30 C); K2=6.94(20 C),
7.20(30 C). Also at I=0 to 0.1.

C12H12N2 L CAS 4916-40-9 (4895)
1,2-Bis(2-pyridyl)-ethane; C5H4N.CH2.CH2.C5H4N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=7.0 B2=11.40 1970BAa (80992)1177

C12H12N2O3 H2L Phenobarbital CAS 50-06-6 (5924)
5-Ethyl-5-phenyl-barbituric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 20°C 1.0M U K1=10.13 1976BMg (81088)1178
Medium: 1.0 M NaNO3 in 60% v/v EtOH in H2O

C12H13N3 L CAS 1539-42-0 (932)
bis-((2-Pyridyl)methyl)-amine (Di-2-picolyamine); C5H4N.CH2NHCH2.C5H4N

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	20°C	0.10M	C	H	B2=22.25		1977AHc (81285)	1179
Calorimetry: DH(B2)=-101.9 kJ mol ⁻¹ , DS(B2)=52.5										

C12H14O14		H6L					CAS 111451-17-3	(5895)		
3,6-Dioxaoctane-1,2,4,5,7,8-hexacarboxylic acid; (CH2(COOH).CH(COOH).O.CH(COOH)-)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	0.10M	C		K1=15.49		1989MMd (81417)	1180
K(HgL+H)=5.48										
K(HgHL+H)=5.20										
K(HgH2L+H)=4.04										
K(HgL+Hg)=8.9										
K(HgH-1L+H)=8.26, B(Hg2H-1L)=22.33, B(Hg2H-3L)=5.16, B(Hg2H-5L)=-13.18										

C12H15NO6S		H2L					CAS 34605-45-3	(4959)		
4-Toluenesulfonyl glutamic acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt	KCl	25°C	0.10M	U		B4=16.10		1968RFa (81523)	1181

C12H16N2O8S4		H6L					(7852)			
N,N'-Bis(dithiocarboxy)-N,N'-bis-1,1'-(1,2-dicarboxyethyl)ethylenediamine;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	20°C	0.1M	U		K1=27.0		1999SAa (81616)	1182

C12H16O4S6		L					CAS 66785-63-5	(7805)		
1,4,7,10,13,16-Hexathiacyclooctadecane-2,3,11,12-tetraone;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	con	none	25°C	0.0	C	T H	K1=7.5		1998GRa (81690)	1183
DH(K1)=-108 kJ mol ⁻¹ , DS(K1)=-240 J K ⁻¹ mol ⁻¹ .										
Also data for 15-45 C.										

C12H18N2O8		H4L					CAS 76079-31-7	(2587)		
trans-1,2-Diaminocyclohexane-N,N'-di(propanedioic acid)										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	KNO3	25°C	0.10M	U		K1=19.62		1978SGb (81866)	1184
K(Hg+HL)=12.31										
K(Hg+H2L)=9.7										

C12H18O8S4 H4L CAS 51865-19-1 (1140)
 (Butanediyliidenetetraathio)tetraethanoic acid; ((HOOC.CH2.S)2.CH.CH2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	NaCl04	25°C	0.10M	U				1975JBa (81966)	1185
									K(Hg+H4L)=16.88	

C12H19P L CAS 7650-83-1 (2291)
 Dipropyl-phenyl-phosphine; (CH3.CH2.CH2)2P.C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H			1976GGa (81995)	1186
HgI2+L in benzene. DH(K1)=-87; DH(K2)=-51 kJ mol-1										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H			1976GGa (81996)	1187
HgBr2+L in benzene. DH(K1)=-105; DH(K2)=-48 kJ mol-1										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H			1976GGa (81997)	1188
HgCl2+L in benzene. DH(K1)=-100; DH(K2)=-37 kJ mol-1										

C12H20N2O8 H4L CAS 40623-42-5 (1101)
 1,2-Diaminoethane-N,N'-di(2-pentane-1,5-dioic acid); (CH2NHCH(COOH)CH2CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	KNO3	25°C	0.10M	U			K1=16.66	1972GBe (82074)	1189

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	KNO3	25°C	0.10M	U			K1=16.64	1972GSi (82075)	1190
									K(Hg+HL)=12.0	
									K(HgHL+HL)=8.15	
									B(Hg(OH)L)=23.20	

C12H20N2O8 H4L CAS 61368-60-3 (3389)
 1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-propanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt	KNO3	20°C	0.10M	U			K1=21.33	1970SNa (82134)	1191

C12H20N2O8 H4L CAS 2458-58-4 (922)
 1,4-Diaminobutane-N,N,N',N'-tetraethanoic acid; (HOOC.CH2)2N.(CH2)4.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	25°C	1.0M	C	I			1999ANa (82220)	1192
									B(Hg2L2)=42.50	

Method: Glass electrode plus Hg electrode. At I = 0.1 M, B(Hg2L2)=44.3.

Hg++ cal KNO3 20°C 0.10M U H 1964ANa (82221)1193
DH(K1)=-79.8 kJ mol⁻¹, DS=129 J K⁻¹ mol⁻¹

Hg++ ISE KNO3 20°C 0.10M U K1=20.99 1964LAa (82222)1194

Hg++ EMF NaNO3 20°C 0.10M C K1=20.80 1957SSa (82223)1195
Method: H electrode

Hg++ EMF NaNO3 20°C 0.10M C K1=20.81 1955SAC (82224)1196
Method: H electrode

C12H20N2O8 H4L BDTA CAS 868-43-9 (1742)
DL-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid;
(HOOC.CH2)2N.CH(CH3).CH(CH3).N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 20°C 0.10M U K1=24.13 1971ISa (82305)1197
K(Hg+HL)=3.58

Hg++ vlt KNO3 20°C 0.10M U K1=21.51 1962SKa (82306)1198

C12H20N2O8 H4L CAS 63818-08-6 (2584)
meso-2,3-Diaminobutane-N,N'-di(1,4-butanedioic acid);
(CH(CH3).NH.CH(COOH)(CH2.COOH))2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U K1=17.10 1978SGd (82352)1199
K(Hg+HL)=11.39
K(Hg+H2L)=7.74
B(Hg(OH)L)=23.62

C12H20N2O8 H4L CAS 22968-57-6 (3992)
meso-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid;
(HOOC.CH2)2N.CH(CH3).CH(CH3).N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 20°C 0.10M U K1=22.06 1971ISa (82399)1200
K(Hg+HL)=3.31

Hg++ vlt KNO3 20°C 0.10M U K1=20.33 1962SKa (82400)1201

C12H20N2O8S H4L TEDTA CAS 923-74-0 (3394)
2,2'-Thiobis(ethyliminodiethanoic acid); S(CH2.CH2.N(CH2.COOH)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U H K1=23.9 1964ANa (82459)1202

K(Hg+HL)=17.5

By calorimetry: DH(K1)=-95.3 kJ mol-1, DS=132 J K-1 mol-1

Hg++ ISE NaNO3 20°C 0.10M C K1=23.81 1957SSa (82460)1203
K(Hg+HL)=17.57

C12H20N2O9 H4L EEDTA CAS 923-73-9 (2112)
Oxa-bis(ethyleneimino)diethanoic acid; ((HOOC.CH2)2N.CH2.CH2)2O

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal KNO3 25°C 0.10M U H 1965WHa (82538)1204
DH(K1)=-81.5 kJ mol-1, DS=167 J K-1 mol-1

Hg++ gl KNO3 20°C 0.10M U H K1=23.09 1964ANa (82539)1205
K(Hg+HL)=16.1

By calorimetry: DH(K1)=-85.7 kJ mol-1, DS=149 J K-1 mol-1

Hg++ ISE KNO3 20°C 0.10M U K1=22.88 1962MMc (82540)1206

Hg++ ISE NaNO3 20°C 0.10M U K1=23.1 1960HRa (82541)1207

Hg++ ISE NaNO3 20°C 0.10M U K1=23.09 1957SSa (82542)1208
K(Hg+HL)=16.14

C12H20O8N2 H4L (6908)
2-Methyl-1,2-diaminopropane-N,N,N'N'-tetraethanoic acid;
(HOOC.CH2)2N.CH2.C(CH3)2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M C K1=22.51 1978NLa (82675)1209

C12H22O12 HL Lactobionic acid CAS 96-82-2 (2487)
4-O-Beta-D-Galactopyranosyl-D-gluconic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 0.10M C 1997FEb (82931)1210
B(HgH-2L)=-6.64
B(HgH-1L)=-0.29

C12H22S L CAS 7133-46-2 (5698)
S,S-Dicyclohexylsulfide; C6H11.S.C6H11

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% U K1=8.04 B2=13.56 1986MMb (82937)1211
B3=15.94
B4=16.87

Medium: acetone, Bu4NC104

C12H24N2O12P4 H8L (1351)
1,3-Diaminomethylbenzene-N,N,N'N'-tetra(methylenephosphonic) acid;
C6H4(CH2.N(CH2.PO3H2)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.10M U K1=9.78 1982PBa (83059)1212
H(Hg+HL)=8.98
K(Hg+H2L)=5.14
K(Hg+H3L)=4.01
K(Hg+H4L)=4.61 (?)

C12H24N4O4 H2L (7522)
1,4,8,11-Tetraazacyclotetradecane-6,13-dicarboxylic acid

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.50M U K1=21.8 1997BLd (83102)1213
K(HgL+H)=8.2
K(HgHL+H)=5.9
*K(HgL)=-13.4

C12H24O2S4 L (6657)
1,4,7,10-Tetrathia-13,16-dioxacyclooctadecane, 1,4,7,10-Tetrathia-18-crown-6;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ix none 25°C 0.0 U K1=17.4 1991BTa (83118)1214

C12H24O4S2 L CAS 296-39-9 (4938)
1,4,10,13-Tetraoxa-7,16-dithiacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt oth/un 25°C 0.50M M H K1=19.5 1990IWa (83137)1215
Medium: 0.5M HNO3. DH(K1)=-74.0 kJ mol⁻¹, DS(K1)= 125 J K⁻¹ mol⁻¹.

C12H24O4S2 L (6528)
7,10,13,16-Tetraoxa-1,4-dithiacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt oth/un 25°C 0.50M M H K1=22.2 1990IWa (83150)1216
Medium: 0.5M HNO3. DH(K1)=-116.5 kJ mol⁻¹, DS(K1)= 34.9 J K⁻¹ mol⁻¹.

C12H24O6 L 18-Crown-6 CAS 17455-13-9 (577)
1,4,7,10,13,16-Hexaoxacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ nmr non-aq 27°C 100% C M 2003JLa (83367)1217
K(Hg(CN)2+L=HgL(CN)2)=-0.8

Medium: DMSO. Method:199Hg nmr.

Hg++ nmr non-aq RT 0.0 C 1991LBa (83368)1218
K(Hg(CN)2+L)=>4

Method: 1H nmr. Medium: acetone/CDCl3 1:0.8.

Hg++ vlt R4N.X 22°C 0.03M C I K1=2.91 1991PSa (83369)1219

Medium: 0.025 M Et4NClO4. Method: differential pulse polarography. Data for 15-75% w/w CH3CN/H2O, 0.025 M Et4NClO4.

Hg++ cal oth/un 25°C 0.10M U H T K1=2.42 1976ITb (83370)1220
DH=-19.6 kJ mol-1.

C12H26N2O4 L Cryptand 2,2 CAS 23978-55-4 (925)
4,7,13,16-Tetraoxa-1,10-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=15.38 1985CSb (83843)1221
Medium: 0.10 M Et4NClO4.

Hg++ gl R4N.X 25°C 0.10M C H K1=17.85 1975ANa (83844)1222
Calorimetry: DH1=-71.8 kJ mol-1, DS1=101.7

C12H26N6O2 L CAS 72975-82-7 (1612)
1,4,7,10,13,16-Hexaazacyclooctadecane-2,6-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt NaNO3 25°C 0.20M C M 1989KKa (83963)1223
B(HgH-1L)=9.64

C12H26N12 L (7007)
1,10-Di(2-(5-tetraazolyl)ethyl)-1,4,7,10-tetraazadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 20°C 0.10M U K1=16.94 1981ESa (83971)1224

C12H26OS L CAS 2180-20-3 (5699)
S,S-Dihexylsulfoxide; C6H13.5O.C6H13

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% U K1=2.37 B2=4.11 1986MMb (83975)1225
B3=5.06

B4=5.40

Medium: acetone, Bu4NClO4

C12H26S L CAS 6294-31-3 (5697)

S,S-Dihexylsulfide; C6H13.S.C6H13

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	non-aq	25°C	100%	U			K1=7.80 B2=13.31 B3=15.90 B4=16.98	1986MMb (84032)	1226

Medium: acetone, Bu4NClO4

C12H27N5O2 HL (7521)

6-Methyl-1,4,8,11-tetraazacyclotetradecane-6-amino-3-carboxylic acid

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KCl	25°C	0.50M	U			K1=17.3 K(HgL+H)=6.8 K(HgHL+H)=6.0 *K(HgL)=-7.8	1997BLd (84111)	1227

C12H27P L CAS 998-40-3 (170)

Tri-n-butylphosphine; (CH3.(CH2)3)3P

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	non-aq	25°C	100%	U	H		K1=11.5 B2=19.5 B3=21.7	1987HPc (84136)	1228

Medium: pyridine, 0.1M Et4NClO4

Hg++	cal	non-aq	30°C	100%	U	H		K(Hg(SCN)2+L) > 5 K(Hg(SCN)2L+L)=1.81	1976FGa (84137)	1229
------	-----	--------	------	------	---	---	--	--	-----------------	------

Medium: MeCN. DH(Hg(SCN)2L)=-83 kJ mol⁻¹; DS=<-178. DH(Hg(SCN)2L2)=-117; DS=-348

C12H28N4O L (7305)

1-(2-Hydroxyethyl)-1,4,8,11-tetraazacyclotetradecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	R4N.X	25°C	0.10M	C			K1=17.4	1997RWa (84208)	1230

Medium: Et4NClO4

C12H29N5 L CAS 82583-20-6 (97)

1,4,7,11,14-Pentaazacycloheptadecane; cyclo(-(NH.C2H4)3.CH2(NH.C2H4)2.CH2-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++ gl NaClO4 25°C 0.20M M H K1=26.5 1978KKb (84259)1231
DH1=-139.7 kJ mol-1

C12H30N4S4 L CAS 55677-45-7 (1180)
1,1,4,4-Tetramercaptoethylamine-butane; (CH2.CH(S.CH2.CH2.NH2)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K(Hg+H2L)=19.36 1976CJa (84306)1232

C12H30N6 L CAS 296-35-5 (143)
1,4,7,10,13,16-Hexaazacyclooctadecane; cyclo(-(NH.CH2.CH2)6-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.20M C K1=29.7 1991KKa (84331)1233

Hg++ vlt NaClO4 25°C 0.20M U H K1=29.1 1980KKb (84332)1234
DH=-176 kJ mol-1, DS=-17 J K mol-1

C12H30N6 L (6409)
6,13-Dimethyl-1,4,8,11-tetraazacyclotetradecane-6,13-diamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.50M U K1=10.5 1997BLd (84376)1235
K(HgL+H)=7.5
K(HgHL+H)=5.7

Hg++ gl KCl 25°C 0.50M U I K1=12.2 1994LLb (84377)1236
K(HgL+H)=6.8
K(HgHL+H)=6.8
K(HgH-1L+H)=8.0

Data are for the syn isomer. For the anti isomer, K1=10.5, K(HgL+H)=7.5,
K(HgHL+H)=5.7, K(Hg2+L)=11.2, K(Hg2L+H)=9.1, K(Hg2H-1L+H)=7.7.

C12H32N4O12P4 H8L DOTPH CAS 91987-74-5 (229)
1,4,7,10-Tetraazacyclododecane-N,N',N'',N'''-tetramethylenephosphonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 1.0M U K1=25.1 1984KMb (84411)1237
K(Hg+HL)=21.1

C13H9N3O7S3 H3L CAS 2172-27-2 (5007)
1-(2-Thiazolylazo)-2-naphthol-3,6-disulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaClO4 25°C 0.10M U 1983PEa (84652)1238
K(Hg+HL=HgL+H)=3.34
K(2Hg+HL=Hg2H-1L+2H)=6.38

C13H9N3O8S3 H3L CAS 28467-51-8 (898)
2-(2-Thiazolylazo)chromotropic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaClO4 25°C 0.10M U 1983PEa (84664)1239
K(2Hg+H2L=Hg2HL+H)=5.28

C13H10N02Cl1 HL (8130)
N-(2-Chlorophenyl)benzohydroxamic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl diox/w 25°C 50% U K1=7.00 B2=12.40 1986ARb (84709)1240
Also data for the N-(2-chlorophenyl)-3-methoxy, 3-methyl, 3-fluoro,
3-chloro, 3-bromo-, 3-iodo and 3-nitro-benzohydroxamic acids.

C13H10N2 L CAS 3003-78-6 (2752)
5-Methyl-1,10-phenanthroline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 35°C 0.10M C M K1=14.03 B2=19.03 1998LYa (84815)1241
B(HgLA)=23.86
B(HgHLA)=31.61
A is 3,3,9,9-tetramethyl-4,8-diazaundecane-2,10-dione dioxime.

C13H10N2O5S H2L CAS 98789-35-6 (5012)
4-Hydroxy-3-formylazobenzene-4'-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF alc/w 25°C 42% U 1972DSc (84921)1242
K(Hg+HL=HgL+H)=3.73
K(HgL+HL=HgL2+H)=3.22
Medium: 42% EtOH, 0.2 M NaClO4

C13H11N3O5S H3L (5019)
4-Hydroxy-3-oximinomethylazobenzene-4'-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 25°C 50% U K1=3.65 B2=6.88 1973DSa (85298)1243
Medium: 42% EtOH, 0.2 M NaClO4

C13H12N2S L diPh-thiourea CAS 102-08-9 (1075)
1,3-Diphenyl-2-thiourea; C6H5.NH.CS.NH.C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.10M U B2=21.34 1986ECa (85388)1244

C13H12N2S L (2601)

N,N-Diphenylthiocarbamide; (C6H5)2N.CS.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE mixed 25°C 82% U 1979MTd (85393)1245

B4=23.17

Medium: 82% DMF/H2O

C13H12N4S L Dithizone CAS 60-10-6 (1801)

Diphenylthiocarbazon; C6H5.NH.NH.CS.N:N.C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaCl04 25°C 0.10M U K1=20.64 B2=40.30 1973BSe (85459)1246

Hg++ sp non-aq ? 100% U B2=20.7 1971BBa (85460)1247

Medium: N-methylpyrrolidone, 0.1 M

Hg++ dis oth/un 25°C var U 1960DTa (85461)1248

K(Hg+2HL)=40.34

K(Hg(HL)2)=(Hg(HL)2)org)=3.54

At 35 C: K(Hg(HL)2)=(Hg(HL)2)org)=3.57

Hg++ sp NaCl04 25°C 0.50M U 1956BRa (85462)1249

K(Hg+2H2L=Hg(HL)2+2H)=26.85

C13H13As L CAS 954-48-2 (2298)

Methyldiphenylarsine; CH3.As.(C6H5)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGb (85487)1250

K(HgCl2+L)=3.47

K(HgBr2+L)=3.05

K(HgI2+L)=2.05

In benzene. DH(HgCl2L)=-72.4 kJ mol⁻¹; DS=-173. DH(HgBr2L)=-77.3; DS=-198.

DH(HgI2L)=-71.7; DS=-198.

C13H13P L CAS 1486-28-8 (1731)

Diphenyl-methyl-phosphine; CH3(C6H5)2P

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGa (85550)1251
HgCl2+L in benzene: DH(K1)=-92; DH(K2)=-37 kJ mol-1

Hg++ cal non-aq 30°C 100% U H 1976GGa (85551)1252
HgBr2+L in benzene: DH(K1)=-89; DH(K2)=-39 kJ mol-1.

C13H14N2 L CAS 104986-55-2 (4972)
1,3-Bis(2'-pyridyl)-propane; C5H4N.CH2.CH2.CH2.C5H4N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=7.8 B2=11.80 1970BAa (85574)1253

C13H14N2O3 HL Antineoplaston CAS 91531-30-5 (8098)
3-(N-Phenylacetyl-amino)-2,6-piperidinedione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 45°C 50% C K1=8.23 B2=13.82 1996MMc (85627)1254
Medium: 50% v/v MeOH/H2O, 0.10 M KNO3.

C13H14N4 L CAS 13103-75-8 (473)
4-(2-Pyridylazo)-N,N-dimethylaniline; C5H4N.N:N.C6H4.N(CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaNO3 25°C 0.15M U K1=5.06 1953KMa (85683)1255

C13H17N3O4S HL Analgin CAS 57904-20-8 (6340)
1-Phenyl-2,3-dimethylaminopyrazolon-5-N-methansulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaNO3 25°C 0.10M U I K1=3.11 B2=5.40 1988GAa (86004)1256
B3=8.80
B4=12.40

In 5.7 Mol EtOH/H2O: B1=3.40; B2=6.60; B3=9.10; B4=12.40

C13H20N2O8 H4L CAS 22991-70-4 (3413)
trans-1,2-Cyclopentane-iminodiethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF NaNO3 20°C 0.10M U K1=23.24 1971PSc (86113)1257
B(HgHL)=26.01 (DL isomer)

C13H20O8S4 H4L CAS 51865-20-4 (1139)
(Pentanediylienetetrathio)tetra-ethanoic acid; ((HOOCCCH2S)2CHCH2)2.CH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=18.97 1975JBa (86156)1258

C13H22N2O8 H4L CAS 1798-14-7 (921)
(Pentamethylenedinitrilo)tetraethanoic acid; ((HOOC.CH2)2N.CH2.CH2)2CH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 1.0M C I B(Hg2L2)=43.5 1999ANa (86196)1259

Method: Glass electrode plus Hg electrode.

C13H22N2O8 H4L (7164)
2,4-Diaminopentane-N,N,N',N'-tetraethanoic acid;
(HOOCCH2)2NCH(CH3)CH2CH(CH3)N(CH2COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=20.68 1981NSc (86255)1260

C13H23N3O8 H4L (3414)
N-Methyl-2,2'-iminobis(ethyliminodiethanoic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaNO3 20°C 0.10M C K1=7.21 1957SSa (86396)1261
K(Hg+HL)=2.61

C13H26O4S2 L (6656)
1,5-Dithia-8,11,14,17-tetraoxacyclononadecane, 1,5-Dithia-19-crown-6;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ix none 25°C 0.0 U K1=13.9 1991BTa (86461)1262

C13H28N4O2 L CAS 17023-02-8 (7247)
3,3,9,9-Tetramethyl-4,8-diazaundecane-2,10-dione dioxime;
(HON:C(CH3)C(CH3)2NHCH2)2CH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 35°C 0.10M C M K1=11.79 1998LYa (86534)1263
B(HgHL)=18.60

Ternary complexes with 5-substituted-1,10-phenanthrolines.

C13H32N4S4 L (1181)
1,1,5,5-Tetramercaptoethylamine-pentane; CH2(CH2.CH(S.CH2.CH2.NH2)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

C14H13O2P HL CAS 3064-56-0 (7013)
2-(Diphenylphosphino)-ethanoic acid; (C6H5)2P.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	ISE	NaClO4	25°C	0.10M	U	I		K1=18.7 B2=28.91 B3=35.38 B4=37.2	1979PPc	(87634)1271

Method: Hg elec. In 50% v/v dioxan/H2O: K1=19.4; B2=30.3 ; B3=35.39; B4=36.5

Hg++	gl	NaClO4	25°C	0.10M	C	I		K1=18.7 B2=28.90 B3=35.35 B4=37.2	1979PPd	(87635)1272
------	----	--------	------	-------	---	---	--	--	---------	-------------

Additional methods: polarography and Hg electrode.
In 50% dioxane/H2O: K1=19.4, B2=30.3, B3=35.39, B4=36.5

C14H13P L CAS 2155-96-6 (2289)
Diphenyl-ethenyl-phosphine; (C6H5)2.P.CH:CH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H			1976GGa	(87638)1273

HgI2+L in benzene. DH(K1)=-60; DH(K2)=-49 kJ mol-1

Hg++	cal	non-aq	30°C	100%	U	H			1976GGa	(87639)1274
------	-----	--------	------	------	---	---	--	--	---------	-------------

HgBr2+L in benzene. DH(K1)=-78; DH(K2)=-42 kJ mol-1

Hg++	cal	non-aq	30°C	100%	U	H			1976GGa	(87640)1275
------	-----	--------	------	------	---	---	--	--	---------	-------------

HgCl2+L in benzene. DH(K1)=-85; DH(K2)=-38 kJ mol-1

C14H16N2 L CAS 1620-43-7 (5033)
1,4-Bis(2'-pyridyl)butane; C5H4N.CH2.CH2.CH2.CH2.C5H4N

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	20°C	0.10M	U			K1=8.3 B2=11.50	1970BAa	(87837)1276

C14H16N2O8 H4L CAS 40774-59-2 (1901)
1,2-Diaminobenzene-N,N,N',N'-tetraethanoic acid; C6H4(N(CH2.COOH)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaClO4	25°C	1.00M	C	H		K1=17.38	1992ANb	(87953)1277

By calorimetry: DH(K1)=-50.6 kJ mol-1, DS=165 J K-1 mol-1

C14H16N4O HL PAAC CAS 13059-69-3 (5067)
5-Ethylamino-4-methyl-2-(2'-pyridylazo)phenol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Hg++ sp oth/un ? ? U 1968GKb (88017)1278
K(Hg+HL)=5.77

C14H18N4 L DPEN CAS 4608-34-3 (1850)
N,N'-Bis-(2-pyridylmethyl)-1,2-diaminoethane; (C5H4N.CH2.NH.CH2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U H K1=19.1 B2=24.68 1975APc (88113)1279
DH(K1)=-92.0 kJ mol-1, DS(K1)=57.3 J K-1 mol-1
DH(K2)=-23.0 kJ mol-1 DS(K2)=30.1 J K-1 mol-1

C14H21NO7 HL CAS 85906-10-1 (6635)
2-(Benzylamino)-2-deoxy-D-glycero-D-gulo-heptonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaCl04 25°C 0.10M U K1=5.41 B2=9.78 1992VDa (88409)1280
B(HgH-1L)=-1.80
B(HgHL2)=16.51
B(HgH2L2)=21.6

C14H22N2O8 H4L CDTA CAS 482-54-2 (200)
trans-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M C T H K1=22.56 1985HWc (88674)1281
Data for 5-35 C. Method: Hg and glass electrodes.
DH(K1)=-71.6 kJ mol-1, DS(K1)=192 J K-1 mol-1.

Hg++ ISE NaCl04 25°C 0.50M U K1=23.28 1977GGb (88675)1282

Hg++ sp NaCl04 25°C 0.10M U M 1966JMa (88676)1283
K(HgL+OH)=3.20
K(HgL+Cl)=2.16
K(HgL+Br)=3.20
K(HgL+I)=5.3

K(HgL+SCN)=4.29

Hg++ ISE KNO3 30°C 0.10M U T H K1=23.47 1965HWa (88677)1284
K1=24.16(10 C),23.77(20 C). At 25 C:DH(K1)=-57.3 J K-1 mol-1,DS=259 J K-1m-1

Hg++ cal KNO3 25°C 0.10M U H 1965WHa (88678)1285
DH(K1)=-79.0 kJ mol-1, DS=201 J K-1 mol-1

Hg++ cal KNO3 20°C 0.10M U T H 1963ANb (88679)1286
DH(K1)=-69.4 kJ mol-1, DS=246.6 J K-1 mol-1

Hg++ ISE KNO3 20°C 0.10M U H K1=24.95 1963ANf (88680)1287
By calorimetry: DH(K1)=-69.5 kJ mol⁻¹, DS=247 J K⁻¹ mol⁻¹

Hg++ ISE KNO3 25°C 0.10M U T H K1=23.43 1962MHa (88681)1288
DH(K1)=-58.9 kJ mol⁻¹, DS=247 J K⁻¹ mol⁻¹. At 20 C: K(HgL+H)=3.51

Hg++ ISE KNO3 25°C 0.10M U K1=24.4 1960HRa (88682)1289

Hg++ oth oth/un ? ? U K(HgL+NH3)=5.5 1959SRb (88683)1290

Hg++ vlt oth/un ? ? U K1=24.3 1955MDa (88684)1291

Hg++ ISE NaNO3 20°C 0.10M U K1=24.30 1954SGa (88685)1292
K(HgLOH+H)=10.46
K(HgL+H)=9.50

C14H22O8S4 H4L (1160)
Ethane-tetramercaptopropanoic acid; (CH.(S.CH2.CH2.COOH)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=17.3 1975PJa (89000)1293

C14H23N3O10 H5L DTPA CAS 67-43-6 (238)
Diethylenetriamine-pentaethanoic acid; HOOC.CH2.N(CH2.CH2.N(CH2.COOH)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M C T H K1=27.23 1985HWc (89273)1294
Data for 5-35 C. Method: Hg and glass electrodes.
DH(K1)=-109.0 kJ mol⁻¹, DS(K1)=155 J K⁻¹ mol⁻¹.

Hg++ ISE NaClO4 25°C 0.50M U K1=26.08 1977Ggb (89274)1295

Hg++ sp oth/un 20°C <0.1 U K1=28.4 1967KAb (89275)1296

Hg++ cal KNO3 20°C 0.10M U T H 1965ANa (89276)1297
DH(K1)=-99.1 kJ mol⁻¹, DS=172.6 J K⁻¹ mol⁻¹

Hg++ cal KNO3 25°C 0.10M U H 1965WHa (89277)1298
DH(K1)=-98.6 kJ mol⁻¹, DS=184 J K⁻¹ mol⁻¹

Hg++ ISE KNO3 25°C 0.10M U H K1=26.27 1962MTc (89278)1299
DH(K1)=-92.5 kJ mol⁻¹, DS=193 J K⁻¹ mol⁻¹

Hg++ vlt KNO3 20°C 0.10M U K1=25.4 1962SKa (89279)1300

Hg++ ISE KNO3 25°C 0.10M U K1=27.0 1960HRa (89280)1301

Hg++ gl KNO3 25°C 0.10M C K1=27.0 1960WAa (89281)1302
K(HgL+H)=3.6

Hg++ EMF oth/un 20°C 0.10M U K1=26.70 1959AND (89282)1303
K(Hg+HL)=20.36

C14H23N3S2 L CAS 771500-58-4 (9194)
5-(3-Aminopropyl)-2,8-dithia-5-aza-2,6-pyridinophane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=13.1 2004BBE (89459)1304
K(HgL+H)=4.9
K(HgL+OH)=2.9

Medium: 0.1 M Me4NO3

C14H23P L CAS 6372-44-7 (2292)
Dibutyl-phenyl-phosphine; (C4H9)2(C6H5)P

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGa (89479)1305
HgCl2+L in benzene. DH(K1)=-108; DH(K2)=-49 kJ mol-1

Hg++ cal non-aq 30°C 100% U H 1976GGa (89480)1306
HgI2+L in benzene. DH(K1)=-86; DH(K2)=-46 kJ mol-1.

C14H24N2O7 H3L (3440)
N-(2-Hydroxycyclohexyl)ethylenediamine-N,N',N'-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE oth/un 25°C 0.10M U K1=20.14 1960SAC (89495)1307
K(Hg+HL)=12.56

C14H24N2O8 H4L (5075)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-butyric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=20.53 1970SNa (89510)1308

C14H24N2O8 H4L HMDTA CAS 1633-00-7 (920)
1,6-Diaminohexane-N,N,N',N'-tetraethanoic acid; ((HOOC.CH2)2N.CH2.CH2.CH2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 1.0M C I 1999ANa (89579)1309
B(Hg2L2)=43.4

Method: Glass electrode plus Hg electrode. At I = 0.1 M, B(Hg2L2)=45.5.

Hg++ gl KNO3 20°C 0.10M U H K1=21.58 1964ANa (89580)1310
By calorimetry: DH(K1)=-87.7 kJ mol⁻¹, DS=114.1 J K⁻¹ mol⁻¹

Hg++ ISE NaNO3 20°C 0.10M U K1=21.38 1957SSa (89581)1311

C14H24N2O8S2 H4L (3441)
2,2'-Ethylenebisthio(ethyliminodiethanoic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaNO3 20°C 0.10M U K1=23.93 1957SSa (89697)1312
K(Hg+HL)=18.50

C14H24N2O9 H4L CAS 87720-52-3 (1593)
2,2'-Oxybis(propyliminodiethanoic acid)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.10M U K1=21.67 1961ISa (89711)1313
K(Hg+HL)=15.0

C14H24N2O9 H4L BPETA CAS 87720-52-3 (5077)
Bis-(3-di(carboxymethyl)aminopropyl)ether;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 20°C 0.10M U K1=21.67 1961ISa (89730)1314
K(Hg+HL)=15.0

C14H24N2O10 EGTA CAS 67-42-5 (349)
Ethyleneglycol-0,0'-bis(2-aminoethyl ether)-N,N,N',N'-tetraethanoic acid; H4L

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M C T H K1=22.62 1985HWc (89870)1315
Data for 5-35 C. Method: Hg and glass electrodes.
DH(K1)=-70.0 kJ mol⁻¹, DS(K1)=212 J K⁻¹ mol⁻¹.

Hg++ gl KNO3 25°C 0.10M U K1=23.6 1982JGa (89871)1316
K(HgL+H)=3.8
K(HgL+2H)=3.1

Hg++ gl NaClO4 25°C 0.10M U K1=23.86 1970FTa (89872)1317
K(HgL+H)=3.06

Hg++ cal KNO3 25°C 0.10M U H 1965WHa (89873)1318
DH(K1)=-97.4 kJ mol⁻¹, DS=129.6 J K⁻¹ mol⁻¹

Hg++ gl KNO3 20°C 0.10M U H K1=23.2 1964ANa (89874)1319

K(Hg+HL)=16.8

By calorimetry: DH(K1)=-99.1 kJ mol⁻¹, DS=105.3 J K⁻¹ mol⁻¹

Hg++ ISE KNO3 20°C 0.10M U K1=23.12 1962MMc (89875)1320

Hg++ ISE KNO3 25°C 0.10M U K1=23.8 1960HRa (89876)1321

Hg++ ISE NaNO3 20°C 0.10M U K1=23.20 1957SRa (89877)1322
K(Hg+HL)=16.76

By glass electrode K1=23.8

C14H28N2O4 L Cryptand 2,1,1 CAS 31250-06-3 (836)

1,10-Diaza-4,7,13,18-tetraoxabicyclo[8,5,5]eicosane (2,1,1);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M U K1=15.97 1982NSb (90369)1323
B(HgHL)=18.71

Hg++ EMF non-aq 25°C 100% C K1=15.9 1979BLb (90370)1324
Method: Ag electrode; competition with Ag+. Medium: MeOH, 0.05 M
Me4NC104.

C14H28O7 L 21-Crown-7 CAS 33089-36-0 (2264)

1,4,7,10,13,16,19-Heptaoxacycloheptacosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ nmr non-aq RT 0.0 C K(Hg(CN)2+L)=3.18 1991Lba (90521)1325

Method: 1H nmr. Medium: acetone/CDCl3 1:0.8.

C14H30N2O5 L (6722)

7,13-Bis(2-hydroxyethyl)-1,4,10-trioxa-7,13-diazacyclopentadecane

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=15.07 1995LLa (90628)1326
Medium: Et4NC104

C14H32N2O4 L CAS 102-60-3 (2678)

Tetra(2-hydroxypropyl)-N,N,N',N'-diaminoethane; (-CH2.N(CH2.CH(OH).CH3)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl oth/un 27°C 0.05M U K1=8.08 1959KEc (90744)1327

C14H32N4 L 4-Mecyclam-14 CAS 41203-22-9 (935)

1,4,8,11-Tetramethyl-1,4,8,11-tetraazacyclotetradecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaNO3 25°C 0.10M U K1=20.3 1983NWa (90803)1328

C15H11N3O4S H2L 1-PAN-4S (7010)
2-(2-Pyridylazo)-1-naphthol-4-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp alc/w 25°C 30% U K1=12.4 1979KKd (91325)1329
K(Hg+HL)=4.7
Medium: 30% EtOH/H2O, 1.0 M HClO4

C15H14N4O6S H3L (5132)
3-Methyl-(2'-hydroxy-5'-sulfophenyl)-(2''-carboxyphenyl)formazan;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF NaNO3 20°C 0.10M U B2=14.57 1970VEb (91749)1330
K(Hg+HL)=7.62
K(HgHL+HL)=6.95

C15H17P L CAS 7650-84-2 (2287)
Diphenyl-propyl-phosphine; (C6H5)2PCH2.CH2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGa (91989)1331
HgCl2+L in benzene: DH(K1)=-90; DH(K2)=-41 kJ mol-1

C15H18N2 L CAS 25382-73-6 (5106)
1,5-Bis(2-pyridyl)-pentane; C5H4N.(CH2)5.C5H4N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=9.6 1970BAa (92003)1332

C15H20N4 L DPTN CAS 63671-70-5 (1851)
N,N'-Bis-(2-pyridylmethyl)-1,3-diaminopropane; (C5H4N.CH2.NH.CH2)2CH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U H K1=18.8 1975APc (92182)1333
DH(K1)=-94.5 kJ mol-1, DS=42.3 J K-1 mol-1

C15H24O8S4 H4L CAS 53480-91-4 (1161)
Propane-1,1,3,3-tetramercaptopropanoic acid; CH2(CH(S.CH2.CH2.COOH)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=17.5 1975PJa (92353)1334

C15H32N4S3 L CAS 150148-73-5 (7926)
1-Methyl-3,13,16-trithia-6,10,19-triazabicyclo[6.6.6]eicosan-8-amine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M C K1=17.7 2001SGa (92559)1335
K(HgL+H)=5.3

C16H9N2OBr3 HL CAS 84317-74-8 (5169)
1-(2,4,6-Tribromophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=5.90 B2=10.43 1972MCb (92654)1336
Medium: 75% acetone, 0.1 M KNO3

C16H11N2OBr HL CAS 7150-24-5 (5172)
1-(4-Bromophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=6.74 B2=12.70 1972MCb (92699)1337
Medium: 75% acetone, 0.1 M KNO3

C16H11N2OCl HL CAS 24390-65-6 (5170)
1-(2-Chlorophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=6.24 B2=11.44 1972MCb (92714)1338
Medium: 75% acetone, 0.1 M KNO3

C16H11N2OCl HL CAS 10149-93-6 (5171)
1-(4-Chlorophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=6.68 B2=12.60 1972MCb (92729)1339
Medium: 75% acetone, 0.1 M KNO3

C16H11N2OI HL CAS 25023-35-2 (5173)
1-(4-Iodophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=6.88 B2=12.89 1972MCb (92744)1340
Medium: 75% acetone, 0.1 M KNO3

C16H11N3O3 HL CAS 6410-09-9 (5151)
1-(2-Nitrophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=3.17 1972Mcb (92798)1341
Medium: 75% acetone, 0.1 M KNO3

C16H11N3O3 HL CAS 6410-46-1 (5152)
1-(4-Nitrophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=3.98 B2=7.45 1972Mcb (92813)1342
Medium: 75% acetone, 0.1 M KNO3

C16H12N2O HL CAS 842-07-9 (5156)
1-Phenylazo-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=7.46 B2=13.88 1972Mcb (92919)1343
Medium: 75% acetone, 0.1 M KNO3

C16H12N2O2 H2L CAS 9486-98-2 (3462)
1-(2-Hydroxyphenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U 1972Mcb (92953)1344
K(Hg+HL)=7.65
K(HgHL+HL)=6.87

Medium: 75% acetone, 0.1 M KNO3

C16H12N2O2 H2L CAS 14934-27-1 (5157)
1-(4-Hydroxyphenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U 1972Mcb (92971)1345
K(Hg+HL)=7.26
K(HgHL+HL)=6.04

Medium: 75% acetone, 0.1 M KNO3

C16H12N2O4S H2L CAS 13964-82-4 (3475)
1-(4-Sulfophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=3.70 B2=6.66 1972Mcb (92999)1346

Medium: 75% acetone, 0.1 M KNO3

C16H18O8S4 H4L CAS 51865-21-5 (239)
1,2-Dimethylbenzene-tetrathioethanoic acid; C6H4(CH(S.CH2.COOH)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF NaClO4 25°C 0.10M U K1=45.0 1975JBa (93887)1347
K1eff=18.8 (pH < 3.8)

Hg++ ISE KNO3 25°C 0.10M U 1974JBa (93888)1348
K(Hg+H2L)=18.8
B(HgL(OH)2)=45

C16H19P L CAS 6372-41-4 (2288)
Diphenyl-butyl-phosphine; (C6H5)2P(C4H9)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGa (93944)1349
HgCl2+L in benzene. DH(K1)=-90; DH(K2)=-37 kJ mol-1

Hg++ cal non-aq 30°C 100% U H 1976GGa (93945)1350
HgBr2+L in benzene. DH(K1)=-92; DH(K2)=-43 kJ mol-1

Hg++ cal non-aq 30°C 100% U H 1976GGa (93946)1351
HgI2+L in benzene. DH(K1)=-80; DH(K2)=-48 kJ mol-1

C16H20N2 L (5146)
1,6-Bis(2-pyridyl)-hexane; C5H4N.(CH2)6.C5H4N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 20°C 0.10M U K1=9.2 1970BAa (93957)1352

C16H20N2O8 H4L CAS 6411-02-5 (1919)
1-Phenyl-ethylenediamine-N,N,N',N'-tetraethanoic acid (DL)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=22.06 1989SLa (94039)1353

C16H22N4 L DPTE CAS 81747-99-1 (1852)
N,N-Bis-(2-pyridyl-methyl)-1,4-diaminobutane; (C5H4N.CH2.NH.CH2.CH2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 0.10M U H K1=17.52 1975APc (94181)1354
DH(K1)=-87.0 kJ mol-1 DS=43.1 J K-1 mol-1

C16H22N4O L (3471)
2-(N-(2-Dimethylaminoethyl)-N-(4-methoxybenzyl)amino)pyrimidine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.06M U T K1=3.61 B2=7.05 1961SMa (94199)1355
K1=4.02(0 C), 3.54(45 C)

C16H25N04 L (7444)
1-Aza-4,7,10,13-tetraoxa-1-phenyl-cyclopentadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ con mixed 25°C 80% C IH 1999MFa (94517)1356
K(Hg(NO3)2+L)=4.66

Medium: 80% acetonitrile/H2O. Also data for 95% acetonitrile/H2O, and for
20-35 C. DH(K)=-51.85 kJ mol⁻¹, DS(K)=-78.4 J K⁻¹ mol⁻¹.

C16H26O8S4 H4L CAS 53480-92-5 (1162)
Butane-1,1,4,4-tetramercaptopropanoic acid; (CH2.CH(S.CH2.CH2.COOH)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=17.7 1975PJa (94639)1357

C16H28N2O8 H4L (5167)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-(3-methyl)butanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=18.03 1970SNa (94712)1358

C16H28N2O8 H4L (5168)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-pentanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=20.54 1970SNa (94738)1359

C16H28N2O8 H4L (5138)
1,2-Diaminooctane-N,N,N',N'-tetraethanoic acid;
(HOOCC2)2N.CH2.CH(C6H13)N(CH2COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=22.77 1979MBd (94764)1360

C16H28N2O8 H4L (2850)
1,8-Diaminooctane-N,N,N',N'-tetraethanoic acid; ((HOOCC2)2N(CH2)4)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	20°C	0.10M	U	H		K1=21.83	1964ANa (94792)	1361
By calorimetry: DH(K1)=-82.5 kJ mol ⁻¹ , DS=136 J K ⁻¹ mol ⁻¹										
Hg++	oth	NaNO3	20°C	0.10M	U			K1=21.83	1957SSa (94793)	1362

C16H28N4O8		H4L		DOTA				CAS 60239-18-1	(1017)	
1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraethanoic acid;										
Hg++	vlt	KNO3	25°C	0.20M	C	H		K1=26.4	1994KOb (94904)	1363
DH(K1)=-86 kJ mol ⁻¹ , DS=79 J K ⁻¹ mol ⁻¹										

C16H30N4O8		H4L						(3473)		
N,N'-Dimethyl-2,2'-ethylenedi-iminobis(ethylenediethanoic acid);										
Hg++	ISE	NaNO3	20°C	0.10M	U			K1=27.68	1957SSa (95083)	1364
K(Hg+HL)=21.24										

C16H30N4S4		H4L						CAS 55677-47-9	(1203)	
Tetramercaptoethylamine-1,2-dimethylbenzene; C6H4(CH(NH.CH2.CH2.SH)4)2										
Hg++	gl	NaClO4	25°C	0.10M	U			K1=19.65	1976CJa (95090)	1365

C16H32N2O5		L		Cryptand				2,2,1	CAS 31364-42-8	(837)
1,10-Diaza-4,7,13,16,21-pentaoxabicyclo[8,8,5]tricosane (2,2,1);										
Hg++	gl	R4N.X	25°C	0.10M	U			K1=19.97	1982NSb (95209)	1366

C16H32N8O4		L						CAS 157599-02-5	(8676)	
1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetamide;										
Hg++	gl	NaNO3	25°C	0.10M	C			K1=15.53	1995MHa (95376)	1367

C16H34N2O5		L						(6953)		
7,13-Bis(2-methoxyethyl)-1,4,10-trioxa-7,13-diazacyclopentadecane;										
Hg++	gl	R4N.X	25°C	0.10M	C			K1=15.2	1995LLa (95414)	1368

Medium: Et4NC104

C16H34N2O6 L CAS 69930-74-1 (1321)
N,N'-Bis(2-hydroxyethyl)-1,7,10,16-tetraoxa-4,13-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=14.58 1995LLa (95448)1369
Medium: Et4NC104

C16H34N4O2 L CAS 60598-04-1 (1530)
4,7-Dimethyl-1,4,7,10-tetraaza-13,18-dioxabicyclo[8,5,5]eicosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M U K1=26.6 1978LMa (95470)1370
K(Hg+HL)=19.3

C16H34OS L CAS 1986-89-6 (5700)
S,S-Dioctylsulfoxide; C8H17.SO.C8H17

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% U K1=2.44 B2=4.08 1986MMb (95483)1371
B3=5.20
B4=5.61

Medium: acetone, Bu4NC104

C16H36N4O2 L (7297)
1,11-Bis(2-hydroxyethyl)-4,8-dimethyl-1,4,8,11-tetraazacyclotetradecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=18.1 1996BCc (95549)1372
B(HgH-1L)=10.8

Medium: Et4NC104

C16H36N4O2 L (7296)
1,4-Bis(2-hydroxyethyl)-8,11-dimethyl-1,4,8,11-tetraazacyclotetradecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=17.3 1996BCc (95557)1373
B(HgH-1L)=10.0

Medium: Et4Cl04

C16H40N4O12P4 H8L CAS 41007-47-0 (2070)
1,4,7,10-Tetraethylphosphonic acid-1,4,7,10-tetraazacyclododecane;
C8H16N4(CH2CH2.PO(OH)2)4

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KNO3	25°C	1.00M	U			K1=29.6 K(Hg+HL)=25.1 K(Hg+H2L)=21.4 K(Hg+H3L)=19.6 K(Hg+H4L)=17.2	1989PBb (95638)	1374

 C17H13NO3S H2L CAS 119516-70-0 (6185)
 7-Hydroxy-8((2-mercaptophenyl)iminomethyl)-4-methyl-2H-1-benzopyran-2-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	diox/w	20°C	70%	U	T H		K1=22.40 25 C:K=21.27; 32 C: K=19.76; 45 C:K=17.25. DH=-382 kJ mol-1, DS=-876	1988K0b (95749)	1375

 C17H14N2O HL CAS 2046-17-5 (5214)
 1-(2-Methylphenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	mixed	25°C	75%	U			K1=7.76 B2=14.12	1972MCb (95796)	1376

Medium: 75% acetone, 0.1 M KNO3

 C17H14N2O HL CAS 6756-41-8 (5215)
 1-(4-Methylphenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	mixed	25°C	75%	U			K1=7.94 B2=14.88	1972MCb (95811)	1377

Medium: 75% acetone, 0.1 M KNO3

 C17H14N2O2 HL CAS 1229-55-6 (5216)
 1-(2-Methoxyphenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	mixed	25°C	75%	U			K1=8.19 B2=15.64	1972MCb (95830)	1378

Medium: 75% acetone, 0.1 M KNO3

 C17H14N2O2 HL CAS 13441-91-1 (5217)
 1-(4-Methoxyphenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	mixed	25°C	75%	U			K1=7.74 B2=14.90	1972MCb (95845)	1379

Medium: 75% acetone, 0.1 M KNO3

 C17H14N4 L CAS 24929-06-4 (2810)
 2-(6-Benzoylpyridine)-2'-pyridylhydrazone C6H5.CO.C5H3N.N(NH2)C5H4N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp none 25°C 0.0 U K1=8.1 B2=15.0 1974GSd (95949)1380

C17H19N3 L Antazoline CAS 91-75-8 (3486)
2-(N-(Benzyl)-N-phenylaminomethyl)-1,4,5H-1,3-diazole, antistine;
C3H5N2.CH2.N(C6H5)CH2.C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.06M U T K1=6.38 B2=11.44 1961SMa (96266)1381
K1=7.16(0 C), 5.80(45 C); K2=5.44(0 C), 4.88(45 C)

C17H21NO L Benadryl CAS 58-73-1 (3492)
N,N-Dimethyl-2-(diphenylmethoxy)ethylamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.06M U T K1=4.02 B2=7.56 1961SMa (96373)1382
At 0 C: K1=4.26, K2=3.60; 45 C: K1=3.82, K2=3.56

C17H28O8S4 H4L (1163)
Pentane-1,1,5,5-tetramercaptopropionic acid; CH2(CH2.CH(S.CH2.CH2.COOH)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl NaClO4 25°C 0.10M U K1=17.9 1975PJa (96564)1383

C17H38N4O3 L (7318)
1,4,8-Tris(2-hydroxyethyl)-11-methyl-1,4,8,11-tetraazacyclotetradecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=18.4 1997RWa (96797)1384
B(HgH-1L)=10.8
Medium: Et4NC1O4

C18H15As L CAS 603-32-7 (2653)
Triphenylarsine; (C6H5)3As

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE non-aq 25°C 100% C H K1=6.77 B2=8.97 1978ABb (96971)1385
Medium: DMSO, 0.1 M NH4ClO4; DH(K1)=-34, DH(K2)=-27 kJ mol-1

Hg++ sp alc/w 25°C 75% U M 19660Ba (96972)1386
K(HgCl2+L=HgClL+Cl)=1.11
K(HgClL+L=HgL2+Cl)=0.83
Medium: 74.5% MeOH, 0.10 M NaClO4

C18H15AsS L CAS 3937-40-4 (2303)
Triphenylarsine sulfide; (C6H5)3AsS

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976Ggb (96973)1387

K(HgCl2+L)=2.94

K(HgBr2+L)=3.70

K(HgI2+L)=2.90

In benzene. DH(HgCl2L)=-35.3 kJ mol-1; DS=-61. DH(HgBr2L)=-25.0; DS=-11.

DH(HgI2L)=-29.5; DS=-40.

C18H15O3PS HL CAS 16704-71-5 (3365)
3-Diphenylphosphino-benzene sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 25°C 1.0M U K1=14.3 B2=24.6 1962SBa (97108)1388

B3=29.7

B4=33.0

C18H15O3PS HL CAS 54262-24-7 (327)
4-(Diphenylphosphino)benzenesulfonic acid; (C6H5)2P.C6H4.SO3H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal NaClO4 25°C 0.10M U H K1=14.5 B2=24.8 1976HMa (97113)1389

B3=29.9

B4=33.2

DH(K1)=-86 kJ mol-1, DS=-10; DH(B2)=-174, DS=-107; DH(B3)=-217, DS=-154;

DH(B4)=-236

C18H15O9AsS3 H3L CAS 103953-83-9 (326)
Tris-(3-sulfophenyl)arsine; (HO3S.C6H4)3As

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal NaClO4 25°C 0.50M U H K1=9.3 B2=14.36 1976HMa (97118)1390

B3=17.0

Calorimetry: DH(K1)=-43 kJ mol-1, DS=34 J K-1 mol-1, DH(B2)=-73, DS=30

C18H15P L CAS 603-35-0 (621)
Triphenylphosphine; (C6H5)3P

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF non-aq 25°C 100% U H K1=4.62 B2=6.21 1987HPc (97135)1391

Medium: pyridine, 0.1M Et4NClO4

Hg++ nmr non-aq -90°C 100% U M 1979AGa (97136)1392

K(HgL+A)=1.21
K(HgL+B)=1.36
K(HgL+C)=0.72
K(HgL+D)=0.22

Medium: CH₂Cl₂. A=(Ph₃P)₂(O₂CCF₃)₂, B=(Ph₃P)(O₂CCHF₂)₂, C=(Ph₃P)(O₂CCH₂F)₂, D=(Ph₃P)₂(O₂CCH₃)₂

Hg++ ISE non-aq 25°C 100% C H K1=11.06 B2=17.61 1978ABb (97137)1393

Medium: DMSO, 0.1 M NH₄ClO₄; DH(K1)=-57, DH(K2)=-51 kJ mol⁻¹

Hg++ cal non-aq 30°C 100% U M 1976AGa (97138)1394

K(HgI₂+L)=ca. 4
K(HgI₂L+L)=ca. 7

Medium: MeCN

Hg++ cal non-aq 30°C 100% U H 1976FGa (97139)1395

K(Hg(SCN)₂+L) > 5
K(Hg(SCN)₂L+L)=4.0

Medium: MeCN. DH(Hg(SCN)₂L)=-57.0 kJ mol⁻¹; DS=<-93. DH(Hg(SCN)₂L₂)=-35.3; DS=-41

C18H15PS L CAS 3878-45-3 (2301)
Triphenylphosphinesulfide; (C₆H₅)₃PS

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGb (97150)1396

K(HgCl₂+L)=2.08
K(HgBr₂+L)=2.26
K(HgI₂+L)=1.93

In benzene. DH(HgCl₂L)=-12.9 kJ mol⁻¹; DS=-4. DH(HgBr₂L)=-13.8; DS=-3. DH(HgI₂L)=-13.3; DS=-6.

C18H15PSe L CAS 3878-44-2 (2302)
Triphenylphosphine selenide; (C₆H₅)₃PSe

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGb (97151)1397

K(HgI₂+L)=2.30

In benzene. DH(HgI₂L)=-45 kJ mol⁻¹; DS=-105.

C18H18N₂O₂ L CAS 350014-32-3 (8596)
3,5,6,8,9,11-Hexahydro-2,17:12,14-dietheno-7,4,10,1,13-benzoxadithiadiazacyclopentadecine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% C K1=5.34 B2= 8.03 2002AAa (97221)1398

Medium: CH3CN. Method: fluorescence.

C18H18N2S3 L CAS 183310-21-6 (8595)
2,5,8-Trithia[9],(2,9)-1,10-phenanthroline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% C K1=5.95 B2= 8.88 2002AAa (97236)1399

Medium: CH3CN. Method: fluorescence.

C18H18N4 L CAS 16858-01-8 (1528)
Tris(2-pyridylmethyl)amine; (C5H4NCH2)3N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE KNO3 20°C 0.10M C H K1=17.15 B2=24.10 1977AHc (97261)1400

K(HgL(OH)+H)=7.21

DH1=-91.4 kJ mol-1, DS1=16.7DH(K2)=-53.6, DS(K2)=27.6

C18H20N2O52 L CAS 244271-40-7 (8949)
2,2'-Oxybis[N-(phenylmethyl)]-ethanethioamide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% C K1=5.8 B2=10.70 1999RPa (97322)1401

Medium: acetonitrile.

C18H20N2O6 H4L EHPG CAS 10328-28-6 (429)
N,N'-Ethylene-bis-(2-(2'-hydroxyphenyl))glycine; (HOOCCH(C6H4OH)NHCH2.)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF KNO3 25°C 0.10M C T 1985HWb (97430)1402

K(HgHL+H)=6.68

K(Hg+HL)=21.53

Method: Hg (and glass) electrode, using Hg(II) as competitive indicator ion. Data for 10-35 C.

C18H21N5 L (7482)
2,5,8-Triaza[9]-[9](2,9)[1,10]-phenanthroline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp R4N.X 25°C 0.10M U 2004BBa (97500)1403

B(HgLC1)=28.7

Medium: Me4NCl. Method: spectrofluorimetry.

C18H30N4O12 H6L TTHA CAS 869-52-3 (694)
Triethylenetetraaminehexaethanoic acid;((HOOC.CH2)2N.CH2.CH2.N(CH2.COOH).CH2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	EMF	KNO3	25°C	0.10M	C				1987HCa (98046)	1404

K(HgL+H)=6.10
K(HgHL+H)=3.54

Method: Hg electrode.

Hg++	gl	KNO3	25°C	0.10M	U				1971YMb (98047)	1405
------	----	------	------	-------	---	--	--	--	-----------------	------

K1=19.3
K(HgL+H)=6.03
K(HgHL+H)=3.52
K(HgH2L+H)=2.96
B(Hg3L)=26.7

Hg++	ISE	KNO3	25°C	0.10M	U				1970HAa (98048)	1406
------	-----	------	------	-------	---	--	--	--	-----------------	------

K1=26.8
B(Hg2L)=39.1

By glass electrode: K(HgL+H)=6.3, K(HgHL+H)=3.6, K(Hg2L+H)=3.6
K(Hg2HL+H)=2.7, K(Hg2L+2OH)=12.8

Hg++	EMF	KNO3	25°C	0.10M	U	M			1970LAd (98049)	1407
------	-----	------	------	-------	---	---	--	--	-----------------	------

K(Hg2L+2NH3)=10.9
K(Hg2L+NH3)=5.6
K(Hg2L+2A)=10.1
K(Hg2L+A)=5.4

K(Hg2L+2B)=3.8, K(Hg2L+B)=2.2. A=imidazole, B=hexamethylenetetramine

Hg++	gl	NaClO4	25°C	0.10M	U				1966SCb (98050)	1408
------	----	--------	------	-------	---	--	--	--	-----------------	------

K1=25.27 B2=33.67
K(HgL+H)=6.55
K(HgHL+H)=3.30
K(Hg2L+OH)=6.1
K(Hg2LOH+OH)=5.9

C18H30N6O2 L (1607)
6-(2-(2Pyridyl)ethyl)-1,4,8,11,14-Pentaazacyclohexane-5,7-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt	NaNO3	25°C	0.20M	C	M			1989KKa (98112)	1409

B(HgH-1L)=11.46

C18H32N4O8 H4L TETA CAS 60239-22-7 (1019)
1,4,8,11-Tetraazacyclotetradecane-1,4,8,11-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt	KNO3	25°C	0.20M	C	H			1994KOb (98207)	1410

DH(K1)=-123 kJ mol⁻¹, DS=101 J K⁻¹ mol⁻¹

Hg++	gl	NaNO3	25°C	0.20M	C				1991KKa (98208)	1411
------	----	-------	------	-------	---	--	--	--	-----------------	------

C18H33P L CAS 2622-14-2 (169)

Tri-(cyclohexyl)phosphine; (C6H11)3P

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      EMF non-aq 25°C 100% U  H      K1=11.8  B2=18.0  1987HPc (98309)1412
              B3=20.5
```

Medium: pyridine, 0.1M Et4NClO4

```
-----
Hg++      cal non-aq 30°C 100% U  H              1976GGa (98310)1413
HgI2+L in benzene. DH(K1)=-102; DH(K2)=-58 kJ mol-1
```

```
-----
Hg++      cal non-aq 30°C 100% U  H              1976GGa (98311)1414
HgBr2+L in benzene. DH(K1)=-111; DH(K2)=-60 kJ mol-1
```

```
-----
Hg++      cal non-aq 30°C 100% U  H              1976GGa (98312)1415
HgCl2+L in benzene. DH(K1)=-119; DH(K2)=-59 kJ mol-1
```

```
*****
C18H36N2O6          L      Cryptand 2,2,2  CAS 23978-09-8 (514)
1,10-Diaza-4,7,13,16,21,24-hexaoxabicyclo[8.8.8]hexacosane;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      vlt R4N.X  22°C 0.03M C  I      K1=17.07      1991PSa (98580)1416
Medium: 0.025 M Et4NClO4. Method: differential pulse polarography. Data
for 15-75% w/w CH3CN/H2O, 0.025 M Et4NClO4.
```

```
-----
Hg++      EMF R4N.X  25°C 0.05M C              K1=18.2      1979BLb (98581)1417
Method: Ag electrode; competition with Ag+. Medium: 0.05 M Me4NClO4.
```

```
-----
Hg++      gl  R4N.X  25°C 0.10M C  H      K1=18.2      1975ANa (98582)1418
Medium: Me4NNO3. DH(K1)=-66.7 kJ mol-1, DS=125
```

```
-----
Hg++      gl  R4N.X  25°C 0.05M C              K1=18.2      1975LSc (98583)1419
*****
C18H40N4O4          L              CAS 89066-60-2 (867)
N,N',N'',N'''-Tetrakis(2-hydroxyethyl)-1,4,8,11-tetraazacyclotetradecane;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      gl  NaNO3  25°C 0.10M U              K1=17.94      1984MMc (98922)1420
*****
C19H20N2S2          L              CAS 403819-60-3 (8597)
3,6,7,8,9,11-Hexahydro-2,17:12,14-Dietheno-5H-4,10,1,13-benzodithiadiazacyclopentad
ecine;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Hg++      sp non-aq 25°C 100% C              K1=5.56      2002AAa (99302)1421
Medium: CH3CN. Method: fluorescence.
```

```
*****
```

C19H31N5O2 L (1614)
3-(2-Phenylethyl)-1,5,8,11,14-pentaazacyclohexadecane-2,4-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt NaNO3 25°C 0.20M C M 1989KKa (99451)1422
B(HgH-1L)=10.03

C19H39N3O5 L CAS 60598-00-7 (1537)
4-Methyl-1,4,10-triaza-7,13,16,21,24-pentaoxa-bicyclo[8,8,8]hexacosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M U K1=21.7 1978LMa (99491)1423
K(Hg+HL)=16.7

C20H13N7 HL CAS 30842-84-3 (5288)
1,5-Bis(8-quinolyl)-3-cyanoformazan;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp NaClO4 25°C 0.10M U 1971BSf (99589)1424
B(HgHL2)=32.0

C20H14N2O HL (5291)
1-(1-Naphthylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=6.70 B2=12.72 1972MCb (99600)1425
Medium: 75% acetone, 0.1 M KNO3

C20H14N2O HL CAS 2653-64-7 (5292)
1-(2-Naphthylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 75% U K1=7.32 B2=13.67 1972MCb (99615)1426
Medium: 75% acetone, 0.1 M KNO3

C20H16N4O6S H3L Zincon CAS 135-52-4 (990)
2-Carboxy-2'-hydroxyl-5'-sulfoformazylbenzene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF NaNO3 20°C 0.10M U B2=14.59 1970VEb (99803)1427
K(Hg+HL)=8.03
K(HgHL+HL)=6.56

C20H24O6 L DiBz-18-Crown-6 CAS 14187-32-7 (604)

2,3:11,12-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ nmr non-aq RT 0.0 C 1991LBa (100123)1428
 K(Hg(CN)2+L)=>4

Method: 1H nmr. Medium: acetone/CDC13 1:0.8.

C20H26N6 L CAS 303955-27-3 (9162)

5-Aminoethyl-2,5,8-triaza-[9]-10,23-phenanthrolineophane;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M U K1=30.28 2004BBa (100342)1429
 K(HgL+H+Cl)=7.79
 K(HgHCl+H+Cl)=4.49

Medium: Me4NCl. Combined with spectrofluorimetric measurements.

C20H35N5O10 H5L (6545)

1,4,7,10,13-Pentaazacyclopentadecane-N,N',N'',N''',N''''-pentaethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 25°C 0.20M C H K1=27.7 1994KOb (100537)1430
 DH(K1)=-128 kJ mol-1, DS=101 J K-1 mol-1

Hg++ gl NaNO3 25°C 0.20M C K1=27.76 1991KKa (100538)1431

C20H36O6 L DiCy-18-crown-6 CAS 16069-36-6 (1653)

2,3:11,12-Dicyclohexyl-1,4,7,10,13,16-hexaoxacyclooctadecane;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ con non-aq 25°C 100% C TIH K1=1.8 2001RKa (100648)1432
 Medium: DMF. Data for 15-55 C. Also data for 25-75% mol% DMF/AN.
 DH(K1)=-50 kJ mol-1, DS(K1)=-205 J K-1 mol-1.

Hg++ cal oth/un 25°C 0.10M U H 1976ITb (100649)1433

K1=2.75 (cis-syn-cis isomer)

K1=2.60 (cis-anti-cis isomer)

DH(K1)=-3.0 kJ mol-1 for the cis-syn-cis isomer, -10.7 for cis-anti-cis.

C20H39N5O2 HL CAS 333309-52-7 (8662)

16-Aminodocosahydro-16-methyl-dibenzo[b,i][1,4,8,11]tetraazacyclotetradecine-7-carb
 oxylic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KCl 25°C 0.5M U K1=11.55 2002WHa (100769)1434
 K(HgL+H)=5.8

$$K(\text{HgL}=\text{HgH}-1\text{L}+\text{H})=-10.7$$

Data for the trans isomer. For the cis-isomer $K_1=11.2$, $K(\text{HgL}+\text{H})=5.2$

$$K(\text{HgL}=\text{HgH}-1\text{L}+\text{H})=-7.5$$

C20H42N4O4 L CAS 39678-14-3 (1543)
4,7-Dimethyl-1,4,7,10-tetraaza-13,16,21,24-tetraoxa-bicyclohexacosane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	R4N.X	25°C	0.10M	U			$K_1=24.9$ $K(\text{Hg}+\text{HL})=18.6$	1978LMa (100887)	1435

K_1 is corrected for HgCl_x complexes

C21H14N4O2 HL CAS 194480-84-7 (8524)
2-Hydroxy-1-naphthalenecarboxaldehyde benzofuro[2,3-d]pyrimidin-4-ylhydrazone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	diox/w	30°C	10%	U			$K_1=6.673$	1997HVa (101035)	1436

Medium: 10% v/v dioxane/H₂O, 0.10 M NaClO₄.

C21H24N4 L (931)
Tris((6-methyl-2-pyridyl)methyl)-amine; (CH₃.C₅H₃N.CH₂)₃N

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	KN03	20°C	0.10M	C	H		$K_1=15.55$ $K(\text{HgL}(\text{OH})+\text{H})=5.76$	1977AHc (101246)	1437

Calorimetry: $\text{DH}_1=-64.9$ kJ mol⁻¹, $\text{DS}_1=72.8$

C22H17P L (2293)
1,2,5-Triphenylphosphole;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H		$K(\text{HgCl}_2+\text{L})=2.18$	1976GGa (101589)	1438

In benzene. $\text{DH} = -67$ kJ mol⁻¹.

Hg++	cal	non-aq	30°C	100%	U	H		$K(\text{HgBr}_2+\text{L})=2.20$	1976GGa (101590)	1439
------	-----	--------	------	------	---	---	--	----------------------------------	------------------	------

In benzene. $\text{DH} = -61$ kJ mol⁻¹.

C22H24N2O8 H2L Tetracycline CAS 60-54-8 (2201)
Tetracycline;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	NaNO3	25°C	0.10M	C			$K_1=6.5$	1992GAa (101817)	1440

C22H24N2O8 H4L CAS 91044-24-5 (1920)
meso-1,2-Diphenyl-1,2-diaminoethane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=17.50 1989SLa (101840)1441

C22H24N2O8 H4L CAS 91044-25-6 (1921)
rac-1,2-Diphenyl-1,2-diaminoethane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ vlt KNO3 20°C 0.10M U K1=23.04 1989SLa (101857)1442

C22H24N2O10 H4L CAS 132796-79-3 (8113)
1,2-Bis(2-aminophenoxy)ethane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ EMF KNO3 25°C 0.10M C T H K1=18.75 1990HLA (101897)1443
K(HgL+H)=2.94

Method: Hg indicator electrode. Data for 15-35 C.

DH(K1)=-102.1 kJ mol⁻¹, DS(K1)=16.4 J K⁻¹ mol⁻¹.

C22H37N5O14 H7L CAS 3234-59-1 (2425)
Tetraethylenepentamineheptaethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M C K1=27.0 1999LLa (102329)1444
K(HgL+H)=12.0
K(HgH2L+H)=3.3
K(HgHL+H)=5.0
K(HgH3L+H)=2.3
K(HgL+Hg)=20.6; K(Hg2L+H)=4.1; K(Hg2HL+H)=2.0

C22H48N4O4 L (7292)
N,N',N'',N'''-Tetrakis(3-hydroxypropyl)-1,4,8,11-tetraazacyclotetradecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M C K1=17.3 1996DTa (102469)1445
Medium: Et4ClO4

C22H48N6O2 L CAS 39678-22-3 (1542)
4,7,13,16-Tetramethyl-1,4,7,10,13,16-hexaaza-21,24-dioxabicyclohexacosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl R4N.X 25°C 0.10M U K1=26.1 1978LMA (102486)1446

K(Hg+HL)=20.6

K1 is corrected for HgCl₂ complexes

C23H25N05S L CAS 464185-98-6 (9292)

4'-[(2-Benzothiazole)ethenyl]-2:3-benzo-15-crown-5;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	sp	non-aq	20°C	100%	C			K1=5.6 B(Hg2L)=9.4	2003FFa (102691)	1447

Medium: CH₃CN.

C24H32O8 L DiBz-24-Crown-8 CAS 14174-09-5 (580)

2,3:14,15-Dibenzo-1,4,7,10,13,16,19,22-octaoxacyclotetracos-2,14-diene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	nmr	non-aq	27°C	100%	C	I M		K(Hg(CN) ₂ +L=HgL(CN) ₂)=-0.4	2003JLa (103129)	1448

Medium: DMSO. Method:199Hg nmr. In DMF, K=0.6.

C24H42N6O12 H6L (6546)

1,4,7,10,13,16-Hexaazacyclooctadecane-N,N',N'',N''',N''''-hexaethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	vlt	KNO ₃	25°C	0.20M	C	H		K1=25.2	1994KOb (103376)	1449
DH(K1)=-121 kJ mol ⁻¹ , DS=77 J K ⁻¹ mol ⁻¹										
Hg++	gl	NaNO ₃	25°C	0.20M	C			K1=25.27 K(Hg+H2L)=21.26	1991KKa (103377)	1450

C25H19N5O10 L CAS 611183-31-4 (9129)

8,9,18,19-Tetrahydro-3,23-dinitro-15,11-nitrilodibenzo[1,15,4,12]dioxadiazacyclohen eicosinetetron

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	nmr	non-aq	25°C	100%	C	M		K(Hg(CN) ₂ +L=HgL(CN) ₂)=1.6	2003CAa (103599)	1451

Medium: acetonitrile. Method: 1H nmr.

C25H22As2 L CAS 21892-63-7 (2299)

Methylenebis(diphenylarsine); (C₆H₅)₂As.CH₂.As(C₆H₅)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H		K(HgCl ₂ +L)=3.50 K(HgBr ₂ +L)=2.99	1976Ggb (103613)	1452

K(HgI2+L)=2.03

In benzene. DH(HgCl2L)=-50.0 kJ mol-1; DS=-98. DH(HgBr2L)=-53.0; DS=-128.
DH(HgI2L)=-52.0; DS=-133.

C25H22As2S2 L CAS 69289-43-6 (2305)
Methylenebis(diphenylarsine sulfide); (C6H5)2AsS.CH2.As(:S)(C6H5)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGb (103614)1453

K(HgCl2+L)=3.60
K(HgBr2+L)=3.07

In benzene. DH(HgCl2L)=-44.9 kJ mol-1; DS=-79. DH(HgBr2L)=-52.5; DS=-114.

C25H22O2P2 L CAS 207-21-8 (2099)
Methylenebis(diphenylphosphine oxide); Ph2P(O)CH2P(O)Ph2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE mixed 25°C 82% U K1=18.89 B2=21.82 1979MTd (103628)1454
B3=24.53

Medium: 82% DMF/H2O

C25H22P2 L CAS 2071-20-7 (2294)
Methylenebis(diphenylphosphine); (C6H5)2P.CH2.P(C6H5)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGa (103646)1455
In benzene. DH(HgCl2+L)=-113 kJ mol-1; DH(2HgCl2+L)=-80 kJ mol-1.

Hg++ cal non-aq 30°C 100% U H 1976GGa (103647)1456
In benzene. DH(HgBr2+L)=-113 kJ mol-1; DH(2HgBr2+L)=-69 kJ mol-1.

C25H22P2S2 L CAS 14633-92-2 (2304)
Methylenebis(diphenylphosphine sulfide); (C6H5)2PS.CH2.P(:S)(C6H5)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGb (103648)1457

K(HgCl2+L)=3.50
K(HgBr2+L)=3.50
K(HgI2+L)=3.28

In benzene. DH(HgCl2L)=-39.7 kJ mol-1; DS=-64. DH(HgBr2L)=-39.0; DS=-62.
DH(HgI2L)=-20.5; DS=-2.

C26H24As2 L (2300)
Ethane-1,2-diylbis(diphenylarsine); (C6H5)2As.CH2.CH2.As(C6H5)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1976GGb (103892)1458

K(HgCl2+L)=2.82

K(HgBr2+L)=3.26

K(HgI2+L)=2.54

In benzene. DH(HgCl2L)=-73.0 kJ mol⁻¹; DS=-188. DH(HgBr2L)=-72.6; DS=-177.

DH(HgI2L)=-57.0; DS=-140.

C26H24P2 L CAS 28240-60-0 (2280)

Ethylenebis(diphenylphosphine); (C6H5)2P.CH2.CH2.P(C6H5)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ cal non-aq 30°C 100% U H 1974FGa (103930)1459

K(HgCl2+L) > 7

K(HgBr2+L)=7

K(HgI2+L)=6.30

In benzene. For HgCl2, DH=-130 kJ mol⁻¹.

For HgBr2, DH=-130.1; DS=-295. For HgI2, DH=-118.8; DS=-270.

C26H25N09S H4L Semi-Xylenol O (426)

3-(N,N-Di(carboxymethyl)aminomethyl)-2-cresolsulfonephthalein;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M U 1981MUa (103945)1460

K(Hg+HL)=6.8

C26H28N6 L CAS 16858-02-9 (933)

N,N,N',N'-Tetrakis-(2-pyridylmethyl)-diaminoethane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ISE NaNO3 25°C 0.10M C K1=25.00 1995CCb (104004)1461

Method: mercury pool electrode

Hg++ gl KNO3 20°C 0.10M C H K1=25.05 1977AHc (104005)1462

Calorimetry: DH1=-124.5 kJ mol⁻¹, DS1=55.6

C26H38N204 L CAS 80757-23-9 (2450)

N,N'-Bis(benzyl)-1,10-diaza-4,7,13,16-tetraoxacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ ix none 25°C 0.0 U K1=17.85 1988IBa (104185)1463

Ligand covalently attached to silica gel

C27H26P2 L CAS 6372-42-4 (2295)

Propane-1,3-diylbis(diphenylphosphine); (C6H5)2P.CH2.CH2.CH2.P(C6H5)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	cal	non-aq	30°C	100%	U	H			1976GGa (104412)	1464
In benzene. DH(2HgX2+L) = -93 (X=Cl); -78 (X=Br) kJ mol ⁻¹ .										

C27H41N3O4		L						CAS 262610-61-7	(7222)	
3,4:5,6-Dibenzo-14-methyl-4',4''-bis(dimethylamino)1,8,11,17-tetraoxa-14-azacyclononadecan3,5diene										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	mixed	25°C	70%	C				2000CMa (104592)	1465
								B(HgHL)=12.90		
								B(HgH-1L)=5.55		
								B(HgH-2L)=-3.50		

Medium: 70% v/v dioxane/H₂O, 0.10 M KNO₃.

C28H35N3O6		L						CAS 114880-42-1	(7377)	
3-(p-13-Aza-1,4,7,10-tetroxacyclopentadecan-13ylstyryl)-7-dimethylamino-1,4-benzoxazin-2-one;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	sp	non-aq	RT	100%	C			K1=6.15	1998ABc (104762)	1466
Medium: acetonitrile. Method: fluorescence spectroscopy.										

C28H36Fe2N4		L						CAS 174322-18-0	(7771)	
1,1":1',1'''-Bis[1,2-ethanediy]bis(iminomethylene)]bis[ferrocene];										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	mixed	25°C	70%	C			K1=6.47	1998Lba (104772)	1467
								B(HgHL)=13.31		
								B(HgH2L)=19.50		
								K(HgL+H)=6.84		
								K(HgHL+H)=6.19		

Medium: 70% (v/v) THF/H₂O, 0.1 M KCl. K(Pb+L+OH)=13.38, B(HgH-1L)=-1.60.

C29H45N3O5		L						CAS 262610-63-9	(7249)	
3,4:5,6-Dibenzo-14-methyl-4',4''-bis(dimethylamino)-1,8,11,17,20-pentaoxa14azacyclodocosan3,5diene										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg++	gl	mixed	25°C	70%	C			K1=8.15	2000CMa (105154)	1468
								B(HgH-1L)=4.17		
								B(HgH-2L)=-4.59		

Medium: 70% v/v dioxane/H₂O, 0.10 M KNO₃.

C32H44N10O4 L CAS 702699-42-1 (9126)
2,9-Di[4-(1,4,7,10-tetraazacyclotridecane-11,13,-dione)methyl]-1,10-phenanthroline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl KNO3 25°C 0.10M U 2004GLa (105773)1469
B(HgH3L)=28.38
B(Hg2L)=16.20
B(Hg3H-2L)=12.30
B(Hg3H-3L)=1.18

B(Hg3H-4L)=-10.08.

C34H54O8 H2L Lasalocid CAS 25999-20-6 (2335)
Lasalocid acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 25°C 100% M K1=8.5 B2=15.7 1994MPc (106136)1470
Medium: MeOH

C35H36N6 L CAS 750635-82-6 (9186)
2,9-[2,5,8-Triaza-5-(N-anthracene-9-methylamino)ethyl]-[9]-1,10-phenantrolinophane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl mixed 25°C 50% C K1=14.4 2004BBd (106187)1471
K(HgL+H)=4.2

Medium: 50% v/v CH3CN/H2O, 0.1 M Me4NCl.

C36H38N4O8 H6L CAS 531-14-6 (7709)
3,8,13,18-Tetramethylporphine-2,7,12,17-tetrapropanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 20°C 0.5M U K1=3.42 1998GBb (106288)1472
Medium not specified.

C36H60N8O8 L CAS 121925-84-6 (7152)
Cyclo(Gly-eLL-Gly)2 (eLL=N,N'-ethylene-bridged (S)-leucyl-(S)-leucine

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% U K1=3.71 1994MKa (106455)1473
Medium: MeCN

C36H62O11 HL Monensin CAS 17090-79-8 (737)
Monensin, 1,6-dioxaspiro[4,5]decane derivative;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 25°C 100% M K1=9.9 B2=18.9 1994MPc (106500)1474
Medium: MeOH

C37H44N2O13S H6L MeThymo1 Blue (428)
3,3'-Bis(N,N-di(carboxymethyl)aminomethyl)thymolsulfonephthalein;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp oth/un 25°C 0.10M C M 1983ZJa (106602)1475
K(HgL+SCN)=5.76
K(HgL+Br)=5.46
K(HgL+I)=8.32

Medium: 0.46M NaH2PO4,0.26M NaOH, PH=7.0

Hg++ vlt KNO3 25°C 0.10M C 1977RSb (106603)1476
K1eff=10.3

Method: a.c. polarography. Medium, pH 3.97.

Measured in competition with edta.

Hg++ sp oth/un ? ? U 1971ANb (106604)1477
K(Hg+H3L)(?)=6.05

C40H44N4O2S4 CAS 244271-42-9 (8951)
4,7,13,16-Tetrakis(phenylmethyl)-1,10-dioxa-4,7,13,16-tetraazacyclooctadecane-3,8,12,17-tetrathi

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% C K1=7.3 B2=12.50 1999RPa (106759)1478
B(Hg2L)=14.0

Medium: acetonitrile.

C40H46N4O2S4 L CAS 244271-41-8 (8950)
Dimethyl-N,N',6,9-tetrakis(phenylmethyl)-5,10-dithione-3,12-dioxa-6,9-diazatetradecanedithioamide

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% C K1=9.4 B2=15.10 1999RPa (106769)1479
B(Hg2L)=16.7

Medium: acetonitrile.

C43H58N4O12 H3L Rifampicin CAS 13292-46-1 (8977)
3-[[[(4-Methyl-1-piperazinyl)imino]methyl]rifamycin;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ gl alc/w 30°C 50% C T H 2001SKd (107019)1480
K(Hg+H2L)=6.42
K(HgH2L+H2L)=4.73

Medium: 50% v/v MeOH/H₂O, 0.05 M KCl. DH(Hg+H₂L)=-46.39 kJ mol⁻¹, DS=-30.0 J K⁻¹ mol⁻¹; DH(HgH₂L+H₂L)=-36.50, DS=-26.7. Also data for 35 and 40 C.

C44H₂₂N₄O₁₂Br₈S₄ H₆L CAS 176173-80-1 (6959)
2,3,7,8,12,13,17,18-Octabromo-5,10,15,20-tetrakis(4-sulfonatophenyl)porphyrin;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg ⁺⁺	gl	NaNO ₃	25°C	0.1M	C			K(Hg+H ₂ L=HgL+2H)=0.12	1996TNa (107037)	1481

C44H₃₀N₄ H₂L Tetraphenylpor. CAS 917-23-7 (1781)
5,10,15,20-Tetraphenyl-21H,23H-porphine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg ⁺⁺	sp	non-aq	25°C	100%	U	M		K(HgL+A)=2.92 K(HgL+B)=1.62 K(HgL+C)=1.41 K(HgL+py)=1.21	1970KHa (107071)	1482

Medium: benzene. K(HgL+D)=0.22, A=4-aminopyridine, B=4-methylpyridine, C=3-methylpyridine, D=4-cyanopyridine

C44H₃₈N₈ H₂L CAS 48242-70-2 (6629)
5,10,15,20-Tetrakis(1-methylpyridinium-4-yl)porphine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg ⁺⁺	sp	oth/un	25°C	1.90M	U	I M		K(2Hg+H ₂ L=Hg ₂ L+2H)=4.58 K(2Hg+H ₃ L=Hg ₂ L+3H)=1.58 K(2Hg+H ₄ L=Hg ₂ L+4H)=0.62 Keff(HgA ₂ +H ₂ L=HgA ₂ L+2H)=-5.64	1992RHa (107105)	1483

Medium: LiNO₃. A=OH. Keff in 0.1 M LiNO₃/2x10⁻³ M 4-(2-hydroxyethyl)-1-piperazineethanesulfonic acid, pH 7.5. Data also for 2-pyridyl- and 4-quinolyl-

C47H₅₇N₉S₃ L CAS 529487-44-3 (8769)
Ethane-1,1,1-tris(2-thia-5-aza-hexane-6-(3-(3'-methyl)dipyridine));

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Hg ⁺⁺	gl	KNO ₃	25°C	0.10M	C	M		K(FeL+Hg)=4.60 K(FeL+Hg+H)=9.30 K(FeL+Hg+OH)=8.84	2002KGa (107324)	1484

C48H₅₈N₂O₄S₂ L CAS 403518-26-3 (8260)
11,23-Diprop-2-enyl-25,27-bis(dimethylaminothiocarbonylmethoxy)-26,28-dipropoxycalix[4]arene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp non-aq 25°C 100% C K1=7.8 2001ACa (107394)1485
Medium: acetonitrile.

C69H102N4O9 L CAS 116352-85-3 (9286)
para-t-Butyldihomooxacalix[4]arene tetra(diethyl)amide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ sp alc/w 25°C 100% C K1=3.4 2004Mfa (107833)1486
Medium: MeOH, 0.01 M Et4NCl.

Polymer CPA CAS 11075-17-5 (1758)
Carboxypeptidase A

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ oth NaCl 4°C 1.0M U 1961VWa (108113)1487
K(Hg+HxL=HgHyL+(x-y)H)=21.0

Medium: 0.05 M tris buffer pH 8

Polymer (4203)
Procarboxypeptidase;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg++ oth NaCl 4°C 1.0M U K1=18.3 1967PVa (108397)1488
Method: dialysis

e- HL Electron (442)
Electron;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ EMF non-aq 25°C 100% C I 1980APa (534)1489
E0(Hg(l)/Hg2++)=-342 mV
Medium: DMSO, 1 M NH4ClO4. E0 referred to E0(aq)=0 for the Ag(s)/Ag+ elect.

Hg2++ EMF non-aq 25°C 100% U 1972FDa (535)1490
K=23.12(684mV)
Medium: DMSO, 0.1 M LiClO4; K: Hg2++ + 2e=2Hg(l)

Hg2++ EMF none 25°C 0.00 U T 1971DFa (536)1491
K=9.062(268.05mV) or 9.056
K: Hg2Cl2(s)+2e=2Hg(l)+2Cl-. 70 C: K=7.330(249.55mV) or 7.304. 100 C: K=6.293 or 6.260. 200 C: K=3.075 or 3.042 depending on choice for Eo(AgCl,Ag)

Hg2++ EMF non-aq 25°C 100% U 1971NSc (537)1492

K=10.092, 273.5 mV

K=9.066(25 C;268.16 mV),K=6.951(80 C;243.52 mV), K=6.211(100 C;229.92 mV)
K: Hg₂Cl₂(s)+2e=2Hg(l)+2Cl

Hg₂⁺⁺ EMF none 25°C 0.0 U I 1964SUa (560)1515
K=4.713; 139.40mV.
K: Hg₂Br₂(s) + 2e = 2Hg(l) + 2Br⁻. In 95% EtOH: K=0.784. Also EtOH/H₂O mix.

Hg₂⁺⁺ EMF none 5°C 0.0 U T H 1963GHb (561)1516
K=9.890, 272.9 mV
K=9.270(20 C;269.57 mV), K=8.865(30 C;266.60 mV), K=8.467(40 C;263.0 mV),
K=8.271(45 C;261.04 mV). K:Hg₂Cl₂(s)+2e=2Hg(l)+2Cl. DH=-34.4 kJ mol⁻¹,DS=-29

Hg₂⁺⁺ EMF none 5°C 0.0 U T H 1963GHb (562)1517
K=5.110, 141.0 mV
K=4.812(20 C;139.93 mV), K=4.707(25 C;139.23 mV), K=4.602(30 C;138.39 mV),
K=4.285(45 C;135.24 mV). DH=-17.8 kJ mol⁻¹,DS=-15. K:Hg₂Br₂(s)+2e=2Hg(l)+2Br

Hg₂⁺⁺ sol oth/un 25°C dil U T 1962CTc (563)1518
K(Hg(l)=Hg(aq))=-6.50
Metal: Hg(0) K=-6.26(35 C),-6.05(50 C),-5.97(65 C),-5.89(80 C),-5.78(90 C)

Hg₂⁺⁺ EMF NaClO₄ 25°C 2.0M U I 1962ZSa (564)1519
K=26.07(770.94 mV)
K: Hg₂+2e=2Hg(liq)). In 2 M HClO₄ K=26.04(770.32 mV)

Hg₂⁺⁺ EMF none 35°C 0.0 U 1961SJa (565)1520
K=19.71(602.5 mV)
K: Hg₂SO₄(s)+2e=2Hg(liq)+SO₄

Hg₂⁺⁺ EMF none 25°C 0.0 U H 1960BDb (566)1521
K=20.82(615.81 mV)
K: Hg₂SO₄(s)+2e=2Hg(liq)+SO₄. DH(K)=-168.4 kJ mol⁻¹

Hg₂⁺⁺ EMF none 25°C 0.00 U 1959BLa (567)1522
K=20.69(611.9mV)
K: Hg₂SO₄(s)+2e=2Hg(l)+SO₄--

Hg₂⁺⁺ dis none 25°C 0.0 U 1957MVa (568)1523
K(Hg₂=Hg(II)+Hg(aq))=-8.26
By solubility K(Hg(liq)=Hg(aq))=-6.52

Hg₂⁺⁺ EMF none 25°C 0.0 U 1956HSa (569)1524
K=26.79(792.5 mV)
K:Hg₂+2e=2Hg(liq)

Hg₂⁺⁺ EMF none 25°C 0.0 U 1937BVa (570)1525
K=-1.37(-40.5 mV)
K: Hg₂I₂(s)+2e=2Hg(liq)+2I

Hg2++ EMF none 25°C 0.0 U T 1935HHa (571)1526
K=20.81(615.15 mV)

K: Hg2SO4(s)+2e=2Hg(liq)+SO4. K=23.44(0 C;634.95 mV),21.80(15 C;623.07 mV),
18.56(50 C;594.87 mV),17.75(60 C;586.59 mV)

Br- HL Bromide CAS 10035-10-6 (19)
Bromide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE non-aq 25°C 100% U 1973CCa (2008)1527
Kso(Hg2L2(s)=Hg2+2L)=-37.4

Medium: MeCN. Method: Ag electrode

Hg2++ EMF KNO3 177°C 100% U T 1969BMF (2009)1528
Kso(Hg2L2(s)=Hg2+2L)=-16.69

Medium: (Li,K)NO3. log Kso=3.666-9158.7/T m units at 137-207 C

Hg2++ ISE non-aq 180°C 100% U T 1966FBa (2010)1529
Kso=5.28-9785/T(T K)

Medium: (Li/K)NO3 eutectic. Kso=-16.46(450 K) m units

Hg2++ ISE NaClO4 40°C 0.60M U T 1963HIa (2011)1530
Kso=-20.17

Medium:0.5 M NaClO4,0.1 HClO4. Kso=-22.85(7 C)

Hg2++ ISE NaClO4 25°C 0.50M U I 1948BJb (2012)1531
Kso(Hg2L2)=-21.285

At I=0 corr. Kso=-22.24

Hg2++ ISE none 27°C 0.0 U TIH 1929BRa (2013)1532
Kso(Hg2L2)=-22.16

Method: Hg electrode. Kso=-23.26(10.8 C), -23.00(14.9 C), -22.41(19.2 C)

At I=0 corr. Kso=-22.26; DH(so)=39.0 kJ mol-1

Hg2++ ISE none 25°C 0.0 U 1903SHa (2014)1533
Kso(Hg2L2)=-20.90

CN- HL Cyanide CAS 74-90-8 (230)
Cyanide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE none 25°C 0.0 U 1929BRa (2731)1534
Kso(Hg2L2(s)=Hg2+2L)=-39.3

CO3-- H2L Carbonate CAS 465-79-6 (268)
Carbonate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE NaCl04 25°C 3.00M C 1976HHa (3241)1535
*Ks=4.19

*Ks: Hg2L(s)+2H=Hg2+H2O+CO2(g)

Hg2++ EMF none 25°C 0.0 U 1929BRa (3242)1536
Kso(Hg2CO3(s)=Hg2+CO3)=-16.05

C6N6Co--- H3L Cyanocobaltate (5470)
Hexacyanocobaltate; [Co(CN)6]---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE oth/un 25°C 0.0 U 1965ROa (3492)1537
Kso((Hg2)3L2)=-36.72

C6N6Fe---- H4L (2191)
Hexacyanoferrate (II); Fe(II)(CN)6----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ sol oth/un 25°C dil U 1962BBb (3569)1538
Kso((Hg2)2L)=-11.95

C6N6Fe--- H3L Ferricyanide (2491)
Hexacyanoferrate (III); Fe(III)(CN)6---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ sol oth/un 25°C dil U 1962BBb (3652)1539
Kso((Hg2)3L2)=-20.07

Cl- HL Chloride CAS 7647-01-0 (50)
Chloride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ EMF non-aq 25°C 100% U 1973CCa (5018)1540
Kso(Hg2Cl2)=-37.3

Medium: MeCN

Hg2++ EMF non-aq 177°C 100% U T H 1969BMF (5019)1541
Kso(Hg2Cl2)=-12.48

Medium: (Li,K)NO3; DH(Kso)=138 kJ mol-1(m units); Kso=3.608-7239.6/T
137-207 C

Hg2++ ISE non-aq 450°C 100% U T 1966FBa (5020)1542
Kso=4.22-7495/T
Kso=-12.45

Medium: (Li/K)NO3 eutectic. m units

 Hg2++ ISE NaClO4 40°C 0.50M U T 1963HIa (5021)1543
 Kso=-16.16
 Kso=-18.19(7 C)

Hg2++ ISE NaClO4 25°C 0.50M U K1=<1.3 1947JQa (5022)1544
 Kso(Hg2L2(s))=-16.88

Hg2++ ISE NaClO4 25°C 0.50M U 1947LJa (5023)1545
 K(Hg2L2(s)=Hg(l)+HgL2)=-5.77
 K(Hg2L2(s)+L=Hg(l)+HgL3)=-4.92

Hg2++ ISE none 25°C 0.0 U T 1946LAa (5024)1546
 Kso(Hg2L2(s))=-17.273
 I=0 corr. Kso=-17.775(15 C), -16.791(35 C), -16.323(45 C)

Hg2++ sol none 25°C 0.0 U 1942GNa (5025)1547
 Ks(Hg2L2(s)=Hg2L2)=-5.23 ?
 Ks(Hg2L2(s)+L=Hg2L3)=-4.06 ?

Hg2++ ISE none 26°C 0.0 U T H 1929BRa (5026)1548
 Kso(Hg2L2(s))=-17.82
 I=0 corr. Kso=-18.65(10.8 C), -18.48(14.9 C), -18.27(19.2 C)
 DH(Kso)=30.6 kJ mol-1

Hg2++ ISE oth/un 25°C var U 1904LHa (5027)1549
 Kso(Hg2L2(s))=-17.7

Hg2++ sol none 25°C 0.0 U 1903SHa (5028)1550
 Kso(Hg2L2(s))=-17.46

 ClO4- HL Perchlorate CAS 7001-90-3 (287)
 Perchlorate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ kin oth/un 25°C var U K1=0 1957AHa (6249)1551
 Medium: 3 M H+,Na+

Hg2++ ISE NaClO4 25°C var U K1=-0.05 1956HSd (6250)1552

 CrO4-- H2L Chromate CAS 7738-94-5 (2382)
 Chromate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE none 25°C 0.0 U 1929BRa (6493)1553
 Kso=-8.70

 F- HL Fluoride CAS 7644-39-3 (201)

Fluoride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE NaCl04 25°C 0.50M U K1=<0 1955PAa (6951)1554
Method: Hg electrode. At I=0 corr K1 < 0.5

I- HL Iodide CAS 10034-85-2 (20)
Iodide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE none 25°C 0.0 U 1973CCa (8098)1555
Kso(Hg2I2(s)=Hg2+2I)=-39.3

Hg2++ sol non-aq 142°C 100% U 1969MBd (8099)1556
Kso=0.13-9986/T
Medium: (Li,K)NO3; Kso=K(Hg2I2(s)=Hg2+2I); 142-192 C

Hg2++ sol none 25°C 0.0 U 1967KWb (8100)1557
K(Hg2I2(s)=Hg(l)+HgI2(s))=-1.8

Hg2++ ISE non-aq 177°C 100% U 1966FBa (8101)1558
Kso=-22?
Medium: (Li/K)NO3 eutectic, m units

Hg2++ ISE NaCl04 40°C 0.60M U T 1963HIa (8102)1559
Kso=-26.46
Medium:0.5 M NaCl04,0.1 HCl04. Kso=-29.34(7 C)

Hg2++ ISE NaCl04 25°C 0.50M U 1949QSa (8103)1560
Kso(Hg2L2)=-27.465

Hg2++ ISE none 25°C 0.0 U 1938LAa (8104)1561
Kso(Hg2L2)=-28.35

Hg2++ ISE none 25°C 0.0 U T 1929BRa (8105)1562
Kso(Hg2L2)=-28.31
Method: Hg electrode, I=0 corr. Kso=-29.70(10.8 C), -29.29(14.9 C),
-28.98(19.2 C), -28.13(26.5 C). DH(so)=52.7 kJ mol-1(25 C)

Hg2++ ISE oth/un 25°C 0.04M U 1903SHa (8106)1563
Kso(Hg2L2)=-27.92

I03- HL Iodate CAS 7782-68-5 (1257)
Iodate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE none 25°C 0.0 U 1943TAa (8518)1564

Kso(Hg2L2)=-13.71

Hg2++ ISE none 25°C 0.0 U 1929BRa (8519)1565

Kso(Hg2L2)=-17.89

NO2- HL Nitrite CAS 7782-77-6 (635)
Nitrite;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ sp oth/un 25°C var U B2=6.1 1973TUa (9380)1566

NO3- HL Nitrate CAS 7697-37-2 (288)
Nitrate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE NaClO4 25°C 3.00M U K1=-0.08 B2=-1.14 1983BMb (9706)1567

Hg2++ ISE NaNO3 25°C var U K1=0.40 1956HSd (9707)1568

Hg2++ ISE NaClO4 25°C 3.0M U I K1=0.02 B2=-0.30 1946ISa (9708)1569
K1=0.08(I=0.5 M)

OH- HL Hydroxide (57)
Hydroxide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ kin NaClO4 25°C 0.10M U K2=1.20 1977SAa (11594)1570

Hg2++ gl NaClO4 25°C 3.00M C 1976HHc (11595)1571

*K1=-4.88
*B(2,1)=-2.68
*B(5,4)=-8.48(?)
*Kso=2.35

*Kso:Hg2(OH)1.3(ClO4)0.7(s)+1.3H=Hg2++ + 0.7ClO4 +1.3H2O

Hg2++ kin oth/un 25°C 0.05M U 1952FHa (11596)1572
*K1=-3.6

Hg2++ gl oth/un ? var U 1936NEa (11597)1573
*K1=ca. -4.3

Hg2++ gl oth/un 18°C var U 1934BEa (11598)1574
Kso=-23.11(?)

Hg2++ ISE none 25°C 0.0 U 1929BRa (11599)1575
Kso=-23.74(?)

P04--- H3L Phosphate CAS 7664-38-2 (176)
Phosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE NaCl04 25°C 3.00M C 1975QDa (13214)1576

Kso=-10.70

*Ks=-21.40

Kso:Hg2HPO4(s)=(Hg2) + HPO4; *Ks=(Hg2)3(PO4)2(s) + 2H = 3(Hg2) + 2HPO4

P207---- H4L Pyrophosphate CAS 2466-09-3 (198)

Diphosphate; from (HO)2PO.O.PO(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE oth/un 25°C 1.00M U I K1=8.83 B2=11.71 1962SIb (13596)1577

B(Hg2(OH)L)=15.08

B(Hg2(OH)2L)=20.42

Medium: Na+, with Hg electrode. In K+: K1=9.25, B2=12.27, B(Hg2(OH)L)=15.85,
B(Hg2(OH)2L)=20.05, K(Hg2+HL)=5.93

Hg2++ sp NaNO3 28°C 0.75M U 1960YDa (13597)1578

B(Hg2(OH)L)=15.64

Also Hg electrode

Hg2++ EMF NaNO3 28°C 0.75M U B2=12.38 1959YDa (13598)1579

B(Hg2(OH)L)=16.11

P3010---- H5L CAS 10380-08-2 (1001)

Tripolyphosphate; from (HO)2PO.O.PO(OH).O.PO(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE NaNO3 27°C 0.75M U B2=11.23 1960YDa (13865)1580

B(Hg2L(OH))=15.0

S-- H2L Sulfide CAS 7783-06-4 (705)

Sulfide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE oth/un 18°C var U 1931K0a (14400)1581

Kso(Hg2L)=-47.0

SCN- HL Thiocyanate CAS 463-56-9 (106)

Thiocyanate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE none 25°C 0.0 U 1929BRa (15071)1582

K(Hg2L2(s)=Hg2+2L)=-19.52

Hg2++ sol oth/un 25°C var U 1905GRa (15072)1583
K(Hg2L2(s)=Hg2+2L)=-19.84

Also Hg electrode

Hg2++ sol oth/un 25°C var U 1905SSa (15073)1584
K(Hg2L2(s)=Hg2+2L)=-19.74

Also Hg electrode

S04-- H2L Sulfate CAS 7664-93-9 (15)
Sulfate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ EMF none 25°C 0.0 U T H 1970SPb (16240)1585
Kso=-6.09
Kso=-6.13(15 C); -6.09(25 C); -6.06(35 C); DHso=5.4 kJ mol-1

Hg2++ ISE oth/un 25°C 0.0 U 1964PCa (16241)1586
Kso(Hg2L)=-6.13

Hg2++ sol oth/un 25°C 0.0 U 1957BLa (16242)1587
Kso(Hg2L)=-6.17

Hg2++ ISE NaCl04 25°C 0.50M U I K1=1.30 B2=2.40 1946ISa (16243)1588
In 3 M NaCl04 Kso=-4.46

Hg2++ ISE oth/un 25°C 0.0 U 1932HJa (16244)1589
Kso(Hg2L)=-6.32

Hg2++ ISE oth/un 25°C 0.0 U 1929BRa (16245)1590
Kso(Hg2L)=-6.33

W04-- H2L Tungstate CAS 13783-36-3 (445)
Tungstate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE NaNO3 18°C 0.10M U 1933BHa (17440)1591
Kso(Hg2L)=-16.96

CH2O2 HL Formic acid CAS 64-18-6 (37)
Methanoic acid; H.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaCl04 25°C 3.0M C K1=2.94 B2=5.45 1977RWb (17614)1592

C2H2O4 H2L Oxalic acid CAS 144-62-7 (24)

Ethanedioic acid; (COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE NaCl04 25°C 1.0M C 2000VCa (18922)1593
Kso=-11.19

Method: Hg,Hg2 oxalate electrode

Hg2++ ISE oth/un 27°C 2.50M U B2=6.98 1960YDa (18923)1594
B(Hg2(OH)L)=13.04

C2H3O2Cl HL Chloroacetic CAS 79-11-8 (34)
Chloroethanoic acid; ClCH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaCl04 25°C 3.0M C K1=2.40 B2=4.4 1977RWb (19367)1595

C2H4O2 HL Acetic acid CAS 64-19-7 (36)
Ethanoic acid; CH3.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl alc/w 25°C 100% M K1=7.1 B2=12.8 1994MPc (19995)1596
Medium: MeOH

Hg2++ gl NaCl04 25°C 3.0M C K1=3.57 B2=6.63 1977RWb (19996)1597

Hg2++ vlt non-aq ? 100% U M 1963DTa (19997)1598
K(Hg2A2+2HL=Hg2L2+2HA)=7.03

Medium: ethanoic acid. HA=HClO4

C2H4O3 HL Glycolic acid CAS 79-14-1 (33)
2-Hydroxyethanoic acid; HO.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaCl04 25°C 3.0M C T K1=3.01 B2=5.71 1977RWb (20556)1599

C3H6O2 HL Propionic acid CAS 79-09-4 (35)
Propanoic acid; CH3.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaCl04 25°C 3.0M C K1=3.72 B2=6.99 1977RWb (25009)1600

C3H6O3 HL Methoxyacetic CAS 625-45-6 (29)
Methoxyethanoic acid; CH3.O.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaClO4 25°C 3.00M C K1=2.98 B2=8.39 1977RWb (25600)1601

C4H7N04 H2L IDA CAS 142-73-4 (118)
Iminodiethanoic acid; HN(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ sol NaClO4 25°C 0.10M U K1=10.81 1967SKg (32274)1602

C4H803 HL CAS 300-85-6 (30)
3-Hydroxybutanoic acid; CH3.CH(OH).CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaClO4 25°C 3.00M C K1=3.3 1977RWb (33623)1603

C4H803 HL CAS 2544-06-1 (28)
3-Methoxypropanoic acid; CH3.O.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaClO4 25°C 3.00M C K1=3.50 B2=6.63 1977RWb (33635)1604

C5H804 H2L CAS 595-46-0 (1144)
Dimethylmalonic acid; HOOC.C(CH3)2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ ISE NaNO3 27°C 0.75M U B2=7.52 1960YDa (38212)1605
B(Hg(OH)L)=13.58

C6H4Cl2 L CAS 106-46-7 (2405)
1,4-Dichlorobenzene; Cl.C6H4.Cl

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ nmr non-aq 32°C 100% U K1=-0.7 1976DIa (42169)1606
Medium: liquid SO2

C6H7N L Aniline CAS 62-53-3 (583)
Aminobenzene, aniline; C6H5.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaClO4 27°C 1.0M U K1=3.71 1964WDa (44873)1607

C7H6NO3Cl H2L (205)
3-Chlorosalicylhydroxamic acid; Cl.C6H3(OH).CO.NH.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg2++	gl	diox/w	30°C	50%	U		K1=11.38 B2=19.16	1977DJb (53416)	1608

C7H6O3 H2L Salicylic acid CAS 69-72-7 (14)
 2-Hydroxybenzoic acid, Salicylic acid; HO.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg2++	gl	alc/w	25°C	100%	M		K1=6.1 B2=11.2	1994MPc (54234)	1609

C8H6O4 H2L Phthalic acid CAS 88-99-3 (113)
 Benzene-1,2-dicarboxylic acid; C6H4(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg2++	sp	oth/un	18°C	0.10M	U		K1=4.90	1966GCb (58974)	1610

C8H10 L p-Xylene CAS 106-42-3 (2145)
 1,4-Dimethylbenzene, 4-Xylene; CH3.C6H4.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg2++	nmr	non-aq	32°C	100%	U		K1=3.5 B2=5.70	1976DIa (60681)	1611

Medium: liquid SO2

C11H10N2 L CAS 1132-37-2 (2427)
 (2,2'-Dipyridyl)methane; C5H4N.CH2.C5H4N

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg2++	gl	KNO3	20°C	0.10M	U		K1=7.8 B2=14.30	1970BAa (77659)	1612

C12H8N2 L Phenanthroline CAS 66-71-7 (144)
 1,10-Phenanthroline;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg2++	ISE	NaNO3	25°C	0.50M	U		Ks(Hg2L2(NO3)2)=-23.20	1967SPa (80465)	1613

C12H18 L CAS 87-85-4 (2406)
 Hexamethylbenzene; C6(CH3)6

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Hg2++	nmr	non-aq	32°C	100%	U		K1=5.0 B2=8.50	1976DIa (81791)	1614

Medium: liquid SO2

C15H33N5S2 L CAS 143634-65-5 (7925)

1-Methyl-8-amino-3,13-dithia-6,10,16,19-tetraazabicyclo[6.6.6]icosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl KNO3 25°C 0.10M C K1=19.5 2001SGa (92584)1615
K(HgL+H)=5.9

C20H36O6 L DiCy-18-crown-6 CAS 16069-36-6 (1653)
2,3:11,12-Dicyclohexyl-1,4,7,10,13,16-hexaoxacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ cal oth/un 25°C 0.10M U H 1976ITb (100650)1616
K1=1.93 (syn isomer)
K1=1.57 (anti isomer)
K2=0.60 (syn isomer)
K2=1.1 (anti isomer)

DH(K1,syn)=-9.04 and DH(K1,anti)=-18.2 kJ mol⁻¹. DH(K2,cis-syn-cis)=26.0,
DH(K2,cis-anti-cis)=-24.0

C34H54O8 H2L Lasalocid CAS 25999-20-6 (2335)
Lasalocid acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl alc/w 25°C 100% M K1=6.8 B2=12.6 1994MPc (106137)1617
Medium: MeOH

C44H22N4O12Br8S4 H6L CAS 176173-80-1 (6959)
2,3,7,8,12,13,17,18-Octabromo-5,10,15,20-tetrakis(4-sulfonatophenyl)porphyrin;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Hg2++ gl NaNO3 25°C 0.1M C 1996TNa (107038)1618
K(Hg2+H2L=Hg2L+2H)=3.57

Br- HL Bromide CAS 10035-10-6 (19)
Bromide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ vlt NaNO3 20°C 0.10M C 1986GLa (2015)1619
K(CH3Hg+Br)=6.61

Methods: normal and DP polarography.

HgR+ nmr alc/w 25°C 100% U M 1981BRa (2016)1620
K(MeHg+Br)=0.021

Medium: EtOH

HgR+ dis non-aq 25°C 100% U I 1978JIb (2017)1621

$K(\text{MeHg}+\text{Br}=\text{MeHgBr}(\text{aq}))=6.60$
 $K(\text{MeHg}+\text{Br}=\text{MeHgBr}(\text{org}))=8.30$
 $K(\text{CH}_3\text{Hg}+2\text{Br}=\text{CH}_3\text{HgBr}_2(\text{aq}))=5.98$

In o-xylene using the two-phase system: o-xylene/H₂O, 2.5 M NaNO₃.

Data also for o-xylene, 1.0 M (Na,H)(Br,Cl,NO₃)-medium

 HgR+ nmr non-aq 25°C 100% U 1975BwC (2018)1622
 $K(\text{MeHg}+\text{L})=6.62$

Medium: DMF

 HgR+ kin oth/un 20°C 0.10M U 1973GEb (2019)1623
 $K(\text{MeHg}+\text{L})=6.62$

 HgR+ oth oth/un 25°C 0.0 U 1968SRF (2020)1624
 $K(\text{EtHg}+\text{L})=0.3$
 $K(\text{EtHg}+\text{L}_2)=1.1$

 HgR+ vlt mixed 25°C 60% U M 1967BBb (2021)1625
 $K(\text{HgC}_6\text{H}_5+\text{L})=5.28$
 $K(\text{HgC}_6\text{H}_5\text{L}+\text{L})=0.74$
 $K(\text{HgCH}_2\text{C}_6\text{H}_5+\text{L})=5.42$
 $K(\text{HgCH}_2\text{C}_6\text{H}_5\text{L}+\text{L})=1.10$

Medium: 60% DMF, 0.1 Na, LiClO₄. Data also with HgCH₂CH₂C₆H₅(7.95,1.23), HgCH₂COCMe₃(5.18,2.75) and HgC₆H₅CHCOEt(4.43,2.95)

 HgR+ sol NaClO₄ 25°C 1.0M U 1965BBa (2022)1626
 $K_s(\text{EtHg}+\text{L})=-3.1$

 HgR+ gl KNO₃ 20°C 0.10M U H 1965SSd (2023)1627
 $K(\text{MeHg}+\text{L})=6.62$

By calorimetry: DH=-41.4 kJ mol⁻¹, DS=-15.1 J K⁻¹ mol⁻¹

 HgR+ gl oth/un 25°C dil U 1962POd (2024)1628
 $K(\text{CF}_3\text{Hg}+\text{L})=7.24$
 $K(\text{C}_2\text{F}_5\text{Hg}+\text{L})=7.16$
 $K(\text{C}_3\text{F}_7\text{Hg}+\text{L})=7.16$

 HgR+ dis oth/un 25°C 0.0 U 1961SIa (2025)1629
 $K_d(\text{CH}_3\text{Hg}+\text{L} \text{ into } \text{C}_6\text{H}_5\text{CH}_3)=1.65$

 HgR+ gl oth/un 25°C dil U 1955WwA (2026)1630
 $K(\text{CH}_3\text{Hg}+\text{L})=6.70$
 $K(\text{CH}_3\text{Hg}+\text{L}(\text{s})=\text{CH}_3\text{Hg}+\text{L})=-2.19$
 $K(\text{CH}_3\text{Hg}+\text{L}(\text{s})=\text{CH}_3\text{Hg}+\text{L})=-8.90$

 HgR+ gl oth/un 25°C dil U 1955WwA (2027)1631
 $K_{\text{so}}(\text{C}_6\text{H}_5\text{Hg}+\text{Br}=\text{C}_6\text{H}_5\text{Hg}+\text{Br})=-11.75$

CN- HL Cyanide CAS 74-90-8 (230)
 Cyanide;

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      kin oth/un 20°C 0.10M U      T K1=14.1      1973GEb (2732)1632
Metal ion: MeHg+
-----
HgR+      gl  KNO3   20°C 0.10M U      H T
                        K(MeHg+L)=14.0
                        K(MeHg+L) < 0.5
By calorimetry: DH(MeHg+L)=-92.4 kJ mol-1, DS=-47.7 J K-1 mol-1
-----
HgR+      gl  oth/un 25°C 0.1?M U      T
                        K(MeHg+L)=14.2
*****
CO3--      H2L      Carbonate      CAS 465-79-6 (268)
Carbonate;
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      nmr oth/un 25°C ? C M      K1=6.10      1976RTa (3243)1635
*****
C6N6Co--- H3L      Cyanocobaltate (5470)
Hexacyanocobaltate; [Co(CN)6]---
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      gl  KNO3   20°C 0.10M U
                        K(MeHg+L)=4.15
                        K(MeHg+2L)=7.65
*****
Cl-        HL      Chloride      CAS 7647-01-0 (50)
Chloride;
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      gl  NaCl   25°C 0.0 C I      K1=5.45      1998DFb (5029)1637
Metal: (CH3)Hg+. Extrapolated from data for 0.1-3.0 M NaCl
Pitzer interaction parameters derived.
-----
HgR+      nmr KNO3  25°C 0.30M C
                        K(HgR+Cl)=4.50
Method: 1H nmr. R is p-benzenesulfonate.
-----
HgR+      vlt NaNO3 20°C 0.10M C
                        K(CH3Hg+Cl)=5.26
Methods: normal and DP polarography.
-----
HgR+      dis none  25°C 0.0 C
                        K(EtHg+Cl)=5.43
Method: extraction of RHg+ from dilute acidified chloride solution into

```

benzene.

HgR+ nmr non-aq 25°C 100% U 1981BRa (5033)1641
K(MeHg+Cl)=0.06

Medium: CH₂Cl₂

HgR+ dis non-aq 25°C 100% U I 1978JIb (5034)1642
K(MeHg+Cl=MeHgCl(aq))=5.50
K(MeHg+Cl=MeHgCl(org))=6.59

In o-xylene using the two-phase system: o-xylene/H₂O, 2.5 M NaNO₃.
Data also for o-xylene, 1.0 M (Na,H)(Br,Cl,NO₃)-medium

HgR+ dis NaClO₄ 25°C 1.0M C 1978SKi (5035)1643
K(CH₃Hg+Cl)=5.51
K(C₂H₅Hg+Cl)=5.32
K(C₆H₅Hg+Cl)=5.77

Medium: 1.0 M HClO₄. Method: extraction into dithizone/CCl₄.

HgR+ nmr non-aq 25°C 100% U 1975Bwc (5036)1644
K(MeHg+L)=5.25

Medium: DMF

HgR+ dis NaClO₄ 25°C 1.0M U 1973BIa (5037)1645
K(MeHg+L)=5.32

HgR+ kin oth/un 20°C 0.10M U 1973GEb (5038)1646
K(MeHg+L)=5.25

HgR+ sol NaClO₄ 25°C 1.0M U 1965BBa (5039)1647
Ks(EtHgL)=-2.4

HgR+ gl KNO₃ 20°C 0.10M U H 1965SSd (5040)1648
K(MeHg+L)=5.25

By calorimetry: DH=-25.1 kJ mol⁻¹, DS=15.1 J K⁻¹ mol⁻¹

HgR+ oth KCl 0°C var U 1964DOa (5041)1649
K(Hg(CF₃)₂+L)=-0.5

Method:freezing point.

HgR+ gl none 25°C 0.0 U 1962POd (5042)1650
K(CF₃Hg+L)=5.78
K(C₂F₅Hg+L)=5.64
K(C₃F₇Hg+L)=5.56

HgR+ dis none 25°C 0.0 U 1961SIa (5043)1651
Kd(MeHgL into toluene)=1.0

HgR+ gl none 25°C 0.0 U 1955WWa (5044)1652
Kso(MeHgL(s))=-7.16
Ks(MeHgL(s)+L)=-1.71

K(MeHg+L)=5.45

Kso(PhHgL(s))=-9.30

F- HL Fluoride CAS 7644-39-3 (201)
Fluoride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 20°C 0.10M U 1965SSd (6952)1653
K(MeHg+L)=1.50

FClBrI HL (541)
Halides, comparative (for book data under ligand 80)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M U T M 1968ZPa (7405)1654
K(MeHg+Cl)=4.90
K(MeHg+Br)=5.98
K(MeHg+I)=7.70

K(Cl)=4.78(Et),4.65(Pr),4.55(Bu). K(Br)=5.90(Et),5.80(Pr),5.74(Bu).
K(I)=7.85(Et),8.20(Pr). At 20 C:K(MeHg+I)=8.70

HPO3-- H2L Phosphite CAS 13598-36-2 (6305)
Phosphite;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 20°C 0.10M U 1963SCc (7511)1655
K(MeHg+L)=4.67

I- HL Iodide CAS 10034-85-2 (20)
Iodide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ kin oth/un 20°C 0.10M U 1973GEb (8107)1656
K(MeHg+L)=8.60

HgR+ sol NaClO4 25°C 1.0M U 1965BBa (8108)1657
K(EtHgI+I)=-0.67
K(EtHgI2+I)=0.75
K(EtHgL(s)=EtHgL)=-4.11

HgR+ gl KNO3 20°C 0.10M U 1965SSd (8109)1658
Kso(MeHgI)=-11.46
K(MeHg+I)=8.60
K(MeHgI+I)=0.26 ?

HgR+ oth oth/un 0°C var U 1964DOa (8110)1659

K(Hg(CF3)2+L)=0.98

Method:freezing point. Medium:KI var

HgR+ gl oth/un 25°C dil U 1962POd (8111)1660
K(CF3Hg+L)=9.63
K(C2F5Hg+L)=9.66
K(C3F7Hg+L)=9.96

HgR+ gl oth/un 25°C 0.10M U 1961SIa (8112)1661
Kd(MeHgL into C6H5CH3)=2.6

HgR+ gl oth/un 25°C dil U 1955Wwa (8113)1662
K(MeHgL(s)=MeHg+L)=-11.72
K(MeHg+L)=8.7
K(C6H5HgL(s)=C5H5Hg+L)=-15.01

NH3 L Ammonia CAS 7664-41-7 (414)
Ammonia

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 24°C var U 1978Sma (9166)1663
K(MeHg(OH)+HL=MeHg+H2O)=2.42
Medium: phosphate buffer, pH 6-8, ionic strength 0.4 to 0.6M.

HgR+ nmr none 25°C 0.0 U 1974ROa (9167)1664
K(MeHg+L)=7.25

HgR+ gl KNO3 20°C 0.10M U 1965SSd (9168)1665
K(MeHg+L)=7.60

HgR+ gl oth/un 25°C 0.1?M U 1961SIa (9169)1666
K(MeHg+L)=8.4

NO3- HL Nitrate CAS 7697-37-2 (288)
Nitrate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ dis non-aq 25°C 100% U I 1978JIb (9709)1667
K(MeHg+NO3=MeHgNO3(org))=-1.2

In o-xylene using the two-phase system: o-xylene/H2O, 2.5 M NaNO3.
Data also for o-xylene, 1.0 M (Na,H)(Br,Cl,NO3)-medium

OH- HL Hydroxide (57)
Hydroxide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl NaNO3 25°C 0.0 C I 1998DFb (11600)1668

*K1=-4.528

*B(2,1)=-2.15

Metal: (CH₃)Hg⁺. Extrapolated from data for 0.01-3.25 M NaNO₃.
Pitzer interaction parameters derived.

HgR+ nmr KNO₃ 25°C 0.30M C 1987Rba (11601)1669

K(HgR+OH)=9.12

Method: 1H nmr. R is p-benzenesulfonate.

HgR+ vlt NaNO₃ 20°C 0.10M C 1986GLa (11602)1670

K(CH₃Hg+OH)=9.36

Methods: normal and DP polarography.

HgR+ dis none 25°C 0.0 C 1984SNa (11603)1671

K(EtHg+OH)=9.23

K(n-PrHg+OH)=9.20

K(n-BuHg+OH)=9.04

K(PhHg+OH)=9.98

Method: extraction of RHg⁺ from dilute phosphate buffer into benzene/
8-hydroxyquinoline.

HgR+ nmr oth/un 25°C ? U 1982MCb (11604)1672

K(MeHg+L)=9.41

HgR+ gl NaNO₃ 25°C 1.00M C 1978JIc (11605)1673

*K1=-4.686

*B(2,1)=-1.725

Kso(MeHgOH)=-13.66

HgR+ gl KNO₃ 25°C 0.10M C I 1974ANa (11606)1674

K(MeHg+OH)=4.56

K(PhHg+OH)=4.03

In 75% dioxan, 0.1 M NaClO₄: K(MeHg+OH)=5.2, K(PhHg+OH)=4.5, K(MeHg+MeHgOH=
(MeHg)₂OH)=3.7, K(PhHg+PhHgOH=(PhHg)₂OH)=3.85

HgR+ dis NaNO₃ 25°C 1.0M C 1974ILb (11607)1675

*K(CH₃Hg)=-4.40

HgR+ kin oth/un 20°C 0.10M U 1973GEb (11608)1676

K(MeHg+OH)=9.37

HgR+ nmr oth/un 25°C U 1973LRa (11609)1677

K(MeHg+OH)=9.30

K(MeHgOH+MeHg)=2.37

HgR+ sp oth/un ? U 1971SBa (11610)1678

*K1(M+H₂O=MOH+H)=-2.74

M=HgC(NO₂)₃⁺. Dissociation of cation neglected

HgR+ gl KNO₃ 25°C 0.10M U T 1968ZPa (11611)1679

K(MeHg+L)=9.00
 K(EtHg+L)=8.80
 K(PrHg+L)=8.66
 K(BuHg+L)=8.61

K(MeHg+L)=9.32(20 C)

 HgR+ gl KNO3 20°C 0.10M U H 1963SCc (11612)1680

*K1(MeHg)=-4.59
 K(MeHgOH+MeHg)=2.37

DH(*K1)=-35.5 kJ mol⁻¹, DS=-57.3 J K⁻¹ mol⁻¹

 HgR+ gl oth/un 25°C dil U 1962POd (11613)1681

K(CF3Hg+L)=10.76
 K(C2F5Hg+L)=10.58
 K(C3F7Hg+L)=10.50

 HgR+ gl oth/un 25°C dil U 1961PSb (11614)1682

K(MeHg+L)=9.89

 HgR+ gl oth/un 24°C dil U 1955WwA (11615)1683

K(MeHg+L)=9.50
 K(EtHg+L)=9.1
 K(PhHg+L)=10.0

P04--- H3L Phosphate CAS 7664-38-2 (176)

Phosphate;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 HgR+ dis none 25°C 0.0 C 1984SNa (13215)1684

K(EtHg+P04)=8.45
 K(EtHg+HP04)=4.08
 K(n-PrHg+P04)=8.04
 K(n-PrHg+HP04)=4.15

Method: extraction of RHg+ from dilute phosphate buffer into benzene/
 8-hydroxyquinoline.

 HgR+ dis none 25°C 0.0 C 1984SNa (13216)1685

K(PhHg+P04)=9.49
 K(PhHg+HP04)=5.26
 K(n-BuHg+P04)=8.43
 K(n-BuHg+HP04)=4.26

Method: extraction of RHg+ from dilute phosphate buffer into benzene/
 8-hydroxyquinoline.

 HgR+ dis NaNO3 25°C 1.0M C 1974ILb (13217)1686

K(MeHg+H2P04=MeHgHP04+H)=-1.74

 HgR+ gl KNO3 20°C 0.10M U 1965SSd (13218)1687

K(MeHg+HL)=5.03

K(MeHg+L)=6.1

K(CH3Hg+OH)=9.5 assumed

S03-- H2L Sulfite CAS 7782-99-2 (801)
Sulfite;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C ? C M K1=7.96 1976RTa (15462)1697

HgR+ gl KNO3 20°C 0.10M U 1965SSd (15463)1698

K(MeHg+L)=8.11

S04-- H2L Sulfate CAS 7664-93-9 (15)
Sulfate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl oth/un 25°C 0.0 C I K1=2.64 1998DFb (16246)1699

Metal: (CH3)Hg+. Extrapolated from data for 0.1-1.0 M Na2SO4
Pitzer interaction parameters derived.

HgR+ gl oth/un 25°C ? U M K1=0.94 1976RTa (16247)1700

S203-- H2L Thiosulfate CAS 73686-28-7 (177)
Thiosulfate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ cal KNO3 20°C 0.10M U H 1963SCc (16860)1701

K(MeHg+L)=10.90

DH=-48.9 kJ mol-1, DS=41.4 J K-1 mol-1

SeCN- HL Selenocyanate CAS 73102-11-2 (440)
Selenocyanate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C ? C M K1=6.79 1976RTa (16989)1702

Se03-- H2L Selenite CAS 7783-00-8 (2391)
Selenite;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C ? C M K1=6.46 1976RTa (17063)1703

K(MeHg+HL)=2.70

Se04-- H2L Selenate CAS 7783-08-6 (459)
Selenate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	oth/un	25°C	? C		M		K(MeHg+L)=1.12	1976RTa (17103)	1704

CH2O2		HL		Formic acid				CAS 64-18-6	(37)	
Methanoic acid; H.CO ₂ H										
HgR+	gl	NaNO ₃	25°C	1.00M		C		K(MeHg+L)=2.681	1978JIC (17615)	1705
HgR+	nmr	oth/un	25°C	0.40M		U		K(MeHg+L)=2.67	1973LRA (17616)	1706

CH ₅ N		L		Methylamine				CAS 74-89-5	(155)	
Methylamine; CH ₃ .NH ₂										
HgR+	sp	oth/un	24°C	var		U		K(MeHg(OH)+HL=MeHg+H ₂ O)=1.23	1978SMA (18021)	1707
Medium: phosphate buffer, pH 6-8, ionic strength 0.4 to 0.6M.										
HgR+	nmr	none	25°C	0.0		U		K(MeHg+L)=7.57	1974ROa (18022)	1708

C ₂ H ₂ O ₂ Cl ₂		HL						CAS 79-43-6	(1282)	
Dichloroethanoic acid; Cl ₂ CH.CO ₂ H										
HgR+	nmr	oth/un	25°C	0.40M		U		K(MeHg+L)=1.14	1973LRA (18397)	1709

C ₂ H ₃ O ₂ Cl		HL		Chloroacetic				CAS 79-11-8	(34)	
Chloroethanoic acid; ClCH ₂ .CO ₂ H										
HgR+	nmr	oth/un	25°C	0.40M		U		K(MeHg+L)=2.19	1973LRA (19368)	1710

C ₂ H ₄ O ₂		HL		Acetic acid				CAS 64-19-7	(36)	
Ethanoic acid; CH ₃ .CO ₂ H										

HgR+ gl NaNO3 25°C 1.00M C 1978JIc (19998)1711
K(MeHg+L)=3.204
B(2MeHg+L)=5.279

HgR+ nmr non-aq 25°C 100% U 1975Bwc (19999)1712
K(MeHg+L)=3.6

Medium: DMF

HgR+ nmr oth/un 25°C 0.40M U 1973LRa (20000)1713
K(MeHg+L)=3.18

C2H5NO2 HL Glycine CAS 56-40-6 (85)
2-Aminoethanoic acid; H2N.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ dis NaClO4 25°C 1.0M C K1=8.78 1988KSa (21580)1714
Metal is C6H5Hg+. Method: extraction of 203Hg(C6H5)Br into benzene from a
ligand solution in 1.0 M NaClO4.

HgR+ gl NaNO3 25°C 1.00M C 1978JIc (21581)1715
K(MeHg+L)=7.518
K(MeHg+2L)=9.468

HgR+ sp oth/un 24°C var U 1978SMa (21582)1716
K(MeHg(OH)+HL=MeHgL+H2O)=2.67
Medium: phosphate buffer, pH 6-8, ionic strength 0.2 to 0.3M.

HgR+ gl oth/un 22°C ? U 1976HSa (21583)1717
K(C6H5Hg+L)=7.13

HgR+ gl oth/un 22°C ? U 1976HSa (21584)1718
K(MeHg+L)=6.07

HgR+ nmr none 25°C 0.0 U 1974R0a (21585)1719
K(MeHg+L)=7.88

C2H6OS HL CAS 60-24-2 (841)
2-Mercaptoethanol; HS.CH2.CH2.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr KNO3 25°C 0.30M C 1987RBa (22067)1720
K(HgR+L)=16.35
Method: 1H nmr. R is p-benzenesulfonate.

HgR+ gl oth/un 22°C ? U 1976HSa (22068)1721
K(MeHg+L)=8.76
K(C6H5Hg+L)=6.67

HgR+ nmr non-aq 25°C 100% U 1975BwC (22069)1722
K(MeHg+L)=16.1

Medium: DMF

C2H6S2 L CAS 624-92-0 (152)
Dimethyl disulfide; CH3.S.S.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr non-aq 25°C 100% U I M 1981BRa (22202)1723
K(MeHgA+L)=-1.30

Medium: CH2Cl2. HA=EtOH. In EtOH: K(MeHgA+L)=-0.16

C2H7N L Dimethylamine CAS 124-40-3 (802)
Dimethylamine; CH3.NH.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr none 25°C 0.0 U 1974R0a (22226)1724
K(MeHg+L)=6.76

C2H7N L Ethylamine CAS 75-04-7 (156)
Ethylamine; CH3.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 24°C var U 1978SMa (22275)1725
K(MeHg(OH)+HL=MeHgL+H2O)=1.31

Medium: phosphate buffer, pH 6-8, ionic strength 0.4 to 0.6M

HgR+ nmr none 25°C 0.0 U 1974R0a (22276)1726
K(MeHg+L)=7.64

C2H8N2 L Ethylenediamine CAS 107-15-7 (23)
1,2-Diaminoethane; H2N.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 22°C 0.10M U M 1977HSb (23181)1727
K(MeHg+L)=5.52, B2=7.90

K(EtHg+L)=5.52, B2=7.28

K(PrHg+L)=5.56, B2=7.35

C3H4N2 L Imidazole CAS 288-32-4 (90)
1,3-Diazole, imidazole; C3H4N2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr NaCl 25°C 0.50M U M K1=9.0 1981BEa (23903)1728
R=Hg(p-chlorobenzoate)

HgR+ nmr oth/un 25°C var U TI K1=11.76 1977ERb (23904)1729
K(MeHg+HL)=6.93
K(MeHg+MeHgL)=8.26

Also K(MeHg+L)=11.79 at 20 C, by pH-metric titn.

C3H4O3 HL Pyruvic acid CAS 127-17-3 (1152)
2-Oxopropanoic acid; CH3.CO.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl NaNO3 25°C 1.00M U 1981JIa (24055)1730
K(MeHg+L)=2.31

C3H6O2 HL Propionic acid CAS 79-09-4 (35)
Propanoic acid; CH3.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C 0.40M U 1973LRa (25010)1731
K(MeHg+L)=3.39

C3H6O2S H2L Thiolactic acid CAS 79-42-5 (366)
2-Mercaptopropanoic acid; CH3.CH(SH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl oth/un 22°C ? U 1976HSa (25148)1732
K(MeHg+L)=9.03
K(C6H5Hg+L)=7.37

C3H7NO2 HL Alanine CAS 56-41-7 (86)
2-Aminopropanoic acid; H2N.CH(CH3).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl NaNO3 25°C 1.00M C 1978JIc (26189)1733
K(MeHg+L)=7.516
K(MeHg+2L)=9.450

C3H7NO2 HL B-Alanine CAS 107-95-9 (575)
3-Aminopropanoic acid; H2N.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 24°C var U 1978SMa (26457)1734
K(MeHg(OH)+HL=MeHgL+H2O)=1.80

Medium: phosphate buffer, pH 6-8, ionic strength 0.2 to 0.3M.

HgR+ nmr none 25°C 0.0 U 1974R0a (26458)1735

K(MeHg+HL)=2.52 (O coord)

K(MeHg+L)=7.56 (N coord)

C3H7NO2S H2L Cysteine CAS 52-90-4 (96)

2-Amino-3-mercaptopropanoic acid; H2N.CH(CH2.SH)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ dis NaClO4 25°C 1.0M C K1=16.5 1988KSa (26793)1736

Metal is C6H5Hg+. Method: extraction of 203Hg(C6H5)Br into benzene from a ligand solution in 1.0 M NaClO4.

HgR+ dis NaClO4 25°C 1.0M C K1=16.58 1988SKf (26794)1737

K(CH3Hg+HL)=15.56

Method: extraction of 203Hg-labelled complex into dithizone/CCl4 solution
Metal is CH3Hg+.

HgR+ dis NaClO4 25°C 1.0M C K1=17.7 1988SKf (26795)1738

K(C6H5Hg+HL)=16.5

Method: extraction of 203Hg-labelled complex into dithizone/CCl4 solution.
Metal is C6H5Hg+.

HgR+ nmr KNO3 25°C 0.30M C 1987Rba (26796)1739

K(HgR+L)=16.97

K(HgR+HL)=15.50

Method: 1H nmr. R is p-benzenesulfonate.

HgR+ gl NaNO3 25°C 1.00M U K1=15.70 1981JIa (26797)1740

K(MeHg+H2L)=6.69

B((MeHg)HL)=24.96

K(MeHgL+H)=9.25

HgR+ nmr oth/un 25°C 0.30M M K1=16.67 1981RRd (26798)1741

K(MeHgL+H)=8.80

K(MeHg+HL)=15.38

K(MeHgHL+H)=2.44

HgR+ gl oth/un 22°C ? U 1976HSa (26799)1742

K(C6H5Hg+L)=4.77

K(C6H5HgL+H)=8.64

HgR+ gl oth/un 22°C ? U 1976HSa (26800)1743

K(MeHg+L)=7.19

K(MeHgL+L)=5.96

K(MeHgL+H)=8.92

C3H7NO3 HL Serine CAS 56-45-1 (49)

2-Amino-3-hydroxypropanoic acid; H2N.CH(CH2.OH)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl NaNO3 25°C 1.00M U 1981JIa (27144)1744
K(MeHg+L)=6.93

C3H8OS2 H2L BAL CAS 59-52-9 (379)
2,3-Dimercaptopropan-1-ol; HS.CH2.CH(SH).CH2(OH)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M U K1=19.56 1985ACa (27662)1745
K(CH3Hg+CH3HgL)=10.46
K(CH3Hg+HL)=16.54

Metal is CH3Hg+.

HgR+ gl oth/un 22°C ? U 1976HSa (27663)1746
K(MeHg+L)=7.92
K(MeHgL+L)=7.81
K(MeHgL+H)=7.79
K(C6H5Hg+L)=6.12

C3H8O3S3 H3L Unithiol CAS 74-61-3 (1271)
2,3-Dimercaptopropanesulfonic acid; HS.CH2.CH(SH).CH2.SO3H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M U K1=21.01 1985ACa (27791)1747
K(CH3Hg+CH3HgL)=10.26
K(CH3Hg+HL)=17.19

Metal is CH3Hg+.

C3H9N L iso-Propylamine CAS 75-31-0 (157)
2-Propylamine; CH3.CH(CH3).NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 24°C var U 1978SMa (27847)1748
K(MeHg(OH)+HL=MeHgL+H2O)=1.29
Medium: phosphate buffer, pH 6-8, ionic strength 0.4 to 0.6M.

HgR+ nmr none 25°C 0.0 U 1974R0a (27848)1749
K(MeHg+L)=7.56

C3H9N L Trimethylamine CAS 75-50-3 (803)
Trimethylamine; (CH3)3.N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr none 25°C 0.0 U 1974R0a (27859)1750
K(MeHg+L)=5.05

C3H10N2 L Propanediamine CAS 109-76-2 (123)
1,3-Diaminopropane; H2N.CH2.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 22°C 0.10M U M 1977HSb (28309)1751
K(MeHg+L)=5.24, B2=9.01
K(EtHg+L)=5.08, B2=8.60
K(PrHg+L)=5.09, B2=8.39

C4H6N2 L N-Me-Imidazole CAS 616-47-7 (354)
N-Methyl-1,3-diazole; C3H3N2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C var U 1977ERb (29600)1752
K(MeHg+HL)=6.96

C4H6O4S H3L Thiomalic acid CAS 70-49-5 (109)
2-Mercaptosuccinic acid, 2-Sulfanyl-1,4-butanedioic acid; HOOC.CH(SH).CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr KNO3 25°C 0.30M C 1987RBa (30336)1753
K(HgR+L)=17.28

Method: 1H nmr. R is p-benzenesulfonate.

HgR+ nmr oth/un 25°C 0.30M M K1=17.31 1981RRd (30337)1754
K(MeHg+L+H)=4.85
K(MeHgHL+H)=3.53

HgR+ gl oth/un 22°C ? U 1976HSa (30338)1755
K(C6H5Hg+L)=7.78

HgR+ gl oth/un 22°C ? U 1976HSa (30339)1756
K(MeHg+L)=8.16

C4H6O4S2 H4L CAS 2418-14-6 (4264)
2,3-Dimercaptobutanedioic acid; HOOC.CH(SH).CH(SH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr KNO3 25°C 0.30M C K1=18.4 1985ACa (30393)1757
K(CH3Hg+CH3HgL)=16.9

Metal is CH3Hg+. Method: 1H nmr by competition with mercaptoethanoic acid.

C4H7NO3 HL CAS 543-24-8 (3586)
N-Acetylglycine; CH3.CO.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C 0.40M U 1973LRa (31502)1758
K(MeHg+L)=2.68

C4H7N04 H2L Aspartic acid CAS 56-84-8 (21)
Aminobutanedioic acid; H2N.CH(CH2.COOH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ dis NaCl04 25°C 1.0M C K1=8.71 1988K5a (31868)1759
Metal is C6H5Hg+. Method: extraction of 203Hg(C6H5)Br into benzene from a
ligand solution in 1.0 M NaCl04.

C4H8N2O3 HL Asparagine CAS 70-47-3 (17)
2-Aminobutanedioic acid 4-amide; H2N.CH(CH2.CO.NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl NaNO3 25°C 1.00M U 1981JIa (32703)1760
K(MeHg+L)=6.32

C4H9NO2 HL 4-Aminobutyric CAS 56-12-2 (574)
4-Aminobutanoic acid; H2N.CH2.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr none 25°C 0.0 U 1974R0a (33983)1761
K(MeHg+HL)=2.74 O coord
K(MeHg+L)=7.54 N coord

C4H9NO2S HL Methylcysteine CAS 1187-84-4 (84)
2-Amino-3-methylmercaptopropanoic acid; H2N.CH(CH2.S.CH3)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl oth/un 22°C ? U 1976HSa (34098)1762
K(C6H5Hg+L)=5.84
K(MeHg+L)=5.15

C4H9NO2S HL CAS 29768-80-7 (2597)
2-Amino-4-mercaptobutanoic acid; HOOC.CH(NH2).CH2.CH2.SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C 0.30M M K1=16.45 1981RRd (34113)1763
K(MeHg+L+H)=9.12
K(MeHgHL+H)=2.26

C4H10O2S2 H2L Dithiothreitol CAS 3483-12-3 (8164)
Threo-2,3-Dihydroxy-1,4-dithiobutane

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      nmr KNO3   25°C 0.30M C          K1=17.0      1985ACa (34696)1764
Metal is CH3Hg+. Method: 1H nmr by competition with mercaptoethanoic acid.
*****
C4H11N    L      t-Butylamine      CAS 75-64-9 (158)
2-Amino-2-methylpropane; H2N.C(CH3)3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      sp  oth/un 24°C var U          1978SMa (34790)1765
          K(MeHg(OH)+HL=MeHgL+H2O)=1.20
Medium; phosphate buffer, pH 6-8, ionic strength 0.3 to 0.4M.
-----

```

```

-----
HgR+      nmr none   25°C 0.0 U          1974ROa (34791)1766
          K(MeHg+L)=7.52
*****
C4H11N    L      Diethylamine      CAS 109-89-7 (1331)
Diethylamine, 3-azapentane; (C2H5)2NH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      nmr NaCl   25°C 0.50M U    M    K1=10.0      1981BEa (34819)1767
R=Hg(p-chlorobenzoate)
*****
C4H11NO3  L      Tris buffer        CAS 77-86-1 (550)
2-Amino-2-(hydroxymethyl)-propan-1,3-diol; (HO.CH2)3C.NH2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      nmr NaCl   25°C 0.50M U    M    K1=9.9       1981BEa (35057)1768
R=Hg(p-chlorobenzoate)
*****
C4H12N2   L      Putrescine          CAS 110-60-1 (360)
1,4-Diaminobutane; H2N.(CH2)4.NH2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      gl  KNO3    22°C 0.10M U    M          1977HSb (35366)1769
          K(MeHg+HL)=4.67, B2=10.23
          K(EtHg+HL)=4.44, B2=9.95
          K(PrHg+HL)=4.33, B2=9.91
*****
C5H5N     L      Pyridine            CAS 110-86-1 (31)
Pyridine, Azine;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
HgR+      nmr NaCl   25°C 0.50M U    M    K1=8.3       1981BEa (36645)1770
-----

```


Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	oth/un	25°C	0.40M	U			K(MeHg+L)=1.71	1973LRa (40467)	1777

C5H11NO2		HL		Valine				CAS 72-18-4	(43)	
2-Amino-3-methylbutanoic acid; H2N.CH(CH(CH3)2)COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	sp	oth/un	24°C	var	U			K(MeHg(OH)+HL)=MeHgL+H2O)=2.09	1978SMa (40718)	1778
Medium; phosphate bufer, pH 6-8, ionic strength 0.2 to 0.3M.										

HgR+	nmr	none	25°C	0.0	U			K(MeHg+HL)=2.7 0 coord K(MeHg+L)=7.41 N coord	1974ROa (40719)	1779

C5H11NO2		HL						CAS 660-88-8	(1845)	
5-Aminopentanoic acid; H2N.CH2.CH2.CH2.CH2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	none	25°C	0.0	U			K(MeHg+HL)=2.98 0 coord K(MeHg+L)=7.75 N coord	1974ROa (40859)	1780

C5H11NO2		HL		DL-Valine				CAS 516-06-3	(186)	
DL-2-Amino-3-methylbutanoic acid; H2N.CH(CH(CH3)2).COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	gl	NaNO3	25°C	1.00M	C			K(MeHg+L)=7.268 K(MeHg+2L)=9.157	1978JIc (40894)	1781

C5H11NO2S		HL		Methionine				CAS 63-68-3	(42)	
2-Amino-4-(methylthio)butanoic acid; H2N.CH(CH2.CH2.S.CH3)COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	dis	NaClO4	25°C	1.0M	C			K1=8.42	1988KSa (41101)	1782
Metal is C6H5Hg+. Method: extraction of 203Hg(C6H5)Br into benzene from a ligand solution in 1.0 M NaClO4.										

HgR+	gl	NaNO3	25°C	1.00M	U			K(MeHg+L)=7.17	1981JIa (41102)	1783

HgR+	nmr	oth/un	25°C	0.20M	C			K1=7.40	1975FRb (41103)	1784
Method: 1H nmr. HgR is CH3Hg. Self-medium: 0.2 M CH3Hg, 0.03-0.29 M H2L.										

K1 from chemical shift values of CH3Hg protons; from CH2 protons, K1=7.5.

C5H11NO2S H2L Penicillamine CAS 52-66-4 (350)
 DL-2-Amino-3-mercapto-3-methylbutanoic acid; (CH3)2C(SH)CH(NH2)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	KNO3	25°C	0.30M	C				1987RBa (41267)	1785
								K(HgR+L)=17.26		
								K(HgR+HL)=15.07		

Method: 1H nmr. R is p-benzenesulfonate.

HgR+	nmr	oth/un	25°C	0.30M	M			K1=16.94	1981RRd (41268)	1786
								K(MeHg+L+H)=8.14		
								K(MeHgHL+H)=2.33		

HgR+	gl	oth/un	22°C			? U			1976HSa (41269)	1787
								K(C6H5Hg+L)=11.86		

HgR+	gl	oth/un	22°C			? U			1976HSa (41270)	1788
								K(MeHg+L)=6.72		
								K(MeHgL+L)=5.73		

HgR+	nmr	oth/un	25°C	0.20M	C				1975RFb (41271)	1789
								K(CH3HgHL+H)=2.0		
								K(CH3HgL+H)=9.0		

Self medium, ca. 0.2 M CH3Hg+, 0.2 M H2L. Method: 13C nmr.

 C5H11NO2Se HL CAS 1464-42-2 (1900)
 2-Amino-4-(methylseleno)butanoic acid; CH3.Se.CH2.CH2.CH(NH2).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	KNO3	25°C	0.30M	U				1985IAa (41303)	1790
								K(MeHg+HL)=3.73		
								K(MeHg+L)=7.63		

 C5H14N2 L CAS 462-94-2 (359)
 1,5-Diaminopentane; H2N.(CH2)5.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	gl	KNO3	22°C	0.10M	U	M			1977HSb (41864)	1791
								K(MeHg+HL)=5.17, B2=10.83		
								K(EtHg+HL)=4.93, B2=10.59		
								K(PrHg+HL)=5.02, B2=10.46		

 C6H5NO2S HL CAS 1849-36-1 (4397)
 4-Nitrothiophenol; NO2.C6H4.SH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	kin	oth/un	20°C	0.10M	U			K(CH3Hg+L)=12.3	1973GEb (42710)	1792

C6H6S		HL		Thiophenol				CAS 108-98-5	(883)	
Phenyl mercaptan, thiophenol; C6H5.SH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	non-aq	25°C	100%	U			K(MeHg+L)=14.1	1975Bwc (44547)	1793
Medium: DMF										

C6H12N2O4S2		H2L		Cystine				CAS 923-32-0	(1404)	
DL-Dithio-bis(2-amino-3-propanoic acid); (HOOC.CH(NH2).CH2.S)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	dis	NaCl04	25°C	1.0M	C			K1=8.77	1988KSa (49364)	1794
Metal is C6H5Hg+. Method: extraction of 203Hg(C6H5)Br into benzene from a ligand solution in 1.0 M NaCl04.										

C6H13NO2		HL		6-Aminohexanoic acid;				CAS 60-32-2	(1846)	
H2N.CH2.CH2.CH2.CH2.CH2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	none	25°C	0.0	U			K(MeHg+HL)=3.10 0 coord K(MeHg+L)=7.83 N coord	1974ROa (50217)	1795

C6H15NO3				Triethanolamine				CAS 102-71-6	(447)	
Tris-(2-hydroxyethyl)amine; L										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	NaCl	25°C	0.50M	U	M		K1=6.9	1981BEa (51295)	1796
R=Hg(p-chlorobenzoate)										

C6H15O3P		L		Triethylphosphite;				CAS 122-52-1	(1723)	
(C2H5O)3P										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	non-aq	25°C	100%	U	M		K(MeHgA)+L)=-0.26	1981BRa (51512)	1797
Medium: CH2Cl2. HA=EtOH										

C6H16N2		L						CAS 124-09-4	(358)	

1,6-Diaminohexane; H2N.(CH2)6.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 22°C 0.10M U 1977HSb (51586)1798
B(MeHgL2)=10.95, K(M+HL)=5.34
B(EtHgL2)=11.03, K(M+HL)=5.40
B(PrHgL2)=10.80
K(PrHg+HL)=5.21

C7H8S2 L CAS 14173-25-2 (2345)
Phenyl-methyl-disulfide; C6H5.S.S.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr non-aq 25°C 100% U M 1981BRa (56179)1799
K(MeHgA+L)=0.055

Medium: CH2Cl2. HA=EtOH

C7H13NO3S H2L CAS 59-53-0 (1269)
N-Acetyl-penicillamine; CH3.CO.NH.CH(COOH)C(CH3)2SH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C 0.30M M K1=16.76 1981RRd (57492)1800
K(MeHgL+H)=3.10

C8H17NO2 HL CAS 2187-07-7 (1847)
8-Aminooctanoic acid; H2N.CH2.CH2.CH2.CH2.CH2.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr none 25°C 0.0 U 1974R0a (62748)1801
K(MeHg+HL)=3.15 O coord
K(MeHg+L)=7.60 N coord

C8H18S L CAS 544-40-1 (2346)
Bis(n-butyl)sulfide; C4H9.S.C4H9

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr non-aq 25°C 100% U M 1981BRa (63007)1802
K(MeHgA)+L)=-0.82

Medium: CH2Cl2. HA=EtOH

C9H5NOClI HL CAS 130-26-7 (1541)
5-Chloro-7-iodo-8-hydroxyquinoline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl diox/w 25°C 75% C 1974ANa (63528)1803
K(MeHg+L)=9.2
K(PhHg+L)=9.8

Medium: 75% dioxan, 0.1 M NaClO4

C9H6N04IS H2L Ferron CAS 547-91-1 (275)
7-Iodo-8-hydroxyquinoline-5-sulfonic acid; (HO)(HO3S)C9H4NI

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M C 1974ANa (63806)1804
K(MeHg+L)=8.1
K(PhHg+L)=8.7

HgR+ sp oth/un 26°C 0.01M U K1=10.40 1973DNa (63807)1805
Metal: C6H5Hg+

C9H7N L CAS 91-22-5 (1538)
Quinoline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M C 1974ANa (64062)1806
K(MeHg+L)=4.05

C9H7NO HL Oxine CAS 148-24-3 (504)
8-Hydroxyquinoline (8-quinolinol);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ dis none 25°C 0.0 C 1984SNa (64280)1807
K(EtHg+L)=10.46
K(n-PrHg+L)=11.15
K(n-BuHg+L)=11.88
K(PhHg+L)=13.30

Method: extraction of RHg+ from dilute phosphate buffer into benzene/
8-hydroxyquinoline. Reaction: RHg+L=RHgL(org).

HgR+ gl KNO3 25°C 0.10M C I 1974ANa (64281)1808
K(MeHg+L)=8.8
K(MeHg+HL)<4

In 75% dioxan, 0.1 M NaClO4: K(MeHg+L)=11.5, K(MeHg+HL)=4.7

HgR+ sp oth/un 26°C 0.01M U K1=10.82 1973DNa (64282)1809
Metal : C6H5Hg, 25-27 C

C9H7N04S H2L Sulfoxine CAS 84-88-8 (448)
8-Hydroxyquinoline-5-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M C 1974ANa (64550)1810
K(MeHg+L)=8.3
K(PhHg+L)=8.9

C9H11NO2 HL Phenylalanine CAS 63-91-2 (2)
2-Amino-3-phenylpropanoic acid; H2N.CH(CH2.C6H5)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr none 25°C 0.0 U 1974R0a (65946)1811
K(MeHg+L)=8.29 N coord

C9H11NO2 HL B-Phenylalanine CAS 614-19-7 (187)
3-Amino-3-phenyl-propanoic acid; H2N.CH(C6H5).CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 24°C var U 1978SMa (66009)1812
K(MeHg(OH)+HL=MeHg+H2O)=3.64

Medium: phosphate buffer, pH 6-8, ionic strength 0.2 to 0.3M.

C9H11NO3 H2L Tyrosine CAS 60-18-4 (4)
2-Amino-3-(4-hydroxyphenyl)propanoic acid; HO.C6H4.CH2.CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 25°C 0.01M U 1980HMb (66228)1813
K(MeHgOH+H2L=MeHg+H2O)=3.61

C9H13N3O5 L Cytidine CAS 65-46-3 (2152)
Cytidine, Cytosine-1-beta-D-ribofuranoside;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C ? U 1982MCb (67061)1814
K(MeHg+L)=4.66

C9H15NO3S H2L Captopril CAS 62571-86-2 (5773)
1-(2(S)-3-Mercapto-2-methyl-1-oxopropanyl)-L-proline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl oth/un 25°C 0.0 U 1991ISa (67391)1815
Keff(HgR+cis-L)=16.85
Keff(HgR+trans-L)=16.57.

In D2O. R=CH3-. Additional method: n.m.r.

C9H15N3O2S L Ergothioneine CAS 105496-34-2 (1821)
2-Mercaptohistidine trimethyl ester betaine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ nmr oth/un 25°C ? U 1982RRb (67558)1816
K(MeHg+L)=13.7

Medium: D20

C10H7NO2 HL Quinaldic acid CAS 93-10-7 (2209)
Quinoline-2-carboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M U K1=5.75 1974ANa (68711)1817
Metal: MeHg+. For C6H5Hg+, K1=6.35

C10H7NO2 HL CAS 86-59-9 (873)
Quinoline-8-carboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M C 1974ANa (68762)1818
K(MeHg+L)=5.75
K(PhHg+L)=6.35

C10H7NO3 H2L Kynurenic acid CAS 492-77-3 (1540)
4-Hydroxy-2-quinolinecarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl diox/w 25°C 75% C I 1974ANa (68787)1819
K(MeHg+L)=10.3
K(MeHg+HL)=4.6

In 0.1(KNO3): K(MeHg+L)=8.4

C10H7NO4 H3L Xanthurenic aci CAS 59-00-7 (1539)
4,8-Dihydroxy-2-quinolinecarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl diox/w 25°C 75% C 1974ANa (68794)1820
K(MeHg+HL)=6.6
K(MeHg+H2L)=4.1

C10H8N2 L 2,2'-Bipyridyl CAS 366-18-7 (25)
2,2'-Bipyridine; (C5H4N)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl KNO3 25°C 0.10M C 1974ANa (69587)1821
K(MeHg+L)=5.86

C10H10N2 L Benzylimidazole CAS 4238-71-5 (2189)
Benzylimidazole;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 24°C 0.02M U 1978SMa (70528)1822
K(MeHg(OH)+HL=MeHgL+H2O)=4.34

Medium: 0.02M Phosphate buffer.

C10H12N2 L Tryptamine CAS 61-54-1 (2190)
3-(2-Aminoethyl)indole;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 24°C 0.04M U 1978SMa (71156)1823
K(MeHg(OH)+HL=MeHgL+H2O)=2.36

Medium: 0.04 M Phosphate buffer, pH 8. At 0.02 M, K=2.69; 0.005 M, K=2.87

C10H16N2O8 H4L EDTA CAS 60-00-4 (120)
1,2-Diaminoethane-N,N,N',N'-tetraethanoic acid, Sequestric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ gl NaNO3 25°C 1.00M U 1978JAa (73855)1824
K(MeHg+L)=9.26
B((MeHg)HL)=14.35
B((MeHg)H2L)=17.95

HgR+ gl KNO3 22°C 0.10M U 1977HSb (73856)1825
K(MeHg+L)=8.21
K(MeHgL+L)=3.35
*K((MeHg)2L)=-7.27

HgR+ gl KNO3 22°C 0.10M U 1977HSb (73857)1826
K(EtHg+L)=8.09
K(EtHgL+L)=3.41
*K((EtHg)2L)=-7.04

HgR+ gl KNO3 22°C 0.10M U 1977HSb (73858)1827
K(PrHg+L)=7.98
K(PrHgL+L)=3.43
*K((PrHg)2L)=-7.11

HgR+ gl KNO3 22°C 0.10M U 1977HSb (73859)1828
K(PhHg+L)=9.15
K(PhHgL+L)=3.66
*K((PhHg)2L)=-5.33

C10H17N3O6S H3L Glutathione CAS 70-18-8 (333)

Glutamyl-cysteinyl-glycine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	nmr	KNO3	25°C	0.30M	C			K(HgR+L)=15.91	1987RBa (75124)	1829

Method: 1H nmr. R is p-benzenesulfonate.

HgR+	nmr	oth/un	25°C	?	U			K1=16.00 K(MeHgL+H)=9.25 K(MeHgHL+H)=3.63 K(MeHg+HL)=15.85	1982RRb (75125)	1830
------	-----	--------	------	---	---	--	--	---	-----------------	------

Medium: D20

HgR+	gl	oth/un	22°C	?	U			K(C6H5Hg+L)=7.09 K(C6H5HgL+H)=9.37	1976HSa (75126)	1831
------	----	--------	------	---	---	--	--	---------------------------------------	-----------------	------

HgR+	gl	oth/un	22°C	?	U			K(MeHg+L)=8.11 K(MeHgL+H)=9.37	1976HSa (75127)	1832
------	----	--------	------	---	---	--	--	-----------------------------------	-----------------	------

C11H12N2O2 HL Tryptophan CAS 73-22-3 (3)
2-Amino-3-(3-indolyl)propanoic acid; H2N.CH(CH2.C8H6N)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	sp	oth/un	24°C	0.02M	U			K(MeHg(OH)+HL=MeHgL+H2O)=3.92	1978SMa (78210)	1833

Medium: 0.02 M Phosphate buffer, pH 8. At 0.005 M, K=4.18

C12H8N2 L Phenanthroline CAS 66-71-7 (144)
1,10-Phenanthroline;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	gl	KNO3	25°C	0.10M	U			K1=7.15	1974ANa (80466)	1834

Metal: CH3Hg+

HgR+	sp	oth/un	26°C	0.01M	U			K(C6H5Hg(H2O)+L)=8.24	1973DNa (80467)	1835
------	----	--------	------	-------	---	--	--	-----------------------	-----------------	------

Metal: C6H5Hg+

C12H28N2 L CAS 2783-17-7 (357)
1,12-Diaminododecane; H2N.(CH2)12.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
HgR+	gl	KNO3	22°C	0.10M	U	M		K(MeHg+HL)=6.42	1977HSb (84143)	1836

K(EtHg+HL)=6.29

K(PrHg+HL)=6.28

K(PhHg+HL)=7.45

C13H12N4O L Diphenylcarbaz. CAS 538-62-5 (1195)
Diphenylcarbazone; C6H5.NH.NH.CO.N:N.C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp non-aq ? 100% U K1=6.5 B2=11.90 1971TBa (85412)1837
Metal: Hg(4-dimethylaminophenyl)+
With Hg(4-diethylaminophenyl)+ : K1=6.2, K2=5.5

C13H14N4 L CAS 13103-75-8 (473)
4-(2-Pyridylazo)-N,N-dimethylaniline; C5H4N.N:N.C6H4.N(CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ kin oth/un 20°C 0.10M U 1973GEb (85684)1838
K(CH3Hg+L)=5.75

C13H16N2O2 H2L CAS 9479-05-2 (1104)
Tryptophan ethyl ester; C8H6N.CH2.CH(NH2).COOC2H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ sp oth/un 25°C 0.01M U 1980HMb (85936)1839
K(MeHgOH+H2L=MeHgHL+H2O)=3.36

Medium: 0.01 M phosphate, pH 8

C18H15O3PS HL CAS 16704-71-5 (3365)
3-Diphenylphosphino-benzene sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

HgR+ kin oth/un 20°C 0.10M U 1973GEb (97109)1840
K(CH3Hg+L)=9.15

REFERENCES

- 2005PBa K Powell,P Brown,R Byrne,T Gajda et al.; Pure & Appl.Chem.,77,739 (2005)
2004BBa C Bazzicalupi,A Bencini,E Berni; J.Chem.Soc.,Dalton Trans.,591 (2004)
2004BBd A Bencini,E Berni,A Bianchi,F Pina; J.Chem.Soc.,Dalton Trans.,2180
(2004)
2004BBc A Blake,A Bencini,V Lippolis,C Wilson; J.Chem.Soc.,Dalton Trans.,2771
(2004)
2004GLa Y Guo,H Lin,Q Ge,S Zhu; J.Coord.Chem.,57,61 (2004)
2004LBa L Lomozik,R Bregier-Jarzebowska; J.Coord.Chem.,57,1251 (2004)
2004MFa P Marcos,S Felix,J Ascenso,M Segurado; New J.Chem.,28,748 (2004)
2003AGb L Alderighi,P Gans,S Midollini,A Vacca; Inorg.Chim.Acta,356,8 (2003)

- 2003CAa A Costero, M Aurell, M Banuls, L Ochando; *J. Inclusion Phenom.*, 45, 241 (2003)
- 2003FFa Y Fedorov, O Fedorova, S Gromov, J Aaron; *New J. Chem.*, 27, 280 (2003)
- 2003JLa J Jaworski, A Lewicka, R Anulewicz; *J. Inclusion Phenom.*, 46, 207 (2003)
- 2003LBa L Lomozik, R Bregier-Jarzebowska; *J. Coord. Chem.*, 56, 203 (2003)
- 2002AAa M Aragoni, M Arca, F Demartin, V Lippolis; *Inorg. Chem.*, 41, 6623 (2002)
- 2002KGa E Krenske, L Gahan; *Aust. J. Chem.*, 55, 761 (2002)
- 2002MRa S Majid, M Rhazi, A Amine; *Anal. Chim. Acta*, 464, 123 (2002)
- 2002SFa M Saladini, E Ferrari, L Menabue; *J. Inorg. Biochem.*, 92, 121 (2002)
- 2002WHa G Wei, T Hambley, G Lawrence et al.; *Aust. J. Chem.*, 55, 667 (2002)
- 2001ACa G Arena, A Contino, E Longo, D Sciotto; *J. Chem. Soc., Perkin Trans. II*, 2287 (2001)
- 2001GLb V Gramlich, P Lubal, S Musso, G Anderegg; *Helv. Chim. Acta*, 84, 623 (2001)
- 2001MTb A Matilla, J Tercero, C Valenzuela; *J. Solution Chem.*, 30, 549 (2001)
- 2001RKa G Rounaghi, M Kazemi, M Soorgi; *Indian J. Chem.*, 40A, 345 (2001)
- 2001SGa C Sharrad, L Grondahl, L Gahan; *J. Chem. Soc., Dalton Trans.*, 2937 (2001)
- 2001SKd I Shehatta, I Kenawy, A Askalany, A Hassan; *Can. J. Chem.*, 79, 42 (2001)
- 2001SMa M Saladini, L Menabui, E Ferrari; *J. Chem. Soc., Dalton Trans.*, 1513 (2001)
- 2000CMA A Costero, E Monrabal, C Andreu; *J. Chem. Soc., Dalton Trans.*, 361 (2000)
- 2000JMa J Jay, F Morel, H Hemond; *Environ. Sci. Technol.*, 34, 2196 (2000)
- 2000VCa E Vasca, T Caruso, M Iuliano et al.; *Ann. Chim. (Rome)*, 90, 181 (2000)
- 1999AMA S Afshar, S Marcus, L Gahan; *Australian J. Chem.*, 52, 1 (1999)
- 1999ANA G Anderegg; *Anal. Chim. Acta*, 394, 345 (1999)
- 1999KPa H Koszegi-Szalai, T Paal; *Talanta*, 48, 393 (1999)
- 1999LBa L Lomozik, R Bregier-Jarzebowska; *Pol. J. Chem.* 73, 940 (1999)
- 1999LLa P Letkeman, L Letkeman, R Motekaitis et al; *J. Coord. Chem.*, 47, 381 (1999)
- 1999MFa D Marji, S Fraihat; *J. Inclusion Phenom.*, 33, 99 (1999)
- 1999RPa K Raouf-Benchekroun, C Picard, P Tisnes; *J. Inclusion Phenom.*, 34, 277 (1999)
- 1999SAa O Sorokina, V Alekseev, I Gorelov; *Zh. Obshch. Khim.*, 69, 464 (1999)
- 1998ABC R Addleman, J Bennett, S Tweedy; *Talanta*, 46, 573 (1998)
- 1998DFb A De Robertis, C Foti, S Sammartano; *J. Chem. Eng. Data*, 43, 957 (1998)
- 1998GBb R Giovannetti, V Bartocci; *Talanta*, 46, 977 (1998)
- 1998GRa M Ganjali, A Rouhollahi, M Shamsipur; *J. Chem. Soc., Faraday Trans.*, 94, 1959 (1998)
- 1998LBa J Lloris, A Benito, R Martinez-Manez; *Helv. Chim. Acta*, 81, 2024 (1998)
- 1998LYa Y-S Zhang, H-K Lin, Z-M Wang; *Acta Chimica Sinica*, 56, 1048 (1998)
- 1998ZWa Y-S Zhang, Z-M Wang, H-K Lin, S-R Zhu; *Chem. J. of Chin. Univ.*, 19, 1992 (1998)
- 1997BLd Y Baran, G Lawrance, E Wilkes; *Polyhedron*, 16, 599 (1997)
- 1997DBa K Davarski, P Berberova et al; *Zh. Obshch. Khim.*, 67, 7 (1997)
- 1997FEb A Frutos, G Escandar, J Peregrin; *Can. J. Chem.*, 75, 405 (1997)
- 1997GHb L Grondahl, A Hammershoi et al; *Inorg. Chem.*, 36, 5396 (1997)
- 1997HVa M Halli, H Veerabhadraswamy, A Hiremath; *J. Indian Chem. Soc.*, 74, 332 (1997)
- 1997PHa K Paquette, G Helz; *Environ. Sci. Technol.*, 31, 2148 (1997)
- 1997RWa S Rahardjo, K Wainwright; *Inorg. Chim. Acta*, 255, 29 (1997)
- 1997SJa S Sjoberg; *Pure & Appl. Chem.*, 69, 1549 (1997)
- 1996AEa I Ahmed, O El-Roudi, A Boraie; *J. Chem. Eng. Data*, 41, 386 (1996)
- 1996BCc J Boeyens, L Cook, P Duckworth; *Inorg. Chim. Acta*, 246, 321 (1996)
- 1996DTa P Davies, M Taylor et al; *Inorg. Chim. Acta*, 246, 1 (1996)
- 1996ESa G Escandar, J Salas Peregrin, L Sala; *Polyhedron*, 15, 2251 (1996)
- 1996KSc E Khairy, M Shoukry, M Khalil; *Transition Met. Chem.*, 21, 176 (1996)
- 1996LGC R Lopez-Garzon, M Godino-Salido; *Inorg. Chim. Acta*, 247, 203 (1996)

1996MMc D Michalska, B Morzyk, W Wojciechowski; *J. Coord. Chem.*, 38, 101 (1996)
1996TNa M Tabata, J Nishimoto, A Ogata; *Bull. Chem. Soc. Jpn.*, 69, 673 (1996)
1995CCb I Cukrowski, E Cucrowska et al; *Anal. Chim. Acta*, 312, 307 (1995)
1995LLa S Lincoln, J Lucas, T Rodopoulos; *Inorg. Chim. Acta*, 237, 147 (1995)
1995MHa H Maumela, R Hancock, L Carlton; *J. Am. Chem. Soc.*, 117, 6698 (1995)
1995MWb D Michalska, W Wojciechowski; *J. Coord. Chem.*, 34, 179 (1995)
1995NUa A Nukhin; *Zh. Neorg. Khim.*, 40, 632 (1995)
1995PHA K Paquette, G Helz; *Water, Air, Soil Pollution*, 80, 1053 (1995)
1994KOb M Kodama; *Bull. Chem. Soc. Jpn.*, 67, 2990 (1994)
1994LLb E Larsen, S Larsen, G Paulsen et al; *Acta Chem. Scand.*, 48, 107 (1994)
1994MKA H Miyake, N Kato, Y Kojima, A Sugihara; *Inorg. Chim. Acta*, 223, 121 (1994)
1994MPC M Mimouni, Y Pointud, J Juillard; *Bull. Soc. Chim. Fr.*, 131, 58 (1994)
1994ZMa J-Z Zhang, F Millero; *Anal. Chim. Acta*, 284, 497 (1994)
1993BDd K Byriell, K Dunster, L Gahan et al; *Inorg. Chim. Acta*, 205, 191 (1993)
1993VZa V Vasilev, G Zaitseva; *Zh. Neorg. Khim.*, 38, 1341, 1701 (1993)
1992ANb S Azuma, N Nakasuka, M Tanaka; *Bull. Chem. Soc. Jpn.*, 65, 2333 (1992)
1992GAa M Ghandour, H Azab et al; *Monatsh. Chem.*, 123, 51 (1992)
1992MMA R Motekaitis, A Martell; *Inorg. Chem.*, 31, 11 (1992)
1992MTa M Maeda, M Tsunoda, Y Kinjo; *J. Inorg. Biochem.*, 48, 227 (1992)
1992PPb J Podlahova, J Podlaha; *Coll. Czech. Chem. Comm.*, 47, 1078 (1992)
1992RHa L Robinson, P Hambright; *Inorg. Chem.*, 31, 652 (1992)
1992VDA C V-Calahorro, M D-Diez et al; *Polyhedron*, 11, 563 (1992)
1991BSe A Bond, F Scholz; *J. Phys. Chem.*, 95, 7460 (1991)
1991BTa R Bruening, B Tarbet; *Anal. Chem. (USA)*, 1014 (1991)
1991GAa T Griffiths, R Anderson; *Inorg. Chem.*, 30, 1912 (1991)
1991GAb T Griffiths, R Anderson; *J. Chem. Soc., Faraday Trans.*, 87, 1697 (1991)
1991GAc T Griffiths, R Anderson; *Can. J. Chem.*, 69, 451 (1991)
1991ISa A Isab; *J. Chem. Soc., Dalton Trans.*, 449 (1991)
1991ISb K Idriss, M Saleh et al; *Monatsh. Chem.*, 122, 507 (1991)
1991KKA M Kodama, T Koike, A Mahatma, K Kimura; *Inorg. Chem.*, 30, 1270 (1991)
1991LBA S Luis, M Burguete, R Salvador; *J. Inclusion Phenom.*, 10, 341 (1991)
1991LSa C Lapp, N Spiess; *J. Inorg. Biochem.*, 42, 257 (1991)
1991PSa H Parham, M Shamsipur; *J. Electroanal. Chem.*, 314, 71 (1991)
1990DKa D Dyrssen, K Kremling; *Marine Chem.*, 30, 193 (1990)
1990ERA F Erim; *Polyhedron*, 9, 1537 (1990)
1990HLA T-M Hseu, K-L Liu; *J. Chin. Chem. Soc. (Taipei)*, 37, 237 (1990)
1990IWA R Izatt, G Wu, W Jiang, N Dalley; *Inorg. Chem.*, 29, 3828 (1990)
1990PDA I Persson, K Dash et al; *Acta Chem. Scand.*, 44, 433 (1990)
1990SHA M Shoukry; *Transition Met. Chem.*, 15, 1 (1990)
1990SIB M Saleh, K Idriss et al; *Monatsh. Chem.*, 121, 481 (1990)
1990TSB B Tiwari, S Singh, R Singh et al; *Bull. Soc. Chim. Fr.*, 127, 507 (1990)
1989ARA G Anderegg, H Ripperger; *J. Chem. Soc., Chem. Comm.*, 647 (1989)
1989DYa D Dyrssen; *Marine Chem.*, 28, 241 (1989)
1989GMC M Ghandour, H Mansour, M Khodary; *J. Indian Chem. Soc.*, 66, 76 (1989)
1989KKA M Kodama, E Kimura; *Bull. Chem. Soc. Jpn.*, 62, 3093 (1989)
1989MMD R Motekaitis, A Martell; *Inorg. Chem.*, 28, 3499 (1989)
1989MMF S Mishra, A Mishra, K Yadava; *Rev. Roumaine Chim.*, 34, 1877 (1989)
1989MPa R M'Boungou, M Petit-Ramel, G Thomas-David; *Can. J. Chem.*, 67, 973 (1989)
1989PBB Y Polykarpov, F Belski et al; *Izv. Akad. Nauk (USSR)*, 9, 2112 (1989)
1989PSa I Persson, B Schneider; *Inorg. Chim. Acta*, 158, 245 (1989)

1989SLa M Strasak, J Lucansky, P Novomesky et al; J.Coord.Chem.,19,359 (1989)
1989SMc F Salinas, J Martinez-Vidal; Bull.Soc.Chim.Belg.,98,371 (1989)
1989WIA M Wisniewski; Pol.J.Chem.,63,3 (1989)
1988CAB B Cheesman, A Arnold, D Rabenstein; J.Am.Chem.Soc.,110,6359 (1988)
1988EAa F Erim, E Avsar; Polyhedron,7,213 (1988)
1988GAa O Gabrichidze; Koord.Khim.,14(12)1632 (1988)
1988IBa R Izatt, R Bruening et al; Anal.Chem.(USA),60,1825 (1988)
1988KMa A Kapustinskii, E Malakhayev; Zh.Neorg.Khim.,33,1673(951) (1988)
1988KOb S Kalavathi, K Omprakash, M Reddy et al; Indian J.Chem.,27A,822 (1988)
1988KSa K Kratzer, J Stary; Radioanal.Nucl.Chem.Lett.,127,325 (1988)
1988LIa S Licht; J.Electrochem.Soc.,135,2971 (1988)
1988MMe D de Marco, A Marchese, P Migliardo et al; Ann.Chim.(Rome),78,25 (1988)
1988RPa R Reid, B Podanyi; J.Inorg.Biochem.,32,183 (1988)
1988SBc M Shoonen, H Barnes; Geochim.Cosmo.Acta,52,649 (1988)
1988SCa M Shoukry, B Cheesman, D Rabenstein; Can.J.Chem.,66,3184 (1988)
1988SKf J Stary, K Kratzer; Radioanal.Nucl.Chem.Lett.,126,69 (1988)
1988WIA M Wilgocki; J.Coord.Chem.,16,357 (1988)
1987GGc H Gross, G Geier; Inorg.Chem.,26,3044 (1987)
1987HCa T Hseu, C Chang, Z Lin; J.Chin.Chem.Soc.(Taipei),34,187 (1987)
1987HPC F Hulten, I Persson; Inorg.Chim.Acta,129,L33 (1987)
1987MPa R Bounou, M Petit-Ramel, G Thomas-David +; Can.J.Chem.,65,1479 (1987)
1987RBA D Rabenstein, J Bravo; Inorg.Chem.,26,2784 (1987)
1987SIA M Seleim, K Idriss et al; Analyst,112,1685 (1987)
1986ARb Y Agrawal, B Rathi; Transition Met.Chem.,11,472 (1986)
1986ECA M Esteban, E Casassas et al; Talanta,33,843 (1986)
1986GGA F Gaizer, G Gondos, L Gera; Polyhedron,5,1149 (1986)
1986GLa J Garcia-Monteagudo, J Lopez-Fonseca; An.Quim.,82,345 (1986)
1986IKb T Ikeshoji; Bull.Chem.Soc.Jpn.,59,2023 (1986)
1986MMb V Maistrenko, Y Mourinov et al; Zh.Neorg.Khim.,31,417(236) (1986)
1986SBA V Sharma, N Banerjee; Bull.Soc.Chim.Fr.,I,364 (1986)
1986TSA V Thom, S Shaikjee, R Hancock; Inorg.Chem.,25,2992 (1986)
1985ACA A Arnold, A Canty, R Reid, D Rabenstein; Can.J.Chem.,63,2430 (1985)
1985AIA S Ahrland, S Ishiguro et al; Acta Chem.Scand.,A39,227 (1985)
1985ARA Y Anjaneyulu, R Rao, R Swamy; Indian J.Chem.,24A,622 (1985)
1985CSb P Corbaux, B Spiess, F Arnaud, M Schwing; Polyhedron,4,1471 (1985)
1985DYa D Dyrssen; Marine Chem.,15,285 (1985)
1985GMC M Ghandour, H Mansour; J.Indian Chem.Soc.,62,286 (1985)
1985HWb T Hseu, S Wu, Z Lin; J.Chin.Chem.Soc.(Taipei),32,287 (1985)
1985HWC T Hsue, S Wu, Z Lin; J.Chin.Chem.Soc.(Taipei),32,417 (1985)
1985IAa A Isab, A Arnold; J.Coord.Chem.,14,73 (1985)
1985KKb A Kapustnikov, Y Kozlov; Zh.Neorg.Khim.,30,672(380) (1985)
1985MMA F Mulla, F Marsicano, B Nakani et al; Inorg.Chem.,24,3076 (1985)
1985RGA D Rosales, G Gonzalez et al; Talanta,32,467 (1985)
1985TZA Tai Zihou, Zhu Chunsheng; Huaxue Tongbao(Chem.China),4-16 (1985)
1984BSe V Belevantsev, A Shoovayev; J.Chem.Soc.,Dalton Trans.,743 (1984)
1984CPa Y Couturier, C Petitfaux; Bull.Soc.Chim.Fr.,I,65 (1984)
1984CPb Y Couturier, C Petitfaux; Bull.Soc.Chim.Fr.,I,72 (1984)
1984GAC T Griffiths, R Anderson; J.Chem.Soc.,Faraday Trans.I,80,2361 (1984)
1984GMC M Ghandour, H Mansour, M Khodary; J.Indian Chem.Soc.,61,862 (1984)
1984KKA M Kodama, T Koike et al; J.Chem.Soc.,Dalton Trans.,673 (1984)

1984KMa M Kabachnik, T Medved et al; *Izv.Akad.Nauk(USSR)*, 4, 835 (1984)
1984KMb M Kabachnik, T Medved et al; *Izv.Akad.Nauk(USSR)*, 4, 844 (1984)
1984MMc C Madeyski, J Michael, R Hancock; *Inorg.Chem.*, 23, 1487 (1984)
1984MMh A Martinez-Garzon, M Moreno-Carretero; *Thermochim.Acta*, 80, 143 (1984)
1984MYa Y Moriguchi, T Yoshida, M Takagi; *Bunseki Kagaku*, 33, 435 (1984)
1984PAa P Paoletti; *Pure & Appl.Chem.*, 56, 491 (1984)
1984PTa M Petit-Ramel, G Thomas-David, G Perichet; *Can.J.Chem.*, 62, 22 (1984)
1984SNa T Sugimoto, K Naito, S Takei; *Bull.Chem.Soc.Jpn.*, 57, 2271 (1984)
1984VKa V Vasilev, E Kozlovskii, A Mokeev; *Zh.Neorg.Khim.*, 29, 1391(799) (1984)
1984VKc V Vasilev, E Kozlovskii, A Mokeev; *Zh.Neorg.Khim.*, 29, 2215(1265) (1984)
1983BMb V Belevantsev, V Malkova, I Mironov; *Zh.Neorg.Khim.*, 28, 547(305) (1983)
1983Dwa P Dunnigan, J Watters; *Anal.Chim.Acta*, 154, 329 (1983)
1983HNa R Hancock, B Nakani, F Marsicano; *Inorg.Chem.*, 22, 2531 (1983)
1983KBd Y Kozlov, V Babich et al; *Zh.Obshch.Khim.*, 53, 1606 (1983)
1983NPa D Noskova, J Podlahova; *Polyhedron*, 2, 349 (1983)
1983Nwa B Nakani, J Welsh, R Hancock; *Inorg.Chem.*, 22, 2956 (1983)
1983PEa M Pesavento; *Ann.Chim.(Rome)*, 73, 173 (1983)
1983RCa G Ramos, M Coque; *Talanta*, 30, 777 (1983)
1983SLc R Strand, W Lund, J Aaseth; *J.Inorg.Biochem.*, 19, 301 (1983)
1983ZJa Zou Shifu, Jiang Qingli; *Acta Chimica Sinica*, 242 (1983)
1982ABc G Anderegg, P Blauenstein; *Helv.Chim.Acta*, 65, 162 & 913 (1982)
1982JGa M Jimenez, J Gutierrez, P Batanero; *An.Quim.*, 78, 136 (1982)
1982KBb Y Kozlov, V Babich, A Kapustnikov; *Zh.Neorg.Khim.*, 27, 147(83) (1982)
1982Kcd A Khokhlova, G Chernikova, L Shishin; *Zh.Neorg.Khim.*, 27, 2976(1686) (1982)
1982MCb B McDonnell; *J.Am.Chem.Soc.*, 104, 1723 (1982)
1982MYb Y Moriguchi, T Yoshimatsu et al; *Bunseki Kagaku*, 31, 318 (1982)
1982NBb I Nagypal, M Beck; *Talanta*, 29, 473 (1982)
1982NSb F Arnaud-Neu, B Spiess, M Schwing-Weill; *J.Am.Chem.Soc.*, 104, 5641 (1982)
1982PBa Y Polykarpov, F Belski et al; *Izv.Akad.Nauk(USSR)*, 3, 710(635) (1982)
1982PPc J Podlahova, J Podlaha; *Coll.Czech.Chem.Comm.*, 47, 1078 (1982)
1982RRb R Reid, D Rabenstein; *J.Am.Chem.Soc.*, 104, 6733 (1982)
1982RRd M Rainer, B Rode; *Inorg.Chim.Acta*, 58, 59 (1982)
1982SAa Y Sasaki; *Bunseki Kagaku*, 31, E107 (1982)
1982TSb S Takeshima, H Sakurai; *Inorg.Chim.Acta*, 66, 119 (1982)
1982Vka V Vasilev, E Kozlovskii, A Mokeev; *Zh.Neorg.Khim.*, 27, 1466(825) (1982)
1981ABc S Ahrland, N-O Bjork, I Persson; *Acta Chem.Scand.*, A35, 67 (1981)
1981ANb G Anderegg; *J.Coord.Chem.*, 11, 171 (1981)
1981APb S Ahrland, I Persson, R Portanova; *Acta Chem.Scand.*, A35, 49 (1981)
1981BCc M Basinger, J Casas, M Jones et al; *J.Inorg.Nucl.Chem.*, 43, 1419 (1981)
1981BEa C Bennett; *J.Inorg.Nucl.Chem.*, 43, 2555 (1981)
1981BPb V Belevantsev, B Peshchevitskii et al; *Zh.Neorg.Khim.*, 26, 1217(656) (1981)
1981BRa R Bach, S Rajan, H Vardhan et al; *J.Am.Chem.Soc.*, 103, 7727 (1981)
1981ESa M Ermakova, I Shikina, N Latosh; *Zh.Obshch.Khim.*, 51, 174 (1981)
1981Gva R Gowda, M Venkatappa; *J.Electrochem.Soc.India*, 30, 336 (1981)
1981ISa S Inoue, M Sasaki; *Nippon Kagaku Kaishi*, 1867 (1981)
1981JIa M Jawaid, F Ingman; *Talanta*, 28, 137 (1981)
1981KKb K Kataoka, S Kimura et al; *Bull.Chem.Soc.Jpn.*, 53, 2237 (1981)
1981KKc K Kataoka, S Kimura et al; *Bull.Chem.Soc.Jpn.*, 54, 2237 (1981)
1981KTc E Kirowa-Eisner, D Talmor, J Osteryoung; *Anal.Chem.(USA)*, 53, 581 (1981)
1981MIc R Murai, S Iwahori, T Sekine; *J.Inorg.Nucl.Chem.*, 43, 571 (1981)

1981MUa S Murakami; J.Inorg.Nucl.Chem.,43,335 (1981)
1981NSc V Novak,M Svicekova et al; Chem.Zvesti,35,481 (1981)
1981PEa P Peringer,J Eichbichler; J.Inorg.Nucl.Chem.,43,3027 (1981)
1981RRd R Reid,D Rabenstein; Can.J.Chem.,59,1505 (1981)
1981SDb R Saxena,S Dhawan; J.Electrochem.Soc.India,30,221 (1981)
1981SZb N Shikino,A Zolov,I Khodakovsky; Geokhim.,4,496 (1981)
1980ACa C Airoidi,A Chagas,F Assuncao; J.Chem.Soc.,Dalton Trans.,1823 (1980)
1980APa S Ahrland,I Persson; Acta Chem.Scand.,A34,645 (1980)
1980BMB H Bilinski,M Markovic,M Gessner; Inorg.Chem.,19,3440 (1980)
1980BMC L Balyatinskaya,Yu Milyaev,S Khoroshko; Koord.Khim.,6,724 (1980)
1980BPa V Belevantsev,B Peshchevitskii et al; Zh.Neorg.Khim.,25,668(366) (1980)
1980CJa J Casas,M Jones; J.Inorg.Nucl.Chem.,42,99 (1980)
1980GAC T Griffiths,R Anderson; J.Chem.Soc.,Dalton Trans.,209 (1980)
1980HMb M Hershberger,A Maki; J.Inorg.Biochem.,13,273 (1980)
1980IPa E Ivashkovich,I Petretskaya; Zh.Neorg.Khim.,25,2641(1457) (1980)
1980KBc Y Kozlov,V Babich; Zh.Neorg.Khim.,25,2852(1574) (1980)
1980KBe Y Kozlov,V Babich; Zh.Obshch.Khim.,50,1115 (1980)
1980KKb M Kodama,E Kimura,S Yamaguchi; J.Chem.Soc.,Dalton Trans.,2536 (1980)
1980KVa V Kornev,V Valyaeva; Koord.Khim.,6,996 (1980)
1980LKa H Lonnberg,A Koskinen; Acta Chem.Scand.,A34,181 (1980)
1980MCA J Maslowska,K Cedzynska; Pol.J.Chem.,54,641 (1980)
1980MCb L Marzilli,B D-Castro et al; J.Am.Chem.Soc.,102,916 (1980)
1980MDC G Mukherjee,P Dhar; J.Indian Chem.Soc.,57,241 (1980)
1980MRC J Majer,R Riecancka,Z Pikulikova; Chem.Zvesti,34,93 (1980)
1980MVA J Majer,T van Quy,I Valaskova; Chem.Zvesti,34,637 (1980)
1980NAC A Napoli; Talanta,27,825 (1980)
1980VKb V Vasilev,E Kozlovskii,A Mokeev; Zh.Neorg.Khim.,25,1765 (1980)
1980ZRB M Zaki,E Rizkalla; Talanta,27,709 (1980)
1979AGa T Allnan,R Goel,P Pilon; Can.J.Chem.,57,91 (1979)
1979BLb J Bessiere,M Lejaille; Anal.Lett.,12,753 (1979)
1979CFb L Ciavatta,D Ferri,M Grimaldi; Ann.Chim.(Rome),69,463 (1979)
1979CIa L Ciavatta et al; Ann.Chim.(Rome),69,463 (1979)
1979CPb J Colin,J Pinart; Bull.Soc.Chim.Fr.,I,7 (1979)
1979GAa T Griffiths,R Anderson; Inorg.Chem.,18,2506 (1979)
1979GAb T Griffiths,R Anderson; Inorg.Nucl.Chem.Lett.,15,41 (1979)
1979GBf P Govil,S Banerji; Indian J.Chem.,17A,624 (1979)
1979JPb T Janjic,L Pfenndt,V Popov; J.Inorg.Nucl.Chem.,41,63 (1979)
1979KBe Y Kozlov,V Babich; Zh.Neorg.Khim.,24,2690(1493) (1979)
1979KKd V Kollizkova,V Kuban,L Sommer; Chem.Zvesti,33,485 (1979)
1979MBd J Majer,P Butvin et al; Chem.Zvesti,33,742 (1979)
1979MTd V Movchan,F Tulyupa et al; Zh.Neorg.Khim.,24,2556(1421) (1979)
1979NPb A Napoli,M Paolillo; Ann.Chim.(Rome),69,145 (1979)
1979PPc J Podlahova,J Podlaha; Coll.Czech.Chem.Comm.,44,321,1346 (1979)
1979PPd J Podlahova,J Podlaha; Coll.Czech.Chem.Comm.,44,1343 (1979)
1979RPa S Randhawa,B Pannu,S Chopra; Thermochim.Acta,33,335 (1979)
1979SBa P Srivastava,B Banerjee; Indian J.Chem.,17A,583 (1979)
1979SRa H Sigel,V Rheinberger,B Fischer; Inorg.Chem.,18,3334 (1979)
1979SZa R Seeber,P Zanello et al; J.Chem.Soc.,Dalton Trans.,1274 (1979)
1979TBC F Tulyupa,E Baibarova,V Movchan; Zh.Neorg.Khim.,24,2385(1322) (1979)
1979ZNa G Zegzda,S Neikovskii et al; Koord.Khim.,5,632 (1979)

1978ABb S Ahrland, T Berg et al; Acta Chem.Scand., A32, 933 (1978)
1978BSa V Belevantsev, A Shuvaev; Zh.Neorg.Khim., 23, 924(511) (1978)
1978GMf G Gross, T Medved et al; Zh.Obshch.Khim., 48, 1914 (1978)
1978JAa M Jawaid; Talanta, 25, 215 (1978)
1978JIb M Jawaid, F Ingman et al; Acta Chem.Scand., A32, 7 (1978)
1978JIC M Jawaid, F Ingman et al; Acta Chem.Scand., A32, 333 (1978)
1978KKb M Kodama, E Kimura; J.Chem.Soc., Dalton Trans., 1081 (1978)
1978LMa J Lehn, F Montavon; Helv.Chim.Acta, 61, 67 (1978)
1978MHa F Marsicano, R Hancock; J.Chem.Soc., Dalton Trans., 228 (1978)
1978MJa W Mitchell, M Jones; J.Inorg.Nucl.Chem., 40, 1957 (1978)
1978NAb A Napoli; Ann.Chim.(Rome), 68, 363 (1978)
1978NLa V Novak, J Lukansky et al; Chem.Zvesti, 32, 32 (1978)
1978NLb V Novak, J Lucansky, M Svicekova, J Majer; Chem.Zvesti, 32, 19 (1978)
1978SGb T Smirnova, I Gorelov; Zh.Neorg.Khim., 23, 2719(1506) (1978)
1978SGd Y Svetogorov, I Gorelov; Zh.Neorg.Khim., 23, 1267(698) (1978)
1978SKf R Saxena, G Khandelwal; Electrochim.Acta, 23, 953 (1978)
1978SKi J Stary, K Kratzer, J Prasilova; Anal.Chim.Acta, 100, 627 (1978)
1978SKj R Sanena, G Khandelwal; J.Indian Chem.Soc., 55, 117 (1978)
1978SMA P Svedja, A Maki, R Anderson; J.Am.Chem.Soc., 100, 7138 (1978)
1978SSa R Srivastava, M Srivastava; J.Inorg.Nucl.Chem., 40, 1439 (1978)
1978THa K Tamura, S Harada et al; Bull.Chem.Soc.Jpn., 51, 2928 (1978)
1978TPb T Trivedi, M Patel, D Vyas; Indian J.Chem., 16A, 449 (1978)
1977AHC G Anderegg, E Hubmann, N Podder et al; Helv.Chim.Acta, 60, 123 (1977)
1977BPb V Belevantsev, B Peshchevitskii et al; Izv.Sib.Otd.Akad.Nauk SSR, 6, 77 (1977)
1977CJb R Coates, M Jones; J.Inorg.Nucl.Chem., 39, 677 (1977)
1977DJb R Deshpande, D Jahagirdar; Indian J.Chem., 15A, 230 (1977)
1977EKc D Ensor, L Kullberg, G Choppin; Anal.Chem., 49, 1878 (1977)
1977ERb C Evans, D Rabenstein, G Geier et al; J.Am.Chem.Soc., 99, 8106 (1977)
1977GGb T Gritmon, M Goedken, G Choppin; J.Inorg.Nucl.Chem., 39, 2021 (1977)
1977GNb I Gorelov, V Nikolskii; Zh.Obshch.Khim., 47, 1696 (1977)
1977GPb J Gal, F Persin; Bull.Soc.Chim.Fr., 1005 (1977)
1977HDa K Hanck, J Dillard; Anal.Chem.(USA), 49, 404 (1977)
1977HSb Y Hojo, Y Sugiura, H Tanaka; J.Inorg.Nucl.Chem., 39, 715 (1977)
1977NZa S Neikovskii, G Zegzda et al; Zh.Neorg.Khim., 22, 2413(1306) (1977)
1977RSb A Rajput, M Sugawara, T Kambara; J.Electroanal.Chem., 75, 573 (1977)
1977Rwa F Rossotti, R Whewell; J.Chem.Soc., Dalton Trans., 1223 (1977)
1977Rwb F Rossotti, R Whewell; J.Chem.Soc., Dalton Trans., 1229 (1977)
1977SAa I Sanemasa; Inorg.Chem., 16, 2786 (1977)
1977Sjb S Sjoberg; Acta Chem.Scand., A31, 705 (1977)
1977Sjc S Sjoberg; Acta Chem.Scand., A31, 718 (1977)
1977SMA D Sevdic, H Meider; J.Inorg.Nucl.Chem., 39, 1409 (1977)
1977STc H Sakurai, S Takeshima; Transition Met.Chem., 2, 103 (1977)
1977SWa D Satchell, T Weil; J.Chem.Soc., Perkin Trans.II, 592 (1977)
1977ZCa P Zanello, A Cinquantini et al; Inorg.Chim.Acta, 21, 195 (1977)
1976AAa S Ahrland, E Avsar; Acta Chem.Scand., A30, 15 (1976)
1976AGa L-T Ang, D Graddon; J.Inorg.Nucl.Chem., 38, 2279 (1976)
1976BAB L Barcza; J.Phys.Chem., 80, 821 (1976)
1976BMg L Balyatinskaya, Y Milyaev; Koord.Khim., 2, 1594 (1976)
1976CGb L Ciavatta, M Grimaldi, R Palombari; J.Inorg.Nucl.Chem., 38, 823 (1976)

1976CJa R Coates, M Jones; *J. Inorg. Nucl. Chem.*, 38, 1549 (1976)
1976DIa P Dean D Ibbott et al; *Can. J. Chem.*, 54, 166 (1976)
1976EEa M El-Ezaby, F El-Eziri; *J. Inorg. Nucl. Chem.*, 38, 1901 (1976)
1976FGa Y Farhangi, D Graddon; *Australian J. Chem.*, 29, 2405 (1976)
1976GGa M Gallagher, D Graddon et al; *Australian J. Chem.*, 29, 759 (1976)
1976GGb M Gallagher, D Graddon, A Sheikh; *Australian J. Chem.*, 29, 2409 (1976)
1976GKb I Gorelov, A Kapustnikov; *Zh. Neorg. Khim.*, 21, 339(182) (1976)
1976HHa S Hietanen, E Hogfeldt; *Chemica Scripta*, 9, 24 (1976)
1976HHb S Hietanen, E Hogfeldt; *Chemica Scripta*, 10, 37 (1976)
1976HHc S Hietanen, E Hogfeldt; *Chemica Scripta*, 10, 39; 10, 41 (1976)
1976HMa R Hancock, F Marsicano; *J. Chem. Soc., Dalton Trans.*, 1832 (1976)
1976HSa Y Hojo, Y Sugiura, H Tanaka; *J. Inorg. Nucl. Chem.*, 38, 641 (1976)
1976ITb R Izatt, R Terry, B Haymore et al; *J. Am. Chem. Soc.*, 98, 7620 (1976)
1976KKb M Kodama, E Kimura; *J. Chem. Soc., Dalton Trans.*, 2335 (1976)
1976MHC F Marsicano, R Hancock; *J. Coord. Chem.*, 6, 21 (1976)
1976NAb A Napoli; *Ann. Chim. (Rome)*, 66, 529 (1976)
1976PBa E Porzsozt, M Beck, A Bitto; *Inorg. Chim. Acta*, 19, 173 (1976)
1976RTa D Rabenstein, M Tourangean et al; *Can. J. Chem.*, 54, 2517 (1976)
1976SSb S Sandhu, R Sandhu, J Kumaria; *Thermochim. Acta*, 15, 244 (1976)
1976SSF J Srivastava, M Srivastava; *Indian J. Chem.*, 14A, 818 (1976)
1975ANa G Anderegg; *Helv. Chim. Acta*, 58, 1218 (1975)
1975APc G Anderegg, N Podder et al; *J. Coord. Chem.*, 4, 267 (1975)
1975BWC R Bach, A Weibel; *J. Am. Chem. Soc.*, 97, 2575 (1975)
1975CGe L Ciavatta, M Grimaldi, R Palombari; *J. Inorg. Nucl. Chem.*, 37, 1685 (1975)
1975FRb M Fairhurst, D Rabenstein; *Inorg. Chem.*, 14, 1413 (1975)
1975GSb S Grewal, B Sekhon, B Pannu et al; *Indian J. Chem.*, 13, 623 (1975)
1975HAa L Harju; *Talanta*, 22, 1029 (1975)
1975HMa B Hilton, M Man, E Hsi, R Bryant; *J. Inorg. Nucl. Chem.*, 37, 1073 (1975)
1975JBa M Jones, A Banks, C Brown; *J. Inorg. Nucl. Chem.*, 37, 761 (1975)
1975Lba W van der Linden, C Beers; *Talanta*, 22, 89 (1975)
1975Lmb D Leggett, W McBryde; *Talanta*, 22, 781 (1975)
1975LSc J Lehn, J Sauvage; *J. Am. Chem. Soc.*, 97, 6700 (1975)
1975NKa T Nomura, T Kawai, K Izutsu; *Anal. Chim. Acta*, 77, 263 (1975)
1975PJa T Pratt, M Jones; *J. Inorg. Nucl. Chem.*, 37, 2403 (1975)
1975QDa I Quarfort-Dahlhem; *Chemica Scripta*, 8, 112 (1975)
1975RFb D Rabenstein, M Fairhurst; *J. Am. Chem. Soc.*, 97, 2086 (1975)
1975SSb R Sanyal, P Srivastava et al; *J. Inorg. Nucl. Chem.*, 37, 343 (1975)
1975TTa M Tabata, M Tanaka; *J. Inorg. Nucl. Chem.*, 37, 1005 (1975)
1975ZCa A Zajdler, D Sulikowska; *Rocz. Chem.* 49, 487 (1975)
1974ANa G Anderegg; *Helv. Chim. Acta*, 57, 1340 (1974)
1974Dga D Dakternieks, D Graddon; *Australian J. Chem.*, 27, 1351 (1974)
1974EAa I Eliezer, G Algavish; *Inorg. Chim. Acta*, 9, 257 (1974)
1974FGa Y Farhangi, D Graddon; *Australian J. Chem.*, 27, 2103 (1974)
1974GSb A Gundorina, A Sergeeva; *Zh. Neorg. Khim.*, 19, 334(181) (1974)
1974GSd J Going, C Sykora; *Anal. Chim. Acta*, 70, 127 (1974)
1974ILb F Ingman, D Liem; *Acta Chem. Scand.*, A28, 947 (1974)
1974JAc A Jaulmes; *J. Electroanal. Chem.*, 54, 297 (1974)
1974Jba M Jones, A Banks, C Brown; *J. Inorg. Nucl. Chem.*, 36, 1833 (1974)
1974Kba A Kreshkov, L Balyatinskaya et al; *Zh. Neorg. Khim.*, 19, 77(43) (1974)
1974KIb H Khalifa, F Issa, A Haj-Hussein; *Egypt. J. Chem.*, 17, 19 (1974)

- 1974KUe L Kullberg; Acta Chem.Scand.,A28,979 (1974)
 1974LSa P Lingaiah,E Sundaram; Indian J.Chem.,12,539 (1974)
 1974NGb R Nikolic,I Gal; J.Chem.Soc.,Dalton Trans.,985 (1974)
 1974NGc R Nikolic,I Gal; J.Inorg.Nucl.Chem.,36,3827 (1974)
 1974ONa E Onat; J.Inorg.Nucl.Chem.,36,2029 (1974)
 1974ROa D Rabenstein,R Ozubko,S Libich et al; J.Coord.Chem.,3,263 (1974)
 1974SLa V Samoilenko,V Lyashenko,N Polishchuk; Zh.Neorg.Khim.,19,2984(E:1632)
 (1974)
 1974VBa W van der Linden,C Beers; Anal.Chim.Acta,68,143 (1974)
 1974VPb I Vezzosi,G Peyronel,A Zanoli; Inorg.Chim.Acta,8,229 (1974)
 1974YMc N Yellin,Y Marcus; J.Inorg.Nucl.Chem.,36,1325;1331 (1974)
 1973ABd R Anantaraman,A Balusubramanian et al; Talanta,20,515 (1973)
 1973ACa K Anderson,J Cummings, Bills, Walker; J.Inorg.Nucl.Chem.,36,1837 (1973)
 1973AHa I Ahlberg; Acta Chem.Scand.,27,3003 (1973)
 1973BIa O Budevsky,F Ingman,D Liem; Acta Chem.Scand.,27,1277 (1973)
 1973BPc V Belevantsev,B Peshchevitskii et al; Zh.Neorg.Khim.,18,2050(E:1087)
 (1973)
 1973BSe B Budesinsky,M Sagat; Talanta,20,228 (1973)
 1973CCa J Coetzee,J Campion,D Liberman; Anal.Chem.,45,343 (1973)
 1973CSd E Chubakova,N Skorik; Zh.Neorg.Khim.,18,2723 (1973)
 1973CZa D Czakis-Sulikowska,A Zajdler; Roczn.Chem.,47,3 (1973)
 1973DNa A Dash,R Nanda; J.Indian Chem.Soc.,50,808 (1973)
 1973DSa P Das,O Sunar,C Trivedi; J.Inorg.Nucl.Chem.,35,316;677 (1973)
 1973GEb G Geier,I Erni; Chimia,27,635 (1973)
 1973KDb M Koul,K Dubey; J.Inorg.Nucl.Chem.,35,2571 (1973)
 1973KSd F Kai,Y Sadakane,H Yokoi,H Aburada; J.Inorg.Nucl.Chem.,35,2128 (1973)
 1973LRa S Libich,D Rabenstein; Anal.Chem.,45,118 (1973)
 1973LUa L Lisovaya,L Usherenko,N Skorik et al; Zh.Neorg.Khim.,18,4,961;963
 (1973)
 1973MDb Y Matsui,Y Date; Bull.Chem.Soc.Jpn.,46,460 (1973)
 1973MKa Y Matsui,Y Kurosaki,Y Date; Bull.Chem.Soc.Jpn.,46,147 (1973)
 1973MSd M Mittal,R Saxena,A Pandey; J.Inorg.Nucl.Chem.,35,1691 (1973)
 1973MTa Y Matsui,H Takaya,Y Date; Bull.Chem.Soc.Jpn.,46,464 (1973)
 1973PHa W Puhl,H Henneike; J.Phys.Chem.,77,558 (1973)
 1973PSc B Pannu,B Sekhon,S Chopra; J.Indian Chem.Soc.,50,629 (1973)
 1973PZa V Paramonova,V Zamanskii et al; Zh.Neorg.Khim.,18,8,2139 (1973)
 1973RPa O Ryabushko,A Pilipenko et al; Ukr.Khim.Zh.,39,1051;1293 (1973)
 1973SFa S Shimokawa,H Fukui,J Sohma,K Hotta; J.Am.Chem.Soc.,95,1777 (1973)
 1973SUa D Sulikowska; Zesz.Nauk Politech.Lodz,Chem.,22,129 (1973)
 1973TSb R Tewari,M Srivastava; J.Inorg.Nucl.Chem.,35,2441;3044 (1973)
 1973TUa J Tummavuori; Suomen Kem.,B46,97 (1973)
 1972ALa I Ahlberg,I Leden; Trans.Roy.Inst.Tech.(Stockholm),249 (1972)
 1972BGa M Breant,J Georges; Bull.Soc.Chim.Fr.,382 (1972)
 1972BJa J Bjerrum; Acta Chem.Scand.,26,2734 (1972)
 1972BPe V Belevantsev,B Peshchevitskii et al; Zh.Neorg.Khim.,17,2897(E:1522)
 (1972)
 1972CIa L Ciavatta; Trans.Roy.Inst.Tech.(Stockholm),250 (1972)
 1972DSc P Das,O Sunar,C Trivedi; J.Indian Chem.Soc.,49,1109 (1972)
 1972EIIa D Eatough,R Izatt,J Christensen; Thermochim.Acta,3,233 (1972)
 1972FAa S Frank,F Anson; Inorg.Chem.,11,2938 (1972)

1972FDa A Foll, M le Demez, J Courtot-Coupez; Bull.Soc.Chim.Fr., 1207 (1972)
1972GBd I Gorelov, V Babich; Zh.Neorg.Khim., 17, 641 (1972)
1972GBe I Gorelov, V Babich; Zh.Obshch.Khim., 42, 434 (1972)
1972GDa P Govil, C Dwivedi, S Banerji; Isr.J.Chem., 10, 685 (1972)
1972GHa D Glew, D Hames; Can.J.Chem., 50, 3124 (1972)
1972GKa V Gladyshev, E Kireeva; Elektrokhim., 8, 1098(E:1068) (1972)
1972GKc R Guseva, V Kumok; Zh.Neorg.Khim., 17, 12, 3195 (1972)
1972G0d E Gyunner, O Orlova; Zh.Neorg.Khim., 17, 898(E:469) (1972)
1972GSh S Grachev, L Shchelkunova et al; Zh.Neorg.Khim., 17, 7, 1949 (1972)
1972GSi I Gorelov, A Samsonov, V Babich; Zh.Neorg.Khim., 17, 8, 2096 (1972)
1972KBa A Kreshkov, L Balyatinskaya; Fiz.Khim.Rastvorov, 169 (1972)
1972KRa A Kiszka, B Rol; Bull.Acad.Polon.Sci.Chim., 20, 473 (1972)
1972LHa M Langova, J Havel, L Sommer; Chem.Anal.(Warsaw), 17, 989 (1972)
1972MBe S Mathur, M Bhandari, N Sogani; J.Inst.Chem., (India), .44, 107 (1972)
1972MCb G Manku, R Chadha, N Nayar, M Sethi; J.Inorg.Nucl.Chem., 34, 1091 (1972)
1972MTa T Murayama, A Takayanagi; Bull.Chem.Soc.Jpn., 45, 3549 (1972)
1972PBg V Piyankov, O Brazovskaya; Ukr.Khim.Zh., 38, 1279 (1972)
1972SDa H Swafford, J Dietz; Anal.Chem., 44, 2232 (1972)
1972SSe M Singh, M Srivastava; J.Inorg.Nucl.Chem., 34, 567; 2067; 2081 (1972)
1971AKb S Ahrland, L Kullberg; Acta Chem.Scand., 25, 3677; 3692 (1971)
1971ANA G Anderegg; Helv.Chim.Acta, 54, 509 (1971)
1971ANb L Anisimova; Sbornik.soobsch Dag.Univ., Khim., 7, 90 (1971)
1971BBa C Buisson, M Breant; Anal.Chim.Acta, 56, 197 (1971)
1971BGa M Breant, J Georges, J Imbert, D Schmitt; Ann.Chim., (France), 6, 245 (1971)
1971BPd V Belevantsev, B Peshchevitskii et al; Izv.Sib.Otd.Akad.Nauk SSR, 2, 56
(1971)
1971BPF M Beck, E Porszolt; Magyar Kem.Foly., 77, 543 (1971)
1971BSF B Budesinsky, J Svec; Inorg.Chem., 10, 313 (1971)
1971DFa J Dobson, R Firman, H Thirsk; Electrochim.Acta, 16, 793 (1971)
1971DGB D Dakternieks, D Graddon; Australian J.Chem., 24, 2077; 2509 (1971)
1971EBa J Espenson, W Bushey; Inorg.Chem., 10, 2457 (1971)
1971GHd D Glew, D Hames; Can.J.Chem., 49, 3114 (1971)
1971GHF R Gillespie, R Hulme et al; J.Chem.Soc.(A), 3574 (1971)
1971GMA F Gaizer, L Muray, M Beck; Acta Chim.Acad.Sci.Hung., 67, 251 (1971)
1971HMc R Hay, P Morris; J.Chem.Soc.(A), 1518 (1971)
1971HMD R Hay, P Morris; J.Chem.Soc.(A), 3562 (1971)
1971ISa H Irving, K Sharpe; J.Inorg.Nucl.Chem., 33, 203; 217; 233 (1971)
1971MGd M Mehra, A Gubeli; J.Less Common Metals, 25, 221 (1971)
1971NSc B Nayak, D Sahu; Electrochim.Acta, 16, 1757 (1971)
1971PCc K Pan, J Chang, S Hsin; J.Chin.Chem.Soc.(Formosa), 18, 1 (1971)
1971PKd V Pyankov, I Krasnousova; Zh.Neorg.Khim., 16, 853(E:453) (1971)
1971PSc N Paulic, V Simeon, B Bernik et al; J.Inorg.Nucl.Chem., 33, 3463 (1971)
1971SBa B Slovetskii, A Baskakova et al; Izv.Akad.Nauk USSR, Ser.Khim.1954(E:1841)
(1971)
1971SEa I Shikhova, M Ermakova, N Latosh; Zh.Obshch.Khim., 41, 6, 1329 (1971)
1971TBa L Teternikov, A Busev, V Akimov et al; Zh.Anal.Khim., 26, 6, 1048 (1971)
1971TFa G Torsi, K Fung, G Begun et al; Inorg.Chem., 10, 2285 (1971)
1971TLa J Tummavuori, P Lumme; Suomen Kem., B44, 215; 222; 343; 350 (1971)
1971YMB A Yingst, A Martell; J.Inorg.Nucl.Chem., 33, 1693 (1971)
1970AFa K Ashurst, N Finkelstein, N Rice; J.Chem.Soc.(A), 2302 (1970)

1970BAa H Buhler,G Anderegg; *Chimia*,24,433 (1970)
1970CGB L Ciavatta,M Grimaldi; *Inorg.Chim.Acta*,4,312 (1970)
1970CGc L Ciavatta,M Grimaldi,A Mangone; *J.Inorg.Nucl.Chem.*,32,3805 (1970)
1970CMc E Clarke,A Martell; *J.Inorg.Nucl.Chem.*,32,911 (1970)
1970DDa S Dube,S Dhindsa; *Can.J.Chem.*,48,1007 (1970)
1970DSe V Dubinskii,V Shulman; *Zh.Neorg.Khim.*,15,1488(E:764) (1970)
1970EAa D Eatough; *Anal.Chem.*,42,635 (1970)
1970FTa S Funahashi,M Tanaka; *Bull.Chem.Soc.Jpn.*,43,763 (1970)
1970GDb N Ghosh,M Dasgupta; *Z.Anorg.Allg.Chem.*,375,315 (1970)
1970GKc Z Gregorowicz,Z Klima; *Rocz.Chem.*,44,503 (1970)
1970GSb R Gould,H Sutton; *J.Chem.Soc.(A)*,1184;1439 (1970)
1970HAa L Harju; *Anal.Chim.Acta*,50,475 (1970)
1970IPa D Ives,D Prasad; *J.Chem.Soc.(B)*,1649 (1970)
1970KHa C Kirksey,P Hambright; *Inorg.Chem.*,9,958 (1970)
1970KLC L Kan,N Li; *J.Am.Chem.Soc.*,92,4823 (1970)
1970KSb B Klatt,K Schwabe; *J.Electroanal.Chem.*,24,61 (1970)
1970LAd W van der Linden,G Anderegg; *Helv.Chim.Acta*,53,569 (1970)
1970LSb W Leuschke,K Schwabe; *J.Electroanal.Chem.*,25,219 (1970)
1970MDa Y Matsui,Y Date; *Bull.Chem.Soc.Jpn.*,43,2052 (1970)
1970MSc T Murayama,T Sawaki,S Sakuraba; *Bull.Chem.Soc.Jpn.*,43,2820 (1970)
1970PLb R Peterson,P Lingane,W Reynolds; *Inorg.Chem.*,9,680 (1970)
1970SIa T Sekine,T Ishii; *Bull.Chem.Soc.Jpn.*,43,2422 (1970)
1970SMc K Schwabe,R Muller; *Ber.Buns.Phys.Chem.*,74,1248 (1970)
1970SNa M Svicekova,V Novak,J Majer; *Chem.Zvesti*,24,309 (1970)
1970SPb L Sharma,B Prasad; *J.Indian Chem.Soc.*,47,193 (1970)
1970SPc L Sharma,B Prasad; *J.Indian Chem.Soc.*,47,379 (1970)
1970TCa V Toropova,R Cherkasov,N Savelyeva et al; *Zh.Obshch.Khim.*,40,5,1043
(1970)
1970VEb L Vorontsova,M Ermakova,N Latosh; *Zh.Vsesouz.Khim.Obsch.*,15,4,472 (1970)
1969APa U Anders,J Plambeck; *Can.J.Chem.*,47,3055 (1969)
1969BMf G Bombi,G Mazzocchin,G Sacchetto; *Ricerca Sci.*,39,433 (1969)
1969BNa A Brunetti,G Nancollas,P Smith; *J.Am.Chem.Soc.*,91,4680 (1969)
1969CAD T Chernova,K Astakhov,S Barkov; *Zh.Fiz.Khim.*,43,11,2796 (1969)
1969ETa A Eluard,B Tremillon; *Anal.Lett.*,2,221 (1969)
1969GLa D Goddard,B Lodam,S Ajayi et al; *J.Chem.Soc.(A)*,506 (1969)
1969HEa H Helgeson; *Am.J.Sci.*,267,729 (1969)
1969KAa F Kai; *Anal.Chim.Acta*,44,129 (1969)
1969KAb F Kai; *Bull.Chem.Soc.Jpn.*,42,2250 (1969)
1969MBd G Mazzocchin,G Bombi,G Sacchetto; *J.Electroanal.Chem.*,21,345 (1969)
1969MPE P Migal,K Ploae; *Zh.Neorg.Khim.*,14,1,171 (1969)
1969NOC T Nomura; *Japan Analyst*,18,123 (1969)
1969PPd L Porter,D Perrin,R Hay; *J.Chem.Soc.(A)*,118 (1969)
1969PVa G Picard,J Vedel; *Bull.Soc.Chim.Fr.*,2557 (1969)
1969PVb A Pucci,J Vedel et al; *J.Electroanal.Chem.*,22,253 (1969)
1969SMA R Sazena,W Milik; *Allg.Prakt.Chem.*,20,143 (1969)
1969SMb K Schwabe,R Muller; *Ber.Buns.Phys.Chem.*,73,178 (1969)
1969ZAa M Zangen; *J.Inorg.Nucl.Chem.*,31,867 (1969)
1968ADC I Ammar,S Darwish,K Rizk; *Electrochim.Acta*,13,797 (1968)
1968AJa M Abraham,C Johnston,T Spalding; *J.Inorg.Nucl.Chem.*,30,2167 (1968)
1968AMA A Agrawal,V Mehrotra et al; *Proc.Indian Acad.Sci.*,68,123 (1968)

- 1968BAa K Bagdasarov, L Anisimova, O Tataev; Zh.Anal.Khim., 23, 7, 1002 (1968)
1968CGa L Ciavatta, M Grimaldi; J.Inorg.Nucl.Chem., 30, 563 (1968)
1968CGb L Ciavatta, M Grimaldi; J.Inorg.Nucl.Chem., 30, 197 (1968)
1968CPa J Coleman, R Penneman, L Jones, I Kressin; Inorg.Chem., 7, 1174 (1968)
1968DIa A Davis, D Irish; Inorg.Chem., 7, 1699 (1968)
1968EHa W Eilbeck, F Holmes, T Thomas et al; J.Chem.Soc.(A), 2348 (1968)
1968GKb S Gusev, L Ketova, I Kozhevnikova; Zh.Anal.Khim., 23, 11, 1626 (1968)
1968GYa E Gyunner, N Yakhkind; Zh.Neorg.Khim., 13, 245 (1968)
1968HMB R Hay, P Morris; J.Chem.Soc., Chem.Comm., 732 (1968)
1968HPa D Hames, J Plambeck; Can.J.Chem., 46, 1727 (1968)
1968IEb R Izatt, D Eatough, J Christensen; J.Phys.Chem., 72, 2720 (1968)
1968NOa T Nomura; Bull.Chem.Soc.Jpn., 41, 2803 (1968)
1968PMe N Payen-Baldy, M Machtinger; Bull.Soc.Chim.Fr., 2221 (1968)
1968PRc A Pilipenko, O Ryabushko, T Makarenko; Ukr.Khim.Zh., 34, 8, 823 (1968)
1968RFa J Reyes, H Frye; Z.Naturforsch., 23B, 429; 606 (1968)
1968SAa A Salahuddin; J.Prakt.Chem., 37, 290 (1968)
1968SCc F Smirous, J Celeda; Collec.Czech.Chem.Comm., 33, 1017 (1968)
1968SRf G Stocco, E Rivarola, R Romeo, R Barbieri; J.Inorg.Nucl.Chem., 30, 2409
(1968)
1968SRg J Stary, J Ruzicka; Talanta, 15, 505 (1968)
1968SVa J Spencer, A Voigt; J.Phys.Chem., 72, 464, 471 (1968)
1968TTa F Tulyupa, L Tkacheva, V Pavlichenko et al; Isvest.VUZ.Khim., 11, 1219
(1968)
1968YGa N Yakhkind, E Gyunner; Zh.Neorg.Khim., 13, 1005 (1968)
1968YMa M Yokoi, Y Mori, E Kubota et al; Nippon Kagaku Kaishi, 89, 1192 (1968)
1968ZPa P Zanella, G Plazzogna, G Tagliavini; Inorg.Chim.Acta, 2, 340 (1968)
1967AKb R Arnek, W Kakolowicz; Acta Chem.Scand., 21, 1449 (1967)
1967BBb K Butin, I Beletskaya, A Ryabtsev et al; Elektrokhim., 3, 1318 (1967)
1967CDa A Covington, J Dobson, W Wynne-Jones; Electrochim.Acta, 12, 513, 525 (1967)
1967EHc W Eilbeck, F Holmes; J.Chem.Soc.(A), 1777 (1967)
1967ETa A Eluard, B Tremillon; J.Electroanal.Chem., 13, 208 (1967)
1967JCa V Jedinakova, J Celeda; Collec.Czech.Chem.Comm., 32, 1679 (1967)
1967KAb V Krumina, K Astakhov, S Barkov, V Kornev; Zh.Neorg.Khim., 12, 1780 (3356)
(1967)
1967KBa N Kiet, M Breant; Compt.Rend., 264C, 1042 (1967)
1967KWb M Kreevoy, E Wewerka; J.Phys.Chem., 71, 4534 (1967)
1967Mwa M Morris, L Whitlock; Anal.Chem., 39, 1180 (1967)
1967Pva R Piras, B Vallee; Biochemistry, 6, 348 (1967)
1967RPe M de Rossi, G Pecci, B Scrosati; Ricerca Sci., 37, 342 (1967)
1967SKe N Skorik, V Kumok, V Serebrennikov; Zh.Neorg.Khim., 12, 1429(2711); 1788(3381)
(1967)
1967SKg N Skorik, V Kumok; Zh.Obshch.Khim., 37, 1461 (1722) (1967)
1967SPa J Scharff, M Paris; Bull.Soc.Chim.Fr., 1782 (1967)
1967TSa V Toropova, M Saikina, R Aleshov; Zh.Obshch.Khim., 37, 679 (725) (1967)
1966BKa M Breant, N van Kiet; Compt.Rend., 262C, 955 (1966)
1966CZa D Czakis-Sulikowska; Roczn.Chem., 40, 1123 (1966)
1966CZb D Czakis-Sulikowska; Roczn.Chem., 40, 521 (1966)
1966FBa M Fiorani, G Bombi, G Mazzocchin; Ricerca Sci., 36, 580 (1966)
1966FSa C Furlani, L Sestili; Ricerca Sci., 36, 819 (1966)
1966GBb E Gyunner, N Belykh; Ukr.Khim.Zh., 32, 1270 (1966)

1966Gcb Z Gregorowicz, J Ciba; Roczn.Chem., 40, 1377 (1966)
1966JMa D Janes, D Margerum; Inorg.Chem., 5, 1135 (1966)
1966Mca T Moeller, S Chu; J.Inorg.Nucl.Chem., 28, 153 (1966)
19660Ba D Olson, J Bjerrum; Acta Chem.Scand., 20, 143 (1966)
1966PCa J Partridge, J Christensen, R Izatt; J.Am.Chem.Soc., 88, 1649 (1966)
1966PRa A Pilipenko, O Ryabushko; Ukr.Khim.Zh., 32, 6, 662 (1966)
1966SCb K Schroder; Acta Chem.Scand., 20, 881 (1966)
1966SFa K Schwabe, E Ferse; Ber.Buns.Phys.Chem., 70, 849 (1966)
1966TAB V Toropova, Y Azizov; Zh.Neorg.Khim., 11, 288 (531) (1966)
1966TSa V Toropova, M Saikina, R Aleshov; Zh.Neorg.Khim., 11, 605 (1130) (1966)
1966VSb I Vasilkevich, E Shilov; Ukr.Khim.Zh., 32, 947 (1966)
1966Wfa H Waki, J Fritz; J.Inorg.Nucl.Chem., 28, 577 (1966)
1965ABa G Anderegg, E Bottari; Helv.Chim.Acta, 48, 887 (1965)
1965ANa G Anderegg; Helv.Chim.Acta, 48, 1712; 1718; 1722 (1965)
1965ARa R Arnek; Ark.Kemi., 24, 531 (1965)
1965BBa R Barbieri, J Bjerrum; Acta Chem.Scand., 19, 469 (1965)
1965BPg A Belyaev, B Ptitsyn; Zh.Obshch.Khim., 35, 1887 (1965)
1965CDc A Covington, J Dobson, W Wynne-Jones; Trans.Faraday Soc., 61, 2050; 2057 (1965)
1965CEa H Clase, E Ebsworth; J.Chem.Soc., 940 (1965)
1965CIa J Christensen, R Izatt, D Eatough; Inorg.Chem., 1965, 4, 1278 (1965)
1965Cza D Czakis-Sulikowska; Roczn.Chem., 39, 1161 (1965)
1965Hwa T Hseu, S Wu, T Chuang; J.Inorg.Nucl.Chem., 27, 1655 (1965)
1965Lma G Lenz, A Martell; Inorg.Chem., 4, 378 (1965)
1965Mka T Musgrave, R Keller; Inorg.Chem., 4, 1793 (1965)
1965PIa J Partridge, R Izatt, J Christensen; J.Chem.Soc., 4231 (1965)
1965ROa P Rock; Inorg.Chem., 4, 1667 (1965)
1965SFb K Schwabe, E Ferse; Ber.Buns.Phys.Chem., 69, 383 (1965)
1965SSa D Shuman, B Sen; Anal.Chim.Acta, 33, 487 (1965)
1965SSd G Schwarzenbach, M Schellenberg; Helv.Chim.Acta, 48, 28 (1965)
1965SWa K Schwabe, K Wankmuller; Ber.Buns.Phys.Chem., 69, 528 (1965)
1965TSd V Toropova, M Saikina; Zh.Neorg.Khim., 10, 1166 (1965)
1965TUa Y Turyan; Zh.Neorg.Khim., 10, 297(549) (1965)
1965WHa D Wright, J Holloway, C Reilly; Anal.Chem., 37, 884 (1965)
1964ACb J Ahluwalia, J Cobble; J.Am.Chem.Soc., 86, 5381 (1964)
1964ANa G Anderegg; Helv.Chim.Acta, 47, 1801 (1964)
1964ASa A Azzam, I Shimi; Z.Anorg.Chem., 327, 89 (1964)
1964Bgb M Beck, F Gaizer; J.Inorg.Nucl.Chem., 26, 1755 (1964)
1964BSe D Banerjee, I Singh; Z.Anorg.Chem., 331, 225 (1964)
1964Bue E Buketov, M Ugorets, A Pashinkin; Zh.Neorg.Khim., 9, 526 (1964)
1964CIa J Christensen, R Izatt, L Hansen, J Dale; Inorg.Chem., 3, 130 (1964)
1964Cza M Czakis-Sulikowska; Pergamon, Warszawa, 565 (1964)
1964Czb D Czakis-Sulikowska; Roczn.Chem., 38, 1435 (1964)
1964Czc D Czakis-Sulikowska; Roczn.Chem., 38, 533 (1964)
1964DOa A Downs; J.Inorg.Nucl.Chem., 26, 41 (1964)
1964ELa I Eliezer; J.Phys.Chem., 68, 2722 (1964)
1964ICb H Irving, J Conesa; J.Inorg.Nucl.Chem., 26, 1945 (1964)
1964Laa F L'Eplattenier, G Anderegg; Helv.Chim.Acta, 47, 1792 (1964)
1964Lma G Lenz, A Martell; Biochemistry, 3, 745; 750 (1964)
1964PCa Personal Communication etc; Chem.Soc.Spec.Publ., no.17 (1964)

1964PIa L Pettit, H Irving; *J.Chem.Soc.*, 5336 (1964)
1964SKa T Seth, R Kapoor; *J.Polarog.Soc.*, 10, 17 (1964)
1964SUa K Schwabe, R Urlass, A Ferse; *Ber.Buns.Phys.Chem.*, 68, 46 (1964)
1964WDa T Wirth, N Davidson; *J.Am.Chem.Soc.*, 86, 4314; 4318; 4322; 4325 (1964)
1964ZMa M Zangen, Y Marcus; *Isr.J.Chem.*, 2, 155 (1964)
1964ZMb M Zangen, Y Marcus; *Isr.J.Chem.*, 2, 49; 91 (1964)
1963ANb G Anderegg; *Helv.Chim.Acta*, 46, 1833; 2813 (1963)
1963ANf G Anderegg; *Helv.Chim.Acta*, 46; 1833 (1963)
1963ANg G Anderegg; *Helv.Chim.Acta*, 46, 2397 (1963)
1963BBc F Becker, J Barthel, N Schmahl, H Luschow; *Z.Phys.Chem.*, (Frankfurt), 37, 52
(1963)
1963BSc M Bjorkman, L Sillen; *Trans.Roy.Inst.Tech.(Stockholm)*, 199 (1963)
1963DTa G Durand, B Tremillon; *Bull.Soc.Chim.Fr.*, 2855 (1963)
1963EMb I Eliezer, Y Marcus; *J.Inorg.Nucl.Chem.*, 25, 1465 (1963)
1963GHb S Gupta, G l Hills, D Ives; *Trans.Faraday Soc.*, 59, 1874(CI), 1886(Br) (1963)
1963HIa L Hansen, R Izatt, J Christensen; *Inorg.Chem.*, 2, 1243 (1963)
1963KOb N Komar; *Uch.Zapiski Kharkov Univ.*, 133, 66; 189 (1963)
1963LOa N Lordi; *J.Pharm.Sci.*, 52, 397 (1963)
1963SCc M Schellenberg; *Diss.Eid.Tech.Hochschule, Zurich* (1963)
1963SHA T Spiro, D Hume; *Inorg.Chem.*, 2, 340; 863 (1963)
1963STc J Stary; *Anal.Chim.Acta*, 28, 132 (1963)
1963SWa G Schwarzenbach, M Widmer; *Helv.Chim.Acta*, 46, 2613 (1963)
1962AHA I Ahlberg; *Acta Chem.Scand.*, 16, 887 (1962)
1962BBb A Bukowska, H Basinska; *Chemia Analitychna.*, 7, 559; 563 (1962)
1962BEa S Bolton, R Ellin; *J.Pharm.Sci.*, 51, 533 (1962)
1962CSa M Czakis-Sulikowska, A Swinarski; *Rocz.Chem.*, 36, 389 (1962)
1962CTc S Choi, D Tuck; *J.Chem.Soc.*, 4080 (1962)
1962KRa E Kuchinkos, Y Rosen; *Arch.Biochem.Biophys.*, 97, 370 (1962)
1962LGA V Latysheva, L Goryanina; *Zh.Neorg.Khim.*, 7, 732 (1962)
1962MHa T Moeller, T Hseu; *J.Inorg.Nucl.Chem.*, 24, 1635 (1962)
1962MIa K Mizumachi; *J.Chem.Soc.Jpn.*, 83, 61; 67 (1962)
1962MMc J Mackey, M Miller, J Powell; *J.Phys.Chem.*, 66, 311 (1962)
1962MTc T Moeller, L Thomson; *J.Inorg.Nucl.Chem.*, 24, 499 (1962)
1962POd H Powell, J Lagowski; *J.Chem.Soc.*, 2047 (1962)
1962SBa B Salvesen, J Bjerrum; *Acta Chem.Scand.*, 16, 735 (1962)
1962SIb R Simonaitis; *Diss.Abs.*, 23, 3101 (1962)
1962SKa S Stankoviansky, J Konigstein; *Collec.Czech.Chem.Comm.*, 27, 1997 (1962)
1962SSc G Schwarzenbach, I Szilard; *Helv.Chim.Acta*, 45, 1222 (1962)
1962TAB P Teyssie, G Anderegg, G Schwarzenbach; *Bull.Soc.Chim.Belges*, 71, 177 (1962)
1962TEa N Tanaka, K Ebata, T Murayama; *Bull.Chem.Soc.Jpn.*, 35, 124 (1962)
1962TRa Y Turyan, V Romanov; *Zh.Neorg.Khim.*, 7, 1087 (1962)
1962ZSa A Zielen, J Sullivan; *J.Phys.Chem.*, 66, 1065 (1962)
1961AHb K Aurivillius, O von Heidenstam; *Acta Chem.Scand.*, 15, 1993 (1961)
1961DTa D Dyrssen, V Tyrrell; *Acta Chem.Scand.*, 15, 393, 1622(corr.) (1961)
1961DWA G Deacon, B West; *J.Chem.Soc.*, 3929 (1961)
1961FBa R Ferreira, E Ben-zvi, T Yamane; *Adv.in Chem.of Coord.Comp.*, Kirschner, NY
(1961)
1961ISa H Irving, M Stacey; *J.Chem.Soc.*, 2019 (1961)
1961MPa G Malcolm, H Parton, I Watson; *J.Phys.Chem.*, 65, 1900 (1961)
1961MUa T Murayama; *Sci.Rep.Res.Inst.Tohoku Univ.*, 45, 84 (1961)

1961NHa L Newman,D Hume; J.Am.Chem.Soc.,83,1795 (1961)
1961NSa C Nyman,T Salazar; Anal.Chem.,33,1467 (1961)
1961PJa R Penneman,L Jones; J.Inorg.Nucl.Chem.,20,19 (1961)
1961PSb S Parikh,T Sweet; J.Phys.Chem.,65,1909 (1961)
1961RMa D Roe,D Masson,C Nyman; Anal.Chem.,33,1464 (1961)
1961SHc T Spiro,D Hume; J.Am.Chem.Soc.,83,4305 (1961)
1961SIa R Simpson; J.Am.Chem.Soc.,83,4711 (1961)
1961SJa S Sircar,P Jena,B Prasad; J.Indian Chem.Soc.,38,101 (1961)
1961SMa I Smith; Diss.Kansas State Univ. (1961)
1961TKb V Toropova,Y Kitaev,G Budnikov; Zh.Neorg.Khim.,6,330 (647) (1961)
1961TSa V Toropova,M Saikina,N Lutska; Zh.Neorg.Khim.,6,1066 (2086) (1961)
1961VWa B Vallee,R Williams,J Coleman; Nature,190,633 (1961)
1960ANb G Anderegg; Helv.Chim.Acta,43,414 (1960)
1960BDa P Brooks,N Davidson; J.Am.Chem.Soc.,82,2118 (1960)
1960BDb W Beck,J Dobson,W Wynne-Jones; Trans.Faraday Society,56,1172 (1960)
1960CZa M Czakis; Roczn.Chem.,34,729 (1960)
1960DTa J Duncan,F Thomas; J.Chem.Soc.,2814 (1960)
1960GKa P Gallagher,E King; J.Am.Chem.Soc.,82,3510 (1960)
1960GRd A Golub,L Romanenko; Zh.Neorg.Khim.,5,1085 (1960)
1960HRa J Holloway,C Reilly; Anal.Chem.,32,249 (1960)
1960Lca A Lodzinska,H Cichocka; Roczn.Chem.,34,297 (1960)
1960NAb C Nyman,G Alberts; Anal.Chem.,32,207 (1960)
1960REb A Rescigno; Ann.Chim.,(Italy),50,365 (1960)
1960SAC J Schubert,G Anderegg,G Schwarzenbach; Helv.Chim.Acta,43,610 (1960)
1960TKa V Toropova,L Kirillova; Zh.Neorg.Khim.,5,276 (575) (1960)
1960WAA E Wanninen; Acta Acad.Aboensias,XXI,17 (1960)
1960YDa T Yamane,N Davidson; J.Am.Chem.Soc.,82,2123 (1960)
1959ANc G Anderegg; Helv.Chim.Acta,42,344 (1959)
1959AND G Anderegg,P Nageli,F Muller et al; Helv.Chim.Acta,42,827 (1959)
1959BLa A Bethune,T Licht,N Swendeman Loud; J.Electrochem.Soc.,106,616 (1959)
1959BYa C Banks,R Yerick; Anal.Chim.Acta,20,301 (1959)
1959CFd M Czakis,I Falkowska; Komun.VI Zjazd,Warszawa,15 (1959)
1959CZa G Czamanske; Econ.Geol.,54,57 (1959)
1959CZb M Czakis; Roczn.Chem.,33,3 (1959)
1959DGc L Dubey,S Ghosh; Proc.Nat.Acad.Sci.,India,28,A301;307 (1959)
1959GPa P Given,M Peover; J.Chem.Soc.,1602 (1959)
1959KEc D Keyworth; Talanta,2,383 (1959)
1959NHa L Newman,D Hume; J.Am.Chem.Soc.,81,5901 (1959)
1959SAa T Salem; J.Indian Chem.Soc.,36,83 (1959)
1959SLd S Shchukarev,L Lilich,V Latysheva et al; Zh.Neorg.Khim.,4,2198 (1959)
1959SRb F Sadek,C Reilly; Anal.Chem.,31,494 (1959)
1959YDa T Yamane,N Davidson; J.Am.Chem.Soc.,81,4438 (1959)
1958ASa G Anderegg,G Schwarzenbach et al; Helv.Chim.Acta,41,988 (1958)
1958HOb N Hojo; Kog.Kag.Zas.,61,1514 (1958)
1958Nca L Newman,J de Cabral,D Hume; J.Am.Chem.Soc.,80,1814 (1958)
1958PAa C van Panthaleon; Thesis,Leiden (1958)
1958RHa C Reilly,J Holloway; J.Am.Chem.Soc.,80,1022 (1958)
1958STa D Scaife,H Tyrrell; J.Chem.Soc.,386;392 (1958)
1957AHa A Armstrong,J Halpern; Can.J.Chem.,35,1020 (1957)
1957ANc G Anderegg; Helv.Chim.Acta,40,1022 (1957)

1957BLa S Brown, J Land; J. Am. Chem. Soc., 79, 3015 (1957)
1957DEa M Delwaulle; Spectrochim. Acta, 11, Suppl. 565 (1957)
1957GTa A Golub, T Tsitsurina; Nauk Zapiski Kiev Derzhav Univ., 1615, 101 (1957)
1957KPa A Kostyuk, V Pyankov; Zh. Neorg. Khim., 2, 1535 (1957)
1957KSb M Kalfus, D Sokolskii; Vestnik Akad. Nauk Kazakh SSR, 9, 74 (1957)
1957MAa Y Marcus; Acta Chem. Scand., 11, 329; 599; 610; 811 (1957)
1957MVa H Moser, A Voigt; J. Am. Chem. Soc., 79, 1837 (1957)
1957MVb H Moser, A Voigt; J. Inorg. Nucl. Chem., 4, 354 (1957)
1957PTa F Posey, H Taube; J. Am. Chem. Soc., 79, 255 (1957)
1957RSb C Reilly, R Schmid; J. Elisha Mitchell Sci. Soc. (1957)
1957SAb G Schwarzenbach, G Anderegg; Helv. Chim. Acta, 40, 1773 (1957)
1957SRa R Schmid, C Reilly; Anal. Chem., 29, 264 (1957)
1957SSa G Schwarzenbach, H Senn, G Anderegg; Helv. Chim. Acta, 40, 1886 (1957)
1957TMb N Tanaka, T Murayama; Z. Phys. Chem., 11, 366 (1957)
1957TOa V Toropova; Zh. Neorg. Khim., 2, 515 (1957)
1957YMa K Yatsimirskii, P Milyukov; Zh. Neorg. Khim., 2, 1046 (1957)
1956BJb J Bjerrum, S Refn; Suomen Kem., B29, 68 (1956)
1956BRa M Breant; Bull. Soc. Chim. Fr., 948 (1956)
1956GWC P Gray, T Waddington; Proc. Roy. Soc. (A), 235, 106 (1956)
1956HSa S Hietanen, L Sillen; Ark. Kemi., 10, 103 (1956)
1956HSd S Hietanen, L Sillen; Suomen Kem., B29, 31 (1956)
1956KSc I Korenman, F Sheyanova, M Potapova; Zh. Obshch. Khim., 26, 2114 (1956)
1956KSd I Korenman, F Sheyanova, M Baryshnikova; Zh. Obshch. Khim., 26, 365 (1956)
1956SRb B Sarma, P Ray; J. Indian Chem. Soc., 33, 841 (1956)
1956TOa V Toropova; Zh. Neorg. Khim., 1, 243 (1956)
1956WMC J Watters, J Mason; J. Am. Chem. Soc., 78, 285 (1956)
1956WMD J Watters, J Mason, O Schupp; J. Am. Chem. Soc., 78, 5782 (1956)
1956YTa K Yatsimirskii, B Tukhlov; Zh. Obshch. Khim., 26, 356 (1956)
1955DWb K Damm, A Weiss; Z. Naturforsch., 10B, 534 (1955)
1955MDa B Matyska, J Dolezal, O Roubalova; Chem. Listy, 49, 1012 (1955)
1955NMa C Nyman, E Muhrbach, G Millard; J. Am. Chem. Soc., 77, 4194 (1955)
1955NRa C Nyman, D Roe, D Mason; J. Am. Chem. Soc., 77, 4191 (1955)
1955PAa A Paul; Thesis, Univ. California, Berkeley, UCRL-292 (1955)
1955SAa G Schwarzenbach, G Anderegg et al; Helv. Chim. Acta, 38, 1147 (1955)
1955SAC G Schwarzenbach, G Anderegg; Z. Anorg. Chem., 282, 286 (1955)
1955SCb A Swinarski, M Czakis; Przemysl Chem., 11, 384 (1955)
1955Tba V Toropova, E Belaya; Uch. Zapiski Kazanskogo U., 115, 3, 61 (1955)
1955Wwa T Waugh, H Walton, J Laswick; J. Phys. Chem., 59, 395 (1955)
1954GOa G Goward; Thesis, Princeton Univ. Microf. 9414 (1954)
1954SAa G Schwarzenbach, G Anderegg; Helv. Chim. Acta, 37, 1289 (1954)
1954SGa G Schwarzenbach, R Gut, G Anderegg; Helv. Chim. Acta, 37, 937 (1954)
1954SKa W Stricks, I Kolthoff, A Heyndrick; J. Am. Chem. Soc., 76, 1515 (1954)
1954TOb V Toropova; Zh. Obshch. Khim., 24, 423 (1954)
1954Wda R Wolfgang, R Dodson; J. Am. Chem. Soc., 76, 2004 (1954)
1954Wia R Williams; J. Phys. Chem., 58, 121 (1954)
1954Ysa K Yatsimirskii, A Shutov; Zh. Fiz. Khim., 28, 30 (1954)
1953BPa P Brandt, O Plum; Acta Chem. Scand., 7, 97 (1953)
1953Gma J Goffart, G Michel, G Duyckaerts; Anal. Chim. Acta, 9, 184 (1953)
1953GOa A Golub; Ukr. Khim. Zh., 19, 205; 467 (1953)
1953Kma J Klotz, W Ming; J. Am. Chem. Soc., 75, 4159 (1953)

1953MAa P Mahapatra,S Aditya,B Prasad; J.Indian Chem.Soc.,30,509 (1953)
1953Mca G McIntyre; Diss.Pennsylvania State College (1953)
1953PEa D Perkins; Biochem.J.,55,649 (1953)
1953PEc D Peschanski; J.Chim.Phys.,50,640 (1953)
1953SKb W Stricks,I Kolthoff; J.Am.Chem.Soc.,75,5673 (1953)
1953SMA G Schwarzenbach,P Moser; Helv.Chim.Acta,36,581 (1953)
1952ECa G Ellendt,K Cruse; Z.Phys.Chem.,201,130 (1952)
1952FHa W Forsling,S Hietanen,L Sillen; Acta Chem.Scand.,6,901 (1952)
1952FYa W Fyfe; J.Chem.Soc.,2018;2023 (1952)
1952GGc J Goates,M Gordon,N Faux; J.Am.Chem.Soc.,74,835 (1952)
1952HSa S Hietanen,L Sillen; Acta Chem.Scand.,6,747 (1952)
1952LAB W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)
1952PEa D Perkins; Biochem.J.,51,487 (1952)
1952SUa S Suzuki; J.Chem.Soc.Jpn.,73,150;153;278 (1952)
1952Ysa K Yatsimirskii,A Shutov; Zh.Fiz.Khim.,26,842 (1952)
1951Mka B Matyska,I Kossler; Collec.Czech.Chem.Comm.,16,221 (1951)
1951Yaa K Yatsimirskii; Term.kompl.soed.Moskow (1951)
1951Yac K Yatsimirskii; Dokl.Akad.Nauk SSSR,77,819 (1951)
1950BJa J Bjerrum; Chem.Revs.,46,381 (1950)
1950MAa G Martin; Tappi.,33,84 (1950)
1950PSa J Prue,G Schwarzenbach; Helv.Chim.Acta,33,963;985;995 (1950)
1950SCa G Schwarzenbach; Helv.Chim.Acta,33,974 (1950)
1949BSb G Biedermann,L Sillen; Svensk Kem.Tidskr.,61,63 (1949)
1949GAa R Gauguin; Anal.Chim.Acta,3,489 (1949)
1949KSb I Korshunov,M Shchennikova; Zh.Obshch.Khim.,19,1820 (1949)
1949QSa I Qvarfort,L Sillen; Acta Chem.Scand.,3,505 (1949)
1949Vca T de Vries,D Cohen; J.Am.Chem.Soc.,71,1114 (1949)
1948BJb P Bethge,I Jonevall-Westoo,L Sillen; Acta Chem.Scand.,2,828 (1948)
1948LNa J Lingane,L Niedrach; J.Am.Chem.Soc.,70,4115 (1948)
1947JQa A Jonsson,I Qvarfort,L Sillen; Acta Chem.Scand.,1,461 (1947)
1947LJa B Lindgren,A Jonsson,L Sillen; Acta Chem.Scand.,1,479 (1947)
1946BJa J Brigando,P Job; Compt.Rend.,222,1297 (1946)
1946GMA F Gallais,J Mounier; Compt.Rend.,223,790 (1946)
1946ISa G Infeldt,L Sillen; Svensk Kem.Tidskr.,58,104 (1946)
1946Laa J Law; Thesis,Univ.New Zealand.p.35 (1946)
1946MSa N Malyugina,M Shchennikova,I Korshunov; Zh.Obshch.Khim.,16,1573 (1946)
1946SIa L Sillen,G Infeldt; Svensk Kem.Tidskr.,58,61 (1946)
1946Tsa W Treadwell,F Schaufelberger; Helv.Chim.Acta,29,1936 (1946)
1945FLa H Flood,V Lorez; Tidskr.Kjemi.Berg.,5,83 (1945)
1943Taa I Takacs; Magyar Kem.Foly.,49;33,100 (1943)
1942GNa A Garrett,M Noble,S Miller; J.Chem.Educ.,19,485 (1942)
1941BJa J Bjerrum; Thesis,repr.1957,P.Haase&Son,Copenhagen (1941)
1941BRa J de Bruijn; Rec.Trav.Chim.,60,309 (1941)
1939GAa A Garrett; J.Am.Chem.Soc.,61,2744 (1939)
1939GHa A Garrett,W Howell; J.Am.Chem.Soc., 61,1730 (1939)
1939LHa H Lucas,F Hepner,S Winstein; J.Am.Chem.Soc.,61,3102 (1939)
1938GHa A Garrett,A Hirschler; J.Am.Chem.Soc., 60,299 (1938)
1938Laa W Latimer; "Oxidation Potentials",Prentice Hall,NY (1938)
1937Bva R Bates,W Vosburgh; J.Am.Chem.Soc.,59,1188;1189 (1937)
1937TPa N Tananaev,A Pilipenko; Zh.Prikl.Khim.,10,549 (1937)

1936NEa E Newbery; Trans.Electrochem.Soc., 69,57 (1936)
 1935HHa H Harned,W Hamer; J.Am.Chem.Soc.,57,27;33 (1935)
 1934BEa W Bennett; J.Phys.Chem., 38,573 (1934)
 1934TOa C Tourneux; Bull.Soc.Chim.Fr.,1043 (1934)
 1933BHa M le Blanc,O Harnapp; Z.Phys.Chem.,A166,321 (1933)
 1933FLa H Fromherz,K Lih; Z.Phys.Chem.,A167,103 (1933)
 1932BDa H Britton,E Dodd; J.Chem.Soc.,1940 (1932)
 1932BWa H Britton,B Wilson; J.Chem.Soc.,2550 (1932)
 1932HJa K Hass,K Jellinek; Z.Phys.Chem.,A162,153 (1932)
 1931KOa I Kolthoff; J.Phys.Chem.,35,2711 (1931)
 1929BRa A Brodsky; Z.Elektrochem.,35,833 (1929)
 1929Laa W Lange; Ber.Buns.Phys.Chem.,62,793 (1929)
 1928BRa F Bourion,E Rouyer; Ann.Chim.,(France),10,182;263 (1928)
 1928JOa P Job; Ann.Chim.,(France),9,113 (1928)
 1924TPa C Tourneux,M Pernot; Compt.Rend.,180,740 (1924)
 1920FUa G Fuseya; J.Am.Chem.Soc.,42,368 (1920)
 1917KOa I Kolthoff; Chem.Weekblad,14,1016 (1917)
 1916LIa G Linhart; J.Am.Chem.Soc.,38,1272 (1916)
 1915LIa G Linhart; J.Am.Chem.Soc.,37,258 (1915)
 1912DRa K Drucker; Z.Elektrochem.,18,236 (1912)
 1910ALa A Allmand; Z.Elektrochem.,16,254 (1910)
 1909BZa L Bruner,J von Zawidzky; Z.Anorg.Chem.,65,136 (1909)
 1909Hwa K Hofmann,H Wagner; Z.Elektrochem.,15,441 (1909)
 1909RPa A Rosenheim,M Pritze; Z.Anorg.Chem.,63,275 (1909)
 1908BHa B Buttle,J Hewitt; J.Chem.Soc.,93,1405 (1908)
 1908HKa W Herz,F Kuhn; Z.Anorg.Chem.,58,159 (1908)
 1908KNa J Knox; Trans.Faraday Society,4,29 (1908)
 1907SBa J Sand,F Breest; Z.phys.Chem.,59,424 (1907)
 1906PAA H Pick,R Abegg; Z.Anorg.Chem.,51,1 (1906)
 1905GRa H Grossmann; Z.Anorg.Chem.,43,356 (1905)
 1905SSa M Sherrill,S Skowronski; J.Am.Chem.Soc.,27,30 (1905)
 1904FAa Fulda, quoted by Abegg; Z.Elektrochem.,10,80 (1904)
 1904LHa H Ley,C Heimbucher; Z.Elektrochem.,10,301 (1904)
 1903BOa G Bodlander; Ber.Buns.Phys.Chem.,36,3933 (1903)
 1903SHA M Sherrill; Z.Phys.Chem.,43,705;47,103 (1903)
 1902MOa H Morse; Z.Phys.Chem.,41,709 (1902)
 1902SCa K Schick; Z.Phys.Chem.,42,155 (1902)
 1901LUa R Luther; Z.Phys.Chem.,36,383 (1901)

EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES
 I Data with various BACKGROUNDS
 H Data for THERMOCHEMICAL quantities
 M Data for TERNARY Complexes

EVALUATION Flags are :-

T or IUP=T signifies EVALUATION RATING = Tentative by IUPAC
R or IUP=R signifies EVALUATION RATING = Recommended by IUPAC

END