

SC-Database

Software version = 5.81 Data version = 4.62

Experiment list contains 598 experiments for  
(no ligands specified)

Metal : Rb+

(no references specified)

(no experimental details specified)

\*\*\*\*\*

e- HL Electron (442)  
Electron;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	EMF	KCl	25°C	0.0	C	I		K(Rb+e=Rb(Hg))=-37.03(-2.190V)	1997BMa (866)	1
Method: Rb(Hg) amalgam electrode. Data for 0-0.8 mass fraction MeOH/H2O, 0.05-2.0 m RbCl. K=-36.31 (E=-2.1482 V, x=0.2); K=-35.67 (-2.1104, x=0.4).										
Rb+	EMF	mixed	25°C	10%	U	I		K(Rb+e=Rb(s))=-49.26(-2.914V)	1974DKb (867)	2
Medium: 10% w/w DMSO/H2O; K=-49.06(-2.902V,w=20), -48.48(-2.868V,w=40), -47.6(-2.816V,w=60)										
Rb+	EMF	none	25°C	0.00	U	T		K(Rb+e)=-33.300(-1.96994V)	1974LMc (868)	3
K: Rb+e=Rb(Hg); x(Rb) to 0; K=-34.593(-1.94347V,10 C); -32.139(-1.99691,40C) -31.064(-2.02257V,55 C); -30.094(-2.0490V, 70 C)										
Rb+	oth	oth/un	25°C	0.0	U	I		K(Rb+e=Rb(s))=-49.41 (-2923mV)	1972COa (869)	4
Method:Estimated. MeOH: -54.09((-3.200V).EtOH: -52.99((-3.135V).BuOH: -48.23 (-2.853V),:PentOH: -51.54(-3.049V).Me2CO: -49.33(-2.918V) ...Cont'd										
Rb+	oth	oth/un	25°C	0.0	U	I		K(Rb+e=Rb(s))=-49.41 (-2923mV)	1972COa (870)	5
Method: Estimated. MeCN: -57.76((-3.417V).HCOOH: -61.80(-3.656V). Also NH3 and N2H4										
Rb+	EMF	none	25°C	0.00	U			K(Rb+e=Rb(Hg))=-31.44(-1.860V)	1970KGa (871)	6
Rb+	EMF	alc/w	25°C	100%	U			K(Rb+e)=-49.23(-2912 mV)	1958BSb (872)	7
Medium: MeOH										
Rb+	EMF	non-aq	25°C	100%	U	T		K(Rb+e=Rb(s))=-48.26(-2.855V)	1954PSa (873)	8
Medium: formamide; K=-49.35(-2.851,18 C)(M units)										

Rb+ EMF none 25°C 0.0 U 1923LRa (874) 9  
K(Rb+e)=-49.45(-2924.2 mV)

\*\*\*\*\*  
BF4- HL (2497)  
Tetrafluoroborate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=1.8 1975YKa (1202) 10  
Medium: MeCN

\*\*\*\*\*  
B04H4- HL Borate CAS 10043-35-3 (991)  
Borate; B(OH)4-

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp oth/un 25°C 1.00M U I K1=0.56 1990RAa (1326) 11  
Medium: RbCl. Data at I=0 M and pressures to 2041 atmos.

\*\*\*\*\*  
Br- HL Bromide CAS 10035-10-6 (19)  
Bromide;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U T K1=2.52 1993TAa (2283) 12  
Medium: 2-methoxyethanol, -10 to 80 C

-----  
Rb+ con diox/w 25°C 29% U I K1=1.88 1971SAd (2284) 13  
Medium: 29.3% w/w dioxan/MeOH. K1=1.23(0%), 2.54(45.2%), 2.82(52.6%),  
3.78(62.3%)

-----  
Rb+ con non-aq 25°C 100% U K1=0.03 1970CDa (2285) 14  
Medium: DMSO

\*\*\*\*\*  
BrO3- HL Bromate (6017)  
Bromate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con none 25°C 0.0 U K1=-0.24 1971JBa (2429) 15

-----  
Rb+ con none 25°C 0.0 U K1=-0.22 1969BJa (2430) 16

\*\*\*\*\*  
C6N6Fe---- H4L (2191)  
Hexacyanoferrate (II); Fe(II)(CN)6----

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF oth/un 25°C U K1=2.51 1969NSa (3603) 17  
Assuming K(Rb+Fe(CN)6)=1.30

-----  
Rb+ oth none 25°C 0.0 U K1=2.54 1966NSa (3604) 18  
Method: transport number. K1=2.42 to 2.65  
\*\*\*\*\*

C6N6Fe--- H3L Ferricyanide (2491)  
Hexacyanoferrate (III); Fe(III)(CN)6---

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ oth oth/un 25°C 0.00 U K1=0.4 1967RMa (3685) 19  
Method: estimated from literature data  
\*\*\*\*\*

C8N8W-- H2L (2192)  
Octacyanotungstate (VI); W(VI)(CN)8--

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con oth/un 25°C 0.00 U K1=1.57 1976LLa (3705) 20  
\*\*\*\*\*

Cl- HL Chloride CAS 7647-01-0 (50)  
Chloride;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con mixed 20°C 89% U K1=3.27 1973YKa (5600) 21  
Medium: 89% w/w butanol/H2O

-----  
Rb+ con none 25°C 0.0 U K1=-0.6 1972DJb (5601) 22

-----  
Rb+ con non-aq 25°C 100% U K1=0.04 1971PGa (5602) 23  
Medium: N-methylformamide

-----  
Rb+ con non-aq 25°C 100% U I K1=1.92 1971SAd (5603) 24  
Medium: 29.3% w/w dioxan/MeOH. K1=1.37(0%), 2.59(45.2%), 3.00(52.6%),  
3.86(62.3%)

-----  
Rb+ con non-aq 25°C 100% U K1=0.42 1970CDa (5604) 25  
Medium: DMSO

-----  
Rb+ con non-aq 25°C 100% U I K1=1.20 1970SAF (5605) 26  
Medium: 9.57% w/w butanol/MeOH. K1=1.25(19.7%), 1.43(39.8%), 1.53(51.4%)

-----  
Rb+ oth oth/un 25°C 0.0 M K1=-0.3 1966MBb (5606) 27

-----  
Rb+ gl diox/w 25°C 70% U K1=2.59 1963PGb (5607) 28

-----  
Rb+ con none 18°C 0.0 U K1=-0.77 1927DAb (5608) 29  
\*\*\*\*\*

ClO3- HL Chlorate CAS 7790-93-4 (971)  
Chlorate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rb+	con	none	25°C	0.0	C	I	K1=-0.12	1986SDa (6057)	30
Value derived from data for 0.001-0.05 self medium.									
Rb+	con	none	25°C	0.0	U		K1=-0.10	1972DDa (6058)	31
*****									
ClO4-		HL					CAS 7001-90-3	(287)	
Perchlorate;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rb+	con	none	25°C	0.0	C	I	K1=0.18	1986SDa (6358)	32
Value derived from data for 0.001-0.05 self medium.									
Rb+	gl	non-aq	25°C	100%	U	H	K1=6.17	1981TMb (6359)	33
Medium: Glacial acetic acid. Alternative method: Spectrophotometry. DH(K1)=-23 kJ mol <sup>-1</sup>									
Rb+	con	non-aq	25°C	100%	U		K1=1.50	1978CAa (6360)	34
Medium: Acetonitrile									
Rb+	con	non-aq	25°C	100%	U	I	K1=0.26	1976RMb (6361)	35
Medium: 1,3-Dimethylethyleneurea. In 1,3-Dimethylpropyleneurea K1=0.39									
Rb+	con	non-aq	25°C	100%	U		K1=1.5	1975YKa (6362)	36
Medium: MeCN									
Rb+	con	non-aq	25°C	100%	U		K1=1.03	1974HPb (6363)	37
Medium: hexamethylphosphotriamide. K1 by Pitts eqn. By Fuoss-Hsia: K1=1.28									
Rb+	con	non-aq	25°C	100%	U		K1=0.05	1973JYa (6364)	38
Medium: propene carbonate;0 corr. K1=-0.05 to 0.15									
Rb+	con	alc/w	25°C	100%	U		K1=1.65	1972DAa (6365)	39
Medium:MeOH									
Rb+	con	non-aq	25°C	100%	U		K1=0.86	1971BCa (6366)	40
Medium: tetramethylurea									
Rb+	con	none	25°C	0.0	U		K1=0.13	1971DAa (6367)	41
Rb+	con	non-aq	25°C	100%	U		K1=0.48	1971PGa (6368)	42
Medium: N-methylformamide									
Rb+	sol	none	25°C	0.0	U		Kso=-2.54	1969GUb (6369)	43
Rb+	con	non-aq	25°C	100%	U		K1=1.28	1967KHe (6370)	44

Medium: MeCN

-----  
Rb+ con non-aq 25°C 100% U T K1=1.71 1966Mwb (6371) 45  
Medium: MeCN, also at 20 C, 30 C  
-----

Rb+ con non-aq 25°C 100% U K1=2.02 1962Mwa (6372) 46  
Medium: MeCN

\*\*\*\*\*  
F- HL Fluoride CAS 7644-39-3 (201)  
Fluoride;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp oth/un 25°C 1.0M U I K1=-0.07 1993MAa (7136) 47  
K1 values over a range of pressures and ionic strengths  
\*\*\*\*\*

I- HL Iodide CAS 10034-85-2 (20)  
Iodide;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=0.31 1976Rmb (8345) 48  
Medium: 1,3-dimethyl;-2-imidazolidinone  
-----

Rb+ con non-aq 25°C 100% U K1=2.32 1972Iwa (8346) 49  
Medium: acetone  
-----

Rb+ con alc/w 25°C 93.7M U K1=1.54 1971BPa (8347) 50  
Medium: 93.7% w/w EtOH/H2O  
-----

Rb+ con non-aq 25°C 100% U K1=2.63 1971HNb (8348) 51  
Medium: propanol  
-----

Rb+ con alc/w 25°C 100% U I K1=0.78 1970Bwc (8349) 52  
Medium: MeOH; K1=1.80 in EtOH  
-----

Rb+ con non-aq 25°C 100% U K1=-0.13 1970CDa (8350) 53  
Medium: DMSO  
-----

Rb+ oth non-aq 18°C 100% U K1=0.64 1967CGa (8351) 54  
Method:freezing point. Medium: DMSO. m units  
-----

Rb+ con oth/un 25°C 0.0 U I K1=0.04 1964FFb (8352) 55  
also K1 for dioxan-water mixtures  
\*\*\*\*\*

I03- HL Iodate CAS 7782-68-5 (1257)  
Iodate;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con none 25°C 0.0 U K1=-0.20 1971JBa (8549) 56

Rb+ con none 25°C 0.0 U K1=-0.19 1969BJa (8550) 57

\*\*\*\*\*  
IrCl6--- H3L (1615)  
Hexachloroiridate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl NaCl04 505°C 0.10M U 1978SKe (8624) 58  
B((RbIrCl6)--)=2.21  
B((RbIrCl6)-)=2.04

\*\*\*\*\*  
NO2- HL Nitrite CAS 7782-77-6 (635)  
Nitrite;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con none 25°C 0.0 U K1=-0.53 1964PSh (9403) 59

\*\*\*\*\*  
NO3- HL Nitrate CAS 7697-37-2 (288)  
Nitrate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=1.72 1974BMc (9903) 60  
Medium: Hexamethylphosphotriamide

-----  
Rb+ con none 25°C 0.0 U K1=-0.09 1974Mwc (9904) 61

-----  
Rb+ con diox/w 25°C 62% U I K1=4.08 1972SAc (9905) 62  
Medium: Dioxan/MeOH. In 0% dioxan: K1=1.25. 29.3%: K1=1.98. 45.2%: 2.78.  
52.6%: 3.26

-----  
Rb+ con oth/un 25°C 0.0 U K1=-0.08 1971JBa (9906) 63

-----  
Rb+ con oth/un 25°C 0.0 U K1=-0.05 1969BJa (9907) 64

-----  
Rb+ con diox/w 25°C 75% U I K1=2.63 1969SBe (9908) 65  
In 65.1% dioxan: K1=1.65. 68.5%: 1.94. 71.1%: 2.20

\*\*\*\*\*  
PF6- HL (2404)  
Hexafluorophosphate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=1.4 1975YKa (12767) 66  
Medium: MeCN

\*\*\*\*\*  
P4012---- H4L CAS 13598-74-8 (234)

Cyclotetrametaphosphate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	gl	R4N.X	25°C	0.10M	U			K1=1.60	1976K0b (14019)	67
*****										
P6018-----			H6L					(233)		

Cyclohexametaphosphate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	gl	R4N.X	25°C	0.10M	U			K1=2.30	1976K0b (14074)	68
*****										
P8024-----			H8L					(232)		

Cyclooctametaphosphate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	gl	R4N.X	25°C	0.10M	U			K1=2.90 B2=5.15	1976K0b (14086)	69
*****										
S04--			H2L	Sulfate				CAS 7664-93-9 (15)		

Sulfate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	gl	NaCl	37°C	0.10M	C	I		K1=0.60	1982DRb (16515)	70
Data for I=0.03-0.50 M NaCl. At I=0.0 M, K1=0.94										

Rb+	oth	oth/un	25°C	0.50M	U	TI		K1=0.60	1980GAb (16516)	71
Method: Ultrasonic absorption. Medium: Na2S04										

Rb+	con	none	25°C	0.0	U				1978FFa (16517)	72
K(Rb+RbS04)=0.076										

Rb+	oth	oth/un	25°C	.264M	U			K1=0.60	1975REa (16518)	73
-----	-----	--------	------	-------	---	--	--	---------	-----------------	----

Rb+	sp	oth/un	20°C	2.30M	U	M			1971GFa (16519)	74
K(Rb2L+Ti0L)=-0.4										

Medium: H2S04

\*\*\*\*\*

V04---			H3L					CAS 15457-75-7 (1586)		
Vanadate; V02(OH)3-- or polymers										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	gl	R4N.X	20°C	0.10M	U				1963SGd (17389)	75
*****										
K(Rb+H15L10)=1.78										
K(Rb+H14L10)=2.78										

\*\*\*\*\*

C2H402			HL	Acetic acid				CAS 64-19-7 (36)		
--------	--	--	----	-------------	--	--	--	------------------	--	--

Ethanoic acid; CH3.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	gl	R4N.X	25°C	0.16M	U	I		K1=-0.37 K1=-0.33 (I=0.04); -0.36 (0.25); -0.32 (0.49); -0.21 (1.00)	1985RSa (20154)	76
Rb+	gl	non-aq	25°C	100%	U	H		K1=6.14 Medium: Glacial acetic acid. Alternative method: Spectrophotometry. DH(K1)=-18.0 kJ mol-1	1981TMb (20155)	77
Rb+	gl	non-aq	25°C	100%	U			K1=6.04 Medium: ethanoic acid	1964KLa (20156)	78
Rb+	sp	non-aq	25°C	100%	U			K1=6.89 Medium: ethanoic acid	1961PSa (20157)	79
*****										
C2H6O		L		Ethanol				CAS 64-17-5 (1913)		
Ethanol; CH3.CH2.OH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	cal	oth/un	25°C	0.10M	U	H			1975BBa (22030)	80
DH=-403.4 kJ mol-1 in H2SO4										
*****										
C4H6O5		H2L		Malic acid				CAS 617-48-1 (393)		
2-Hydroxybutane-1,4-dioic acid, Hydroxy-succinic acid; HOOC.CH2.CH(OH).COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	ISE	oth/un	25°C	0.10M	U			K1=0.04	1964RZa (30713)	81
Rb+	gl	R4N.X	?	0.28M	U			K1=0.18 Medium: Me4NBr	1963EDa (30714)	82
*****										
C5H8O2		HL		Acetylacetone				CAS 123-54-6 (164)		
Pentane-2,4-dione; CH3.CO.CH2.CO.CH3										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	gl	diox/w	30°C	75%	U			K1=7.16 B2=11.18	1975MMa (38071)	83
*****										
C6H3N3O7		HL		Picric acid				CAS 88-89-1 (593)		
2,4,6-Trinitrophenol; HO.C6H2(NO2)3										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	oth	oth/un	25°C	0.04M	C			K1=0.47	1998TIa (42144)	84
Method: capillary electrophoresis. Medium: 0.005 M phosphate buffer, pH 7.1, 0.04 M MCl.										



-----  
Rb+ dis oth/un 25°C dil C 1998TKa (42145) 85

K(RbA+L)=4.62

Self medium, I<0.03 M. Method: Extraction of RbAL into dichloromethane.  
A is 18-crown-6.

-----  
Rb+ dis none 25°C 0.00 U I K1=1.94 1972IWc (42146) 86  
In nitrobenzene: K1=2.65

-----  
Rb+ con none 25°C 0.00 M K1=1.94 1971YIa (42147) 87

-----  
Rb+ dis oth/un 25°C var U K1=2.5 1970SSb (42148) 88  
Method: paper chromatography

\*\*\*\*\*  
C6H4N2O5 HL CAS 50-28-5 (505)  
2,4-Dinitrophenol; HO.C6H3(NO2)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Rb+ con non-aq 25°C 100% U K1=1.72 1973FGa (42237) 89  
Medium: tetrahydrofuran

\*\*\*\*\*  
C6H8O7 H3L Citric acid CAS 77-92-9 (95)  
2-Hydroxypropane-1,2,3-tricarboxylic acid; HOOCCH2.CH(OH)(COOH).CH2COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Rb+ gl KCl 37°C 0.15M C K1=0.52 B2=0.12 1981CDb (46245) 90

-----  
Rb+ ISE oth/un 25°C 0.10M U K1=0.49 1964RZa (46246) 91

\*\*\*\*\*  
C6H9NO6 H3L NTA CAS 139-13-9 (191)  
Nitrilotriethanoic acid; N(CH2.COOH)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Rb+ sp R4N.X 25°C 0.10M C K1=0.25 1985HAd (47005) 92

\*\*\*\*\*  
C6H15NO3 Triethanolamine CAS 102-71-6 (447)  
Tris-(2-hydroxyethyl)amine; L

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Rb+ con non-aq 25°C 100% U K1=1.89 1976FGb (51303) 93

\*\*\*\*\*  
C6H15O15P3 H6L Ins(1,2,6)P3 CAS 28841-62-5 (6479)  
D-myo-Inositol 1,2,6-trisphosphoric acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ gl R4N.X 25°C 0.10M U K1=2.57 1991BSa (51540) 94  
 B(RbHL)=11.32  
 B(RbH2L)=17.80

\*\*\*\*\*  
 C8H1102F3 HL CAS 22767-90-4 (1249)  
 1,1,1-Trifluoro-5,5-dimethyl-2,4-hexanedione; F3C.CO.CH2.CO.CH(CH3)3

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ oth diox/w 25°C 75% U K1=3.48 B2=7.05 1979MMa (61306) 95

\*\*\*\*\*  
 C8H1604 L 12-Crown-4 CAS 294-93-9 (174)  
 1,4,7,10-Tetraoxacyclododecane; cyclo(-O.(CH2.CH2.O)3.CH2.CH2-)

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ cal non-aq 25°C 100% C H K1=0.66 B2= 0.96 19960Ka (62721) 96  
 Medium: DMF, 0.10 M Et4NCl. DH(K1)=-16.8 kJ mol<sup>-1</sup>, DS(K1)=-44 J K<sup>-1</sup> mol<sup>-1</sup>;  
 DH(K2)=-3, DS(K2)=-5.

-----  
 Rb+ con non-aq 25°C 100% U K1=2.9 1993EVa (62722) 97  
 Medium: THF+CHCl3 (4:1 vol)

-----  
 Rb+ con non-aq 25°C 100% C K1=1.65 B2= 2.52 1987ZBb (62723) 98  
 Medium: MeOH.

-----  
 Rb+ vlt non-aq 25°C 100% U K1=1.69 1980MDa (62724) 99  
 Medium: propylene carbonate

\*\*\*\*\*  
 C8H1804 L Triglyme CAS 112-49-2 (2358)  
 1,2-Bis(methoxyethoxy)ethane; CH3O.C2H4O.CH2.CH2.OC2H4.OCH3

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ con non-aq 25°C 100% U I K1=2.0 1993EVa (62995) 100  
 Medium: THF+CHCl3 4:1(vol). In 100% THF: K1=2.0

\*\*\*\*\*  
 C8H20N4 L Cyclen CAS 294-90-6 (10)  
 1,4,7,10-Tetraazacyclododecane; cyclo(-(NH.CH2.CH2.)4-)

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ EMF non-aq 25°C 100% U I K1=2.82 1996WPa (63298) 101  
 Medium: acetonitrile, 0.05 M NEt4ClO4. In propylene carbonate K1=4.1; in  
 dimethylformamide K1<2

\*\*\*\*\*  
 C9H1102F5 HL CAS 2145-68-8 (1251)  
 1,1,1,2,2-Pentafluoro-6,6-dimethyl-3,5-heptanedione;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
 Rb+ oth diox/w 25°C 75% U K1=3.63 B2=7.28 1979MMa (66538) 102  
 \*\*\*\*\*  
 C9H16O2 HL CAS 18362-64-6 (1134)  
 2,6-Dimethyl-3,5-heptanedione; (CH3)2.CH.CO.CH2.CO.CH(CH3)2  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl diox/w 30°C 75% U K1=4.06 B2=7.74 1975MMa (67748) 103  
 \*\*\*\*\*  
 C10H6O8 H4L Pyromellitic Ac CAS 89-05-4 (519)  
 Benzene-1,2,4,5-tetracarboxylic acid; C6H2.(COOH)4  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl none 25°C 0.0 C 1990CDc (68527) 104  
 Kso(RbH3L)=-17.5

Additional technique: spectrophotometry.  
 \*\*\*\*\*  
 C10H11O2F7 HL CAS 17587-22-3 (1252)  
 1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione;  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ oth diox/w 25°C 75% U K1=3.50 B2=7.35 1979MMa (71114) 105  
 \*\*\*\*\*  
 C10H16N2O8 H4L EDTA CAS 60-00-4 (120)  
 1,2-Diaminoethane-N,N,N',N'-tetraethanoic acid, Sequestric acid;  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl oth/un 25°C 0.32M U T K1=0.59 1965BCa (74125) 106  
 K(Rb+HL)=-0.57

Medium: CsCl  
 \*\*\*\*\*  
 C10H16N5O13P3 H4L ATP CAS 56-65-5 (403)  
 Adenosine-5'-triphosphoric acid;  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl R4N.X 25°C 0.10M C T K1=1.11 1991SMa (74812) 107  
 IUPAC evaluation  
 -----  
 Rb+ gl oth/un 25°C 0.25M U H K1=1.23 1986RSa (74813) 108  
 B(RbHL)=6.69  
 -----

Rb+ gl oth/un 25°C 0.32M U K1=0.9 B2=0.90 1965BCa (74814) 109  
 K(Rb+HL) < -0.3  
 Medium: CsCl  
 \*\*\*\*\*

C10H20O5 L 15-Crown-5 CAS 33100-27-5 (576)  
 1,4,7,10,13-Pentaoxacyclopentadecane; cyclo(-(O.CH2.CH2)5-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	ISE	alc/w	25°C	100%	C	I T		K1=2.80 B2= 5.03	2003ADa (76115)	110
IUPAC Tentative. Medium: 0-0.1 M various.										
Rb+	con	non-aq	25°C	100%	C	H		K1=3.73 B2= 5.30	1999WBa (76116)	111
Medium: N,N-dimethylformamide. By calorimetry: DH(K1)=-22.5 kJ mol <sup>-1</sup> , DH(K2)=-28.7 kJ mol <sup>-1</sup> .										
Rb+	nmr	non-aq	RT	100%	U			K1=1.84	1996GMc (76117)	112
Method: 133Cs nmr. Medium: N,N-dimethylformamide										
Rb+	cal	non-aq	25°C	100%	M	H		K1=-24.3	1994BCd (76118)	113
Medium: acetone. DH(K1)=-24.3 kJ mol <sup>-1</sup> , TDS=0.4										
Rb+	nmr	non-aq	25°C	100%	U			K1=3.51	1991SKa (76119)	114
Medium: MeCN										
Rb+	cal	non-aq	25°C	100%	C	H		K1=3.98	1988BUb (76120)	115
Medium: acetonitrile. DH(K1)=-28.6 kJ mol <sup>-1</sup> , DS(K1)=-20 J K <sup>-1</sup> mol <sup>-1</sup> .										
Rb+	con	non-aq	25°C	100%	C	T		K1=3.4	1988TKa (76121)	116
Medium: MeCN										
Rb+	con	non-aq	25°C	100%	C	I		K1=2.88 B2= 5.11	1987ZBb (76122)	117
Medium: MeOH. In 70% w/w MeOH/H2O, K1=2.81, K2=1.83.										
Rb+	dis	non-aq	25°C	100%	U			K1=3.0	1980TYa (76123)	118
Medium: propylene carbonate										
Rb+	oth	oth/un	25°C	?	U			K1=0.58	1977RLa (76124)	119
Method: ultrasound absorption										
Rb+	cal	oth/un	25°C	0.10M	U	H T		K1=0.62	1976ITb (76125)	120
DH=-7.95 kJ mol <sup>-1</sup> .										

\*\*\*\*\*  
 C10H22O5 L Tetraglyme CAS 143-24-8 (121)  
 2,5,8,11,14-Pentaoxapentadecane; (CH3.O.CH2.CH2.O.CH2.CH2.)20

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	dis	non-aq	25°C	100%	C			K1=4.90	1998KSc (76470)	121
Medium: 1,2-dichloroethane.										
Rb+	con	non-aq	25°C	100%	U	I		K1=2.9	1993EVa (76471)	122
Medium: THF+CHCl3 4:1(vol). In 100% THF: K1=2.7										

\*\*\*\*\*

C11H18N2O8 H4L PDTA CAS 4408-81-5 (1655)  
1,2-Diaminopropane-N,N,N',N'-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ nmr oth/un 100°C ? U K1=-0.8 1968SSa (79329) 123  
-----

Rb+ nmr oth/un 100°C 0.50M U K1=-0.8 1968SSc (79330) 124

Medium: Rb4L

\*\*\*\*\*

C11H20O2 HL Dipivaloylmeth. CAS 1118-71-4 (363)  
2,2,6,6-Tetramethyl-3,5-heptanedione; (CH3)3C.CO.CH2.CO.C(CH3)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl diox/w 30°C 75% U K1=4.12 1975MMa (79752) 125  
-----

C11H22O5 L 16-Crown-5 CAS 55477-28-8 (1592)  
1,4,7,10,13-Pentaoxacyclohexadecane; cyclo(-(O.CH2.CH2)5.CH2.CH2-)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis none 25°C 0.0 U Keff=3.48 1991IOa (79870) 126

By solvent extraction of the metal picrate into dichloromethane.

-----  
Rb+ dis none 25°C 0.0 C M 1989TKc (79871) 127

Method: extraction of metal picrate/L from H2O into benzene.

K(Rb+HA(org))+L(org)=RbAL(org)+H)=-0.84. HA is picric acid.

-----  
Rb+ con non-aq 25°C 100% C I K1=2.9 1988TKa (79872) 128

Medium: MeCN. In propylene carbonate K1=2.6; in MeOH 2.5

\*\*\*\*\*

C12H5N7O12 L Dipicrylamine CAS 131-73-7 (1942)  
Di(2,4,6-trinitrophenyl)amine; HN(C6H2(NO2)3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% C K1=4 1998KSc (80083) 129

Medium: 1,2-dichloroethane.

-----  
Rb+ oth oth/un 25°C var U K1=2.0 1970SSb (80084) 130

Method: paper chromatography

\*\*\*\*\*

C12H20O8 L CAS 62796-84-3 (2141)  
1,4,7,10,13,16-Hexaoxacyclooctadecane-2,6-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H K1=2.09 1980BMa (82658) 131

Medium: MeOH. DH=-29.2 kJ mol<sup>-1</sup>.

Rb+ cal alc/w 25°C 100% U H K1=2.09 1980LIb (82659) 132  
Medium: MeOH. DH=-29.2 kJ mol<sup>-1</sup>.

\*\*\*\*\*  
C12H22O2 HL CAS 93269-15-9 (1250)  
2,2,4,6,6-Pentamethyl-3,5-heptanedione; (CH<sub>3</sub>)<sub>3</sub>C.CO.CH(CH<sub>3</sub>).CO.C(CH<sub>3</sub>)<sub>3</sub>

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ oth diox/w 25°C 75% U K1=3.48 B2=7.25 1979MMa (82861) 133

\*\*\*\*\*  
C12H24O4S2 L CAS 296-39-9 (4938)  
1,4,10,13-Tetraoxa-7,16-dithiacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ nmr non-aq 25°C 100% U K1=3.25 1991SKa (83142) 134  
In acetonitrile.

\*\*\*\*\*  
C12H24O4S2 L (6528)  
7,10,13,16-Tetraoxa-1,4-dithiacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ nmr non-aq 25°C 100% U K1=1.78 1991SKa (83152) 135  
In acetonitrile.

\*\*\*\*\*  
C12H24O6 L 18-Crown-6 CAS 17455-13-9 (577)  
1,4,7,10,13,16-Hexaoxacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ ISE alc/w 25°C 100% C IH T K1=5.4 2003ADa (83591) 136  
IUPAC Tentative. Medium: 0-0.1 M various. DH(K1)=-50.0 kJ mol<sup>-1</sup>  
In H<sub>2</sub>O: K1=1.51, DH(K1)=-16.0. In PC K1=5.33, DH(K1)=-44

Rb+ dis non-aq 25°C 100% U K1=9.85 B2=11.68 2000KSa (83592) 137  
Medium: 1,2-dichloroethane

Rb+ con non-aq 25°C 100% C T H K1=>5.5 2000SSc (83593) 138  
Medium: acetonitrile. Data for 15-45 C. DH(K1)=-24 kJ mol<sup>-1</sup>,  
DS(K1)=23 J K<sup>-1</sup> mol<sup>-1</sup>.

Rb+ cal non-aq 25°C 100% C H K1=4.14 1999WBa (83594) 139  
Medium: N,N-dimethylformamide. DH(K1)=-41.1 kJ mol<sup>-1</sup>.

Rb+ dis non-aq 25°C 100% C I 1998TKa (83595) 140  
K(Rb+A+L(org))=RbAL(org))=6.33

Method: Extraction from aqueous phase (I<0.03, pH 10.6-11.8) into

dichloromethane. Data for many non-aqueous phases. HA is picric acid.

-----  
 Rb+ cal non-aq 25°C 100% C K1=5.84 1997DZa (83596) 141  
 Medium: benzonitrile. DH(K1)=-50.07 kJ mol<sup>-1</sup>, DS(K1)=-56.1 J K<sup>-1</sup> mol<sup>-1</sup>.  
 -----

Rb+ cal R4N.X 25°C 0.10M C H T K1=1.79 1996BCh (83597) 142  
 Medium: 0.10 M Et4NClO4. DH(K1)=-12.3 kJ mol<sup>-1</sup>.  
 -----

Rb+ nmr non-aq RT 100% U K1=3.75 1996GMc (83598) 143  
 Method: 133Cs nmr. Medium: N,N-dimethylformamide  
 -----

Rb+ cal alc/w 25°C 80% C H K1=3.99 1995KZa (83599) 144  
 Medium: 80% v/v CH3OH/H2O. DH(K1)=-36.6 kJ mol<sup>-1</sup>, DS(K1)=-46.3 J K<sup>-1</sup> mol<sup>-1</sup>  
 -----

Rb+ cal non-aq 25°C 100% U IH T K1=4.94 1995OKb (83600) 145  
 Medium: Acetonitrile, 0.1 M Et4NClO4. DH(K1)=-15 kJ mol<sup>-1</sup>  
 In propylene carbonate K1=5.33, DH(K1)=-44  
 -----

Rb+ cal non-aq 25°C 100% M H K1=5.16 1994BCd (83601) 146  
 Medium: acetone. DH(K1)=-47.8 kJ mol<sup>-1</sup>, TDS=-18.5  
 -----

Rb+ cal non-aq 25°C 100% U H T K1=3.92 199400a (83602) 147  
 Medium: DMF, 0.1 M Et4NClO4. DH(K1)=-44.6 kJ mol<sup>-1</sup>, DS=-74 J K<sup>-1</sup> mol<sup>-1</sup>  
 -----

Rb+ dis non-aq 25°C 100% U 1993INa (83603) 148  
 B(RbPL)=5.96  
 -----

K is the equilibrium constant for extraction of the metal picrate (P) into CH2Cl2. For extraction from D2O, B=5.95.  
 -----

Rb+ con oth/un 25°C 0.05M M K1=5.35 1992BUB (83604) 149  
 K1=5.32 (by calorimetry); K1=5.82 (by calorimetric competitive titration)  
 -----

Rb+ cal R4N.X 25°C 0.10M C H K1=1.40 19920Ia (83605) 150  
 DH(K1)=-20.9 kJ mol<sup>-1</sup>, DS=-43 J K<sup>-1</sup> mol<sup>-1</sup>  
 -----

Rb+ ix none 25°C 0.0 U K1=3.4 1991BMb (83606) 151  
 -----

Rb+ oth non-aq 25°C 100% C K1=3.79 1989BBh (83607) 152  
 Method: FABMS. Medium: glycerol.  
 -----

Rb+ cal non-aq 25°C 100% C H K1=5.24 1988BUB (83608) 153  
 Medium: acetonitrile. DH(K1)=-12.6 kJ mol<sup>-1</sup>, DS(K1)=57.4 J K<sup>-1</sup> mol<sup>-1</sup>.  
 -----

Rb+ vlt alc/w 25°C 100% U K1=5.43 1985ZBa (83609) 154  
 Medium: MeOH  
 -----

Rb+ vlt alc/w 25°C 100% U K1=5.47 1984ZBa (83610) 155  
 Medium: MeOH, 0.1 M Et4NI  
 -----

Rb+ con alc/w 25°C 100% U K1=5.73 1983LSa (83611) 156  
 -----

-----  
Rb+ cal alc/w 25°C 100% U H K1=5.32 1980BMa (83612) 157  
Medium: MeOH. DH=-50.6 kJ mol<sup>-1</sup>.  
-----

Rb+ cal alc/w 25°C 100% U H T K1=5.32 1980LIa (83613) 158  
Medium: MeOH. DH=-50.6 kJ mol<sup>-1</sup>.  
-----

Rb+ dis non-aq 25°C 100% U K1=5.3 1980TYa (83614) 159  
Medium: propylene carbonate  
-----

Rb+ cal alc/w 25°C 70% U H K1=3.46 1976ITa (83615) 160  
Medium: 70% w/w MeOH/H<sub>2</sub>O. DH(K1)=-38.8 kJ mol<sup>-1</sup>.  
-----

Rb+ cal oth/un 25°C 0.10M U H T K1=1.56 1976ITb (83616) 161  
DH=-16.0 kJ mol<sup>-1</sup>.  
-----

\*\*\*\*\*  
C<sub>12</sub>H<sub>26</sub>N<sub>2</sub>O<sub>4</sub> L Cryptand 2,2 CAS 23978-55-4 (925)  
4,7,13,16-Tetraoxa-1,10-diazacyclooctadecane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ nmr non-aq RT 100% U K1=1.68 1996GMc (83886) 162  
Method: 133Cs nmr. Medium: N,N-dimethylformamide  
-----

Rb+ cal non-aq 25°C 100% M H K1=2.70 1994BCd (83887) 163  
Medium: acetone. DH(K1)=-15.0 kJ mol<sup>-1</sup>, TDS=0.3  
-----

Rb+ nmr non-aq 25°C 100% U K1=3.26 1991SKa (83888) 164  
In acetonitrile.  
-----

Rb+ cal non-aq 25°C 100% U H K1=3.32 1986BUb (83889) 165  
In CH<sub>3</sub>CN. DH=-10.1 kJ mol<sup>-1</sup>  
-----

Rb+ cal alc/w 25°C 100% U H K1=<1 1986BUd (83890) 166  
In MeOH. DH >-2 kJ mol<sup>-1</sup>  
-----

Rb+ con non-aq 25°C 100% U K1=3.37 1980KMb (83891) 167  
Medium: MeCN  
-----

\*\*\*\*\*  
C<sub>12</sub>H<sub>26</sub>O<sub>6</sub> L Pentaglyme CAS 1191-87-3 (2498)  
2,5,8,11,14,17-Hexaoxaoctadecane; (CH<sub>3</sub>.O.CH<sub>2</sub>.CH<sub>2</sub>.O.CH<sub>2</sub>.CH<sub>2</sub>.O.CH<sub>2</sub>.O)<sub>2</sub>  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=3.9 1993EVa (84018) 168  
Medium: THF+CHCl<sub>3</sub> (4:1 vol). Also data for other solvents  
-----

Rb+ cal oth/un 25°C 0.05M M K1=1.98 1992BUb (84019) 169  
K1=2.07 (by conductivity)  
-----

\*\*\*\*\*



C12H27N3O3 L THETAC (7199)  
1,4,7-Tris(hydroxyethyl)-1,4,7-triazacyclononane

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF non-aq 25°C 100% C K1=2.78 1997WWa (84092) 170  
Medium: MeOH, 0.05M Et4NClO4.

Method: Ag/Ag+ electrode; by competition with Ag+.

\*\*\*\*\*

C12H32N4O12P4 H8L DOTPH CAS 91987-74-5 (229)

1,4,7,10-Tetraazacyclododecane-N,N',N'',N'''-tetramethylenephosphonic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl R4N.X 25°C 0.10M M 1990DSa (84419) 171

B(RbH2L)=27.35

B(RbH3L)=36.28

B(RbH4L)=43.72

Medium: Me4NNO3

\*\*\*\*\*

C13H26O5 L (6410)

15,15-Dimethyl-1,4,7,10,13-pentaoxacyclohexadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% C I K1=2.64 1992TFa (86485) 172

Medium: acetonitrile. In propylene carbonate, K1=2.14.

-----  
Rb+ con alc/w 25°C 100% U K1=2.06 1991IOa (86486) 173

Medium: MeOH

\*\*\*\*\*

C13H26O6 L 19-Crown-6 CAS 55471-27-7 (8943)

1,4,7,10,13,16-Hexaoxacyclononadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% C I K1=4.06 2000TMb (86503) 174

Medium: CH3CN. In other media, K1=3.72 (propylene carbonate), 3.76 (MeOH),  
2.25 (DMF), 1.73 (DMSO).

-----  
Rb+ con oth/un 25°C dil C K1=1.33 1999TMa (86504) 175

Self medium (RbCl).

\*\*\*\*\*

C14H20O5 L Benzo15-crown-5 CAS 14098-44-3 (608)

2,3-Benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 24°C 100% C 2002MRd (88359) 176

K(Rb+A+L)=5.40

Medium: CDCl3. HA is picric acid.

-----  
Rb+ con non-aq 25°C 100% C K1=3.43 B2= 3.43 2000ICa (88360) 177  
Medium: nitromethane.

-----  
Rb+ con non-aq 25°C 100% C H K1=2.77 B2= 3.79 1999WBA (88361) 178  
Medium: N,N-dimethylformamide. By calorimetry: DH(K1)=-16.2 kJ mol<sup>-1</sup>,  
DH(K2)=-24.8 kJ mol<sup>-1</sup>.

-----  
Rb+ nmr non-aq RT 100% U K1=2.15 1996GMc (88362) 179  
Method: 133Cs nmr. Medium: N,N-dimethylformamide

-----  
Rb+ dis oth/un 25°C 0 U K1=2.66 19940Ua (88363) 180

-----  
Rb+ nmr non-aq 25°C 100% U K1=2.91 1991SKa (88364) 181  
Medium: MeCN

-----  
Rb+ cal non-aq 25°C 100% C H K1=3.84 1988BUB (88365) 182  
Medium: acetonitrile. DH(K1)=-18.9 kJ mol<sup>-1</sup>, DS(K1)=9.7 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
Rb+ con non-aq 25°C 100% C I K1=2.72 1988TKb (88366) 183  
Medium: MeCN. In propylene carbonate K1=2.38; in MeOH 2.40

-----  
Rb+ con non-aq 25°C 100% C T H K1=2.82 1988TMb (88367) 184  
Medium: acetonitrile. Data for 15-35 C. Anion: tetraphenylborate.  
DH(K1)=-29.7 kJ mol<sup>-1</sup>, DS(K1)=-46.0 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
Rb+ sp non-aq 22°C 100% U K1=5.40 1987CCc (88368) 185  
In deuteriochloroform

-----  
Rb+ con non-aq 25°C 100% C I K1=2.68 B2= 5.38 1987ZBb (88369) 186  
Medium: MeOH. In 70% w/w MeOH/H2O, K1=1.77, K2=1.96.

-----  
Rb+ vlt alc/w 25°C 100% U K1=3.12 1985ZBa (88370) 187  
Medium: MeOH

-----  
Rb+ vlt alc/w 25°C 100% U K1=3.11 1984ZBa (88371) 188  
Medium: MeOH, 0.1 M Et4NI

-----  
Rb+ con non-aq 25°C 100% U K1=2.38 1982TAa (88372) 189  
Medium: propylene carbonate

-----  
Rb+ cal alc/w 25°C 70% U H K1=1.8 B2=3.77 1976ITa (88373) 190  
Medium: 70% w/w MeOH/H2O. DH(B2)=-50.2 kJ mol<sup>-1</sup>.

\*\*\*\*\*  
C14H24O8 L CAS 96813-83-1 (2271)  
1,4,7,10,13,16-Hexaoxacycloicos-17,20-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H K1=1.74 1980LIb (90045) 191  
Medium: MeOH. DH=-29.3 kJ mol<sup>-1</sup>.

\*\*\*\*\*

C14H24O8S L CAS 63689-67-8 (2274)

1,4,7,10,13,16-Hexaoxa-19-thia-cycloheptacos-17,21-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H K1=2.52 1980LIb (90048) 192  
Medium: MeOH. DH=-23.0 kJ mol<sup>-1</sup>.

\*\*\*\*\*

C14H28N2O4 L Cryptand 2,1,1 CAS 31250-06-3 (836)

1,10-Diaza-4,7,13,18-tetraoxabicyclo[8,5,5]eicosane (2,1,1);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal non-aq 25°C 100% C H 1999WBa (90431) 193  
Medium: N,N-dimethylformamide. DH(K1)=-0.9 kJ mol<sup>-1</sup>.

Rb+ cal non-aq 25°C 100% M H K1=1.52 1994BCd (90432) 194  
Medium: acetone. DH(K1)=-2.1 kJ mol<sup>-1</sup>, TDS=6.5

Rb+ cal non-aq 25°C 100% U H K1=3.9 1986BUb (90433) 195  
In CH3CN. DH=-9.5 kJ mol<sup>-1</sup>

Rb+ cal alc/w 25°C 100% U H K1=2.50 1986BUd (90434) 196  
In MeOH. DH=-8.0 kJ mol<sup>-1</sup>

Rb+ ISE non-aq 25°C 100% U K1=<2.2 1980CRa (90435) 197  
Medium: Propylene carbonate

Rb+ EMF non-aq 25°C 100% C K1=<2.0 1979BLb (90436) 198  
Method: Ag electrode; competition with Ag+. Medium: MeOH, 0.05 M  
Me4NClO4.

Rb+ gl R4N.X 25°C 0.05M C I K1=<2 1975LSc (90437) 199  
In 95% MeOH, 0.05 M Me4NBr: K1=1.9

\*\*\*\*\*

C14H28O7 L 21-Crown-7 CAS 33089-36-0 (2264)

1,4,7,10,13,16,19-Heptaoxacycloheptacosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sol non-aq 25°C 100% C K1=4.79 1999KCa (90536) 200  
Medium: acetonitrile.

Rb+ nmr non-aq 25°C 100% U K1=4.40 1991SKa (90537) 201  
In acetonitrile.

-----  
Rb+ cal alc/w 25°C 100% U H K1=4.86 1980LIa (90538) 202

Medium: MeOH. DH=+40.4 kJ mol<sup>-1</sup>.

\*\*\*\*\*

C14H30N2O4 L CAS 31255-13-7 (2448)

N,N'-Dimethyl-cyclo-1,10-diaza-4,7,13,16-tetraoxaocadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl alc/w 25°C 95% C K1=4.06 2004KVa (90587) 203

Medium: 95% MeOH/H<sub>2</sub>O, 0.01 M Et<sub>4</sub>NClO<sub>4</sub>.

\*\*\*\*\*

C14H30N2O5 L (6722)

7,13-Bis(2-hydroxyethyl)-1,4,10-trioxa-7,13-diazacyclopentadecane

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ ISE non-aq 25°C 100% U K1=2.50 1993RPa (90634) 204

Medium: dimethylformamide, 0.05 M Et<sub>4</sub>NClO<sub>4</sub>. By competition with Ag<sup>+</sup>.

\*\*\*\*\*

C14H30O7 L CAS 1072-40-8 (2499)

2,5,8,11,14,17,20-Heptaoheneicosane; CH<sub>3</sub>.O.(CH<sub>2</sub>.CH<sub>2</sub>.O)<sub>6</sub>.CH<sub>3</sub>

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% C K1=7.35 1998KSc (90708) 205

Medium: 1,2-dichloroethane.

-----  
Rb+ con non-aq 25°C 100% U K1=4.4 1993EVa (90709) 206

Medium: THF+CHCl<sub>3</sub> (4:1 vol). Also data for other solvents

\*\*\*\*\*

C15H12O2 HL Diphenylacac CAS 120-46-7 (362)

1,3-Diphenylpropane-1,3-dione, Dibenzoylmethane; C<sub>6</sub>H<sub>5</sub>.CO.CH<sub>2</sub>.CO.C<sub>6</sub>H<sub>5</sub>

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl diox/w 30°C 75% U K1=3.52 1954FUa (91559) 207

\*\*\*\*\*

C15H18NO7Cl L CAS 71022-76-9 (2322)

19-Chloro-3,6,9,12,15-pentaoxa-21-azabicyclo[15.3.1]heneicosa-1(21),17,19-teiene-2,16-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H K1=3.56 1980BMa (91995) 208

Medium: MeOH. DH=-38.6 kJ mol<sup>-1</sup>.

\*\*\*\*\*

C15H19NO7 L CAS 64397-58-4 (2170)

3,6,9,12,15-Pentaoxa-21-azabicyclo[15.3.1]heneicosa-1(21),17,19-triene-2,16-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H K1=4.24 1980BMa (92125) 209  
Medium: MeOH. DH=-37.9 kJ mol<sup>-1</sup>.

Rb+ cal alc/w 25°C 100% U H K1=4.24 1980LIb (92126) 210  
Medium: MeOH. DH=-37.9 kJ mol<sup>-1</sup>

\*\*\*\*\*  
C15H23NO5 L CAS 53914-89-9 (2262)  
3,6,9,12,15-Pentaoxa-21-azabicyclo[15.3.1]heneicosa-1(21),17,19-triene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H K1=4.56 1980BMa (92275) 211  
Medium: MeOH. DH=-36.5 kJ mol<sup>-1</sup>.

Rb+ cal alc/w 25°C 100% U H K1=4.56 1980LIa (92276) 212  
Medium: MeOH. DH=-36.4 kJ mol<sup>-1</sup>.

\*\*\*\*\*  
C15H24O6 HL CAS 57722-03-9 (2353)  
1-Hydroxy-2-(1,4,7,10,13-pentaoxatridecyl)benzene; HO.C6H4.0(CH2CH2O)4CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp alc/w 25°C 100% U K1=3.34 1981EMb (92347) 213  
Medium: MeOH

\*\*\*\*\*  
C15H26O8 L CAS 96517-83-8 (2272)  
1,4,7,10,13,16-Hexaoxacycloheneicos-17,21-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H K1=1.63 1980LIb (92458) 214  
Medium: MeOH. DH=-28.0 kJ mol<sup>-1</sup>.

\*\*\*\*\*  
C15H33N3O3 L CAS 220811-82-5 (7916)  
1,4,7-Tris((S)-2-hydroxypropyl)-1,4,7-triazacyclononane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF non-aq 25°C 100% U K1=2.27 2001WBa (92577) 215  
Medium: DMF, 0.05 M Et4NClO4. Also data for the 1,4,7-tris((S)-2-hydroxy-2-phenylethyl- derivative (K1=1.91). Competition with Ag+.

\*\*\*\*\*  
C16H20N3O8F3 L (1041)  
2,4-Dinitro-6-trifluoromethylphenyl-aminomethyl-12-crown-4

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp mixed 25°C 16% U K1=1.64 1984BPa (94085) 216  
K(Rb+HL)=1.01

\*\*\*\*\*

C16H22O6 HL (6823)  
 3,6,9,12-Tetraoxabicyclo[12.3.1]octadeca-1(18),14,16-triene-18-ethanoic acid;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ kin alc/w 25°C 100% U K1=1.11 1992CDc (94245) 217  
 Medium: MeOH. Data also for other related ligands

\*\*\*\*\*  
 C16H24O5 L (2245)  
 1,3-Benzo-18-crown-5, 1,3-Benzo-5,8,11,14,17-pentaoxacyclooctadecane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ dis non-aq 25°C 100% U H K(Rb(picrate)+L)=4.8 1979KLa (94350) 218  
 Medium: CHCl3

-----  
 Rb+ dis non-aq 24°C 100% C K(RbA+L)=4.81 1977MTc (94351) 219

Method: extraction of metal picrate (A) from H2O into CDCl3 containing L.  
 Data for the 5'-bromo, 5'-t-butyl, 5'-methoxy and 5'-cyanobenzo-derivs  
 \*\*\*\*\*

C16H24O6 L Benzo18-crown-6 CAS 14098-24-9 (513)  
 2,3-Benzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2-ene;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ con non-aq 25°C 100% C K1=5.25 B2= 8.94 2000ICa (94449) 220  
 Medium: nitromethane.

-----  
 Rb+ dis non-aq 25°C 100% U K1=8.96 B2=10.86 2000Ksa (94450) 221  
 Medium: 1,2-dichloroethane

-----  
 Rb+ oth alc/w 35°C 3.0% C K1=1.23 1999MTd (94451) 222  
 Method: capillary zone electrophoresis. Medium: 3% v/v EtOH/H2O, 0.005 M phosphate buffer, pH 7.0

-----  
 Rb+ cal non-aq 25°C 100% C H K1=3.46 1999Wba (94452) 223  
 Medium: N,N-dimethylformamide. DH(K1)=-29.3 kJ mol<sup>-1</sup>.

-----  
 Rb+ dis oth/un 25°C 0 U K1=4.38 19940Ua (94453) 224

-----  
 Rb+ nmr non-aq 25°C 100% U K1=3.40 1991SKa (94454) 225  
 Medium: MeCN

-----  
 Rb+ con none 25°C 0.0 U K1=1.15 1989TKa (94455) 226

-----  
 Rb+ sp non-aq 22°C 100% U K1=6.58 1987CCc (94456) 227  
 In deuteriochloroform

Rb+ cal non-aq 25°C 100% C H K1=4.48 1986ICa (94457) 228  
Medium: MeOH. DH(K1)=-43.0 kJ mol<sup>-1</sup>, DS(K1)=-58.4 J K<sup>-1</sup> mol<sup>-1</sup>.

Rb+ sp diox/w 25°C 0.0 U I K1=2.45 1983K0a (94458) 229  
On PVA. In 24.4% w/w dioxan/H<sub>2</sub>O. Data given for 9.7-84.6 w/w mixtures.

Rb+ sp mixed 25°C 0.0 U I K1=2.34 1983K0a (94459) 230  
On PVA. In 21.9% w/w tetrahydrofuran/H<sub>2</sub>O. Data given for 11.1-86.4 w/w mix

Rb+ sp alc/w 25°C 100% U K1=4.62 1981EMb (94460) 231  
Medium: MeOH

\*\*\*\*\*

C16H32N2O5 L Cryptand 2,2,1 CAS 31364-42-8 (837)  
1,10-Diaza-4,7,13,16,21-pentaoxabicyclo[8,8,5]tricosane (2,2,1);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ ISE non-aq 25°C 100% C H K1=5.19 1999WBa (95274) 232  
Medium: N,N-dimethylformamide. Method: competitive titration against  
Ag<sup>+</sup>, using Ag<sup>+</sup> ISE. By calorimetry: DH(K1)=-50.2 kJ mol<sup>-1</sup>.

Rb+ gl R4N.X 25°C 0.05M C H K1=3.2 1996BCh (95275) 233  
Medium: 0.05 M Et4NClO4. By calorimetry: DH(K1)=-29.9 kJ mol<sup>-1</sup>.

Rb+ cal non-aq 25°C 100% M H K1=6.50 1994BCd (95276) 234  
Medium: acetone. DH(K1)=-53.7 kJ mol<sup>-1</sup>, TDS=-16.8

Rb+ ISE non-aq 25°C 100% U H K1=6.74 1986BUb (95277) 235  
In CH<sub>3</sub>CN. DH=-56.3 kJ mol<sup>-1</sup>

Rb+ cal alc/w 25°C 100% U H K1=7.35 1986BUd (95278) 236  
In MeOH. DH=-55.7 kJ mol<sup>-1</sup>

Rb+ nmr non-aq 25°C 100% U K1=9.31 1986CHc (95279) 237  
In CDCl<sub>3</sub> saturated with D<sub>2</sub>O

Rb+ ISE non-aq 25°C 100% U I K1=5.35 1981CRa (95280) 238  
Medium: DMF. In DMSO: 4.64; in EtOH: 6.88; in N-methylpropionamide: 5.55

Rb+ ISE non-aq 25°C 100% U K1=7.0 1980CRa (95281) 239  
Medium: Propylene carbonate

Rb+ ISE alc/w 25°C 100% U K1=6.74 1978CSb (95282) 240  
Medium: MeOH

Rb+ cal R4N.X 25°C 0.06M C H K1=2.55 1976KLc (95283) 241  
Medium: 0.057 M Me4NBr. Method: flow microcalorimetry.  
DH(K1)=-22.6 kJ mol<sup>-1</sup>, DS(K1)=-27 J K<sup>-1</sup> mol<sup>-1</sup>.

Rb+ gl R4N.X 25°C 0.05M C I K1=2.55 1975LSc (95284) 242

In 95% MeOH: K1=5.80; 100%: > 6

\*\*\*\*\*

C16H32N4O4 L (6794)  
4,10-Bis(N,N-dimethylethanamido)-1,7-dioxa-4,10-diazacyclododecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H K1=3.08 1990KMb (95322) 243  
Medium: MeOH. DH=-22.7 kJ mol<sup>-1</sup>

\*\*\*\*\*

C16H32O7 L (6411)  
15-(2,5-Dioxaheptyl)-15-methyl-1,4,7,10,13-pentaoxacyclohexadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% C I K1=2.34 1992TFa (95392) 244  
Medium: acetonitrile. In propylene carbonate, K1=2.05.

-----  
Rb+ con alc/w 25°C 100% U K1=2.05 1991IOa (95393) 245  
Medium: MeOH

\*\*\*\*\*

C16H32O8 L 24-Crown-8 CAS 33089-37-1 (5149)  
1,4,7,10,13,16,19,22-Octaoxacyclotetracosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sol non-aq 25°C 100% C K1=3.94 1999KCa (95400) 246  
Medium: acetonitrile.

\*\*\*\*\*

C16H34N2O5 L (6953)  
7,13-Bis(2-methoxyethyl)-1,4,10-trioxa-7,13-diazacyclopentadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF alc/w 25°C 100% U I K1=3.97 1994LLa (95420) 247  
Medium: MeOH, 0.05M Et4NClO4. Also data for acetonitrile: K=4.39, PC: K=4.2  
DMF: K=2.84 and H2O: K<2. Method: by competition with Ag+.

\*\*\*\*\*

C16H34N2O6 L CAS 69930-74-1 (1321)  
N,N'-Bis(2-hydroxyethyl)-1,7,10,16-tetraoxa-4,13-diazacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ ISE non-aq 25°C 100% U K1=3.56 1993RPa (95456) 248  
Medium: dimethylformamide, 0.05 M Et4NClO4. By competition with Ag+.

\*\*\*\*\*

C16H34O8 L CAS 1191-91-9 (2500)  
2,5,8,11,14,17,20,23-Octaoxatetracosane; CH3.0.(CH2.CH2.0)7.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----



-----  
Rb+ con non-aq 25°C 100% U K1=4.7 1993EVa (95495) 249  
Medium: THF+CHCl3 (4:1 vol). Also data for other solvents

\*\*\*\*\*  
C16H36N4O4 L (6703)  
1,4,7,10-Tetrakis(2-hydroxyethyl)-1,4,7,10-tetraazacyclododecane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF non-aq 25°C 100% U I K1=3.00 1996WPa (95579) 250  
Medium: acetonitrile, 0.05 M NEt4ClO4. In propylene carbonate K1=4.23  
-----

Rb+ gl alc/w 25°C 100% C I K1=2.20 1993TCa (95580) 251  
Medium: MeOH, 0.05 M Et4NClO4. In DMF, K1=1.39  
-----

\*\*\*\*\*  
C17H23NO6 L (7047)  
5'-(N-Acrylamide)-benzo-15-crown-5; CH2:CH.CO.NH.C14H19O5  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% U K1=8.98 1979KMb (96408) 252  
Medium: CHCl3  
-----

\*\*\*\*\*  
C17H26O6 L CAS 99159-90-7 (688)  
2,3-Benzo-1,4,7,10,13,16-hexaoxacyclononadeca-2-ene;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 22°C 100% U K1=5.73 1987CCc (96525) 253  
In deuteriochloroform  
-----

\*\*\*\*\*  
C17H34N2O4 L CAS 142565-14-8 (6562)  
4,7,13,16-Tetraoxa-1,10-diazabicyclo[8.8.5]tricosane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF non-aq 25°C 100% C I K1=6.66 1993DLb (96750) 254  
Medium: propylene carbonate, 0.05 M Et4NClO4. In acetonitrile, K1=5.5.  
-----

Rb+ gl R4N.X 25°C 0.05M C I K1=3.28 1992CGb (96751) 255  
Medium: Et4NClO4. In MeOH: K1=5.7; in DMF K1=3.82  
-----

\*\*\*\*\*  
C17H34N4O4S L CAS 503465-04-1 (9247)  
4,7,13,16-Tetraoxa-1,10,21,23-tetraazabicyclo[8.8.7]pentacosane-22-thione;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl alc/w 25°C 95% C K1=2.78 2004KVa (96761) 256  
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.  
-----

\*\*\*\*\*

C18H23NO8 L CAS 332843-39-7 (8209)  
2,3,5,6,8,9,11,12,14,15-Decahydro-1,4,7,10,13,16-hexaoxacyclooctadecino[2,3-]isindole18,20dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 25°C 100% C K1=3.9 20010Ya (97577) 257  
Medium: methanol. For the N-propyl derivative, K1=3.8.

\*\*\*\*\*  
C18H2806 L Benzo20-crown-6 (6354)  
2,3-Benzo-1,5,8,11,14,18-Hexaoxacos-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 22°C 100% U K1=5.04 1987CCc (97838) 258  
In deuteriochloroform

\*\*\*\*\*  
C18H2806 L CAS 85556-93-0 (642)  
2,3-Benzo-8,15-dimethyl-1,4,7,10,13,16-hexaoxacyclooctadeca-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ con alc/w 25°C 100% U K1=3.90 1983LSa (97844) 259  
Medium: MeOH

\*\*\*\*\*  
C18H2807 L Benzo21-crown-7 (6355)  
2,3-Benzo-1,4,7,10,13,16,19-Heptaoxaheneicos-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 22°C 100% U K1=7.37 1987CCc (97859) 260  
In deuteriochloroform

\*\*\*\*\*  
C18H36N2O5 L Cryptand 1,2,2H (6605)  
1,10-Diaza-4,7,14,20,23-Pentaoxabicyclo[8.8.7]pentacosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 95% M K1=3.41 1990LNa (98408) 261  
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 12,16-dihydroxy- analogue: K1 < 2

\*\*\*\*\*  
C18H36N2O5 L Cryptand 2,2,1H CAS 119017-37-7 (6588)  
5,8,15,18,23-Pentaoxa-1,12-diazabicyclo[10.8.5]pentacosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 95% M K1=3.12 1990LNa (98416) 262  
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 9,16-dihydroxy- analogue: K1 < 2

\*\*\*\*\*  
C18H36N2O6 L Cryptand 3,2,1 (7303)

1,10-Diaza-4,7,13,16,19,24-hexaoxabicyclo[8,11,5]hexacosane;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Rb+ cal none 25°C 0 U IH K1=3.55 1997ZiA (98423) 263  
DH(K1)=-36.2 kJ mol<sup>-1</sup>, DS=-53.3 J K<sup>-1</sup> mol<sup>-1</sup>. In 95% v/v MeOH/H<sub>2</sub>O: K1=7.96;  
DH(K1)=-74.4, DS=-97.3

\*\*\*\*\*

C18H36N2O6 L Cryptand 2,2,2 CAS 23978-09-8 (514)

1,10-Diaza-4,7,13,16,21,24-hexaoxabicyclo[8.8.8]hexacosane;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

---

Rb+ ISE non-aq 25°C 100% C H K1=6.43 1999WBa (98705) 264  
Medium: N,N-dimethylformamide. Method: competitive titration against  
Ag<sup>+</sup>, using Ag<sup>+</sup> ISE. By calorimetry: DH(K1)=-59.3 kJ mol<sup>-1</sup>.

---

Rb+ gl R4N.X 25°C 0.05M C H K1=5.7 1996BCh (98706) 265  
Medium: 0.05 M Et4NClO4. By calorimetry: DH(K1)=-51.0 kJ mol<sup>-1</sup>.

---

Rb+ cal alc/w 25°C 80% C H K1=7.10 1995KZa (98707) 266  
Medium: 80% v/v CH<sub>3</sub>OH/H<sub>2</sub>O. DH(K1)=-59.6 kJ mol<sup>-1</sup>, DS(K1)=-64.1 J K<sup>-1</sup> mol<sup>-1</sup>

---

Rb+ cal non-aq 25°C 100% M H K1=8.39 1994BCd (98708) 267  
Medium: acetone. DH(K1)=-64.9 kJ mol<sup>-1</sup>, TDS=-17.2

---

Rb+ ISE oth/un 25°C 0.05M M K1=9.10 1992BUb (98709) 268

---

Rb+ ISE non-aq 25°C 100% U H K1=9.65 1986BUb (98710) 269  
In CH<sub>3</sub>CN. DH=-71.6 kJ mol<sup>-1</sup>

---

Rb+ cal alc/w 25°C 100% U H K1=9.10 1986BUd (98711) 270  
In MeOH. DH=-72.7 kJ mol<sup>-1</sup>

---

Rb+ nmr non-aq 25°C 100% U K1=12.32 1986CHc (98712) 271  
In CDCl<sub>3</sub> saturated with D<sub>2</sub>O

---

Rb+ cal non-aq 25°C 100% U H 1986DGa (98713) 272  
DH1 = -75.1 kJ mol<sup>-1</sup>. Medium: nitromethane

---

Rb+ cal non-aq 25°C 100% U H 1985DGa (98714) 273  
Medium: propylene carbonate. DH1 = -68.2 kJ mol<sup>-1</sup>

---

Rb+ cal non-aq 25°C 100% U H 1985DGa (98715) 274  
Medium: acetonitrile. DH1 = -70.2 kJ mol<sup>-1</sup>

---

Rb+ ISE non-aq 25°C 100% M K1=10.30 1985DGb (98716) 275  
Medium: nitromethane

---

Rb+ cal non-aq 25°C 100% U H 1984DGa (98717) 276

Medium: N,N-dimethylformamide. DH1=-55.4 kJ mol<sup>-1</sup>; DS1=-56.9 J K<sup>-1</sup> mol<sup>-1</sup>.

Rb+ cal non-aq 25°C 100% U H 1984DGa (98718) 277  
Medium: DMSO. DH1=-59.2 kJ mol<sup>-1</sup>; DS1=-87.9 J K<sup>-1</sup> mol<sup>-1</sup>

Rb+ ISE non-aq 25°C 100% U I K1=6.78 1981CRa (98719) 278  
Medium: DMF. In DMSO: K1=5.85; in EtOH: 9.25; in N-methylpropionamide: 7.28

Rb+ ISE non-aq 25°C 100% U K1=9.0 1980CRa (98720) 279  
Medium: Propylene carbonate

Rb+ con non-aq 25°C 100% U K1=>7 1980K Mb (98721) 280  
Medium: MeCN

Rb+ ISE alc/w 25°C 100% U K1=8.98 1978CSb (98722) 281  
Medium: MeOH

Rb+ EMF oth/un 25°C 0.05M C I K1=4.3 1978YTa (98723) 282  
Method: competition with Tl+, using Tl amalgam electrode.  
Electrolyte not stated. In DMSO, 0.10 M: K1=5.7

Rb+ cal R4N.X 25°C 0.06M C IH 1976KLc (98724) 283  
Medium: 0.057 M Me4NBr. Method: flow microcalorimetry. DH(K1)=-49.4 kJ mol<sup>-1</sup>, DS(K1)=-83 J K<sup>-1</sup> mol<sup>-1</sup>. In 95% (v/v) MeOH/H<sub>2</sub>O, DH(K1)=-82.0, DS=-115

Rb+ gl R4N.X 25°C 0.10M C H K1=4.06 1975ANa (98725) 284  
Medium: Me4NCl. DH(K1)=-49.4 kJ mol<sup>-1</sup>, DS=-87.4

Rb+ gl R4N.X 25°C 0.05M C I K1=4.35 1975LSc (98726) 285  
In 95% MeOH: K1=8.40

\*\*\*\*\*  
C18H36N4O4 L (6795)  
4,10-Bis(N,N-dimethylpropanamido)-1,7-dioxa-4,10-diazacyclododecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ cal alc/w 25°C 100% U H K1=3.08 1990K Mb (98784) 286  
Medium: MeOH. DH=-11.0 kJ mol<sup>-1</sup>

\*\*\*\*\*  
C18H36O9 L 27-Crown-9 (7043)  
1,4,7,10,13,16,19,22,25-Nonaoxacycloheptacosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ sol non-aq 25°C 100% C K1=4.02 1999KCa (98810) 287  
Medium: acetonitrile.

\*\*\*\*\*  
C18H38O9 L Glyme-9 CAS 25990-94-7 (7806)  
2,5,8,11,14,17,20,23,26-Nonaoxaheptacosane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rb+	dis	non-aq	25°C	100%	C		K1=8.50	1998KSc (98877)	288
Medium: 1,2-dichloroethane.									
*****									
C19H27N07		L					(7048)		
5'-(N-Acrylamide)-benzo-18-crown-6; CH2:CH.CO.NH.C16H23O6									
Rb+	sp	non-aq	25°C	100%	U		K1=7.08	1979K Mb (99396)	289
Medium: CHCl3									
*****									
C19H30O6		L					(643)		
2,3-Benzo-8,11,15-trimethyl-1,4,7,10,13,16-hexaoxacyclooctadeca-2-ene;									
Rb+	con	alc/w	25°C	100%	U		K1=3.37	1983LSa (99439)	290
Medium: MeOH									
*****									
C19H39N3O5		L					CAS 60598-00-7 (1537)		
4-Methyl-1,4,10-triaza-7,13,16,21,24-pentaoxa-bicyclo[8,8,8]hexacosane;									
Rb+	gl	R4N.X	25°C	0.10M	U		K1=2.0	1978L Ma (99496)	291
*****									
C20H22O6		L					(6834)		
1,8-Bis(2-Formyphenoxy)-3,6-dioxaoctane; (CH2.O.CH2.CH2.O.C6H4.CHO)2									
Rb+	con	non-aq	25°C	100%	U		K1=1.5	1993E Va (99934)	292
Medium: THF+CHCl3 (4:1 vol)									
*****									
C20H24O6		L					DiBz-18-Crown-6 CAS 14187-32-7 (604)		
2,3:11,12-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene									
Rb+	oth	oth/un	25°C	0.05M	C		K1=1.19	2002K Ta (100215)	293
Method: capillary electrophoresis. Medium: 0.03-0.06 M RbCl.									
Rb+	dis	non-aq	24°C	100%	C			2002MRd (100216)	294
K(Rb+A+L)=6.724									
Medium: CDCl3. HA is picric acid.									
Rb+	con	non-aq	25°C	100%	C		K1=4.5	2000I Ca (100217)	295
Medium: nitromethane.									

-----

Rb+ con non-aq 25°C 100% C T H K1=4.10 2000SSc (100218) 296  
 Medium: acetonitrile. Data for 15-45 C. DH(K1)=-8 kJ mol<sup>-1</sup>,  
 DS(K1)=50 J K<sup>-1</sup> mol<sup>-1</sup>.

-----

Rb+ dis oth/un 25°C 0.06M C K(RbL+A)=1.00 2000YYa (100219) 297  
 K(Rb+L(org))+A=RbLA(org))=4.66  
 Method: extraction of metal picrate (0.06 M, pH 12) into dichloromethane/  
 ligand solution. HA: picric acid. Data for many additional solvents.

-----

Rb+ oth alc/w 35°C 3.0% C K1=1.13 1999MTd (100220) 298  
 Method: capillary zone electrophoresis. Medium: 3% v/v EtOH/H<sub>2</sub>O, 0.005 M  
 phosphate buffer, pH 7.0

-----

Rb+ dis non-aq 25°C 100% U K1=8.20 B2=10.19 1998KSb (100221) 299  
 Medium: 1,2-dichloroethane

-----

Rb+ oth oth/un 25°C 0.04M C K1=1.07 1998TIa (100222) 300  
 Method: capillary electrophoresis.  
 Medium: 0.005 M phosphate buffer, pH 7.1, 0.04 M MCl.

-----

Rb+ nmr non-aq RT 100% U K1=2.38 1996GMc (100223) 301  
 Method: <sup>133</sup>Cs nmr. Medium: N,N-dimethylformamide

-----

Rb+ dis oth/un 25°C 0 U K1=4.13 19940Ua (100224) 302

-----

Rb+ dis non-aq 23°C 100% C K1=5.5 1992HGb (100225) 303  
 Extraction of metal chloride (A) from aqueous solution into nitrobenzene/  
 0.01M Bu<sub>4</sub>NB(Ph)<sub>4</sub>. Peak potential voltammetry.

-----

Rb+ sp non-aq 25°C 100% U K1=2.65 1991NTa (100226) 304  
 Medium: DMF

-----

Rb+ nmr non-aq 25°C 100% U K1=3.32 1991SKa (100227) 305  
 Medium: MeCN

-----

Rb+ vlt non-aq 25°C 100% U K1=8.3 1990SPa (100228) 306  
 Medium: 1,2-dichloroethane

-----

Rb+ cal non-aq 25°C 100% C H 1988BUb (100229) 307  
 Medium: acetonitrile. DH(K1)=-12.0 kJ mol<sup>-1</sup>, DS(K1)=30 J K<sup>-1</sup> mol<sup>-1</sup>.

-----

Rb+ cal non-aq 25°C 100% C H K1=4.36 1986ICa (100230) 308  
 Medium: MeOH. DH(K1)=-28.6 kJ mol<sup>-1</sup>, DS(K1)=-12.5 J K<sup>-1</sup> mol<sup>-1</sup>.

-----

Rb+ vlt non-aq 25°C 100% U I K1=3.70 1978HKc (100231) 309  
 Medium: CH<sub>3</sub>CN, 0.05M Bu<sub>4</sub>NClO<sub>4</sub>

-----

Rb+ nmr non-aq 29°C 100% U K1=2.89 1977SZa (100232) 310

Medium: DMF

-----  
Rb+ dis non-aq 25°C 100% C T HM 1975SIc (100233) 311  
K(Rb+A+L(org)=RbAL(org))=3.75  
K(Rb+A+2L(org)=RbAL2(org))=6.5  
K(RbAL+L)=2.7

Method: Extraction from H2O into benzene. HA is picric acid. DH(RbAL(org))  
=-68.6 kJ mol<sup>-1</sup>, DS(RbAL(org))=-158 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
Rb+ sol none 25°C 0.0 U I K1=1.08 1975SNa (100234) 312  
\*\*\*\*\*

C20H24O6 L CAS 72011-24-6 (8872)

2,3:5,6-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,5-diene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ dis non-aq 23°C 100% C K1=5.8 1992HGb (100264) 313  
K(Rb+A+L(org)=RbAL(org))=5.28

Extraction of metal chloride (A) from aqueous solution into nitrobenzene/  
0.01M Bu4NB(Ph)4. Peak potential voltammetry.

\*\*\*\*\*

C20H24O6 L CAS 14262-61-4 (8871)

2,3:8,9-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,8-diene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 25°C 100% C K1=>1.74 2002YEa (100273) 314  
Method: fluorescence spectroscopy. Medium: acetonitrile.

-----  
Rb+ dis non-aq 23°C 100% C K1=4.1 1992HGb (100274) 315  
Extraction of metal chloride (A) from aqueous solution into nitrobenzene/  
0.01M Bu4NB(Ph)4. Peak potential voltammetry.

\*\*\*\*\*

C20H26O6 L CAS 84884-14-0 (2236)

2,3-Naphtho-18-crown-6, 2,3-Naphtho-1,4,7,10,13,16-hexaoxacyclooctadeca-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ dis non-aq 25°C 100% U H 1979KLa (100350) 316  
K(Rb(picrate)+L)=7.05

Medium: CHCl3

\*\*\*\*\*

C20H31N2O4F L CAS 173417-87-3 (6461)

26-Fluoro-4,7,13,16-tetraoxa-1,10-diazatricyclo[8.8.7.1,20,24]hexacos-20,22,24(26)  
-triene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ EMF non-aq 25°C 100% C H K1=4.99 1999BHa (100442) 317  
Medium: MeOH, 0.05 M Et4NClO4. By calorimetry DH(K1)=-45.1 kJ mol<sup>-1</sup>.

Method: by competition with Ag+, using Ag/Ag+ electrode

\*\*\*\*\*

C20H32N2O4 L CAS 61696-66-0 (6497)  
4,7,13,16-Tetraoxa-1,10-diazatricyclo[8.8.7.1,20,24]hexacos-20,22,24(26)-triene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ EMF mixed 25°C 100% C H K1=4.68 1999BHa (100459) 318  
Medium: MeOH, 0.05 M Et4NClO4. By calorimetry DH(K1)=-44.3 kJ mol-1  
Method: by competition with Ag+, using Ag/Ag+ electrode.

\*\*\*\*\*

C20H32O8 L Benzo24-crown-8 (6356)  
2,3-Benzo-1,4,7,10,13,16,19,22-Octaoxatetracos-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 22°C 100% U K1=5.91 1987CCc (100499) 319  
In deuteriochloroform

\*\*\*\*\*

C20H36O6 L DiCy-18-crown-6 CAS 16069-36-6 (1653)  
2,3:11,12-Dicyclohexyl-1,4,7,10,13,16-hexaoxacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ dis non-aq 25°C 100% U K1=10.43 2000KSa (100698) 320  
Medium: 1,2-dichloroethane  
-----  
Rb+ con non-aq 25°C 100% C T H K1=>5.5 2000SSc (100699) 321  
Medium: acetonitrile. Data for 15-45 C. DH(K1)=-17 kJ mol-1,  
DS(K1)=46 J K-1 mol-1.

-----  
Rb+ nmr non-aq RT 100% U K1=3.70 1996GMc (100700) 322  
Method: 133Cs nmr. Medium: N,N-dimethylformamide

-----  
Rb+ nmr non-aq 25°C 100% U K1=4.47 1991SKa (100701) 323  
In acetonitrile.

-----  
Rb+ cal non-aq 25°C 100% C H K1=6.05 1988BUB (100702) 324  
Medium: acetonitrile. DH(K1)=-24.5 kJ mol-1, DS(K1)=33 J K-1 mol-1.

-----  
Rb+ con none 25°C 0.0 C T H K1=4.67 1988TMC (100703) 325  
Data for 15-35 C. DH(K1)=-47.7 kJ mol-1, DS(K1)=-71.4 J K-1 mol-1.  
Anion is tetraphenyl borate.

-----  
Rb+ dis non-aq 25°C 100% U H K(Rb(picrate)+L)=6.70 1979KLa (100704) 326  
Medium: CHCl3

-----  
Rb+ cal oth/un 40°C 0.0 U T K1=0.86 1971INa (100705) 327  
Isomer B. K1(10 C)=0.95, K1(25 C)=0.87. For isomer A: K1=1.61(10 C),



1.52(25 C), 1.40(40 C)

-----  
Rb+ cal oth/un ? 0.01M U K1=1.47 1969IRa (100706) 328  
Data for isomer A

\*\*\*\*\*  
C20H38N2O6 L CAS 178822-46-3 (8615)  
6-Methylene-4,8,14,17,22,25-hexaoxa-1,11-diazabicyclo[9.8.8]heptacosane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 80% C H K1=5.70 1995KZa (100741) 329  
Medium: 80% v/v CH3OH/H2O. DH(K1)=-51.0 kJ mol<sup>-1</sup>, DS(K1)=-62.1 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*  
C20H40N2O4 L (6625)  
1,10-Diaza-4,7,13,16-tetraoxabicyclo[8.8.8]hexacosane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl non-aq 25°C 100% C I K1=3.85 1992LSc (100778) 330  
Medium: MeCN, 0.05 M Et4NClO4. In DMF K1=2.2; in H2O K1<2

\*\*\*\*\*  
C20H40N2O6 L Cryptand 2,2,2H (6606)  
1,10-Diaza-4,7,14,17,23,26-Hexaoxabicyclo[10.8.8]octacosane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl alc/w 25°C 95% M K1=5.14 1990LNa (100787) 331  
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 12,19-dihydroxy- analogue: K1=4.31

\*\*\*\*\*  
C20H40N2O6 L Cryptand 3,2,1H (6589)  
1,7-Diaza-4,11,14,17,23,26-hexaoxabicyclo[13.8.5]octacosane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl alc/w 25°C 95% M K1=3.15 1990LNa (100796) 332  
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 9,19-dihydroxy- analogue: K1=3.25

\*\*\*\*\*  
C20H40N2O7 L Cryptand 3,2,2 CAS 31255-22-8 (1763)  
Cryptand 3,2,2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ ISE alc/w 25°C 95% C K1=7.3 1977LSc (100818) 333  
Medium: 95% (w/w) MeOH/H2O, 0.1 M Et4NBr.

-----  
Rb+ cal R4N.X 25°C 0.06M C H 1976KLc (100819) 334  
Medium: 0.057 M Me4NBr. Method: flow microcalorimetry.  
DH(K1)=-18 kJ mol<sup>-1</sup>, DS(K1)=-20 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
Rb+ cal R4N.X 25°C 0.06M C H 1976KLc (100820) 335

Medium: 0.057 M Me4NBr. Method: flow microcalorimetry.  
DH(K1)=-25.9 kJmol-1, DS(K1)=28 J K-1 mol-1.

-----  
Rb+ gl R4N.X 25°C 0.05M C I K1=2.05 1975LSc (100821) 336  
In 95% MeOH: K1=7.30; 100%: > 6

\*\*\*\*\*  
C20H40O10 L 30-Crown-10 (7044)  
1,4,7,10,13,16,19,22,25,28-Decaoxacyclotriacontane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sol non-aq 25°C 100% C K1=4.45 1999KCa (100855) 337  
Medium: acetonitrile.

\*\*\*\*\*  
C20H42N4O4 L CAS 39678-14-3 (1543)  
4,7-Dimethyl-1,4,7,10-tetraaza-13,16,21,24-tetraoxa-bicyclohexacosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl R4N.X 25°C 0.10M U I K1=2.3 1978LMa (100892) 338  
In CH3OH, K1>4.

\*\*\*\*\*  
C20H44N4O4 L CAS 102202-74-4 (6041)  
1,4,7,10-Tetra-(2-hydroxypropyl)-1,4,7,10-tetraazacyclododecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF non-aq 25°C 100% C I K1=3.16 1997DMd (100931) 339  
Method: Ag electrode; competitive titration. Medium: acetonitrile, 0.05 M  
Et4NClO4. Also data for PC (K1=4.8), MeOH (3.4), DMF (3.56), H2O (<2).

\*\*\*\*\*  
C20H44N4O4 L (6730)  
1,4,7,10-Tetra-(2-methoxyethyl)-1,4,7,10-tetraazacyclododecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl non-aq 25°C 100% U I K1=4.85 1996SDa (100946) 340  
Medium: MeCN, 0.05 M Et4NClO4. In MeOH: K1=3.0, DMF: 2.73,  
propylene carbonate: 6.2

-----  
Rb+ gl R4N.X 25°C 0.10M C K1=<2.0 1993SFb (100947) 341  
Medium: 0.1 M Et4NClO4.

\*\*\*\*\*  
C21H23NO9 L (6799)  
2,3-(4'-(4"-Nitrophenoxycarbonyl))benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ kin alc/w 25°C 54% U K1=0.30 1991HHb (101225) 342  
Medium: 54% w/w EtOH/H2O

\*\*\*\*\*

C21H24O8 L CAS 78708-41-5 (799)  
2,3:9,10-Dibenzo-1,4,8,11,14-pentaoxacyclohexadeca-2,9-diene-6-oxyethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 80% M H K1=2.81 1985AEb (101270) 343  
Medium: 80% w/w MeOH/H2O, pH=11. By calorimetry: DH(K1)=-15.9 kJ mol<sup>-1</sup>,  
DS(K1)=0.7 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*

C21H42N4O6S L CAS 503465-05-2 (9248)  
4,12,18,21,26,29-Hexaoxa-1,7,9,15-tetraazabicyclo[13.8.8]hentriacontane-8-thione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 95% C K1=4.22 2004KVa (101466) 344  
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

\*\*\*\*\*

C22H25N5O14 L CAS 74305-50-3 (2797)  
4'-Picrylamino-(2''-nitrobenzo)-18-crown-6

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp oth/un 25°C 0.10M U K1=1.32 1980NTa (101920) 345  
At pH 12.35 in Li4(EDTA)

\*\*\*\*\*

C22H26N4O12 L CAS 74044-87-4 (2796)  
4'-Picrylaminobenzo-18-crown-6

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp oth/un 25°C 0.10M U K1=1.52 1980NTa (101993) 346  
K(Rb+HL)=1.20

At pH 11.5 in Li4(EDTA)

\*\*\*\*\*

C22H26O5 L CAS 160978-39-2 (8944)  
o,o'-(Tetraethyleneglycoldiyl)-(Z)-stilbene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ con non-aq 25°C 100% C K1=3.49 2000ICa (102000) 347  
Medium: nitromethane.

\*\*\*\*\*

C22H28O7 L Dibenzo-21-Cr-7 CAS 14098-41-0 (2876)  
2,3:11,12-Dibenzo-1,4,7,10,13,16,19-heptaoxacycloheicosane-2,11-diene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ oth alc/w 35°C 3.0% C K1=1.67 1999MTd (102057) 348  
Method: capillary zone electrophoresis. Medium: 3% v/v EtOH/H2O, 0.005 M

phosphate buffer, pH 7.0

-----  
Rb+ dis oth/un 25°C 0 U K1=4.45 19940Ua (102058) 349  
-----

Rb+ con non-aq 25°C 100% U K1=5.4 1993EVa (102059) 350  
Medium: THF+CHCl3 (4:1 vol)

\*\*\*\*\*  
C22H28O7 L CAS 133560-78-8 (8962)  
2,3:17,18-Dibenzo-1,4,7,10,13,16,19-heptaoxacycloheptacos-2,17-diene,  
Dibenzo[21]crown-7;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% C K1=4.893 2002YEa (102069) 351  
Method: fluorescence spectroscopy. Medium: acetonitrile.

Rb+ sp non-aq 25°C 100% C K1=4.38 2002YEb (102070) 352  
Method: steady state fluorescence spectroscopy. Medium: acetonitrile.

\*\*\*\*\*  
C22H30O4P2 L CAS 470454-09-2 (8993)  
4,10-Dibenzyl-1,7-dioxo-4,10-diphosphacyclododecan-4,10-dioxide;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 24°C 100% C K(Rb+A+L)=6.004 2002MRd (102133) 353

Medium: CDCl3. HA is picric acid.  
\*\*\*\*\*  
C22H36N2O6 L Bz-Cryptand 222 CAS 31250-18-7 (2269)  
5,6-Benzo-4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8:8:8]hexacos-5-ene;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl R4N.X 25°C 0.05M U H K1=3.9 1998DBa (102280) 354  
Medium: 0.05 M Et4NClO4. By calorimetry: DH(K1)=-26.9 kJ mol<sup>-1</sup>,

Rb+ gl oth/un 25°C 0.02M U H K1=7.19 1980CKa (102281) 355  
DH=-57.7 kJ mol<sup>-1</sup>. Alternative method, calorimetry

\*\*\*\*\*  
C22H36O9 L Benzo-27-Crown9 CAS 63144-76-3 (2842)  
2,3-Benzo-1,4,7,10,13,16,19,22,25-nonanoxacycloheptacos-2-ene;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 22°C 100% U K1=5.92 1987CCc (102302) 356  
In deuteriochloroform

Rb+ vlt alc/w 25°C 100% U K1=3.78 1984ZBa (102303) 357  
Medium: MeOH, 0.1 M Et4NI

\*\*\*\*\*

C22H4006 L CAS 76993-47-0 (2340)  
2,5,8,11,14,17-Hexaoxatricyclo[22.4.0.0(18,23)]octacosane (trans-cis-trans isomer)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ nmr non-aq 24°C 100% U M 1981BEb (102374) 358  
K(Rb(picrate)+L)=7.5

Medium: CDC13

\*\*\*\*\*

C22H4007 L (6596)  
2,3,11,12,-Dicyclohexano-1,4,7,10,13,16,19-heptaoxacycloheneicosane;  
dicyclohexyl-21-crown-7;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sol non-aq 25°C 100% C I K1=4.88 1999KCa (102381) 359  
Medium: acetonitrile. In propylene carbonate, K1=4.25

\*\*\*\*\*

C22H44N207 L Cryptand 3,2,2H (6607)  
1,10-Diaza-4,7,14,17,20,26,29-Heptaoxabicyclo[13.8.8]hentriacontane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 95% M K1=5.08 1990LNa (102417) 360  
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 12,22-dihydroxy- analogue: K1=4.03

\*\*\*\*\*

C22H44N208 L Cryptand 3,3,2 CAS 132162-57-3 (1762)  
Cryptand 3,3,2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 100% C I K1=6.15 1975LSc (102431) 361  
Medium: MeOH

\*\*\*\*\*

C22H44N605S2 L CAS 503465-08-5 (9241)  
9,20,23,28,31-Pentaoxa-1,4,6,12,14,17-hexaazabicyclo[15.8.8]tritriacontane-5,13-dithione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 95% C K1=3.04 2004KVa (102441) 362  
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

\*\*\*\*\*

C22H46N408 L CAS 61136-93-4 (8201)  
7,9-Dimethyl-4,10,16,22,27-pentaoxa-1,7,13,19-tetraazabicyclo[11.11.5]nonacosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl R4N.X 25°C 0.10M U K1=1.32 1982GKc (102462) 363  
Medium: 0.10 M NMe4NO3.

\*\*\*\*\*  
 C22H48N6O2 L CAS 39678-22-3 (1542)  
 4,7,13,16-Tetramethyl-1,4,7,10,13,16-hexaaza-21,24-dioxabicyclohexacosane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl alc/w 25°C 100% U K1=>4 1978LMa (102491) 364  
 \*\*\*\*\*

C24H20B- HL CAS 4358-26-3 (2489)  
 Tetraphenylborate;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ sol alc/w 25°C 50% C I 1983Bwb (102906) 365

Kso(RbB(C6H5)4)=-7.36

Method: spectrophotometry. Data for 20-100% MeOH/H2O

-----  
 Rb+ con non-aq 25°C 100% U K1=0.78 1978CAa (102907) 366  
 Medium: Acetonitrile

-----  
 Rb+ con non-aq 25°C 100% U K1=0.8 1975YKa (102908) 367  
 Medium: MeCN

\*\*\*\*\*  
 C24H24N2O4 L (5741)  
 1,10-Di(8-quinolyl)-1,4,7,10-tetraoxadecane; C9H6N.0.C2H4.0.C2H4.0.C2H4.0.C9H6N

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ con non-aq 25°C 100% U K1=4.7 1989BEa (102940) 368  
 Medium: tetrahydrofuran/CHCl3 4:1 (volume)

\*\*\*\*\*  
 C24H24O6 L CAS 99700-19-3 (8873)  
 2,3:5,6:8,9-Tribenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,5,8-triene;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ dis non-aq 23°C 100% C K1=4.6 1992HGb (102955) 369  
 Extraction of metal chloride (A) from aqueous solution into nitrobenzene/  
 0.01M Bu4NB(Ph)4. Peak potential voltammetry.

\*\*\*\*\*  
 C24H24O6 L TriBz18-Crown-6 (6069)  
 2,3:8,9:11,12-Tribenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,8,11-triene;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ dis non-aq 23°C 100% C K1=4.5 1992HGb (102961) 370  
 Extraction of metal chloride (A) from aqueous solution into nitrobenzene/  
 0.01M Bu4NB(Ph)4. Peak potential voltammetry.

\*\*\*\*\*  
 C24H30O8 L CAS 67655-22-5 (8710)

7,8,16,17-Tetrahydro-7,16-(epoxyethanoxyethanoxyethanoxy)-6H,15H-dibenzotetraoxacyc  
lotetradecin;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ ISE none 25°C 0.0 C K1=3.8 1978PAa (103036) 371

Method: Rb-sensitive electrode.

\*\*\*\*\*

C24H32O6 L ANAN(MOEO)2E (2242)

2,3:4,5-Di(1,3-(2-methoxy-5-methylbenzo))-9,12,15,18-tetraoxacyclooctadeca-2,4-dien  
e;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% U H 1979KLa (103074) 372

K(Rb(picrate)+L)=6.28

Medium: CHCl3

\*\*\*\*\*

C24H32O6 L AN(MOEO)2AN (2244)

23,24-Dimethoxy-10,21-dimethyl-3,6,14,17-tetraoxatricyclo-tetracos-1(23),8(24),9,1  
1,19,21hexaene

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% U H 1979KLa (103080) 373

K(Rb(picrate)+L)=3.38

Medium: CHCl3

\*\*\*\*\*

C24H32O6 L DP(OEOEO)2E CAS 60985-77-5 (2237)

3,4:5,6-Bis(2-methylbenzo)-2,7,10,13,16,19-hexaoxacyclodocosa-3,5-diene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% U H 1979KLa (103086) 374

K(Rb(picrate)+L)=5.26

Medium: CHCl3

\*\*\*\*\*

C24H32O8 L (5617)

2,3:11,12-Dibenzo-1,4,7,10,13,16,19,22-octaoxacyclotetracos-2,11-diene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ oth alc/w 25°C 100% U K1=3.8 1980WAa (103089) 375

Medium: MeOH

\*\*\*\*\*

C24H32O8 L DiBz-24-Crown-8 CAS 14174-09-5 (580)

2,3:14,15-Dibenzo-1,4,7,10,13,16,19,22-octaoxacyclotetracos-2,14-diene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ oth oth/un 25°C 0.05M C K1=0.83 2002KTa (103166) 376  
Method: capillary electrophoresis. Medium: 0.03-0.06 M RbCl.

Rb+ sp non-aq 25°C 100% C K1=3.87 2002YEb (103167) 377  
Method: steady state fluorescence spectroscopy. Medium: acetonitrile.

Rb+ con non-aq 25°C 100% C T H K1=3.98 2000SSc (103168) 378  
Medium: acetonitrile. Data for 15-45 C. DH(K1)=-23 kJ mol<sup>-1</sup>,  
DS(K1)=-2 J K<sup>-1</sup> mol<sup>-1</sup>.

Rb+ oth alc/w 35°C 3.0% C K1=1.49 1999MTd (103169) 379  
Method: capillary zone electrophoresis. Medium: 3% v/v EtOH/H<sub>2</sub>O, 0.005 M  
phosphate buffer, pH 7.0.

Rb+ nmr non-aq RT 100% U K1=1.74 1996GMc (103170) 380  
Method: 133Cs nmr. Medium: N,N-dimethylformamide

Rb+ dis oth/un 25°C 0 U K1=3.80 19940Ua (103171) 381

Rb+ con non-aq 25°C 100% U K1=5.2 1993EVa (103172) 382  
Medium: THF+CHCl<sub>3</sub> (4:1 vol)

Rb+ nmr non-aq 25°C 100% U K1=3.94 1991SKa (103173) 383  
In acetonitrile.

Rb+ vlt non-aq 25°C 100% U K1=9.4 1990SPa (103174) 384  
Medium: 1,2-dichloroethane

Rb+ vlt alc/w 25°C 100% U K1=3.83 1985ZBa (103175) 385  
Medium: MeOH

Rb+ vlt alc/w 25°C 100% U K1=3.76 1984ZBa (103176) 386  
Medium: MeOH, 0.1 M Et<sub>4</sub>NI

Rb+ dis non-aq 35°C 100% U I K1=3.5 1980TYb (103177) 387  
Medium: propylene carbonate

Rb+ cal alc/w 25°C 70% U H K1=2.55 1976ITa (103178) 388  
Medium: 70% w/w MeOH/H<sub>2</sub>O. DH(K1)=-36.5 kJ mol<sup>-1</sup>

\*\*\*\*\*  
C<sub>24</sub>H<sub>32</sub>O<sub>8</sub> L CAS 75832-82-5 (5618)  
2,3:8,9-Dibenzo-1,4,7,10,13,16,19,22-octaoxacyclotetracos-2,8-diene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ sp non-aq 25°C 100% C K1=3.865 2002YEa (103187) 389  
Method: fluorescence spectroscopy. Medium: acetonitrile.

Rb+ oth alc/w 25°C 100% U K1=4.2 1980WAa (103188) 390  
Medium: MeOH



\*\*\*\*\*  
 C24H3405P2 L CAS 470454-11-6 (8994)  
 7,13-Dibenzyl-1,4,10-trioxa-7,13-diphosphacyclopentan-7,13-dioxide;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ dis non-aq 24°C 100% C 2002MRd (103234) 391  
 K(Rb+A+L)=6.28

Medium: CDCl3. HA is picric acid.

\*\*\*\*\*  
 C24H3407 L CAS 20740-88-9 (5612)  
 1,17-Diphenoxy-3,6,9,12,15-pentaoxaheptadecane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl alc/w 25°C 100% M K1=1.51 1976FAa (103236) 392

\*\*\*\*\*  
 C24H36010P2 L (5726)  
 1,4-Bis(2-(diethoxyphosphinylmethoxy)phenyl)-1,4-dioxabutane;  
 2(EtO)2PO.CH2O.C6H4.O.CH2)2

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ con non-aq 25°C 100% U K1=3.4 1989Eva (103298) 393  
 Medium: tetrahydrofuran/CHCl3 4:1 (volume)

\*\*\*\*\*  
 C24H42N206 L CAS 129242-36-0 (8616)  
 6,16,25-Tris(methylene)-4,8,14,18,23,27-hexaoxa-1,11-diazabicyclo[9.9.9]nonacosane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ cal alc/w 25°C 80% C H K1=2.49 1995KZa (103356) 394  
 Medium: 80% v/v CH3OH/H2O. DH(K1)=-24.2 kJ mol-1, DS(K1)=-33.6 J K-1 mol-1

\*\*\*\*\*  
 C24H42010 L (2505)  
 2,5,8,11,14,17,20,23,26,29-Decaoxa-15,16-benzo-triconta-15-ene;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ sp non-aq 22°C 100% U K1=6.64 1987CCc (103400) 395  
 In deuteriochloroform

\*\*\*\*\*  
 C24H4405 L (2341)  
 16,18,23,25-Tetramethyl-2,5,8,11,14-pentaoxatricyclo(22.4.0.0(15,20))pentacosane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ nmr non-aq 24°C 100% U M 1981BEb (103413) 396  
 K(Rb(picrate)+L)=6.3

Medium: CDCl3

\*\*\*\*\*  
 C24H44O8 L Dicy-24-crown-8 CAS 17455-23-1 (2401)  
 2,3,14,15-Dicyclohexyl-1,4,7,10,13,16,19,22-octaoxacyclotetracosane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ sol non-aq 25°C 100% C K1=4.84 1999KCa (103436) 397  
 Medium: acetonitrile. In propylene carbonate, K1=4.43  
 -----

Rb+ nmr non-aq RT 100% U K1=2.66 1996GMc (103437) 398  
 Method: 133Cs nmr. Medium: N,N-dimethylformamide

\*\*\*\*\*  
 C24H48N2O9 L Cryptand 3,3,3 CAS 132162-61-9 (1761)  
 Cryptand 3,3,3

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl alc/w 25°C 100% C I K1=5.75 1975LSc (103467) 399  
 Medium: MeOH  
 -----

\*\*\*\*\*  
 C24H48N4O6 L CAS 56698-26-1 (1536)  
 4,10,16,22,27,32-Hexaoxa-1,7,13,19-tetraazatricyclo-tetratriacontane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl R4N.X 25°C 0.10M U K1=4.22 1982GKc (103490) 400  
 Medium: 0.10 M NMe4NO3.  
 -----

Rb+ gl R4N.X 25°C 0.10M U K1=3.4 1981GLa (103491) 401  
 -----  
 Rb+ ISE non-aq 25°C 100% C K1=6.2 1977LSc (103492) 402  
 Medium: 0.10 M Et4NBr in MeOH.  
 -----

\*\*\*\*\*  
 C24H48N6O6S2 L CAS 503465-10-9 (9242)  
 9,12,23,26,31,34-Hexaoxa-1,4,6,15,17,20-hexaazabicyclo[18.8.8]hexatricontane-5,16-dithione;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ gl alc/w 25°C 95% C K1=3.23 2004KVa (103508) 403  
 Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.  
 -----

\*\*\*\*\*  
 C25H37N2O7P L CAS 202407-79-2 (8035)  
 26,27-Dimethoxy-3,7,24-triMe-11,14,17,20-tetraoxa-2,4-diaza-phosphatricycloheptacosahexaeneoxide;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----  
 Rb+ dis non-aq 20°C 100% C K(RbP+L)=4.49 1998DDc (103761) 404

Medium: CHCl3. P is picrate.

\*\*\*\*\*

C25H40O12 L CAS 239470-22-5 (8948)

4'-Carboxybenzo-30-crown-10;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% C T H K1=5.06 1999RGa (103777) 405

Medium: acetonitrile. Data for 5-35 C. DH(K1)=-55.0 kJ mol<sup>-1</sup>, DS(K1)=

-87 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*

C25H50N4O5 L CAS 61136-92-3 (1535)

Pentaoxa-4,10,16,22,27-tetraaza-1,7,13,19-tricyclo-tetratriacontane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl R4N.X 25°C 0.10M U K1=3.3 1981GLa (103837) 406

\*\*\*\*\*

C25H50N4O8S L CAS 503465-06-3 (9249)

4,7,15,18,24,27,32,35-Octaoxa-1,10,12,21-tetraazabicyclo[19.8.8]heptatriacontane-11-thione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl alc/w 25°C 95% C K1=5.59 2004KVa (103847) 407

Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

\*\*\*\*\*

C26H24O2P2 L (6648)

Bis(diphenylphosphinyl)ethane; (C6H5)2PO.CH2CH2.PO(C6H5)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=1.6 1990EAb (103914) 408

Medium: THF+CHCl3 4:1(vol). Metal as 2,4-dinitrophenolate

\*\*\*\*\*

C26H24O3P2 L (7158)

1,3-Bis(diphenylphosphinyl)-2-oxopropane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C C K1=2.4 1999TEa (103923) 409

In: tetrahydrofuran/CHCl3 4:1 v/v

-----  
Rb+ oth non-aq 25°C 100% U K1=2.4 1995TEa (103924) 410

Medium: tetrahydrofuran:CHCl3 4:1 (v/v).

Metal ion is used as 2,4-dinitrophenolate.

\*\*\*\*\*

C26H34N4 L CAS 677034-80-9 (9063)

1-(2-{10-[2-Piperazinoethyl]-9-anthryl}ethyl)piperazine;

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rb+	sp	non-aq	25°C	100%	C		K1=4.34 K(RbL+Rb)=1.97	2003GHa (104077)	411
Method: fluorescence spectroscopy. Medium: acetonitrile, 0.05 M Et4NClO4.									
*****									
C26H3409		L					CAS 67655-23-6 (8711)		
7,8,16,17-Tetrahydro-7,16-(epoxyethanoxyethanoxyethanoxyethanoxy)-dibenzotetraoxacyclotetradecin;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rb+	ISE	none	25°C	0.0	C		K1=4.4	1978PAa (104110)	412
Method: Rb-sensitive electrode.									
*****									
C26H36N206		L					DiBzCryptand222 (746)		
5,6,14,15-Dibenzo-4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosan-5,14-diene;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rb+	cal	non-aq	25°C	100%	U	IH		1988DSa (104143)	413
Medium: MeCN. DH(K1)=-60.7 kJ mol <sup>-1</sup> . Also data in propylene carbonate, dimethylformamide and dimethylsulphoxide									
Rb+	ISE	non-aq	25°C	100%	U	M	K1=4.32	1987DSa (104144)	414
Medium: N,N-dimethylformamide									
*****									
C26H3609		L					CAS 518019-36-8 (8969)		
2,3:11,12-Dibenzo-1,4,7,10,13,16,19,22,25-nonaoxacycloheptacosan-2,11-diene;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rb+	sp	non-aq	25°C	100%	C		K1=2.81	2002YEB (104165)	415
Method: steady state fluorescence spectroscopy. Medium: acetonitrile.									
*****									
C26H3806P2		L					CAS 470454-13-8 (8995)		
7,16-Dibenzyl-1,4,10,13-tetraoxa-7,16-diphosphacyclooctadecane-7,16-dioxide;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rb+	dis	non-aq	24°C	100%	C			2002MRd (104215)	416
K(Rb+A+L)=6.24									
Medium: CDCl3. HA is picric acid.									
*****									
C26H3808		L					CAS 20740-89-0 (5613)		
1,20-Diphenoxy-3,6,9,12,15,18-hexaoxaicosane;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Rb+ gl alc/w 25°C 100% M K1=1.90 1976FAa (104217) 417  
 \*\*\*\*\*  
 C26H40O11P2 L (5727)  
 1,7-Bis(2-(diethoxyphosphinylmethoxy)phenyl)-1,4,7-trioxahseptane;2(EtO)2PO.CH2OC6H4  
 C2H4OC2H4)2O

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ con non-aq 25°C 100% U K1=4.2 1989Eva (104246) 418  
 Medium: tetrahydrofuran/CHCl3 4:1 (volume)

\*\*\*\*\*  
 C26H45N3O6 L CAS 111928-04-2 (8968)  
 7-Phenyl-4,10,16,19,24,27-hexaoxa-1,7,13-triazabicyclo[11.8.8]nonacosane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ dis none 25°C dil C K1=8.20 1987BBf (104282) 419  
 K(Rb+A+L(org))=RbAL(org))=5.87

Method: extraction of metal picrate from H2O into CHCl3.

\*\*\*\*\*  
 C26H48N2O6 L (6003)  
 5,6,14,15-Dicyclohexyl-4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ EMF alc/w 25°C 100% U H K1=5.65 1987BUb (104297) 420  
 In MeOH. DH=-34.3 kJ mol<sup>-1</sup>

\*\*\*\*\*  
 C26H48O6 L (2342)  
 19,21,26,28-Tetramethyl-2,5,8,11,14,17-hexaoxatricyclo[22.4.0.0(18,23)]octacosane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ nmr non-aq 24°C 100% U M K(Rb(picrate))+L)=6.8 1981BEb (104313) 421

Medium: CDCl3

\*\*\*\*\*  
 C26H52N4O5 L CAS 78648-22-3 (1534)  
 4,10,16,22,33-Pentaoxa-1,7,13,19-tetraazatricyclo[11,11,6,5(7.19)pentatriacontane;

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Rb+ gl R4N.X 25°C 0.10M U K1=3.32 1982GKc (104331) 422  
 Medium: 0.10 M NMe4NO3.

-----  
 Rb+ gl R4N.X 25°C 0.10M U K1=<2 1981GLa (104332) 423  
 \*\*\*\*\*

C26H52N6O7S2 L CAS 503465-16-5 (9245)  
 4,12,20,26,29,34,37-Heptaoxa-1,7,9,15,17,23-hexaazabicyclo[21.8.8]nonatriacontane-8  
 ,16-dithione;

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        gl alc/w 25°C 95% C          K1=4.71      2004KVa (104342) 424
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.
*****
C26H52N6O7S2          L                      CAS 503465-12-1 (9243)
9,12,15,26,29,34,37-Heptaoxa-1,4,6,18,20,23-hexaazabicyclo[21.8.8]nonatricontane-5,
19-dithione;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        gl alc/w 25°C 95% C          K1=3.07      2004KVa (104352) 425
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.
*****
C27H26O2P2          L                      (6811)
1,2-Bis(2-Diphenylphosphinyl)-1-methylethane;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        con non-aq 25°C 100% U          K1=1.2      1990EAb (104399) 426
For Cs LogK1 < 1. Medium: THF+CHCl3 4:1(vol). Metal as 2,4-dinitrophenola
te.Data also for 1,1-dimethyl,1-hexyl,1-heptyl,1-octyl and 1-decyl analogues
*****
C27H26O3P2          L                      (6812)
1,2-Bis(2-Diphenylphosphinyl)-1-hydroxymethylethane;
(C6H5)2PO.CH(CH2OH)CH2.PO(C6H5)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        con non-aq 25°C 100% U          K1=1.5      1990EAb (104404) 427
Medium: THF+CHCl3 4:1(vol). Metal as 2,4-dinitrophenolate. Data also for
3-hydroxypropyl analogue
*****
C27H26O3P2          L                      (7159)
1,4-Bis(diphenylphosphinyl)-2-oxobutane;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        oth non-aq 25°C 100% U          K1=2.6      1995TEa (104409) 428
Medium: tetrahydrofurane:CHCl3 4:1 (v/v).
Metal ion is used as 2,4-dinitrophenolate.
*****
C28H24N2O4          L                      (5742)
5,6-Benzo-1,10-di(8-quinolyl)-1,4,7,10-tetraoxadecane;
C9H6N.O.C2H4.O.C6H4.O.C2H4.O.C9H6N
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        con non-aq 25°C 100% U          K1=4.6      1989BEa (104678) 429
-----

```

Medium: tetrahydrofuran/CHCl3 4:1 (volume)

\*\*\*\*\*

C28H2406 L TetBz18-Crown-6 CAS 99700-20-6 (6070)  
2,3:8,9:11,12:14,15-Tetrabenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,8,11,14-tetrae  
ne

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 23°C 100% C K1=3.8 1992HGb (104684) 430  
Extraction of metal chloride (A) from aqueous solution into nitrobenzene/  
0.01M Bu4NB(Ph)4. Peak potential voltammetry.

\*\*\*\*\*

C28H2406 L CAS 72011-26-8 (8874)  
2,3:8,9:11,12:17,18-Tetrabenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,8,11,17-tetrae  
ne;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 23°C 100% C K1=3.4 1992HGb (104689) 431  
Extraction of metal chloride (A) from aqueous solution into nitrobenzene/  
0.01M Bu4NB(Ph)4. Peak potential voltammetry.

\*\*\*\*\*

C28H2803P2 L (6815)  
1,5-Bis(diphenylphosphinyl)-3-oxapentane; O(CH2.CH2.PO(C6H5)2)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=4.4 1993EVa (104717) 432  
Medium: THF+CHCl3 (4:1 vol)

Rb+ con non-aq 25°C 100% U K1=2.3 1992BEa (104718) 433  
Medium: THF+CHCl3 (4:1 vol)

\*\*\*\*\*

C28H2804P2 L (7891)  
1,6-Bis(diphenylphosphinyl)-2,5-dioxohexane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C C K1=2.9 1999TEa (104724) 434  
In: tetrahydrofurane/CHCl3 4:1 v/v

\*\*\*\*\*

C28H32N2O6 L (5743)  
1,16-Di(8-quinolyl)-1,4,7,10,13,16-hexaoxahexadecane; C9H6N.O.(C2H4O)5.C9H6N

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=5.6 1989BEa (104752) 435  
Medium: tetrahydrofuran/CHCl3 4:1 (volume)

\*\*\*\*\*

C28H4006 L CAS 29471-17-8 (1262)

2,3:11,12-Bis(4'-tert-butylbenzo)-1,4,7,10,13,16-hexaoxacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con alc/w 25°C 100% U I M K(RbCl+L)=4.07 1979BDa (104849) 436

Medium: MeOH. In DMSO: K(RbClO4+L)=3.35. In MeCN: K(RbBPh4+L)=4.09

\*\*\*\*\*

C28H40O8 L AN(MOEOEOM)2AN (2243)

29,30-Dimethoxy-13,27-dimethyl-3,6,9,17,20,23-hexaoxatricyclo-triconta-1,11,13,15,25,27-hexaene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% U H K(Rb(picrate)+L)=3.77 1979KLa (104860) 437

Medium: CHCl3

\*\*\*\*\*

C28H40O10 L DiBz-30-crown10 CAS 104946-67-0 (1776)

2,3:17,18-Dibenzo-1,4,7,10,13,16,19,22,25,28-decaoxacyclotriaconta-2,17-diene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% C T H K1=4.64 2000SSc (104902) 438

Medium: acetonitrile. Data for 15-45 C. DH(K1)=-33 kJ mol<sup>-1</sup>,

DS(K1)=-21 J K<sup>-1</sup> mol<sup>-1</sup>.

-----  
Rb+ nmr non-aq RT 100% U K1=1.52 1996GMc (104903) 439

Method: 133Cs nmr. Medium: N,N-dimethylformamide

-----  
Rb+ dis oth/un 25°C 0 U K1=4.62 19940Ua (104904) 440  
-----

Rb+ con non-aq 25°C 100% U I K1=5.60 1991ASb (104905) 441

Medium: 1,2-dichloroethane. In nitromethane: K1=5.26; in MeCN: K=4.76;

in acetone: K=4.26

-----  
Rb+ vlt non-aq 25°C 100% U K1=11.1 1990SPa (104906) 442

Medium: 1,2-dichloroethane

\*\*\*\*\*

C28H42O9 L CAS 97583-32-9 (5614)

1,13-Diphenoxy-3,6,9,12,15,18,21-heptaoxatricosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl alc/w 25°C 100% M K1=2.36 1976FAa (104931) 443

\*\*\*\*\*

C28H44O12P2 L (5728)

1,10-Bis(2-(diethoxyphosphinylmethoxy)phenyl)-1,4,7,10-tetraoxadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----



-----  
Rb+ con non-aq 25°C 100% U K1=4.9 1989EVa (104948) 444  
Medium: tetrahydrofuran/CHCl3 4:1 (volume)

\*\*\*\*\*  
C28H52O5 L (2339)  
16,16,18,18,23,23,25,25-Octamethyl-2,5,8,11,14-pentaoxatricyclo(22.4.0.0(15,20))pen  
tacosane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ nmr non-aq 24°C 100% U M K(Rb(picrate)+L)=4.5 1981BEb (105013) 445

Medium: CDCl3  
\*\*\*\*\*  
C28H52O10 L CAS 17455-26-4 (6071)  
2,3:17,18-Dicyclohexyl-1,4,7,10,13,16,19,22,25,28-decaoxacyclotriacontane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sol non-aq 25°C 100% C I K1=4.75 1999KCa (105023) 446  
Medium: acetonitrile. Also K1=4.25 (propylene carbonate), K1=5.09 (i-PrOH)  
K1=5.30 (n-BuOH).

\*\*\*\*\*  
C28H56N6O8S2 L CAS 503465-18-7 (9246)  
4,12,15,23,29,32,37,40-Octaoxa-1,7,9,18,20,26-hexaazabicyclo[24.8.8]dotetracontane-  
8,19-dithione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 95% C K1=4.74 2004KVa (105043) 447  
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

\*\*\*\*\*  
C28H56N6O8S2 L CAS 503465-14-3 (9244)  
9,12,15,18,29,32,37,40-Octaoxa-1,4,6,21,23,26-hexaazabicyclo[24.8.8]dotetradecatriacontane-5,22-dithio

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 95% C K1=3.00 2004KVa (105053) 448  
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

\*\*\*\*\*  
C29H30O3P2 L CAS 176849-77-7 (7160)  
1,6-Bis(diphenylphosphinyl)-2-oxohexane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ oth non-aq 25°C 100% U K1=2.3 1995TEa (105082) 449  
Medium: tetrahydrofurane:CHCl3 4:1 (v/v).  
Metal ion is used as 2,4-dinitrophenolate.

\*\*\*\*\*

C29H3003P2 L CAS 176849-78-8 (7161)  
1,6-Bis(diphenylphosphinyl)-3-oxohexane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ oth non-aq 25°C 100% U K1=2.3 1995TEa (105087) 450  
Medium: tetrahydrofurane:CHCl3 4:1 (v/v).  
Metal ion is used as 2,4-dinitrophenolate.

\*\*\*\*\*  
C29H3004P2 L (7897)  
1,7-Bis(diphenylphosphinyl)-2,6-dioxoheptane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ con non-aq 25°C C K1=3.2 1999TEa (105092) 451  
In: tetrahydrofurane/CHCl3 4:1 v/v

\*\*\*\*\*  
C29H35N05 L CAS 201154-06-5 (7825)  
N-(1-Pyrenylmethyl)-1,4,7,10,13-pentaoxa-16-azacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp mixed 25°C 90% C K(RbSCN+L)=4.18 1997KKa (105104) 452

Method: fluorescence emission. Medium: MeOH/CHCl3 (9:1 v/v).

\*\*\*\*\*  
C29H40N206Cl2 L CAS 181706-77-4 (8627)  
3,18-Dichlorooctahydro-5H,16H-6,15-(ethanoxyethanoxyethano)-dibenzotetraoxaazacyclo  
heneicosine;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ cal non-aq 25°C 100% C H K1=3.92 1998ZBc (105139) 453  
Medium: MeOH. DH(K1)=-35.9 kJ mol<sup>-1</sup>, DS(K1)=-45.3 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*  
C30H30N20010 L CAS 259886-49-2 (8959)  
Cucurbit[5]uril;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sol none 25°C dil C K1=1.01 2001BCf (105219) 454  
Method: dissolution of ligand in a 0.002-0.02 M RbX solution; spectrophoto  
metric measurement. For decamethylcucurbit[5]uril, K1=0.92.

\*\*\*\*\*  
C30H3204P2 L (6816)  
1,8-Bis(diphenylphosphinyl)-3,6-dioxaoctane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ con non-aq 25°C 100% U K1=2.9 1992BEa (105233) 455

Medium: THF+CHCl3 (4:1 vol)

\*\*\*\*\*

C30H32O5P2 L (7892)

1,9-Bis(diphenylphosphinyl)-2,5,8-trioxononane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C C K1=3.5 1999TEa (105238) 456

In: tetrahydrofuran/CHCl3 4:1 v/v

\*\*\*\*\*

C30H36N8O3 Furan-cryptand CAS 121954-37-8 (7451)

39,40,41-Trioxa-1,4,11,14,17,24,29,36-octaazapentacyclo[12.12.12.1.1.1]henLetetraco  
ntadodecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% U K1=2.1 1996AAb (105257) 457

Medium: MeCN

tacyclo[12.12.12.1(6,9).1(19,22).1(31,34)]hentetetraconta-4,6,8....dodecaene

\*\*\*\*\*

C30H36O6 L ANANAN(MOE)20 (2239)

2,3,4,5,6,7,8,9,10-Tri(1,3-(2-methoxy-5-methylbenzo))-12,15,18-trioxacyclooctadeca-  
2,5,8-triene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% U H 1979KLa (105264) 458

K(Rb(picrate)+L)=7.66

Medium: CHCl3

\*\*\*\*\*

C30H38N2O4 L (5828)

Trimethoxyphenylcryptand 3,1.

25,26,27-Trimethoxy-5,10,15-trimethyl-22-oxa-1,19-diazatetra-

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ nmr non-aq 25°C 100% U K1=<7.06 1986CHc (105275) 459

In CDCl3

\*\*\*\*\*

C30H48O13P2 L CAS 112120-14-6 (5729)

1,13-Bis(2-(diethoxyphosphinylmethoxy)phenyl)-1,4,7,10,13-pentaoxatridecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=5.4 1989EVa (105346) 460

Medium: tetrahydrofuran/CHCl3 4:1 (volume)

\*\*\*\*\*

C31H34O4P2 L (7157)

1,9-Bis(diphenylphosphinyl)-3,7-dioxononane;

-----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	oth	non-aq	25°C	100%	U			K1=2.2	1995TEa (105528)	461
Medium: THF:CHCl3 4:1 v/v. Rb as 2,4-dinitrophenolate. Also other similar ligands										
*****										
C32H3605P2		L						CAS 137728-07-5	(6837)	
1,11-Bis(diphenylphosphinyl)-3,6,9-trioxaundecane;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	non-aq	25°C	100%	U			K1=3.5	1992BEa (105648)	462
Medium: THF+CHCl3 (4:1 vol)										
*****										
C32H3606P2		L						(7893)		
1,12-Bis(diphenylphosphinyl)-2,5,8,11-tetraoxododecane;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	non-aq	25°C		C			K1=4.2	1999TEa (105653)	463
In: tetrahydrofuran/CHCl3 4:1 v/v										
*****										
C32H44012P2		L						CAS 112120-16-8	(5738)	
3,4:9,10:15,16-Tribenzo-1,18-di(diethoxyphosphinyl)-2,5,8,11,14,17-hexaoxaoctadeca-3.9.15-triene;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	non-aq	25°C	100%	U			K1=4.7	1989BEa (105779)	464
Medium: tetrahydrofuran/CHCl3 4:1 (volume)										
*****										
C32H46N208Cl2		L						CAS 181706-75-2	(8626)	
3,18-Dichlorododecahydro-5H,16H-6,15-(ethanoxyethanoxyethano)dibenzohehexaoxadiazacyclohexacosine;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	cal	non-aq	25°C	100%	C	H		K1=4.31	1998ZBc (105789)	465
Medium: MeOH. DH(K1)=-46.3 kJ mol <sup>-1</sup> , DS(K1)=-72.8 J K <sup>-1</sup> mol <sup>-1</sup> .										
*****										
C32H52014P2		L						CAS 112120-15-7	(5730)	
1,13-Bis(2-(diethoxyphosphinylmethoxy)phenyl)-1,4,7,10,13,16-hexaoxahexadecane;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	non-aq	25°C	100%	U			K1=5.3	1989Eva (105826)	466
Medium: tetrahydrofuran/CHCl3 4:1 (volume)										
*****										
C32H64N4010		L						CAS 42133-16-4	(8579)	
4,10,13,19,25,28,33,36,41,44-Decaoxa-1,7,16,22-tetraazatricyclo[20.8.8.87,16]hexate										

tracontane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ ISE alc/w 25°C 95% C K1=3.7 1977LSc (105853) 467  
K(RbL+Rb)=3.3

Medium: 95% (w/w) MeOH/H2O, 0.1 M Et4NBr.

\*\*\*\*\*

C32H66N2O4 L 22DD Kryptofix CAS 79495-97-9 (6655)

1,10-Didecyl-1,10-diaza-4,7,13,16-tetraoxacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ cal alc/w 25°C 100% U H 1986BUd (105865) 468

In MeOH. DH=-34.4 kJ mol<sup>-1</sup>

\*\*\*\*\*

C33H41N3O6Cl2 L CAS 181706-78-5 (8628)

3,18-Dichlorohexahydro(ethanoxyethanoxyethano)-23,27-nitrilodibenzotetraoxadiazacyclopentacosine;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ cal non-aq 25°C 100% C H K1=4.03 1998ZBc (105929) 469

Medium: MeOH. DH(K1)=-23.2 kJ mol<sup>-1</sup>, DS(K1)=-0.67 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*

C33H46N2O12 L (7049)

1,4-Diaza-1,4-di(5'-benzo-15-crown-5)-hepta-2,6-dione; CH2(CH2CONH.C14H19O5)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 25°C 100% U K1=8.57 1979KMb (105983) 470

Medium: CHCl3

\*\*\*\*\*

C34H40O6P2 L CAS 137728-08-6 (6838)

1,14-Bis(diphenylphosphinyl)-3,5,8,11-tetraoxatetradecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ con non-aq 25°C 100% U K1=4.4 1992BEa (106046) 471

Medium: THF+CHCl3 (4:1 vol)

\*\*\*\*\*

C34H40O7P2 L (7894)

1,15-Bis(diphenylphosphinyl)-2,5,8,11,14-pentaoxopentadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ con non-aq 25°C C K1=4.6 1999TEa (106053) 472

In: tetrahydrofurane/CHCl3 4:1 v/v

\*\*\*\*\*

C34H42N2O6Cl2 L CAS 181706-79-6 (8629)

3,18-Dichlorooctahydro-5H,16H-6,15-(ethanoxyethanoxyethano)tribenzotetraoxadiazacyc  
lodocosine;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ cal non-aq 25°C 100% C H K1=4.68 1998ZBc (106060) 473  
Medium: MeOH. DH(K1)=-23.7 kJ mol<sup>-1</sup>, DS(K1)=10.1 J K<sup>-1</sup> mol<sup>-1</sup>.  
\*\*\*\*\*  
C34H53O8Br H2L CAS 38784-08-6 (2336)  
5-Bromolasalocid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 100% M H K(Rb+HL)=3.55 1988PJa (106101) 474  
Also used Rb+ sensitive glass electrode. DH = -11.7 kJ mol<sup>-1</sup>; DS = 30  
\*\*\*\*\*  
C34H54O8 H2L Lasalocid CAS 25999-20-6 (2335)  
Lasalocid acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ nmr non-aq 20°C 100% C K(Rb+HL)=1.2 1998MLa (106153) 475  
Medium: CD3OD. Method: 13C nmr.

-----  
Rb+ dis oth/un 25°C 0.0 U K1=1.8 1992LPb (106154) 476

-----  
Rb+ gl alc/w 25°C 100% M H K(Rb+HL)=3.61 1988PJa (106155) 477  
K(Rb+H2L)=1.6  
Medium: MeOH. Also using Rb+ sensitive glass elect. DH=-13.2 kJ mol<sup>-1</sup>; DS=24

-----  
Rb+ gl alc/w 25°C 100% U K(Rb+2HL)=3.39 1982BDc (106156) 478

Medium: MeOH  
\*\*\*\*\*  
C34H68N4O8 L CAS 49811-34-9 (8578)  
10,13,25,28,33,36,41,44-Octaoxa-1,7,16,22-tetraazatricyclo[20.8.8.87,16]hexatetraco  
ntane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ ISE alc/w 25°C 95% C K1=3.5 1977LSc (106183) 479  
K(RbL+Rb)=3.0

Medium: 95% (w/w) MeOH/H2O, 0.1 M Et4NBr.  
\*\*\*\*\*  
C36H32N2O6 L (5744)  
5,6:11,12-Dibenzo-1,16-di(8-quinolyl)-1,4,7,10,13,16-hexaoxahexadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	non-aq	25°C	100%	U			K1=5.4	1989BEa (106222)	480
Medium: tetrahydrofuran/CHCl3 4:1 (volume)										
*****										
C36H36N24O12		L			Cucurbituril			CAS 283175-97-3	(6744)	
Cucurbit[6]uril;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	sol	none	25°C	dil	C			K1=2.98	2001BCf (106273)	481
Method: dissolution of ligand in a 0.002-0.02 M RbX solution; spectrophotometric measurement.										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	cal	mixed	25°C	50%	C	H		K1=2.68	1998BJb (106274)	482
Medium: 50% (v/v) HCOOH/H2O. DH(K1)=-1.5 kJ mol <sup>-1</sup> .										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	sp	none	25°C	0	U			K1=2.61	1994HKa (106275)	483

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	sol	none	25°C	0.0	U			K1=8.82	1992BCa (106276)	484
*****										
C36H40O4S2		L			ANAN(MSM)2ANAN			CAS 1129-04-9	(2240)	
Tetra(1,3-(2-methoxy-5-methylbenzo))-9,18-dithiacyclooctadeca-2,5,12,14-tetraene;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	dis	non-aq	25°C	100%	U	H			1979KLa (106298)	485
K(Rb(picrate)+L)=3.26										
Medium: CHCl3										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
C36H40O6		L			ANANAN(MOM)2ANAN			CAS 1129-07-2	(2238)	
Tetra(1,3-(2-methoxy-5-methylbenzo))-12,18-dioxacyclooctadeca-2,5,8,14-tetraene;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	dis	non-aq	25°C	100%	U	H			1979KLa (106304)	486
K(Rb(picrate)+L)=3.94										
Medium: CHCl3										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
C36H40O6		L			ANAN(MOM)2ANAN			CAS 1129-06-1	(2241)	
Tetra(1,3-(2-methoxy-5-methylbenzo))-9,18-dioxacyclooctadeca-2,5,10,14-tetraene;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	dis	non-aq	25°C	100%	U	H			1979KLa (106309)	487
K(Rb(picrate)+L)=2.91										
Medium: CHCl3										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
C36H44O7P2		L							(5725)	
1,17-Di(diphenylphosphinyl))-3,6,9,12,15-pentaoxaseptadecane;										

Ph2PO.C2H4(O.C2H4)4OC2H4POPh2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	non-aq	25°C	100%	U			K1=4.4	1992BEa (106341)	488
Medium: THF+CHCl3 (4:1 vol)										
*****										
C36H44O8P2		L						(7895)		
1,18-Bis(diphenylphosphinyl)-hexaoxooctadecane;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	non-aq	25°C		C			K1=5.2	1999TEa (106347)	489
In: tetrahydrofuran/CHCl3 4:1 v/v										
*****										
C36H48N2O6		L						CAS 101695-36-7	(5826)	
Trimethoxyphenylcryptand 3,2,1. 33,34,35-Trimethoxy-5,10,15-trimethyl-22,25,30-trioxa-1,19-diaza-										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	nmr	non-aq	25°C	100%	U			K1=14.96	1986CHc (106381)	490
In CDCl3										
*****										
C36H56O6		L						CAS 54535-81-8	(1263)	
2,3:11,12-Bis(3',5'-di-tert-butylbenzo)-1,4,7,10,13,16-hexaoxacyclooctadecane;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	alc/w	25°C	100%	U	I M			1979BDa (106438)	491
K(RbCl+L)=3.23										
Medium: MeOH. In DMSO: K(RbClO4+L)=3.30. In MeCN: K(RbBPh4+L)=4.10										
*****										
C36H62O11		HL						CAS 17090-79-8	(737)	
Monensin, 1,6-dioxaspiro[4,5]decane derivative;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	con	non-aq	25°C	100%	C	H		K1=2.23	1997PBb (106532)	492
Medium: acetonitrile. Additional method: potentiometry with ISE. By calorimetry, DH(K1)=-8 kJ mol-1, DS(K1)=15 J K-1 mol-1.										
Rb+	ISE	alc/w	25°C	100%	M			K1=4.28	1984CTa (106533)	493
Medium: MeOH										
Rb+	ISE	non-aq	25°C	100%	M			K1=6.23	1984CTa (106534)	494
Medium: N,N-dimethylformamide. In DMSO K1=4.32										
Rb+	ISE	alc/w	25°C	100%	U			K1=6.23	1984CTb (106535)	495
Medium: EtOH										



-----  
Rb+ gl alc/w 25°C 100% U K1=4.58 1978HPa (106536) 496  
\*\*\*\*\*  
C37H54N2O14 L (7050)  
1,4-Diaza-1,4-di(5'-benzo-18-crown-6)-hepta-2,6-dione; CH2(CH2CONH.C16H23O6)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% U K1=7.79 1979KMb (106634) 497  
Medium: CHCl3  
\*\*\*\*\*  
C38H32O3P2 L (6804)  
1,3-Bis(2-Diphenylphosphinylphenyl)-2-oxapropane; O(CH2.C6H4(PO.(C6H5)2)  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=2.9 1993BEb (106645) 498  
Medium: THF+CHCl3 4:1(vol)  
\*\*\*\*\*  
C38H32O4P2 L (1320)  
1,4-Di(2-diphenylphosphinylphenyl)-1,4-dioxabutane;  
Ph2PO.C6H4.O.CH2.CH2.O.C6H4.P(O)Ph2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=3.3 1991EBa (106651) 499  
Medium: THF+CHCl3 4:1(vol)  
\*\*\*\*\*  
C38H40O6P2 L (6833)  
1,2-Bis(2-(2-(diphenylphosphinyl)ethoxy)ethoxy)benzene;  
C6H4(OCH2CH2OCH2CH2PO(C6H5)2)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=4.1 1993EVa (106662) 500  
Medium: THF+CHCl3 (4:1 vol). Also data for other solvents  
\*\*\*\*\*  
C38H48O8P2 L CAS 145864-37-5 (6839)  
1,20-Bis(diphenylphosphinyl)-3,5,8,11,14,17-hexaoxaicosane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=5.0 1992BEa (106683) 501  
Medium: THF+CHCl3 (4:1 vol)  
\*\*\*\*\*  
C38H48O9P2 L (7896)  
1,21-Bis(diphenylphosphinyl)-2,5,8,11,14,17,20-heptaoheneicosane;  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C C K1=5.0 1999TEa (106688) 502  
In: tetrahydrofuran/CHCl3 4:1 v/v

\*\*\*\*\*  
C38H52N2O7 L CAS 101671-93-6 (5827)  
Trimethoxyphenylcryptand 3,2,2.  
36,37,38-Trimethoxy-5,10,15-trimethyl-22,25,30,33-tetraoxa-1,19-

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ nmr non-aq 25°C 100% U K1=14.89 1986CHc (106693) 503  
In CDCl3

\*\*\*\*\*  
C39H50N2O16 L CAS 332843-42-2 (8210)  
19,19'-(1,3-Propandiy1)bis(1,4,7,10,13,16-hexaoxacyclooctadecino[2,3]isoindole-18,2  
0-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% C K1=3.1 20010Ya (106723) 504  
Medium: methanol. For the 1,4-butanediyl- derivative, K1=3.2

\*\*\*\*\*  
C40H36O4P2 L (6805)  
1,6-Bis(2-Diphenylphosphinylphenyl)-2,5-dioxahexane; (CH2.O.CH2.C6H4.(PO(6H5)2)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=2.9 1993BEb (106736) 505  
Medium: THF+CHCl3 4:1(vol)

\*\*\*\*\*  
C40H36O5P2 L CAS 86341-96-0 (5724)  
1,7-Di(2-diphenylphosphinyl)phenyl-1,4,7-trioxaheptane; Ph2PO.C6H4.O.C2H4.O.C2H4.O.C  
6H4.POPh2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=3.6 1991EBa (106748) 506  
Medium: THF+CHCl3 4:1(vol). Data also for 1,4,7,10-tetraoxa,1,4,7,10,13-pent  
aoxa and 1,4,7,10,13,16-hexaoxa and 4-tributyl analogues

\*\*\*\*\*  
C40H46O7 L CAS 177723-37-4 (8912)  
25,27-Diethoxycalix[4]arenecrown-5, 1,3-alternate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 22°C 100% C M K(RbA+L(org))=RbAL(org))=9.29 1996CPa (106774) 507

Medium: CHCl3 saturated with H2O. Method: extraction of RbA into CHCl3/L  
solution. HA is picric acid. For the cone conformation, K=4.88.

\*\*\*\*\*  
C40H46O8 L CAS 161282-95-7 (8680)

25,27-Dimethoxycalix[4]arene-crown-6;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp non-aq 25°C 100% C          K1=3.18      1995CUa (106779) 508
Medium: methanol, 0.01 M Et4NCl.
```

```
*****
C40H48O8          L      AN2DP(OEOEO)2E      (2235)
3,4,5,6-Bis(3-methyl-5-(2-methoxy-5-methylbenzo))-2,7,10,13,16,19-hexaoxacyclodoco
a-3,5-diene;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        dis non-aq 25°C 100% U   H          K(Rb(picrate))+L=6.28      1979KLa (106798) 509
Medium: CHCl3
```

```
*****
C40H50N2O10      L          CAS 143902-45-8 (8935)
Decamethylcucurbit[5]uril;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        cal mixed 25°C 50% C   H      K1=2.36      2000ZKb (106812) 510
Medium: 50% v/v formic acid/H2O. DH(K1)=-12.5 kJ mol-1, DS(K1)=3.4 J K-1
mol-1.
```

```
*****
C40H52N4O4          L          CAS 205066-94-0 (8760)
Tetraphenyl-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraethanol;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        ISE non-aq 25°C 100% C          K1=3.57      1998WLC (106825) 511
Medium: DMF, 0.05 M Et4NClO4.
```

```
*****
C40H52O14P2      L          CAS 127832-94-4 (5740)
2,3:9,10:15,16:21-Tetrabenzo-1,24-di(diethoxyphosphinyl)-2,5,8,11,14,17,20,23-octao
xatetracosane;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        con non-aq 25°C 100% U          K1=5.3      1989BEa (106830) 512
Medium: tetrahydrofuran/CHCl3 4:1 (volume)
```

```
*****
C40H60N2O10      n L          CAS 84993-07-7 (667)
15,15'-Decamethylenedinitrilodimethylidyne-bis-(octahydro-1,4,7,10,13-benzopentaoxa
cyclopentadeci
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        kin alc/w 23°C 100% U          K1=4.68      1982HLC (106833) 513
```

Medium: MeOH. Data also for nonamethylene(K=4.57) and tetramethylene(K=4.65) analogues

\*\*\*\*\*

C40H64O12                    L        Nonactin                    CAS 6833-84-7 (4179)  
Nonactin

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----

Rb+            sp non-aq 25°C 100% C            K1=4.15            1977CEb (106858) 514  
Method: temperature jump relaxation. Medium: MeOH.

-----  
Rb+            vlt non-aq 22°C 100% U            K1=3.87            1974RKd (106859) 515  
Medium: 0.025 NBu4ClO4 in CH3CN

-----  
Rb+            oth alc/w 30°C 100% U            K1=3.52            1973ZFa (106860) 516  
Method: vapour pressure osmometry. Medium: methanol.

\*\*\*\*\*

C41H42O6                    L                    CAS 151832-07-4 (6874)  
9-(Dimethylethyl)-29,30,31,32,33-pentamethoxy-23-oxahexacyclotritriacontapentadecane;

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----

Rb+            dis non-aq 25°C 100% U                                    1993HSa (106874) 517  
K(Pb(picrate)+L)=5.83

Medium: CDCl3

\*\*\*\*\*

C41H66O12                    L        Monactin                    CAS 7182-54-9 (4180)  
Monactin

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----

Rb+            sp non-aq 25°C 100% C            K1=4.38            1977CEb (106897) 518  
Method: temperature jump relaxation. Medium: MeOH.

-----  
Rb+            oth alc/w 30°C 100% U            K1=3.52            1973ZFa (106898) 519  
Method: vapour pressure osmometry. Medium: MeOH

\*\*\*\*\*

C42H40O4P2                    L                    (7153)  
1,2-Bis(2-(2-(diphenylphosphinyl)ethyl)phenoxy)ethane

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo  
-----

Rb+            oth non-aq 25°C 100% U            K1=2.1            1995TEa (106914) 520  
Medium: THF:CHCl3 4:1 v/v. Rb as 2,4-dinitrophenolate

\*\*\*\*\*

C42H40O4P2                    L                    (6809)  
1,6-Bis(2-Diphenylphosphinylphenyl)-3,4-dimethyl-2,5-dioxahexane;

-----  
Metal            Mtd Medium Temp Conc Cal Flags Lg K values            Reference ExptNo

-----  
Rb+ con non-aq 25°C 100% U K1=2.7 1993BEb (106919) 521  
Medium: THF+CHCl3 4:1(vol)

\*\*\*\*\*  
C42H40O5P2 L CAS 163172-12-6 (2080)  
Bis((2-diphenylphosphinylmethyl)phenyl)diethyleneglycol ether;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=3.4 1993BEb (106931) 522  
Medium: THF+CHCl3 4:1(vol)

\*\*\*\*\*  
C42H50O7 L CAS 177723-38-5 (8793)  
1,3-Diisopropoxycalix[4]arene-crown-5, 1,3-alternate;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% C K1=6.6 2000PBa (106955) 523  
Medium: MeOH.

-----  
Rb+ dis non-aq 22°C 100% C M 1996CPa (106956) 524  
K(RbA+L(org))=RbAL(org))=9.41

Medium: CHCl3 saturated with H2O. Method: extraction of RbA into CHCl3/L  
solution. HA is picric acid. For the cone conformation, K=<4.

\*\*\*\*\*  
C42H68O12 L CAS 20261-85-2 (5373)  
Dinactin;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% C K1=4.62 1977CEb (106987) 525  
Method: temperature jump relaxation. Medium: MeOH.

-----  
Rb+ oth alc/w 30°C 100% U K1=3.62 1973ZFa (106988) 526  
Method: vapour pressure osmometry. Medium: MeOH

\*\*\*\*\*  
C43H42O4P2 L (7156)  
1,3-Bis((2-diphenylphosphinyl)phenoxy)propane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ oth non-aq 25°C 100% U K1=2.2 1995TEa (107002) 527  
Medium: THF:CHCl3 4:1 v/v. Rb as 2,4-dinitrophenolate. Also other si  
milar ligands

\*\*\*\*\*  
C43H70O12 L CAS 7561-71-9 (5374)  
Trinactin;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ oth alc/w 30°C 100% U K1=3.85 1973ZFa (107034) 528  
Method: vapour pressure osmometry. Medium: MeOH

\*\*\*\*\*

C44H36O4P2 L (6810)  
1,2-Bis(2-Diphenylphosphinylphenylmethoxy)benzene; C6H4(OCH2.C6H4(PO(C6H5)2)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=2.2 1993BEb (107093) 529  
Medium: THF+CHCl3 4:1(vol)

\*\*\*\*\*

C44H42O6P2 L (6806)  
1,12-Bis(2-Diphenylphosphinylphenyl)-2,5,8,11-tetraoxadodecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=4.2 1993BEb (107112) 530  
Medium: THF+CHCl3 4:1(vol)

\*\*\*\*\*

C44H44O5P2 L (5733)  
1,7-Di(2-(diphenylphosphinylethyl)phenyl)-1,4,7-trioxaheptane;  
(Ph2PO.C2H2.C6H4.OC2H4)2O

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ oth non-aq 25°C 100% U K1=2.0 1995TEa (107123) 531  
Medium: THF:CHCl3 4:1 v/v. Rb as 2,4-dinitrophenolate

\*\*\*\*\*

C44H50N2O10 H2L CAS 329183-28-0 (8807)  
25,27-Bis(carboxymethoxy)-26,28-bis[(N,N-diethylaminocarbonyl)methoxy]calix[4]arene  
;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl non-aq 25°C 100% C K1=4.23 2000ABb (107146) 532  
B(Rb2L)=7.44

Medium: MeOH, 0.05 M Et4NClO4.

\*\*\*\*\*

C44H52N4O8 L CAS 246035-33-6 (2925)  
25,27-Bis(N,N-diethylaminocarbonylmethoxy)-26,28-bis(aminocarbonylmethoxy)calix[4]a  
rene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% C K1=3.6 1999USa (107161) 533  
Medium: MeOH, 0.10 M Et4NCl

\*\*\*\*\*

C44H52O10 L CAS 163317-54-2 (9089)  
1,3-Calix[4]-bis-crown-5;

-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ sp non-aq 25°C 100% C IH K1=4.61 1996AAe (107167) 534  
Medium: acetonitrile. By calorimetry, DH(K1)= -57 kJ mol<sup>-1</sup>, DS(K1)=-104  
J K<sup>-1</sup> mol<sup>-1</sup>. In 100% MeOH, K1=4.8, DH(K1)=-61, DS(K1)=-114.

\*\*\*\*\*

C44H54O8 L CAS 162989-76-6 (8794)  
1,3-Diisopropoxycalix[4]arene-crown-6, 1,3-alternate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ sp non-aq 25°C 100% C K1=5.8 2000PBa (107172) 535  
Medium: MeOH.

\*\*\*\*\*

C44H54O8 L CAS 161282-98-0 (8679)  
25,27-Bis(1-propyloxy)calix[4]arene-crown-6, 1,3-alternate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ EMF non-aq 25°C 100% C K1=5.96 1995CUa (107178) 536  
Medium: methanol, 0.01 M Et4NClO4. Method: Ag-competitive potentiometry.

\*\*\*\*\*

C44H54O8 L CAS 161282-96-8 (8678)  
25,27-Bis(2-propyloxy)calix[4]arene-crown-6, 1,3-alternate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ EMF non-aq 25°C 100% C H K1=5.93 1995CUa (107184) 537  
Medium: methanol, 0.01 M Et4NClO4. Method: Ag-competitive potentiometry.  
By calorimetry, DH(K1)=-40 kJ mol<sup>-1</sup>, DS(K1)=-21 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*

C44H72N4O8 L CAS 61894-23-3 (8580)  
7,16:25,34-Bis(ethanoxyethanoxyethano)dibenzo[1,4,17,20,7,14,23,30]tetraoxatetraaza  
cyclodotriac..

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ kin alc/w 25°C 95% C K1=3.0 1977LSc (107195) 538  
K(RbL+Rb)=2.8

Medium: 90% (w/w) MeOH/H2O, 0.1 M Et4NBr. In H2O, K1=ca.1.5.

\*\*\*\*\*

C46H40O6P2 L (6814)  
1,2-Bis((2-(2-diphenylphosphinyl)phenoxy)ethoxy)benzene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ con non-aq 25°C 100% U K1=4.4 1991EBa (107243) 539  
Solvent : Tetrahydrofurane + CHCl3 4:1(vol)

\*\*\*\*\*

C46H46N2O4 L CAS 185118-12-1 (7824)

N,N'-Bis(1-pyrenylmethyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp mixed 25°C 90% C K(RbSCN+L)=2.54 1997KKa (107253) 540

Method: fluorescence emission. Medium: MeOH/CHCl3 (9:1 v/v).

\*\*\*\*\*  
C46H46O7P2 L (6807)

1,15-Bis(2-Diphenylphosphinylphenyl)-2,5,8,11,14-pentaoxapentadecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=4.5 1993BEb (107262) 541

Medium: THF+CHCl3 4:1(vol)

\*\*\*\*\*  
C46H48O6P2 L (7155)

1,8-Bis(2-(2-(diphenylphosphinyl)ethyl)phenoxy)-3,6-dioxyoctane

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ oth non-aq 25°C 100% U K1=2.5 1995TEa (107273) 542

Medium: THF:CHCl3 4:1 v/v. Rb as 2,4-dinitrophenolate. Also other similar ligands

\*\*\*\*\*  
C48H50O8P2 L (6808)

1,18-Bis(2-Diphenylphosphinylphenyl)-2,5,8,11,14,17-hexaoxananododecane;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ con non-aq 25°C 100% U K1=5.0 1993BEb (107367) 543

Medium: THF+CHCl3 4:1(vol)

\*\*\*\*\*  
C48H60O8 H2L R-Bu-Calixarene CAS 147513-53-9 (6705)

4-tert-Butylcalix[4]arenedicarboxylic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl alc/w 25°C 100% C K1=5.2 1993ABb (107406) 544

B(Rb2L)=8.98

B(RbHL)=12.85

Medium: MeOH, 0.01 M Et4NClO4. Data also for di-tert-butyl ester

\*\*\*\*\*  
C48H60O12 L CAS 157769-14-7 (9090)

1,3-Calix[4]-bis-crown-6;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% C IH K1=4.41 1996AAe (107413) 545

Medium: acetonitrile. By calorimetry, DH(K1)=-25.2 kJ mol<sup>-1</sup>, DS(K1)=0



J K-1 mol-1. In 100% MeOH, K1=4.3, DH(K1)=-52, DS(K1)=-92.

\*\*\*\*\*

C48H60O16 H4L (8251)

5,11,17,23-Tetrahydroxycalix[4]arene-bis(crown-6);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 25°C 100% C K1=5.45 2001PCa (107417) 546  
Medium: methanol

\*\*\*\*\*

C52H64O12 H4L R-Bu-Calixarene CAS 113215-72-8 (6704)

5,11,17,23-Tetra-(t-butyl)-25,26,27,28-tetrakis[(hydroxycarbonyl)methoxy]calix[4]arene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ gl alc/w 25°C 100% C K1=7.72 1993ABb (107493) 547  
B(RbHL)=18.38  
B(RbH2L)=27.76  
B(RbH3L)=35.93

In methanol; 0.01 M (CH3CH2)4NC1O4

\*\*\*\*\*

C52H68N4O8 CAS 150588-24-2 (3074)

25,26,27,28-Tetrakis-(N,N-diethylaminocarbonylmethoxy)calix[4]arene; L

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 25°C 100% C H K1=2.0 1999USa (107501) 548  
Medium: MeOH, 0.10 M Et4NCl. By calorimetry: DH(K1)=-27 kJ mol-1.

\*\*\*\*\*

C52H68N4O8 L (4823)

25,27-Bis(N,N-diethylaminocarbonylmethoxy)-26,28-bis(N-butylaminocarbonylmethoxy)calix[4]arene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 25°C 100% C K1=<1 1999USa (107510) 549  
Medium: MeOH, 0.10 M Et4NCl

\*\*\*\*\*

C52H72O6 L (9263)

5,11,17,23-Tetra(t-butyl)-25,27-dimethoxy-26,28-dimethoxyethoxycalix[4]arene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 25°C 100% C K1=3.25 2004BCb (107528) 550  
Medium: acetonitrile, 0.01 M Et4NClO4.

\*\*\*\*\*

C54H74O7 L (7302)

25,27-Dimethoxy-4-tert-butylcalix[4]arene-crown-5;

-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ dis non-aq 22°C 100% U K1=8.04 1996SCa (107544) 551

Medium: CHCl3 saturated with H2O

Data also for other substituted t-butylcalix[4]arene-crown-5 analogues

\*\*\*\*\*

C54H90N6O18 L Valinomycin CAS 2001-95-8 (2142)

Valinomycin, Potassium Ionophore

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ dis non-aq 25°C 100% C K1=11.7 1997DMc (107560) 552

Competitive extraction of Rb and 134Cs from H2O into nitrobenzene:

Rb+C<sub>s</sub>L(org)=RbL(org)+C<sub>s</sub>. K1 is in nitrobenzene.

Rb+ dis non-aq 22°C 100% C M 1996CPa (107561) 553

K(RbA+L(org)=RbAL(org))=9.83

Medium: CHCl3 saturated with H2O. Method: extraction of RbA into CHCl3/L solution. HA is picric acid.

Rb+ sp alc/w 25°C 100% U K1=4.81 1972FEb (107562) 554

Medium: methanol/0.1M tetrabutyl-ammonium-perchlorate

\*\*\*\*\*

C56H60O12 L CAS 157769-17-0 (9091)

1,3-Calix[4]-bis-benzo-crown-6;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ sp non-aq 25°C 100% C H K1=4.39 1996AAe (107580) 555

Medium: acetonitrile. By calorimetry, DH(K1)=-12.6 kJ mol<sup>-1</sup>, DS(K1)=42

J K-1 mol<sup>-1</sup>.

\*\*\*\*\*

C56H72O8 L CAS 123311-74-0 (6160)

Tetramethyl-t-butylcalix[4]arenetetraetone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ sp alc/w 25°C 100% U I K1=3.6 1989ACb (107600) 556

Medium: MeOH. In CH3CN, K1=1.7

\*\*\*\*\*

C56H72O12 L (8751)

Tetramethyl-4-t-Butylcalix[4]arenetetraethanoate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rb+ EMF non-aq 25°C 100% C IH K1=2.25 1995DGa (107604) 557

Medium: acetonitrile, 0.05 M Et4NClO4. Competitive method: Ag/Ag+

electrode. DH(K1)=-9.89 kJ mol<sup>-1</sup>, DS=-9.9. Also data in benzonitrile.

\*\*\*\*\*

C56H78O8 L CAS 122356-76-7 (8681)

Tetra-tert-butyl-1,3-dimethoxycalix[4]arene-crown-6;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp non-aq 25°C 100% C          K1=3.5        1995CUa (107609) 558
Medium: methanol, 0.01 M Et4NCl.
```

```
*****
C56H80O8          L                      (9259)
5,11,17,23-Tetra(t-butyl)-25,26,27,28-tetramethoxyethoxycalix[4]arene;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp non-aq 25°C 100% C H      K1=3.32        2004BCb (107616) 559
Medium: acetonitrile, 0.01 M Et4NClO4. By calorimetry: DH(K1)=-24.8
kJ mol-1, DS(K1)=-19.6 J K-1 mol-1.
```

```
*****
C58H78O11        HL                      CAS 465527-74-6 (9287)
7,13,19,25-Tetra-t-butyl-28-methoxy-27,29,30-triethylacetate-2,3-dihomo-3-oxacalix[4]arene;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp alc/w 25°C 100% C          K1=2.7        2001MAa (107625) 560
Medium: MeOH, 0.01 M Et4NCl.
```

```
*****
C58H80O10        L                      (9264)
5,11,17,23-Tetra-t-butyl-25,27-di(2-methoxyethoxy)-26,28-di(ethylacetate)calix[4]arene;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp non-aq 25°C 100% C H      K1=2.92        2004BCb (107634) 561
Medium: acetonitrile, 0.01 M Et4NClO4. DH(K1)=-17.9 kJ mol-1,
DS(K1)=-4.2 J K-1 mol-1.
```

```
*****
C60H80O12        L                      CAS 97600-39-0 (6158)
Tetraethyl-4-t-butylcalix[4]arenetetraethanoate;
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        EMF non-aq 25°C 100% C H      K1=2.05        1995DGa (107659) 562
Medium: acetonitrile, 0.05 M Et4NClO4. Competitive method: Ag/Ag+
electrode. DH(K1)=-23.3 kJ mol-1, DS=-39. Also data for tetrabutyl deriv.
```

```
-----
Rb+        sp alc/w 25°C 100% U I      K1=3.1        1989ACb (107660) 563
Medium: MeOH. In CH3CN, K1=1.9
```

```
*****
C60H82N2O10      L                      CAS 155377-20-1 (8806)
5,11,17,23-Tetra-butyl-25,27-bis(carboxymethoxy)-bis[(N,N-diethylaminocarbonyl)methoxy]calix[4]arene;
```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        gl  non-aq 25°C 100% C          K1=3.78      2000ABb (107669) 564
          B(Rb2L)=7.13

```

Medium: MeOH, 0.05 M Et4NClO4.

```

*****
C60H84N4O8          L          CAS 246035-32-5 (2735)
25,27-Bis(N,N-diethylaminocarbonylmethoxy)-26,28-bis(aminocarbonylmethoxy)-t-butylc
alix[4]arene;

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp  non-aq 25°C 100% C          K1=<1        1999USa (107682) 565

```

Medium: MeOH, 0.10 M Et4NCl

```

*****
C62H84O14          L          CAS 135581-11-2 (8630)
9,23-Dioxpentacyclo[23.3.1.13,7.111.15.117.21]dotriacontane, ethanoic acid
derivative;

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp  non-aq 25°C 100% C          K1=3.9        1991ACc (107697) 566

```

Medium: acetonitrile, 0.01 M Et4NClO4.

```

*****
C64H60O12          L          CAS 211870-40-5 (4258)
Calix[4]arene-bis(dibenzo)crown-6;

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp  non-aq 25°C 100% C  H      K1=5.5        1999LDa (107737) 567
          B(Rb2L)=9.4

```

Medium: acetonitrile, 0.01 M Et4NClO4

By calorimetry, DH(K1)=-22.7 kJ mol<sup>-1</sup>, DH(Rb2L)=-46.1 kJ mol<sup>-1</sup>

```

*****
C64H62O6P4          L          (6813)
1,2-Bis(4,5-di(diphenylphosphinyl)-pent-1-oxy)benzene;

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        con non-aq 25°C 100% U          K1=2.7        1990EAb (107742) 568

```

Medium: THF+CHCl3 4:1(vol). Metal as 2,4-dinitrophenolate

```

*****
C64H64O12          L          CAS 162898-44-4 (9092)
1,3-Calix[4]-bis-naphtho-crown-6;

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp  non-aq 25°C 100% C  H      K1=4.4        1996AAe (107747) 569

```

Medium: acetonitrile. By calorimetry, DH(K1)=-12.5 kJ mol<sup>-1</sup>, DS(K1)=42

J K-1 mol<sup>-1</sup>.

\*\*\*\*\*

C64H86O7 L CAS 182684-17-9 (7455)

4-tert-Butylcalix[5]crown-4 trimethylester;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp alc/w 25°C 100% U H K1=3.03 1996AAc (107771) 570

Medium MeOH, 0.1M Et4NCl. DH(K1)=-15.7 kJ mol<sup>-1</sup>, DS=5 J K-1 mol<sup>-1</sup>.

Data also for the crown-5 and crown-6 analogues

\*\*\*\*\*

C66H80O8 L (9261)

5,11,17,23-Tetra(t-butyl)-25,27-diethoxycarbonylmethoxy-26,28-diphenylmethoxycalix[4]arene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% C K1=2.97 2004BCb (107779) 571

Medium: acetonitrile, 0.01 M Et4NClO4.

\*\*\*\*\*

C68H76N4O4 L CAS 123207-92-1 (7812)

5,11,17,23-Tetra-t-butyl-[25,26,27,28-tetrakis(2-pyridylmethyl)oxy]calix(4)arene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF non-aq 25°C 100% C IH K1=2.67 1999DCa (107787) 572

Medium: acetonitrile, 0.05 M Bu4NClO4. Method: by competition with Ag+.

By calorimetry: K1=2.48, DH(K1)=-15.50 kJ mol<sup>-1</sup>, DS(K1)=-2.7 J K-1 mol<sup>-1</sup>.

\*\*\*\*\*

C68H92N4O8 L CAS 133801-01-1 (7184)

4-tert-Butylcalix[4]arene tetrapyrrolidinylamide;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U H 1995ABc (107793) 573

Medium: 100% Methanol. DH(K1)=-11 kJ mol<sup>-1</sup>, DS(K1)=20 J K-1 mol<sup>-1</sup>.

\*\*\*\*\*

C68H96O8 L (6161)

Tetra-t-butyl-4-t-butylcalix[4]arenetetraketone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp alc/w 25°C 100% U K1=1.6 1989ACb (107797) 574

Medium: MeOH, 0.1 M Et4NCl

\*\*\*\*\*

C68H100N4O8 L CAS 246035-35-8 (3034)

25,27-Bis(N,N-diethylaminocarbonylmethoxy)-26,28-bis(N-butylaminocarbonylmethoxy)-t-butylcalix[4]

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

-----  
Rb+ sp non-aq 25°C 100% C K1=<1 1999USa (107807) 575  
Medium: MeOH, 0.10 M Et4NCl

\*\*\*\*\*  
C68H100N4O8 L CAS 114155-16-7 (7183)  
4-tert-Butylcalix[4]arene tetradiethylacetamide;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ cal alc/w 25°C 100% U IH 1995ABc (107820) 576  
Medium: 100% Methanol. DH(K1)=-17.5 kJ mol<sup>-1</sup>, DS(K1)=13 J K<sup>-1</sup> mol<sup>-1</sup>.  
In acetonitrile, K1=5.7, DH(K1)=-37.2 kJ mol<sup>-1</sup>, DS(K1)=-17 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*  
C69H102N4O9 L CAS 116352-85-3 (9286)  
para-t-Butyldihomooxalix[4]arene tetra(diethyl)amide;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp alc/w 25°C 100% C K1=4.8 2004Mfa (107839) 577  
Medium: MeOH, 0.01 M Et4NCl.

\*\*\*\*\*  
C73H88O7 L Calixspherand CAS 154747-96-3 (7186)  
2,26,31,41-Tetrakis(1,1-dimethylethyl)-45-ethoxy-35,38,44,46-tetramethoxy-9,14,19-t  
rimethylcalix-

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ kin mixed 25°C 0 U 1994BHb (107854) 578  
K(RbX+L)=9.64

Medium: CDCl<sub>3</sub>, saturated with H<sub>2</sub>O. X=picrate Data also for 2 analogues  
calixspherands

\*\*\*\*\*  
C75H100O15 L CAS 152495-34-6 (7033)  
Penta-tert-butylpentakis(ethoxycarbonylmethoxy)calix[5]arene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ EMF alc/w 25°C 100% U K1=5.6 1993Bma (107862) 579  
Medium: MeOH, 0.1 M Et4NClO<sub>4</sub>.

\*\*\*\*\*  
C76H80O8 L (6162)  
5,11,17,23-Tetra-t-butyl-25,26,27,28-tetra(benzoyl)methoxycalix[4]arene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% U K1=4.5 1989ACb (107874) 580  
Medium: CH<sub>3</sub>CN

\*\*\*\*\*  
C77H82O9 L CAS 253317-20-3 (9288)  
p-Tert-butyldihomooxalix[4]arene tetraphenylketone;

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp alc/w 25°C 100% C I      K1=3.7      1999MAb (107896) 581
Medium: MeOH, 0.01 M Et4NCl. In acetonitrile, K1=3.9.
*****
C78H90O10P2          L                      CAS 160638-26-6 (9130)
5,11,17,23-Tetra-t-butyl-bis(diethylcarbamoylethoxy)-bis(diphenylphosphinoylmethoxy)calix[4]arene
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp alc/w 20°C 100% C      K1=3.02      2003YVa (107902) 582
Medium: 100% EtOH, 0.01 M Et4NBr. Ligand is cone isomer. For paco isomer,
K=3.71. Also data for bis(diethyl ester) analogues.
*****
C80H112O24          L                      CAS 175349-59-4 (7498)
C-Heptylcalix[4]resorcinarene octa-alpha-(methyl ethanoate);
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        dis non-aq 25°C 100% U      K=4.07      1995FDa (107906) 583
Medium: CDCl3. Method: by H2O/CDCl3 extraction of picrate salt.
K: MA(org)+L(org)=MLA(org) where A=picrate.
*****
C85H80O15          L                      CAS 269057-77-4 (3302)
5,11,17,23,29-Pentabenzylcalix[5]arene-31,32,33,34,35-pentaethanoate pentamethyl
ester;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp non-aq 25°C 100% C I      K1=5.5      2000AAa (107913) 584
Medium: methanol, 0.01 M Et4NCl. Also data for acetonitrile, 0.01 M Et4NCl
and for the pentaethyl ester.
*****
C85H120O15          L                      CAS 152495-35-7 (7034)
Penta-tert-butylpentakis(tert-butoxycarbonylmethoxy)calix[5]arene;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        EMF alc/w 25°C 100% U      K1=5.8      1993BMa (107919) 585
Medium: MeOH, 0.1 M Et4NClO4.
*****
C88H78N2O12          L                      CAS 351183-45-4 (8252)
1,3-Calix[4]bis(10-cyano-9-anthrylmethyl-o-benzocrown-6);
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Rb+        sp mixed 25°C 50% C      K1=6.3      2001JDa (107923) 586
-----

```

$$K(\text{RbL}+\text{Rb})=3.9$$

Medium: 50% v/v CH<sub>2</sub>Cl<sub>2</sub>/MeOH, 0.01 M benzyl(trimethyl)ammonium hydroxide.

Method: fluorescence spectroscopy.

\*\*\*\*\*

C90H120O18 L CAS 92003-62-8 (6159)  
Hexaethyl-4-t-butylcalix[6]arenehexaethanoate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	cal	non-aq	25°C	100%	C			K1=4.77	1997DZa (107946)	587

Medium: benzonitrile. DH(K1)=-29.66 kJ mol<sup>-1</sup>, DS(K1)=-8.2 J K<sup>-1</sup> mol<sup>-1</sup>.

Rb+	sp	non-aq	25°C	100%	U	I		K1=4.8	1989ACb (107947)	588
-----	----	--------	------	------	---	---	--	--------	------------------	-----

Medium: CH<sub>3</sub>CN

\*\*\*\*\*

C90H130O15 L CAS 269057-78-5 (3334)  
5,11,17,23,29-Penta-tert-octylcalix[5]arene-31,32,33,34,35-pentaethanoate  
pentamethyl ester;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	sp	non-aq	25°C	100%	C	I		K1=5.7	2000AAa (107953)	589

Medium: methanol, 0.01 M Et<sub>4</sub>NCl. By potentiometry, K<sub>1</sub>=5.7.  
Also data for acetonitrile, 0.01 M Et<sub>4</sub>NCl<sub>04</sub> and for the pentaethyl ester.

\*\*\*\*\*

C96H144O24 L CAS 169888-22-6 (7534)  
C-Undecylcalix[4]resorcinarene octa-alpha-(methyl ethanoate);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	dis	non-aq	25°C	100%	U			K=4.10	1995FDa (107969)	590

Medium: CDCl<sub>3</sub>. Method: by H<sub>2</sub>O/CDCl<sub>3</sub> extraction of picrate salt.

K: MA(org)+L(org)=MLA(org) where A=picrate.

\*\*\*\*\*

C104H160O24 L CAS 175349-60-7 (7494)  
C-Heptylcalix[4]resorcinarene octa-alpha-(tert-butyl ethanoate);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rb+	dis	non-aq	25°C	100%	U			K=4.57	1995FDa (107980)	591

Medium: CDCl<sub>3</sub>. Method: by H<sub>2</sub>O/CDCl<sub>3</sub> extraction of picrate salt.

K: MA(org)+L(org)=MLA(org) where A=picrate.

\*\*\*\*\*

C104H168N8O16 L CAS 175349-61-8 (7483)  
C-Heptylcalix[4]resorcinarene octa-alpha-(N,N-diethyl acetamide);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------



Rb+ dis non-aq 25°C 100% U 1995FDa (107984) 592

K=5.64

Medium: CDCl3. Method: by H2O/CDCl3 extraction of picrate salt.

K: MA(org)+L(org)=MLA(org) where A=picrate.

\*\*\*\*\*

C120H192O24 L CAS 175349-58-3 (7495)

C-Undecylcalix[4]resorcinarene octa-alpha-(tert-butyl ethanoate);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% U 1995FDa (108012) 593

K=4.65

Medium: CDCl3. Method: by H2O/CDCl3 extraction of picrate salt.

K: MA(org)+L(org)=MLA(org) where A=picrate.

\*\*\*\*\*

C120H200N8O16 L CAS 169888-21-5 (7490)

C-Undecylcalix[4]resorcinarene octa-alpha-(N,N-diethyl acetamide);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ dis non-aq 25°C 100% U 1995FDa (108023) 594

K=5.56

Medium: CDCl3. Method: by H2O/CDCl3 extraction of picrate salt.

K: MA(org)+L(org)=MLA(org) where A=picrate.

\*\*\*\*\*

Polymer H2L X-14885A (4547)

Antibiotic X14885A, calcium ionophore

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ gl alc/w 25°C 100% U K1=2.7 1989ABb (108078) 595

Medium: MeOH

\*\*\*\*\*

Polymer (4204)

Pyruvate kinase;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp R4N.X 25°C 0.10M U 1966SSc (108410) 596

K'=1.30

Medium: Me4NCl. See reference for definition

\*\*\*\*\*

Polymer (1966)

poly(Benzo-1,4,7,10,13,16-hexaoxacyclooctadecane)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Rb+ sp non-aq 25°C 100% U K1=8.03 1979KMb (108427) 597

Medium: CHCl3

\*\*\*\*\*

Polymer (1965)  
poly(Benzo-1,4,7,10,13-pentaoxacyclopentadecane)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rb+ sp non-aq 25°C 100% U K1=9.64 1979Kmb (108431) 598  
Medium: CHCl3

#### REFERENCES

- 2004BCb L Baklouti, J Cherif, R Abidi, F Arnaud-Neu; *Org. Biomol. Chem.*, 2, 2786 (2004)  
2004KV a T Kirichenko, V Vetrogon, N Lukyanenko; *Anal. Chim. Acta*, 505, 277 (2004)  
2004MF a P Marcos, S Felix, J Ascenso, M Segurado; *New J. Chem.*, 28, 748 (2004)  
2003AD a F Arnaud-Neu, R Delgado, S Chaves; *Pure & Appl. Chem.*, 75, 71 (2003)  
2003GH a J Geue, N Head, A Ward, S Lincoln; *Aust. J. Chem.*, 56, 917 (2003)  
2003YV a M Yaftian, M Vahedpour, H Abdollahi; *J. Inclusion Phenom.*, 47, 129 (2003)  
2002KT a S Katsuta, H Tachibana, Y Takeda; *J. Solution Chem.*, 31, 499 (2002)  
2002MR d G Markl, J Reisinger, P Kreitmeier; *Helv. Chim. Acta*, 85, 1714 (2002)  
2002YE a G Yapar, C Erk; *J. Inclusion Phenom.*, 42, 145 (2002)  
2002YE b G Yapar, C Erk; *J. Inclusion Phenom.*, 43, 299 (2002)  
2001BC f H Buschmann, E Cleve, K Jansen, A Wego; *J. Inclusion Phenom.*, 40, 117 (2001)  
2001JD a H-F Ji, R Dabestani, G Brown, R Hettich; *J. Chem. Soc., Perkin Trans. II*, 585 (2001)  
2001MA a P Marcos, J Ascenso, M Segurado, J Pereira; *Tetrahedron*, 57, 6977 (2001)  
2001OY a J Otsuki, T Yamagata, K Ohmuro, K Araki; *Bull. Chem. Soc. Jpn.*, 74, 333 (2001)  
2001PC a S Pellet-Rostaing, F Chitry, M Lemaire; *J. Chem. Soc., Perkin Trans. II*, 1426 (2001)  
2001WB a J Weeks, M Buntine, S Lincoln; *J. Chem. Soc., Dalton Trans.*, 1939 (2001)  
2000AA a F Arnaud-Neu, Z Asfari, B Souley; *J. Chem. Soc., Perkin Trans. II*, 495 (2000)  
2000AB b F Arnaud-Neu, S Barbosa, A Casnati; *New J. Chem.*, 24, 967 (2000)  
2000IC a H Inerowicz, J Chojnacki, A Merz; *J. Inclusion Phenom.*, 38, 123 (2000)  
2000KS a Y Kikuchi, Y Sakamoto; *Anal. Chim. Acta*, 403, 325 (2000)  
2000PB a L Prodi, F Bolletta, M Montalti, A Casnati; *New J. Chem.*, 24, 155 (2000)  
2000SS c M Shamsipur, M Saeidi; *J. Solution Chem.*, 29, 1187 (2000)  
2000TM b Y Takeda, Y Mochizuki, Y Matsuzaki; *J. Inclusion Phenom.*, 37, 179 (2000)  
2000YY a S Yajima, T Yahata, Y Takeda; *J. Inclusion Phenom.*, 38, 305 (2000)  
2000ZK b X Zhang, K Krakowiak, J Bradshaw, R Izatt; *Ind. Eng. Chem. Res.*, 39, 3516 (2000)  
1999BH a H Buschmann, J Hermann, H Plenio; *Chem. Eur. J.*, 5, 2566 (1999)  
1999DC a A Danil de Namor, E Castellano, L Salazar; *Phys. Chem. Chem. Phys.*, 1, 285 (1999)  
1999KC a I Kolthoff, M Chantooni, G Roland; *J. Coord. Chem.*, 48, 207 (1999)  
1999LD a V Lamare, J-F Dozol, S Fuangswasdi; *J. Chem. Soc., Perkin Trans. II*, 271 (1999)  
1999MA b P Marcos, J Ascenso, M Segurado, J Pereria; *J. Phys. Org. Chem.*, 12, 695 (1999)  
1999MT d L Manege, T Takayanagi, M Oshima; *Bull. Chem. Soc. Jpn.*, 72, 1301 (1999)  
1999RG a A Rouhollahi, M Ganjali, M Shamsipur; *J. Inclusion Phenom.*, 33, 361 (1999)  
1999TE a V Tsvetkov, V Evreinov et al; *Zh. Obshch. Khim.*, 69, 1080 (1999)  
1999TM a Y Takeda, Y Mochizuki, M Tanaka, Y Kudo; *J. Inclusion Phenom.*, 33, 217 (1999)  
1999US a R Ungaro, M Schwing-Weill, G Wipff; *J. Chem. Soc., Perkin Trans. II*, 1727 (1999)  
1999WB a G Wenz, H-J Buschmann, E Schollmeyer; *J. Coord. Chem.*, 48, 465 (1999)

- 1998BJb H-J Buschmann, K Jansen, C Meschke; *J. Solution Chem.*, 27, 135 (1998)  
1998DBa D Dantz, H Buschmann, E Schollmeyer; *Polyhedron*, 17, 1891 (1998)  
1998DDc P Delangle, J-P Dutasta, J-P Declercq; *Chem. Eur. J.*, 4, 100 (1998)  
1998KSb Y Kikuchi, Y Sakamoto; *Anal. Chim. Acta*, 370, 173 (1998)  
1998KSc Y Kikuchi, Y Sakamoto, K Sawada; *J. Chem. Soc., Faraday Trans.*, 94, 105 (1998)  
1998MLa M Mimouni, R Lyazghi, J Juillard; *New J. Chem.*, 367 (1998)  
1998TIa T Takayanagi, T Iwashido, S Motomizu; *Bull. Chem. Soc. Jpn.*, 71, 1373 (1998)  
1998TKa Y Takeda, A Kawarabayashi, K Endo; *Anal. Sci. Jpn.*, 14, 215 (1998)  
1998WLC S Whitbread, S Lincoln, K Wainwright; *J. Am. Chem. Soc.*, 120, 2862 (1998)  
1998ZBc X Zhang, J Bradshaw, A Bordunov, R Izatt; *Inorg. Chim. Acta*, 278, 6 (1998)  
1997BMa A Basili, P Mussini, T Mussini, S Rondinini; *Ber. Buns. Phys. Chem.*, 101, 842 (1997)  
1997DMc M Dankova, E Makrlik, P Vanura; *J. Radioanal. Nucl. Chem.*, 221, 251 (1997)  
1997DMd R Dhillon, S Madbak, F Ciccone, S Lincoln; *J. Am. Chem. Soc.*, 119, 6126 (1997)  
1997DZa A Danil de Namor, M Zapata-Ormachea; *J. Phys. Chem. B*, 101, 6772 (1997)  
1997KKa K Kubo, N Kato, T Sakurai; *Bull. Chem. Soc. Jpn.*, 70, 3041 (1997)  
1997PBb Y Pointud, C Bernard, J Juillard; *J. Solution Chem.*, 26, 479 (1997)  
1997WWa S Whitbread, J Weeks, S Lincoln; *Australian J. Chem.*, 50, 853 (1997)  
1997Zia X Zhang, R Izatt, K Krakowiak; *Inorg. Chim. Acta*, 254, 43 (1997)  
1996AAb R Abidi, F Arnaud-Neu, M Drew, J Nelson; *J. Chem. Soc., Perkin Trans. II*, 2747 (1996)  
1996AAc F Arnaud-Neu, R Arnecke, J Gordon; *J. Chem. Soc., Perkin Trans. II*, 1855 (1996)  
1996AAe F Arnaud-Neu, Z Asfari, B Souley, J Vicens; *New J. Chem.*, 20, 453 (1996)  
1996BCh H-J Buschmann, E Cleve, E Schollmeyer; *J. Coord. Chem.*, 39, 293 (1996)  
1996CPa A Casnati, A Pochini, R Ungaro, D Reinhoudt; *Chem. Eur. J.*, 2, 436 (1996)  
1996GMC C Goff, M Matchette, S Khazaeli; *Polyhedron*, 15, 3897 (1996)  
1996OKa K Ohtsu, T Kawashima, K Ozutsumi; *Anal. Sci.*, 12, 37 (1996)  
1996SCa N Sabbatini, A Casnati, C Fischer; *Inorg. Chim. Acta*, 252, 19 (1996)  
1996SDa A Stephens, R Dhillon et al; *Inorg. Chem.*, 35, 2019 (1996)  
1996WPa S Whitbread, S Politis, S Lincoln; *J. Chem. Soc., Dalton Trans.*, 1379 (1996)  
1995ABC F Arnaud-Neu, G Barrett, S Fanni, D Marrs; *J. Chem. Soc., Perkin Trans. II*, 453 (1995)  
1995CUa A Casnati, R Ungaro, M Schwing, D Reinhoudt; *J. Am. Chem. Soc.*, 117, 2767 (1995)  
1995DGa A Danil de Namor, E Gil, M Llosa Tanco; *J. Phys. Chem.*, 99, 16776 (1995)  
1995FDa J Fransen, P Dutton; *Can. J. Chem.*, 73, 2217 (1995)  
1995KZa K Krakowiak, X Zhang, J Bradshaw, R Izatt; *J. Inclusion Phenom.*, 23, 223 (1995)  
1995OKb K Ohtsu, T Kawashima, K Ozutsumi; *J. Chem. Soc., Faraday Trans.*, 91, 4375 (1995)  
1995TEa E Tsvetkov, V Evreinov, V Baulin et al; *Zh. Obshch. Khim.*, 65, 1421(1300) (1995)  
1994BCd H Buschmann, E Cleve, E Schollmeyer; *J. Solution Chem.*, 23, 569 (1994)  
1994BHb W Bakker, M Haas, C Khoo-Beattie et al; *J. Am. Chem. Soc.*, 116, 123 (1994)  
1994HKA R Hoffman, W Knoche, C Fenn, H-J Buschmann; *J. Chem. Soc., Faraday Trans.*, 90, 1507 (1994)  
1994LLa P Lye, G Lawrance, M Maeder et al; *J. Chem. Soc., Dalton Trans.*, 793 (1994)  
199400a K Ozutsumi, K Ohtsin, T Kawashima; *J. Chem. Soc., Faraday Trans.*, 90, 127 (1994)  
19940Ua T Okada, T Usui; *Anal. Chem. (USA)*, 66, 1654 (1994)  
1993ABb F Arnaud-Neu, G Barrett et al; *Inorg. Chem.*, 32, 2644 (1993)

- 1993BEb A Bovin,V Evreinov et al.; *Izv.Akad.Nauk USSR*,(5)952 (1993)
- 1993BMA G Barrett,A McKervey,J Malone et al; *J.Chem.Soc.,Perkin Trans.II*,1475 (1993)
- 1993DLb R Dhillon,S Lincoln; *Australian J.Chem.*,47,123 (1993)
- 1993EVA V Evreinov,Z Vostroknutova et al; *Zh.Neorg.Khim.*,38(9),1519 (1993)
- 1993HSA R Helgeson,B Selle et al; *J.Am.Chem.Soc.*,115,11506 (1993)
- 1993INA Y Inoue,K Nakagawa,T Hakushi; *J.Chem.Soc.,Dalton Trans.*,1333,2279 (1993)
- 1993MAa S Manohar,G Atkinson; *J.Solution Chem.*,22,859 (1993)
- 1993RPa T Rodopoulos,P Pittet,S Lincoln; *J.Chem.Soc.,Dalton Trans.*,1055 (1993)
- 1993SFb A Stephens,S Lincoln; *J.Chem.Soc.,Dalton Trans.*,2123 (1993)
- 1993TAA L Tassi; *J.Chem.Soc.,Faraday Trans.*,89,733 (1993)
- 1993TCa M Turonek,P Clarke et al; *Inorg.Chem.*,32,2195 (1993)
- 1992BCa H Buschmann,E Cleve,E Schollmeyer; *Inorg.Chim.Acta*,193,93 (1992)
- 1992BEa V Baulin,V Evreinov et al.; *Izv.Akad.Nauk USSR*,(5)1161 (1992)
- 1992BUB H Buschmann; *Inorg.Chim.Acta*,195,51 (1992)
- 1992CDc R Cacciapaglia,A Doorn et al; *J.Am.Chem.Soc.*,114,2611 (1992)
- 1992CGb P Clarke,J Gulbis,S Lincoln et al; *Inorg.Chem.*,31,3398 (1992)
- 1992HGb O Heitzsch,K Gloe,A Sabela,J Koryta; *J.Inclusion Phenom.*,13,311 (1992)
- 1992LPb R Lyazghi,Y Pointud,J Juillard; *J.Chem.Soc.,Faraday Trans.*,88,1017 (1992)
- 1992LSc S Lincoln,A Stephens; *Inorg.Chem.*,31,5067 (1992)
- 1992Oia K Ozutsumi,S Ishiguro; *Bull.Chem.Soc.Jpn.*65,1173 (1992)
- 1992TFa Y Takeda,I Fujimaki,S Ochiai,K Aoki; *J.Inclusion Phenom.*,13,129 (1992)
- 1991ACc F Arnaud-Neu,S Cremin,D Cunningham; *J.Inclusion Phenom.*,10,329 (1991)
- 1991ASb M Amini,M Shamsipur; *Inorg.Chim.Acta*,183,65 (1991)
- 1991BMb M Bruening,D Mitchell et al; *Anal.Chem.(USA)*,21 (1991)
- 1991BSa H Bieth,G Schlewer,B Spiess; *J.Inorg.Biochem.*,41,37 (1991)
- 1991EBA V Evreinov,V Baulin et al.; *Izv.Akad.Nauk USSR*,(9)1993 (1991)
- 1991HHb R Hedderwick,F Hibbert et al; *J.Chem.Soc.,Perkin Trans.II*,579 (1991)
- 1991IOa Y Inoue,M Ouchi,K Hosoyama et al; *J.Chem.Soc.,Dalton Trans.*,1291 (1991)
- 1991NTa S Norov,A Tsivadze et al; *Zh.Neorg.Khim.*,36,(2)433 (1991)
- 1991SKa R Streeper,S Khazaeli; *Polyhedron*,10,221 (1991)
- 1991SMA R Smith,A Martell,Y Chen; *Pure & Appl.Chem.*,63,1015 (1991)
- 1990CDc R Curini,G D'Ascenzo,A De Robertis; *Thermochim.Acta*,173,25 (1990)
- 1990DSa R Delgado,L Siegfried et al; *Helv.Chim.Acta*,73,140 (1990)
- 1990EAb V Evreinov,A Antoshin et al.; *Izv.Akad.Nauk USSR*,(4)873 (1990)
- 1990KMb R Katakya,K Matthes et al; *J.Chem.Soc.,Perkin Trans.II*,1425 (1990)
- 1990LNa N Lukyanenko,N Nazarova,V Vetrogon et al; *Polyhedron*,9,1369 (1990)
- 1990RAa L Rowe,G Atkinson; *J.Solution Chem.*,19,149 (1990)
- 1990SPa Z Samec,P Papoff; *Anal.Chem.(USA)*,62,1010 (1990)
- 1989ABb A Albrecht,S Blanc,D Boyd,G Jeminet; *J.Am.Chem.Soc.*,111,8598 (1989)
- 1989ACb F Arnaud-Neu,E Collins,M Deasy et al; *J.Am.Chem.Soc.*,111,8681 (1989)
- 1989BBh G Bonas,C Bosso,M Vignon; *J.Inclusion Phenom.*,7,637 (1989)
- 1989BEa A Bovin,V Evreinov et al; *Izv.Akad.Nauk(USSR)*,11,2611 (1989)
- 1989EVA I Evreinov,Z Vostroknutova et al; *Izv.Akad.Nauk(USSR)*,1,60 (1989)
- 1989TKa Y Takeda,R Kohno,Y Kudo,N Fukada; *Bull.Chem.Soc.Jpn.*,62,999 (1989)
- 1989TKc Y Takeda,T Kimura,Y Kudo,H Matsuda; *Bull.Chem.Soc.Jpn.*,62,2885 (1989)
- 1988BUB H-J Buschmann; *Thermochim.Acta*,17,277 (1988)
- 1988DSa A Danil de Namor,F Salazar; *J.Chem.Soc.,Faraday Trans.I*,84,3539 (1988)
- 1988PJa Y Pointud,J Juillard; *J.Chem.Soc.,Faraday Trans.I*,84,959 (1988)

1988TKa Y Takeda, K Katsuta, Y Inoue et al; Bull.Chem.Soc.Jpn., 61, 627 (1988)  
1988TKb Y Takeda, T Kumazawa; Bull.Chem.Soc.Jpn., 61, 655 (1988)  
1988TMb K Tawarah, S Mizyed; J.Inclusion Phenom., 6, 583 (1988)  
1988TMc K Tawarah, S Mizyed; J.Inclusion Phenom., 6, 555 (1988)  
1987BBf R Bartsch, D Babb, B Knudsen; J.Inclusion Phenom., 5, 515 (1987)  
1987BUB H-J Buschmann; Inorg.Chim.Acta, 134, 225 (1987)  
1987CCc B Czech, A Czech, B Knudsen et al; Gazz.Chim.Ital., 117, 717 (1987)  
1987DSa A Danil de Namor, S Salazar et al; J.Chem.Soc., Faraday Trans.I, 83, 2663  
(1987)  
1987ZBb D Zollinger, E Bulten, A Christenhusz; Anal.Chim.Acta, 198, 207 (1987)  
1986BUB H-J Buschmann; Inorg.Chim.Acta, 120, 125 (1986)  
1986BUD H-J Buschmann; Inorg.Chim.Acta, 125, 31 (1986)  
1986CHc D Cram, S Ho; J.Am.Chem.Soc., 108, 2998 (1986)  
1986DGA A Danil de Namor, L Ghouseini, T Hill; J.Chem.Soc., Faraday Trans.I, 82, 349  
(1986)  
1986ICa R Izatt, G Clark, J Lamb, J Christensen; Thermochim.Acta, 97, 115 (1986)  
1986RSa A de Robertis, C de Stefano et al; J.Chem.Res.(S), 164 (1986)  
1986SDa P Singh, H Dahiya, V Sharma; Indian J.Chem., 25A, 116 (1986)  
1985AEb R Adamic, E Eyring, S Petrucci, R Bartsch; J.Phys.Chem., 89, 3752 (1985)  
1985DGA A Danil de Namor, L Ghouseini; J.Chem.Soc., Faraday Trans.I, 81, 781 (1985)  
1985DGB A Danil de Namor, L Ghouseini et al; J.Chem.Soc., Faraday Trans.I, 81, 2459  
(1985)  
1985HAD L Harju; Finn.Chem.Lett. 235 (1985)  
1985RSA A de Robertis, C de Stefano, C Rigano +; J.Chem.Res.(S), 42 (1985)  
1985ZBa D Zollinger, M Bos et al; Anal.Chim.Acta, 167, 89 (1985)  
1984BPa B Bubnis, G Pacey; Talanta, 31, 1149 (1984)  
1984CTa B Cox, N Truong, J Rzeszotarska et al; J.Chem.Soc., Faraday Trans.I, 80, 3275  
(1984)  
1984CTb B Cox, Ng van Truong et al; J.Am.Chem.Soc., 106, 5965 (1984)  
1984DGA A Danil de Namor, L Ghouseini; J.Chem.Soc., Faraday Trans.I, 80, 2349  
(1984)  
1984ZBa D Zollinger, M Bos et al; Anal.Chim.Acta, 161, 83 (1984)  
1983BWB A Berne, B Wajsbrot, O Popovych; J.Chem.Eng.Data, 28, 316 (1983)  
1983KOA J Kim, M Ozeki, J Komiyama, T Iijima; J.Chem.Soc., Faraday Trans.I, 79, 2153  
(1983)  
1983LSa Luo Qinhuai, Shen Mengchang; Acta Chimica Sinica, 871 (1983)  
1982BDC J Bolte, C Demuyndck, G Jeminet; Can.J.Chem., 60, 981 (1982)  
1982DRb P Daniele, C Rigano, S Sammartano; Inorg.Chim.Acta, 63, 267 (1982)  
1982GKc E Graf, J-P Kintzinger, J-M Lehn; J.Am.Chem.Soc., 104, 1672 (1982)  
1982HLC T Handyside, J Lockhart, M McDonnell, P Rao; J.Chem.Soc., Dalton Trans., 2331  
(1982)  
1982TAa Y Takeda; Bull.Chem.Soc.Jpn., 55, 2040 (1982)  
1981BEb T Bell; J.Am.Chem.Soc., 103, 1163 (1981)  
1981CDB V Cucinotta, P Daniele, C Rigano et al; Inorg.Chim.Acta, 56, L45 (1981)  
1981CRA B Cox, J G-Rosas, H Schneider; J.Am.Chem.Soc., 103, 1384 (1981)  
1981EMB G Ercolani, L Mandolini, B Masci; J.Am.Chem.Soc., 103, 7484 (1981)  
1981GLa E Graf, J Lehn; Helv.Chim.Acta, 64, 1040 (1981)  
1981TMb C Tang, J McLean jnr; Inorg.Chem., 20, 2652 (1981)  
1980BMA J Bradshaw, G Maas, J Lamb et al; J.Am.Chem.Soc., 102, 467 (1980)  
1980CKa B Cox, D Knop, H Schneider; J.Phys.Chem., 84, 320 (1980)

1980CRa R Cox, J G-Rosas, H Schneider; J. Phys. Chem., 84, 3178 (1980)  
1980GAb T Gilligan, G Atkinson; J. Phys. Chem., 84, 208 (1980)  
1980KMb S Kulstad and L Malmsten; J. Inorg. Nucl. Chem., 42, 573 (1980)  
1980LIa J Lamb, R Izatt, C Swain et al; J. Am. Chem. Soc., 102, 475 (1980)  
1980LIb J Lamb, R Izatt, C Swain et al; J. Am. Chem. Soc., 102, 479 (1980)  
1980MDa J Massaux, J Desreux, G Duyckaerts; J. Chem. Soc., Dalton Trans., 865 (1980)  
1980NTa H Nakamura, M Takagi, K Ueno; Anal. Chem. (USA), 52, 1668 (1980)  
1980TYa Y Takeda, H Yano, M Ishibashi et al; Bull. Chem. Soc. Jpn., 53, 72 (1980)  
1980TYb Y Takeda, H Yano; Bull. Chem. Soc. Jpn., 53, 1720 (1980)  
1980Waa J Wingfield; Inorg. Chim. Acta, 45, L157 (1980)  
1979BDa L T-Bozic, P Danesi; J. Inorg. Nucl. Chem., 41, 833 (1979)  
1979BLb J Bessiere, M Lejaille; Anal. Lett., 12, 753 (1979)  
1979KLa K Koenig, G Lein, P Stucker et al; J. Am. Chem. Soc., 101, 3553 (1979)  
1979KMb K Kimura, T Maeda, T Shono; Talanta, 26, 945 (1979)  
1979Mma B Martin, D Martin; J. Inorg. Nucl. Chem., 41, 1503 (1979)  
1978CAa P Carman; J. Solution Chem., 7, 845 (1978)  
1978CSb B Cox, H Schneider, J Stroka; J. Am. Chem. Soc., 100, 4746 (1978)  
1978FFa F Fisher, A Fox; J. Solution Chem., 7, 561 (1978)  
1978HKc A Hofmanova, J Koryta, L Mittal et al; Inorg. Chim. Acta, 28, 73 (1978)  
1978HPa J Hoorderheide, A Popov; J. Solution Chem., 7, 357 (1978)  
1978Lma J Lehn, F Montavon; Helv. Chim. Acta, 61, 67 (1978)  
1978PAa D Parsons; J. Chem. Soc., Perkin Trans. I, 451 (1978)  
1978SKe L Smirnova, V Kravtsov et al; Elektrokhim., 14, 1109 (1978)  
1978YTa E Yee, J Tabib, M Weaver; J. Electroanal. Chem., 96, 241 (1978)  
1977CEb P Chock, F Eggers, M Eigen, R Winkler; Biophys. Chem., 6, 239 (1977)  
1977LSc J Lehn, J Simon; Helv. Chim. Acta, 60, 141 (1977)  
1977MTc S Moore, T Tarnowski, M Newcomb, D Cram; J. Am. Chem. Soc., 99, 6398 (1977)  
1977RLa J Rodriguez, G Liesegang; J. Phys. Chem., 81, 2118 (1977)  
1977SZa C Srivanavit, J Zink, J Dechter; J. Am. Chem. Soc., 99, 5876 (1977)  
1976FAa I Favretto; Ann. Chim. (Rome), 66, 621 (1976)  
1976FGb H Flora, W Gilkerson; J. Phys. Chem., 80, 679 (1976)  
1976ITa R Izatt, R Terry, D Nelson et al; J. Am. Chem. Soc., 98, 7626 (1976)  
1976ITb R Izatt, R Terry, B Haymore et al; J. Am. Chem. Soc., 98, 7620 (1976)  
1976KLC E Kauffmann, J Lehn, J Sauvage; Helv. Chim. Acta, 59, 1099 (1976)  
1976KOb G Kura, S Ohashi; J. Inorg. Nucl. Chem., 38, 1151 (1976)  
1976LLa R Lemir, M Lister; J. Solution Chem., 5, 171 (1976)  
1976Rmb J Rosenfaub, M Martin, C Prakash et al; J. Solution Chem., 5, 345 (1976)  
1975ANA G Anderegg; Helv. Chim. Acta, 58, 1218 (1975)  
1975BBa J Bouquet, J-M Blanchard, R-D Joly et al; Bull. Soc. Chim. Fr., 478 (1975)  
1975LSc J Lehn, J Sauvage; J. Am. Chem. Soc., 97, 6700 (1975)  
1975Mma B Martin, D Martin; J. Inorg. Nucl. Chem., 37, 1079 (1975)  
1975REa E Reardon; J. Phys. Chem., 79, 422 (1975)  
1975SIC A Sadakane, T Iwachido, K Toei; Bull. Chem. Soc. Jpn., 48, 60 (1975)  
1975SNa E Shchori, N Nae, J Jagur-Grodzinski; J. Chem. Soc., Dalton Trans. 2381 (1975)  
1975YKa H Yeager, B Kratochvil; Can. J. Chem., 53, 3448 (1975)  
1974BMc P Bruno, M Monica; Gazz. Chim. Ital., 104, 757 (1974)  
1974DKb A Das, K Kundu; J. Chem. Soc., Faraday Trans. I, 70, 1452 (1974)  
1974HPb E Hanna, A Pethybridge, J Prue, D Spiers; J. Solution Chem., 3, 563 (1974)  
1974LMc P Longhi, T Mussini, C Osimani; J. Chem. Thermodyn., 6, 227 (1974)  
1974Mwc W Masterton, H Welles, J Knox et al; J. Solution Chem., 3, 91 (1974)

1974RKd T Ryan, J Koryta, A Matejkova et al; Anal.Lett.,7,335 (1974)  
1973FGa H Flora, W Gilkerson; J.Phys.Chem.,77,1421 (1973)  
1973JYa M Jansen, H Yeager; J.Phys.Chem.,77,3089 (1973)  
1973YKa N Yui, Y Kurokawa, M Nakayama; Bull.Chem.Soc.Jpn.,46,1027 (1973)  
1973ZFa C Zust, P Fruh, W Simon; Helv.Chim.Acta,56,495 (1973)  
1972COa E Constantinescu; Rev.Roumaine Chim.,17,1819 (1972)  
1972DAa A D'Aprano; J.Phys.Chem.,76,2920 (1972)  
1972DDa A D'Aprano, I Donato; Electrochim.Acta,17,1175 (1972)  
1972DJb H Dunsmore, S Jalota, R Paterson; J.Chem.Soc.,Faraday Trans.I,68,1583  
(1972)  
1972FEb T Funck, F Eggers, E Grell; Chimia,26,637 (1972)  
1972IWA U Isacsson, G Wikander; Acta Chem.Scand.,26,1623 (1972)  
1972IWC T Iwachido; Bull.Chem.Soc.Jpn.,45,432 (1972)  
1972SAC D Singh, S Aggarwal; Z.Phys.Chem.,(Frankfurt),81,1 (1972)  
1971BCa B Barker, J Caruso; J.Am.Chem.Soc.,93,1341 (1971)  
1971BPa P Beronius, L Pataki; Acta Chem.Scand.,25,3705 (1971)  
1971DAa A D'Aprano; J.Phys.Chem.,75,3290 (1971)  
1971GFa Y Goroshchenko, S Filatova; Zh.Neorg.Khim.,16,1569(E:829) (1971)  
1971HNB A Holmgren, A Nilsson, P Beronius; Radiochem.Radioanal.Lett.,6,339 (1971)  
1971INA R Izatt, D Nelson, J Rytting et al; J.Am.Chem.Soc.,93,1619 (1971)  
1971JBA M Justice, R Bury, J Justice; Electrochim.Acta,16,687 (1971)  
1971PGA R Paul, D Gill, J Singla, S Narula; Indian J.Chem.,9,63 (1971)  
1971SAD D Singh, I Aggarwal, S Aggarwal; Indian J.Chem.,9,326 (1971)  
1971YIA M Yamane, T Iwachido, K Toei; Bull.Chem.Soc.Jpn.,44,745 (1971)  
1970BWC P Beronius, G Wikander, A Nilsson; Z.Phys.Chem.,(Frankfurt),70,52 (1970)  
1970CDA F Calmes-Perraud, Y Doucet; Compt.Rend.,271C,780 (1970)  
1970KGA V Korshunov, A Grigorev et al; Elektrokhim.,6,1204(E:1174) (1970)  
1970SAF D Singh, I Aggarwal; Z.Phys.Chem.,(Frankfurt),73,144 (1970)  
1970SSb K Sano, M Sakuma, S Motomizu et al; Bull.Chem.Soc.Jpn.,43,2457 (1970)  
1969BJa R Bury, M Justice, J Justice; Compt.Rend.,268C,670 (1969)  
1969GUB W Guenther; J.Am.Chem.Soc.,91,7619 (1969)  
1969IRA R Izatt, J Rytting, D Nelson et al; Science,164,443 (1969)  
1969NSa G Nichugovskii, V Shvedov; Zh.Neorg.Khim.,14,299(E:156) (1969)  
1969SBe B Sesta, M Berardelli; Ricerca Sci.,39,795;803 (1969)  
1968SSa J Sudmeier, A Senzel; J.Am.Chem.Soc.,90,6860 (1968)  
1968SSc J Sudmeier, A Sengel; Anal.Chem.,40,1693 (1968)  
1967CGa J Crawford, R Gasser; Trans.Faraday Soc.,63,2758 (1967)  
1967KHe R Kay, B Hales, G Cunningham; J.Phys.Chem.,71,3925 (1967)  
1967RMA Y Rutkovskii, V Mironov; Zh.Neorg.Khim.,12,3287(E:1739) (1967)  
1966MBb W Masterton, L Berka; J.Phys.Chem.,70,1924 (1966)  
1966MWb S Minc, L Werblan; Roczn.Chem.,40,1537;1753 (1966)  
1966NSa G Nichugovskii, V Shvedov; Radiokhim.,8,118 (1966)  
1966SSc C Suelter, R Singleton, F Kayne; Biochemistry,5,131 (1966)  
1965BCa J Botts, A Chashin, H Young; Biochemistry,4,1788 (1965)  
1964FFb T Fabry, R Fuoss; J.Phys.Chem.,68,974 (1964)  
1964KLa O Kolling, J Lambert; Inorg.Chem.,3,202 (1964)  
1964PSH P Protsenko, O Shokina, N Chekhunova; Zh.Fiz.Khim.,38,1857 (1964)  
1964RZa G Rechnitz, S Zamochnick; Talanta,11,1061 (1964)  
1963EDA L Erikson, J Dembo; J.Phys.Chem.,67,707 (1963)  
1963PGB E Purlee, E Grunwald; J.Phys.Chem.,67,1364 (1963)

1963SGd G Schwarzenbach,G Geier; Helv.Chim.Acta,46,906 (1963)  
1962Mwa S Minc,L Werblan; Electrochim.Acta,7,257 (1962)  
1961PSa P Proll,L Sutcliffe; Trans.Faraday Society,57,1078 (1961)  
1958BSb K Brauer,H Strehlow; Z.Phys.Chem.,(Frankfurt),17,346 (1958)  
1954FUa W Fernelius,L van Uitert; Acta Chem.Scand.,8,1726 (1954)  
1954PSa T Pavlopoulous,H Strehlow; Z.Phys.Chem.,(Frankfurt),2,89 (1954)  
1927DAb C Davies; Trans.Faraday Society,23,351 (1927)  
1923LRa G Lewis,M Randall; Thermodynamics,McGraw-Hill.,p.417 (1923)

#### EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES  
I Data with various BACKGROUNDS  
H Data for THERMOCHEMICAL quantities  
M Data for TERNARY Complexes

EVALUATION Flags are :-

T or IUP=T signifies EVALUATION RATING = Tentative by IUPAC

---

END