

## SC-Database

Software version = 5.81 Data version = 4.62

Experiment list contains 158 experiments for  
(no ligands specified)

4 metals : Rh+, Rh++, Rh+++, Rh++++

(no references specified)

(no experimental details specified)

\*\*\*\*\*

I- HL Iodide CAS 10034-85-2 (20)  
Iodide;-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo-----  
Rh+ sp non-aq 22°C 100% U M 1975FOa (8353) 1  
K'(Rh(P(Ph)3)2COI+I) < -4.5

Medium: dichloromethane. K': Rh(P(Ph)3)2COI+I=Rh(P(Ph)3)COI2+P(Ph)3

-----  
Rh+ sp non-aq 22°C 100% U M 1975FOa (8354) 2  
K(RhA2COI+I)=-1.30

Medium: dichloromethane. K: RhA2COI+I=RhACOI2+A, A=Triphenyl arsine

-----  
Rh+ sp non-aq 22°C 100% U M 1975FOa (8355) 3  
K(RhA2COI+I)=-2.7

Medium: dichloromethane. K: RhA2COI+I=RhACOI2+A, A=Triphenyl stibine (Ph3Sb)

-----  
Rh+ sp non-aq ? 100% U I 1972FOa (8356) 4  
K=2.4Medium: DMF. K: Rh(Ph3P)2COCl+L=Rh(Ph3P)2COL+Cl. K(Rh((CO)2Cl2+2L=Rh(CO)2L2+  
2Cl)=1.9 (in 1,2-dichloromethane); 2.3 (MeCN); 1.5 (90% MeCN/H2O)

\*\*\*\*\*

OH- HL Hydroxide (57)  
Hydroxide;-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo-----  
Rh+ oth none 25°C 0.0 U 1958MPa (12044) 5  
\*Kso=3.31?

\*Kso: K(1/2Rh2O(s)+H=1/2H2O+Rh); method:combination of thermodynamic data

\*\*\*\*\*

C4H6O2 L Me methacrylate CAS 96-33-3 (815)  
Methyl propenoate; CH2:CH.CO2.CH3-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo-----  
Rh+ nmr alc/w 20°C 100% U M 1977HRa (29732) 6  
K(RhA+L)=0.5

Medium: MeOH. A=Ph2P.CH2.CH2.PPh2

\*\*\*\*\*

C6H6 L Benzene CAS 71-43-2 (2143)

Benzene, cyclohexatriene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+	nmr	alc/w	20°C	100%	U	M			1977HRa (43170)	7

$$K(RhA+L)=1.3$$

Medium: MeOH. A=Ph2P.CH2.CH2.PPh2

C6H14		L					CAS	110-54-3	(2146)	
-------	--	---	--	--	--	--	-----	----------	--------	--

n-Hexane; CH3.CH2.CH2.CH2.CH2.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+	nmr	alc/w	20°C	100%	U	M			1977HRa (50626)	8

$$K(RhA+L)=0.3$$

Medium: MeOH. A=Ph2P.CH2.CH2.PPh2

C7H8		L					CAS	108-88-3	(2144)	
------	--	---	--	--	--	--	-----	----------	--------	--

Toluene; C6H5.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+	nmr	alc/w	20°C	100%	U	M			1977HRa (55786)	9

$$K(RhA+L)=2.0$$

Medium: MeOH. A=Ph2P.CH2.CH2.PPh2

C8H8		L	Vinylbenzene				CAS	100-42-5	(811)	
------	--	---	--------------	--	--	--	-----	----------	-------	--

Styrene; C6H5.CH:CH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+	nmr	alc/w	20°C	100%	U	M			1977HRa (59255)	10

$$K(RhA+L)=1.3$$

Medium: MeOH. A=Ph2P.CH2.CH2.PPh2

C8H10		L	p-Xylene				CAS	106-42-3	(2145)	
-------	--	---	----------	--	--	--	-----	----------	--------	--

1,4-Dimethylbenzene, 4-Xylene; CH3.C6H4.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+	nmr	alc/w	20°C	100%	U	M			1977HRa (60683)	11

$$K(RhA+L)=2.7$$

Medium: MeOH. A=Ph2P.CH2.CH2.PPh2

C18H15Sb		L					CAS	603-36-1	(2654)	
----------	--	---	--	--	--	--	-----	----------	--------	--

Triphenylantimony; (C6H5)3Sb

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+	sp	non-aq	25°C	100%	C	I			20020Ra (97159)	12

$$K(RhCl(CO)L_2+L)=2.21$$

Medium: CH<sub>2</sub>Cl<sub>2</sub>. In benzene, K=2.56; diethyl ether, K=2.87; acetone, K=3.02; ethyl acetate, K=3.10.

\*\*\*\*\*  
C21H21P L CAS 6163-58-2 (600)  
Tri(2-methylphenyl)phosphine (or 4-methyl where indicated); (CH<sub>3</sub>.C<sub>6</sub>H<sub>4</sub>)<sub>3</sub>P

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+	sp	non-aq	25°C	100%	U				1974TMA (101194)	13
								K(H <sub>2</sub> (g)+RhCl <sub>2</sub> L <sub>3</sub> )=1.26		
								K(H <sub>2</sub> (g)+(RhCl <sub>2</sub> ) <sub>2</sub> )=1.04		

Medium: Toluene. Ligand: tri(4-methylphenyl)phosphine

\*\*\*\*\*  
BF<sub>4</sub>- HL (2497)  
Tetrafluoroborate;  
\*\*\*\*\*  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rh++ dis oth/un 25°C 1.0M U M 1974TAb (1203) 14  
K(Rh(phen)<sub>3</sub>+L)=1.69  
K(Rh(phen)<sub>3</sub>L+L)=0.95

Medium: Na<sub>2</sub>SO<sub>4</sub>

\*\*\*\*\*  
Br- HL Bromide CAS 10035-10-6 (19)  
Bromide;  
\*\*\*\*\*  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rh++ sp oth/un 35°C 1.50M U 1966BPb (2288) 15  
K(Ru(NH<sub>3</sub>)<sub>5</sub>H<sub>2</sub>O+L)=-0.7

\*\*\*\*\*  
C2H<sub>3</sub>N L Cyanomethane CAS 75-05-8 (1399)  
Acetonitrile; CH<sub>3</sub>.CN  
\*\*\*\*\*  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rh++ sp non-aq 25°C 100% U HM 1979DTa (19194) 16  
K(Rh<sub>2</sub>(butanoate)<sub>4</sub>+L)=3.2  
K(Rh<sub>2</sub>(butanoate)<sub>3</sub>L+L)=1.4

Medium: benzene. DH(K1)=-21, DH(K2)=-35 kJ mol<sup>-1</sup> by calorimetry

\*\*\*\*\*  
C4H<sub>6</sub>N<sub>2</sub> L N-Me-Imidazole CAS 616-47-7 (354)  
N-Methyl-1,3-diazole; C<sub>3</sub>H<sub>3</sub>N<sub>2</sub>.CH<sub>3</sub>  
\*\*\*\*\*  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rh++ sp non-aq 25°C 100% U HM 1979DTa (29606) 17  
K(Rh<sub>2</sub>(butanoate)<sub>4</sub>+L)=9.0  
K(Rh<sub>2</sub>(butanoate)<sub>3</sub>L+L)=4.9

Medium: benzene. DH(K1)=-52, DH(K2)=-44 kJ mol-1 by calorimetry  
\*\*\*\*\*

C5H5N L Pyridine CAS 110-86-1 (31)  
Pyridine, Azine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rh++	sp	non-aq	25°C	100%	U	HM		1979DTa (36673)	18
							K(Rh2(butanoate)4+L)=8.2		
							K(Rh2(butanoate)3L+L)=4.4		

Medium: benzene. DH(K1)=-47, DH(K2)=-47 kJ mol-1 by calorimetry  
\*\*\*\*\*

C5H11N L Piperidine CAS 110-89-4 (105)  
Perhydropyridine; cyclo(-CH<sub>2</sub>.CH<sub>2</sub>.CH<sub>2</sub>.NH.CH<sub>2</sub>.CH<sub>2</sub>-) C5H11N

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rh++	sp	non-aq	25°C	100%	U	HM		1979DTa (40457)	19
							K(Rh2(butanoate)4+L)=9.0		
							K(Rh2(butanoate)3L+L)=5.0		

Medium: benzene. DH(K1)=-55, DH(K2)=-52 kJ mol-1 by calorimetry  
\*\*\*\*\*

C6H11O3P L CAS 824-11-3 (7548)  
4-Ethyl-2,6,7-trioxa-1-phosphabicyclo[2.2.2]octane; CH<sub>3</sub>CH<sub>2</sub>C(CH<sub>2</sub>)<sub>3</sub>P

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rh++	nmr	non-aq	-60°C	100%	U			1998KTA (49006)	20
							K(Rh2(OAc)4+L)=2.48		
							K(Rh2(OAc)4+2L)=4.98		

Method: <sup>31</sup>P nmr. Medium: CD<sub>2</sub>C<sub>12</sub>

\*\*\*\*\*

C6H12 L CAS 592-41-6 (2771)  
1-Hexene; CH<sub>2</sub>:CH(CH<sub>2</sub>)<sub>3</sub>.CH<sub>3</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rh++	sp	non-aq	25°C	100%	U	M		1987DMb (49013)	21
							K(RhA+L)=1.62		

A=trifluoroacetate. Also data for A=perfluorobutyrate; and for L= styrene, cyclohexene, 2,5-dimethyl-2,4-hexadiene, 2-methoxypropene, and more  
\*\*\*\*\*

C7H16N02P L CAS 38432-39-2 (7549)  
N,N-Diethylamine-1,3,2-dioxaphosphorinan; CH<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>PN(CH<sub>2</sub>CH<sub>3</sub>)<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Rh++	nmr	non-aq	-60°C	100%	U	M		1998KTA (58028)	22
							K(Rh2(OAc)4+L)=3.38		
							K(Rh2(OAc)4+2L)=5.48		

$$K(Rh_2(OAc)_4 + L + P) = 5.56$$

Method:  $^{31}P$  nmr. Medium:  $CD_2Cl_2$ .

P: 4-Ethyl-2,6,7-trioxa-1-phosphabicyclo[2.2.2]octane.

C9H15O6P H3L CAS 2848-01-3 (5882)

Tris(2-carboxyethyl)phosphine;  $P(CH_2CH_2COOH)_3$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh++	sp	$NaClO_4$	$25^\circ C$	0.10M	U	HM			1988AMa (67600)	23
								$K_{eff}(Rh_2AB_2 + L = Rh_2ABL + B) = 7.04$		
								$K_{eff}(Rh_2ABL + L = Rh_2AL_2 + B) = 4.60$		

Medium:  $LiClO_4$ . A=(O<sub>2</sub>CCH<sub>3</sub>)<sub>4</sub>, B=H<sub>2</sub>O

C12H21N2P L CAS 115305-74-3 (5884)

Bis-(3-aminopropyl)phenylphosphine;  $C_6H_5P(CH_2CH_2CH_2NH_2)_2$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh++	sp	$NaClO_4$	$25^\circ C$	0.10M	U	HM			1988AMa (82710)	24
								$K(Rh_2AB_2 + L = Rh_2ABL + B) = 6.72$		
								$K(Rh_2ABL + L = Rh_2AL + B) = 5.06$		

Medium:  $LiClO_4$ . A=(O<sub>2</sub>CCH<sub>3</sub>)<sub>4</sub>, B=H<sub>2</sub>O

C15H15O2P HL CAS 85209-41-2 (4067)

3-(Diphenylphosphino)propanoic acid;  $(C_6H_5)_2P.CH_2CH_2COOH$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh++	sp	$NaClO_4$	$25^\circ C$	0.10M	U	HM			1988AMa (91918)	25
								$K(Rh_2AB_2 + L = Rh_2ABL + B) = 6.60$		
								$K(Rh_2ABL + L = Rh_2AL_2 + B) = 5.26$		

Medium:  $LiClO_4$ . A=(O<sub>2</sub>CCH<sub>3</sub>)<sub>4</sub>, B=H<sub>2</sub>O

C16H20NP L CAS 115290-71-6 (5883)

Diphenyl-(2-N,N-dimethylaminoethyl)phosphine;  $(C_6H_5)_2P.CH_2CH_2N(CH_3)_2$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh++	sp	$NaClO_4$	$25^\circ C$	0.10M	U	HM			1988AMa (93949)	26
								$K(Rh_2AB_2 + L = Rh_2ABL + B) = 6.40$		
								$K(Rh_2ABL + L = Rh_2AL_2 + B) = 4.46$		

Medium:  $LiClO_4$ . A=(O<sub>2</sub>CCH<sub>3</sub>)<sub>4</sub>, B=H<sub>2</sub>O

C18H15O3PS HL CAS 54262-24-7 (327)

4-(Diphenylphosphino)benzenesulfonic acid;  $(C_6H_5)_2P.C_6H_4.SO_3H$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh++	sp	$NaClO_4$	$25^\circ C$	0.10M	U	HM			1988AMa (97114)	27

$$K_{eff}(Rh_2AB_2+L=Rh_2ABL+B)=7.20$$

$$K_{eff}(Rh_2ABL+L=Rh_2AL_2+B)=5.38$$

Medium: LiClO<sub>4</sub>. A=(O<sub>2</sub>CCH<sub>3</sub>)<sub>4</sub>, B=H<sub>2</sub>O

\*\*\*\*\*  
C18H15P L CAS 603-35-0 (621)

Triphenylphosphine; (C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>P

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh++ sp non-aq 25°C 100% U HM 1992LPa (97147) 28

In CHCl<sub>3</sub>. K(Rh<sub>2</sub>(H-1A)3A2L+L=Rh<sub>2</sub>(H-1A)3AL<sub>2</sub>+A)=3.6, K(Rh<sub>2</sub>(H-1A)2A2L<sub>2</sub>+2L=Rh<sub>2</sub>(H-1A)2L<sub>4</sub>+2A=2.9, K(Rh<sub>2</sub>(H-1A)2AL<sub>3</sub>+L=Rh<sub>2</sub>(H-1A)2L<sub>4</sub>+A)=1.0. HA=CH<sub>3</sub>COOH

\*\*\*\*\*  
C32H48N2O2 H2L CAS 103595-81-6 (7708)

N,N'-Ethylenebis(3,5-di-tert-butylsalicylaldimine);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh++ nmr non-aq 23°C 100% U H 2000BNa (105792) 29

Method: <sup>1</sup>H nmr. Medium: C<sub>6</sub>D<sub>6</sub>. For K(2RhL=Rh<sub>2</sub>L<sub>2</sub>), DH=ca. -55.9 kJ mol<sup>-1</sup>, DS=ca. -113 J K<sup>-1</sup> mol<sup>-1</sup>.

\*\*\*\*\*  
e- HL Electron (442)

Electron;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh+++ EMF none 25°C 0.00 U 1971ARa (884) 30  
K(Rh + 3e=Rh(s))=38.44(758mV)

Rh+++ oth none 25°C 0.0 U 1952LAb (885) 31

$$K=44.0(870 \text{ mV})$$

K: 0.5Rh<sub>2</sub>O<sub>3</sub>(s)+3H+3e=Rh(s)+1.5H<sub>2</sub>O. K(RhCl<sub>6</sub>+3e=Rh(s)+6Cl)=21.8(440 mV).

From thermodynamic data

Rh+++ gl NaClO<sub>4</sub> 18°C 1.0M U I 1938GAa (886) 32

$$K(Rh(VI)+3e=Rh)=77(1480 \text{ mV})$$

Medium: HClO<sub>4</sub>. In 0.15 M HNO<sub>3</sub>: K=76(1460 mV)

Rh+++ EMF oth/un 18°C 0.10M U I 1937GGa (887) 33

$$K(Rh(IV)+e=Rh)=24.2(1400 \text{ mV})$$

Medium: H<sub>2</sub>SO<sub>4</sub>. In 0.5 M H<sub>2</sub>SO<sub>4</sub>: K=24.8(1430 mV)

\*\*\*\*\*  
Br- HL Bromide CAS 10035-10-6 (19)

Bromide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh+++ sol oth/un 25°C 0.10M U I 1985PSc (2289) 34

$$K_{out}(Rh(\text{phen})3+\text{Br})=0.65$$

K<sub>out</sub>(Rh(phen)3+2Br)=0.56

Also K<sub>out</sub> (1:1 complex)=0.55 (I=0.25 M), 0.50 (I=0.5 M), 0.44 (I=0.75 M)  
and K<sub>out</sub> (1:2 complex)=0.49 (I=0.25 M), 0.37 (I=0.5 M), 0.27 (I=0.75 M)

---

Rh+++ sp non-aq 25°C 100% U M 1976B0a (2290) 35  
K(RhA4+RhA4Br2=Rh2A8Br2)=4.3

Medium: MeCN. A=cyclohexylisocyanide

---

Rh+++ kin NaClO<sub>4</sub> 35°C 1.50M U T 1970BPb (2291) 36  
K(Rh(NH<sub>3</sub>)<sub>5</sub>H<sub>2</sub>O+L)=-1.23  
By spec. K=-0.77. At 70 C: K(trans-Rh(en)2(H<sub>2</sub>O)<sub>2</sub>+L)=-0.28 (by kinetics)

---

Rh+++ kin NaClO<sub>4</sub> 35°C 4.0M U 1969RSa (2292) 37  
K(RhCl<sub>5</sub>+L)=0.10

---

Rh+++ kin NaClO<sub>4</sub> 65°C 4.0M U T 1968M0b (2293) 38  
K(Rh(NH<sub>3</sub>)<sub>5</sub>+L)=-1.1  
K=-1.0(25 C)

---

Rh+++ vlt oth/un 25°C 0.0 U K1=14.3 B2=16.3 1961CPb (2294) 39  
B3=17.6  
B4=18.4  
B5=17.2

Additional method: spectrophotometry.

---

Rh+++ oth oth/un 84°C 0.0 U 1939LAa (2295) 40  
K(Rh(NH<sub>3</sub>)<sub>5</sub>+L)=3.20

Method:chemical analysis

---

CN- HL Cyanide CAS 74-90-8 (230)  
Cyanide;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	nmr	oth/un	25°C	?	U				1994RGa	(2759) 41
							B6=47			

Method: correlation with nmr parameters.

---

CO<sub>3</sub>-- H2L Carbonate CAS 465-79-6 (268)  
Carbonate;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	kin	NaClO <sub>4</sub>	25°C	2.0M	C				2000KYb	(3366) 42
								*K(Rh(NH <sub>3</sub> ) <sub>5</sub> HCO <sub>3</sub> )=-6.32		

\*K is for loss of proton from HC<sub>03</sub>-.

---

Cl- HL Chloride CAS 7647-01-0 (50)  
Chloride;

---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	sol	oth/un	25°C	0.10M	U	I			1985PSc (5616)	43
								Kout(Rh(phen)3+C1)=0.43		
Also										
Rh+++	kin	NaCl	50°C	3.0M	C				1975PHa (5617)	44
								K(fac-RhCl3(H2O)3+L)=6.3		
								K(RhCl3(H2O)2L+L)=5.3		
								K(RhCl3(H2O)L2+L)=0.039		
Rh+++	vlt	NaClO4	25°C	1.0M	U		K1=2.62	B2=4.38	1974MMd (5618)	45
							B3=5.94			
							B4=7.42			
							B5=8.79			
Medium:	HC1O4									
Rh+++	con	non-aq	25°C	100%	U	T			1971Pwb (5619)	46
								K(cis-Ru(en)2L2+L)=2.41		
								K(trans-Ru(en)2L2+L)=1		
Medium:	DMSO									
Rh+++	kin	NaClO4	35°C	1.50M	U	T	M		1970BPb (5620)	47
								K(trans-Rh(NH3)5H2O+L)=-1.3		
65 C:	K=-0.74									
Rh+++	kin	NaClO4	45°C	1.50M	U		M		1970BPb (5621)	48
								K(trans-Rh(en)2BrH2O+L)=-0.19		
Rh+++	kin	NaClO4	35°C	4.0M	U				1969RSa (5622)	49
								K6=-1.1		
Rh+++	sp	NaClO4	90°C	4.0M	U			K1=2.49	B2=4.45	1969SEa (5623)
								B3=6.15		50
								B4=7.6		
								B5=8.1		
								B6=7.8		
Medium:	HC1O4									
Rh+++	kin	none	87°C	0.0	U	H			1968LBb (5624)	51
77-97 C,	DH(Rh(NH3)5+L)=14.6	kJ mol-1,	DS=112 J K-1 mol-1							
Rh+++	kin	NaClO4	65°C	4.0M	U	T			1968MOb (5625)	52
								K(Rh(NH3)5+L)=-0.74		
K1=-0.80(25 C).	In 4 M LiClO4:	K=-0.60(65 C);	5 M NaClO4:	-0.66(65 C)						
Rh+++	kin	NaClO4	45°C	4.0M	U	T			1967RSa (5626)	53
								K5=0.77		
Medium:	HC1O4.	K5=0.90(30 C),	0.83(35 C),	0.80(40 C)						

Rh+++ ISE KN03 55°C 0.10M U T M 1966BPc (5627) 54  
K(Ag+RhCl<sub>6</sub>)=4.68

2nd Metal:Ag+. K=5.69(25 °C), 5.18(35 °C)

Rh+++ EMF NaClO<sub>4</sub> 55°C 0.10M U M 1966BPg (5628) 55  
K(RhCl<sub>3</sub>(H<sub>2</sub>O)<sub>2</sub>OH+H)=4.8  
K(RhCl<sub>4</sub>(H<sub>2</sub>O)OH+H)=6.0  
K(RhCl<sub>15</sub>OH+H)=7.3

Also solubility data with AgCl

Rh+++ sp NaClO<sub>4</sub> 85°C 0.10M U T H 1966BPh (5629) 56  
K<sub>2</sub>K<sub>3</sub>=3.65

Also chemical analysis. Medium: HClO<sub>4</sub>. K<sub>2</sub>K<sub>3</sub>=4.25(25 °C), 4.11(40 °C),  
4.06(55 °C), 3.83(70 °C), DH(K<sub>2</sub>K<sub>3</sub>)=-20.1 kJ mol<sup>-1</sup>

Rh+++ kin NaClO<sub>4</sub> 85°C 2.50M U T K<sub>1</sub>=-0.15 1966SHb (5630) 57  
K(RhOH+L)=-0.40  
K<sub>1</sub>=-0.05(75 °C), -0.10(80 °C); K(RhOH+L)=-0.22(75 °C), -0.30(80 °C)

Rh+++ oth NaCl 40°C var U 1965BPe (5631) 58  
K<sub>3</sub>=1.69  
K<sub>4</sub>=0.47  
K<sub>5</sub>=-0.51

Method:electrophoresis

Rh+++ EMF NaClO<sub>4</sub> 25°C 0.10M U 1965BPg (5632) 59  
K<sub>4</sub>=1.39  
K<sub>5</sub>=0.55  
K<sub>6</sub>=-0.23

Medium:HClO<sub>4</sub>

Rh+++ kin NaClO<sub>4</sub> 25°C 0.10M U 1965BPg (5633) 60  
K(Hg+RhCl<sub>6</sub>)=7.3

2nd Metal:Hg++. Medium:HClO<sub>4</sub>

Rh+++ kin NaClO<sub>4</sub> 35°C 4.0M U T 1965RHa (5634) 61  
K<sub>6</sub>=-1.14

Medium: HClO<sub>4</sub>. K<sub>6</sub>=-0.72(15 °C), -0.85(20 °C), -0.93(25 °C)

Rh+++ sp NaClO<sub>4</sub> 120°C 6.0M U K<sub>1</sub>=>3 K<sub>2</sub>=>3 1963WRa (5635) 62  
K<sub>3</sub>=3  
K<sub>4</sub>=2.4  
K<sub>5</sub>=1.4  
K<sub>6</sub>=-0.25

Rh+++ vlt NaClO<sub>4</sub> 25°C 1.0M U K<sub>1</sub>=2.45 B<sub>2</sub>=4.54 1958CPb (5636) 63  
K<sub>3</sub>=1.38  
K<sub>4</sub>=1.16  
K<sub>5</sub>=1.67  
K<sub>6</sub>=-0.32

medium: HClO<sub>4</sub>. B6=8.43

Rh+++ oth oth/un 84°C 0.0 U 1939LAa (5637) 64  
K(Rh(NH<sub>3</sub>)<sub>5</sub>+L)=4.95

\*\*\*\*\*  
ClO<sub>4</sub>- HL Perchlorate CAS 7001-90-3 (287)  
Perchlorate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rh+++ con none 25°C 0.0 U 1974PKa (6373) 65  
K(Rh(en)3+L)=0.93

F- HL Fluoride CAS 7644-39-3 (201)  
Fluoride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rh+++ sp oth/un 45°C 0.20M U T 1970BPb (7137) 66  
K(trans-Rh(NH<sub>3</sub>)<sub>5</sub>(H<sub>2</sub>O+F)=0.41

Medium: NaF. K=1.06(75 C)

\*\*\*\*\*  
FClBrI HL (541)  
Halides, comparative (for book data under ligand 80)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Rh+++ kin NaClO<sub>4</sub> 65°C 1.50M U TI 1968BPb (7430) 67  
Kout(Rh(NH<sub>3</sub>)<sub>5</sub>H<sub>2</sub>O+Cl)=-0.81

Kout=-1.02(35C), -1.27(Br,35C). Ai I=0.2: Kout=0.42(F,45 C), 1.06(F,75 C)  
Plus data at other I values

Rh+++ kin oth/un 50°C var U HM 1967BPb (7431) 68  
K(RhACl+Cl)=2.7  
K(RhACl+Br)=3.2  
K(RhAI+Cl)=3.0  
K(RhAI+I)=3.7

RhA=trans-Rh(en)2

Rh+++ kin NaClO<sub>4</sub> 50°C 0.20M U HM 1967PSb (7432) 69  
K(Rh(NH<sub>3</sub>)<sub>5</sub>+Cl)=2.25  
K(Rh(NH<sub>3</sub>)<sub>5</sub>+Br)=2.16  
K(Rh(NH<sub>3</sub>)<sub>5</sub>+I)=2.68

DH(Cl)=-5.4 kJ mol<sup>-1</sup>, DS=-60 J K<sup>-1</sup> mol<sup>-1</sup>; DH(Br)=-2.9, DS=-49; DH(I)=7.5,  
DS=-26.8

Rh+++ sp oth/un 96°C 2.0M U T H 1966BPF (7433) 70  
K(RhACl<sub>2</sub>+I=RhAClI+Cl)=0.80?

RhA=trans-Rh(en)2. K=0.78(85 C), 0.85(90 C). Also other halogen complexes

Rh+++ sp KCl 85°C 1.50M U M 1965BPd (7434) 71  
 $K(RhACl_2 + Br = RhABrCl + Cl) = 0.29$   
 $K(RhABrCl + Br = RhABr_2 + Cl) = -0.10$

RhA=trans-Rh(en)2

I- HL Iodide CAS 10034-85-2 (20)  
Iodide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	sol	oth/un	25°C	0.10M	U	I			1985PSc (8357)	72
								$K_{out}(Rh(phen)_3 + I) = 0.79$		
								$K_{out}(Rh(phen)_3 + 2I) = 1.05$		
Also $K_{out}$ (1:1 complex) = 0.71 (I = 0.25 M), 0.67 (I = 0.5 M), 0.60 (I = 0.75 M) and $K_{out}$ (1:2 complex) = 0.88 (I = 0.25 M), 0.68 (I = 0.5 M), 0.56 (I = 0.75 M)										

Rh+++ sp non-aq 25°C 100% U I M 1976B0a (8358) 73  
K:RhA4+RhA4I2=Rh2A8I2, A=cyclohexylisocyanide. In MeCN: K=3.7; in DMSO: 3.8;  
In nitromethane: 3.4; in acetone: 2.5

Rh+++	kin	NaClO4	35°C	4.0M	U				1969RSa (8359)	74
								$K(Rh(Cl)_5 + L) = 0.48$		

NH3 L Ammonia CAS 7664-41-7 (414)  
Ammonia

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	sol	R4N.X	25°C	1.00M	U				1995MPa (9205)	75
								$K_{out}(Rh(NH_3)_6 + L) = 0.93$		

Medium: NH4ClO4

Rh+++ sp NaClO4 25°C 1.00M C T H 1992SPa (9206) 76  
 $K((Rh_2L_8(OH)_2(H_2O) = 2(cis-RhL_4(OH)(H_2O))) = -1.84$   
Data also for other equilibria between mononuclear and binuclear species.

Rh+++	gl	NaClO4	25°C	1.00M	C	H			1986SKa (9207)	77
								$*K_1(cis-RhL_4) = -6.39$		
								$*K_2(cis-RhL_4) = -8.36$		
								$*K_1(trans-RhL_4) = -4.86$		
								$*K_2(trans-RhL_4) = -8.29$		

cis-RhL4:  $DH(*K_1) = 44.9 \text{ kJ mol}^{-1}$ ;  $DH(*K_2) = 42.6$ ;

trans-RhL4:  $DH(*K_1) = 34.0 \text{ kJ mol}^{-1}$ ;  $DH(*K_2) = 36.7$

Rh+++	sp	NaClO4	125°C	0.10M	U	T			1981BJa (9208)	78
								$K(RhL_5OH + HL = RhL_6 + H_2O) = 1.92$		

For temperatures 111.5, 135, 142 C, K=2.36, 1.80, 1.63 respectively

Rh+++	kin	NaClO4	125°C	0.10M	U	T			1981BJa (9209)	79
								$K(RhL_5OH + HL = RhL_6 + H_2O) = 2.04$		

For temperatures 111.5, 135, 142 C, K=2.39, 1.67, 1.67 respectively

Rh+++ gl oth/un 25°C var U 1968T0b (9210) 80  
 $K(RhHL4+L)=3.7$   
 $K(RhEtL4+L)=9.4$   
 $K(Rh(C2F4H)L4+L)=9.7$

NO<sub>2</sub>- HL Nitrite CAS 7782-77-6 (635)  
Nitrite;

pH=9-10, NaNO<sub>2</sub> aqueous solution

Rh+++      kin NaClO<sub>4</sub> 35°C 4.0M U      1969RSa (9405) 82  
 $K(RhCl_5 + L) = 0.04$

N3- HL Azide CAS 7782-79-8 (441)  
Azide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	kin	oth/un	77°C	var	U				1970DLa (10255)	83
								$K(Rh(NH_3)_5L+H) = 2.2$		

Medium: HClO<sub>4</sub>

Rh+++      kin oth/un 60°C    var    U      M      1968STb (10256)    84  
 $K(Rh(NH_3)_5L + H) = 1.95$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Rh+++ gl NaClO<sub>4</sub> 25°C 1.0M C T H 1982Hnb (12045)  
 $K(H_2O[A_2Rh(OH)RhA_2H_2O]) = -2.372$   
 $K([HO]_2Rh(OH)_2Rh_2H_2O) = -9.128$

A is 1,2-diaminoethane.  $K(A_2Rh(OH)_2RhA_2 + H_2O \rightleftharpoons H_2O A_2Rh(OH)RhA_2(OH)) = 1.05$

$\Delta H(*K((H_2O)A2Rh(OH)RhA2(H_2O))) = 28 \text{ kJ mol}^{-1}$ ,  $\Delta S = 49 \text{ J K}^{-1} \text{ mol}^{-1}$ .

Rh+++ gl NaClO<sub>4</sub> 25°C 1.00M C M 1980SFb (12046) 86  
                   \*K1(RhA5(H<sub>2</sub>O))=-6.93  
                   \*K1(cis-RhA4)=-6.40  
                   \*K1(trans-RhA4)=-4.92  
                   \*K2(trans-RhA4)=-8.26

A=NH3. \*K2=-8.32

Rh+++ oth NaClO4 18°C 0.10M U K1=11.03 B2=21.47 1976MNa (12047) 87

B3=31.52

B4=38.29

B5=43.06

B6=46.36

Rh+++ gl NaCl 26°C 1.0M C 1975PAa (12048) 88

\*K1(Rh(en)2(H2O)2)=-4.49

\*B2(Rh(en)2(H2O)2)=-11.97

Rh+++ gl NaClO4 26°C 1.0M C T 1975PAa (12049) 89

\*K1=-4.37

\*K2=-7.64

At 40 C: \*K1=-4.17, \*K2=-7.42; 50 C: -4.02, -7.52; 65 C: \*K1=-3.82

Rh+++ kin NaCl 25°C 3.0M C I 1975PHa (12050) 90

\*K(mer-RhCl3(H2O)3)=-6.51

Rh+++ kin none 25°C 0.0 C I 1975PHa (12051) 91

\*K(mer-RhCl3(H2O)3)=-6.96

Rh+++ sol oth/un 25°C U 1971IBb (12052) 92

K(Rh(OH)3(s)+OH=Rh(OH)4)=-3.9

K(Rh(OH)3(s)+3OH=Rh(OH)6)=-5.9

Rh+++ cal NaClO4 25°C 0.10M U H 1970CHb (12053) 93

\*K(RhA5+H2O=RhA5OH+H)=-6.14

A=NH3. DH(\*K)=39.50 kJ mol-1, DS=17.2 J K-1 mol-1

Rh+++ gl oth/un 20°C dil U M 1967BPb (12054) 94

\*K1(tr-Rh(en)2C1(H2O)2)=-6.44

\*K1(tr-Rh(en)2Br(H2O)2)=-6.07

\*K1(tr-Rh(en)2I(H2O)2)=-6.55

Rh+++ gl NaClO4 35°C 0.20M U T H 1967PSb (12055) 95

\*K1=-6.24

\*K1=-6.63(9.4 C). DH=25 kJ mol-1, DS=-38 J K-1 mol-1

Rh+++ gl NaClO4 25°C 2.50M U T H 1966SHb (12056) 96

\*K1=-3.40

\*K1=-3.20(45 C), -3.08(60 C), -2.96(75 C), -2.89(85 C). DH=18.0 kJ mol-1

Rh+++ gl oth/un 25°C ? U 1964PHb (12057) 97

\*K1=-3.2

Rh+++ sp NaClO4 20°C 1.0M U 1960COc (12058) 98

\*K1=-2.92

Rh+++	sp	oth/un	25°C	dil	U	1959FAa (12059) 99
						*K1=-3.43?
						K(Rh(OH)3(s)=RhOH+2OH)=-22.32
Rh+++	gl	oth/un	?25	dil	U	1959GVa (12060) 100
						*K1(Rh(en)3) < -12
Rh+++	oth	none	25°C	0.0	U	1958MPa (12061) 101
						*Kso=2.56?
*Kso: K(0.5 Rh2O3(s)+3H=1.5 H2O+Rh); method:combination of thermodynamic data						
Rh+++	sol	oth/un	20°C	dil	U	1956J0a (12062) 102
						K(Rh(OH)3(s)+H=Rh(OH)2)=-5
Rh+++	sp	oth/un	20°C	dil	U	1930GFa (12063) 103
						*K1(Rh(NH3)6)=-11.14
Rh+++	kin	none	15°C	0.0	U	1928BVa (12064) 104
						*K1(Rh(NH3)5(H2O))=-5.86
*****						*****
P3010-----		H5L		CAS	10380-08-2 (1001)	
Tripolyphosphate; from (HO)2PO.O.PO(OH).O.PO(OH)2						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Rh+++	sp	oth/un	25°C	1.00M	U	1978FPa (13899) 105
						K(Rh+2HP3010)=16.37
						K(Rh+2P3010)=26.25
K(Rh(H2O)2Cl4+2H2L=RhH2L2+2H+4Cl)=-2.43						*****
SCN-		HL		Thiocyanate	CAS 463-56-9 (106)	
Thiocyanate;						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo
Rh+++	nmr	oth/un	25°C	?	U	1994RGa (15243) 106
						B6=35
Method: correlation with nmr parameters.						
Rh+++	ISE	oth/un	25°C	0.10M	U	1975LMa (15244) 107
						K(Rh(NH3)5NCS+Ag)=3.38
Rh+++	kin	NaClO4	35°C	4.0M	U	1969RSa (15245) 108
						K(RhCl5+L)=0.96
*****						*****
SO4--		H2L		Sulfate	CAS 7664-93-9 (15)	
Sulfate;						
Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo

Rh+++ con oth/un 25°C 0.01M U M 1977SPa (16520) 109  
K(Rh(NH<sub>3</sub>)<sub>5</sub>Cl<sub>1</sub>+SO<sub>4</sub>)=2.90  
K(Rh(NH<sub>3</sub>)<sub>5</sub>N<sub>0</sub><sub>2</sub>+SO<sub>4</sub>)=2.52

Rh+++ kin NaClO<sub>4</sub> 65°C 1.0M U I M 1973MOa (16521) 110  
Kout(Rh(NH<sub>3</sub>)<sub>5</sub>+L)=0.5  
Kin(Rh(NH<sub>3</sub>)<sub>5</sub>+L)=1.0

When I=4 M: Kout=-0.20, Kin=1.4

Rh+++ sol NaClO<sub>4</sub> 25°C 3.0M U HM 1972MRe (16522) 111  
K(Rh(en)<sub>3</sub>+L)=0.15  
K(Rh(en)<sub>3</sub>L+L)=0.11

Rh+++ sp NaClO<sub>4</sub> 65°C 4.0M U T 1968MOb (16523) 112  
K(Rh(NH<sub>3</sub>)<sub>5</sub>+L)=-0.15

K=0.0(25 C)

\*\*\*\*\*

S2O<sub>3</sub>-- H<sub>2</sub>L Thiosulfate CAS 73686-28-7 (177)  
Thiosulfate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ con oth/un 25°C 0.01M U M 1977SPa (16898) 113  
K(Rh(NH<sub>3</sub>)<sub>5</sub>Cl<sub>1</sub>+S2O<sub>3</sub>)=2.50

\*\*\*\*\*

CH<sub>4</sub>N<sub>2</sub>S L Thiourea CAS 62-56-6 (51)  
Thiocarbamide, Thiourea; (H<sub>2</sub>N)<sub>2</sub>CS

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ gl NaClO<sub>4</sub> 25°C 1.00M U 1997SAa (17853) 114  
\*K(Rh<sub>3</sub>(OH)<sub>4</sub>(H<sub>2</sub>O)<sub>11</sub>)=-3.10

\*\*\*\*\*

C<sub>2</sub>H<sub>3</sub>N<sub>3</sub>S L CAS 3179-31-5 (4221)  
1,2,4-Triazoline-3-thione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ sp KCl ? 1.20M U 1972RPb (19246) 115  
B3=28.5

Medium: HCl

\*\*\*\*\*

C<sub>2</sub>H<sub>6</sub>OS L DMSO CAS 67-68-5 (329)  
Dimethylsulfoxide; (CH<sub>3</sub>)<sub>2</sub>SO

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ cal non-aq 24°C 100% U HM 1976LDa (22121) 116

Medium: benzene. K((RhACl)<sub>2</sub>+2L=2RhALCl)=1.9, A=1,5-Cyclooctadiene.

$$\Delta H = -16 \text{ kJ mol}^{-1}$$

\*\*\*\*\*

C2H8N2 L Ethylenediamine CAS 107-15-7 (23)  
1,2-Diaminoethane; H2N.CH2.CH2.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	sp	NaClO <sub>4</sub>	25°C	1.00M	C				1983HSc (23227)	117
								*K(trans-RhL <sub>2</sub> )=-4.47		
								*K(trans-Rh(OH)L <sub>2</sub> )=-7.91		

C3H4N2                    L        Imidazole            CAS 288-32-4 (90)  
1,3-Diazole, imidazole; C3H4N2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	cal	oth/un	25°C	0.10M	U	HM			1977DSa (23920)	118
								$K(Rh_2(O_2CCH_2OCH_3)_4 + L) = 3.94$		
								$K(Rh_2(O_2CCH_2OCH_3)_4L + L) = 2.40$		

Medium: phosphate buffer, pH 7.4

Rh+++ cal oth/un 25°C 0.10M U 1976DSa (23921) 119  
 $K(Rh_2(O_2CCH_2OCH_3)_4 + L) = 3.94$   
 $K(Rh_2(O_2CCH_2OCH_3)_4L + L) = 2.40$

C3H6O2S H2L Thiolactic acid CAS 79-42-5 (366)  
2-Mercaptopropionic acid; CH<sub>3</sub>.CH(SH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----

K3=5.35

Data for 1-0.10-1.0 M NaClO4, extrapolated to 1-0.0. Data for 35 and 45 °C  
 $DH(K1) = -48.3 \text{ kJ mol}^{-1}$ , DS=13;  $DH(K2) = -31.6$ , DS=33;  $DH(K3) = -21.9$ , DS=29  
\*\*\*\*\*

C3H7NO2                  HL       Alanine                  CAS 56-41-7 (86)  
2-Aminopropanoic acid; H2N.CH(CH3).COOH

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Data for I=0.10-1.0 M NaClO<sub>4</sub>, extrapolated to I=0.0. Data for 35 and 45 C  
 DH(K1)=-167 kJ mol<sup>-1</sup>, DS=-255; DH(K2)=-52.7, DS=-25; DH(K3)=-17.5, DS=25  
 \*\*\*\*

C3H7NO2S H2L Cysteine CAS 52-90-4 (96)  
2-Amino-3-mercaptopropanoic acid; H2N.CH(CH2.SH)COOH

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Rh+++ gl NaClO<sub>4</sub> 25°C 0.0 C TIH K1=8.60 B2=11.95 1985SNc (26832) 122  
K3=2.25

Data for I=0.10-1.0 M NaClO<sub>4</sub>, extrapolated to I=0.0. Data for 35 and 45 C  
DH(K1)=-61.5 kJ mol<sup>-1</sup>, DS=-42; DH(K2)=-18.0, DS=-25; DH(K3)=-17.6, DS=-17

C3H7NS L CAS 758-16-7 (476)

N,N-Dimethylthioformamide; HCS.N(CH<sub>3</sub>)<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh+++ cal non-aq 24°C 100% U HM 1976LDa (27258) 123

Medium: benzene. K((RhACl)<sub>2</sub>+2L=2RhALC<sub>1</sub>)=6.0, A=1,5-cyclooctadiene.

DH=-37 kJ mol<sup>-1</sup>

C3H10N<sub>2</sub> L Propanediamine CAS 109-76-2 (123)

1,3-Diaminopropane; H<sub>2</sub>N.CH<sub>2</sub>.CH<sub>2</sub>.CH<sub>2</sub>.NH<sub>2</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh+++ sp NaClO<sub>4</sub> 25°C 1.0M C 19840Sa (28321) 124

\*K1(cis-RhL2)=-6.15

\*K2(cis-RhL2(OH))=-8.20

\*K1(trans-RhL2)=-4.39

\*K2(trans-RhL2(OH))=-8.20

\*\*\*\*\*

C4H6O<sub>4</sub>S H3L Thiomalic acid CAS 70-49-5 (109)

2-Mercaptosuccinic acid, 2-Sulfanyl-1,4-butanedioic acid; HOOC.CH(SH).CH<sub>2</sub>.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh+++ sp oth/un 30°C ? U K1=21.6 1966SNb (30360) 125

By glass electrode: K2=8.4

\*\*\*\*\*

C4H<sub>8</sub>S L CAS 110-01-0 (150)

Tetrahydrothiophene; cyclo(-CH<sub>2</sub>.CH<sub>2</sub>.S.CH<sub>2</sub>.CH<sub>2</sub>-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh+++ cal non-aq 24°C 100% U HM 1976LDa (33741) 126

Medium: benzene. K((RhACl)<sub>2</sub>+2L=2RhALC<sub>1</sub>)=1.4, A=1,5-cyclooctadiene.

DH=-22 kJ mol<sup>-1</sup>

\*\*\*\*\*

C4H<sub>9</sub>NO L Morpholine CAS 110-91-8 (318)

Perhydro-1,4-oxazine, Tetrahydro-1,4-oxazine; C4H<sub>8</sub>NO

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Rh+++ cal non-aq 24°C 100% U HM 1976LDa (33794) 127

Medium: benzene. K((RhACl)<sub>2</sub>+2L=2RhALC<sub>1</sub>)=3.9, A=1,5-cyclooctadiene.

DH=-41 kJ mol<sup>-1</sup>

C5H5N                    L       Pyridine            CAS 110-86-1 (31)  
Pyridine, Azine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	cal	oth/un	25°C	0.10M	U	HM			1977DSa (36674)	128
								$K(Rh_2(O_2CCH_2OCH_3)_4 + L) = 4.52$		
								$K(Rh_2(O_2CCH_2OCH_3)_4L + L) = 2.81$		

Medium: phosphate buffer, pH 7.4

Rh+++ sp alc/w 25°C 100% U T M 1977PVa (36675) 129  
 $K(RhA2C12+L)=1.98$

A=O-dimethylaminophenyl dimethylarsine. Also with many substituted pyridines  
Medium: MeOH

Rh+++ cal non-aq 24°C 100% U IHM 1976LDa (36676) 130  
 Medium: K((CH<sub>3</sub>)<sub>3</sub>N)<sub>2</sub>Cl<sub>2</sub>·2H<sub>2</sub>O, 2.24 A, 1.5 g, 1 ml, 100 ml

Medium: benzene.  $K((RhACl)_2 + 2L \rightarrow RhALCl) = 3.04$ , A=1,5-Cyclooctadiene.

DH=-28 kJ mol<sup>-1</sup>. In triethylphosphate, K=3.61, DH=-30 kJ mol<sup>-1</sup>

\*\*\*\*\*

Cyclopentadiene; cyclo(-CH:CH.CH<sub>2</sub>.CH:CH-)

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo

Rh+++ sp NaClO<sub>4</sub> 25°C 0.20M U M 1999CEa (37081) 131  
 $*K(RhL(H_2O)_3) = -6.47$   
 $K(2RhL(OH) = (RhL)_2(u-OH)_3) = -8.9$   
 $K(RhL + Cl^-) = 2.1$   
 $K(RhL + Br^-) = 2.8$   
 $K(RhI + CN^- - nv) = 3.2$     $K(RhI + nv - nia) = 3.6$     $K(RhI + nv) = 4.6$     $K(RhI + dmso) = 3.4$

$K(RHL+CN-py)=3.2$ ,  $K(RHL+py-nia)=5.0$ ,  $K(RHL+py)=4.6$ ,  $K(RHL+dms)=3.4$ ,  
 $K(RHL+tu)>6$ ,  $K(RHL+SCN)=5.1$ . dms: dimethylsulfide; py-nia: nicotinamide

Digitized by srujanika@gmail.com

C5H10N4O3 L CAS 54376-69-1 (8335)

N,N'-Carbonylbis(2-aminoacetamide);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ g1 NaClO4 25°C 0.10M U TIH K1=9.75 B2=14.90 1980SAC (40139) 132  
 Data for 0.075-0.15 M. At I=0, K1=10.20, K2=5.75. Also data for 30 C.

DH and DS values.

\*\*\*\*\*

C5H11N                    L      Piperidine                    CAS 110-89-4 (105)

**Perhydropyridine; cyclo(-CH<sub>2</sub>.CH<sub>2</sub>.CH<sub>2</sub>.NH.CH<sub>2</sub>.CH<sub>2</sub>-)** C<sub>5</sub>H<sub>11</sub>N

Metal      Mtd    Medium    Temp    Conc    Cal    Flags    Lg    K    values      Reference    ExptNo

Rh+++ cal non-aq 24°C 100% U HM 1976LDa (40458) 133

Medium: benzene,  $K((RhAlCl)_2 + 2L \rightarrow RhAlCl_3) = 5.4$ , A=1,5-Cyclooctadiene.

DH=-42 kJ mol<sup>-1</sup>

\*\*\*\*\*

C6H7N L gamma-Picoline CAS 108-89-4 (325)  
4-Methylpyridine; C5H4N.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ cal non-aq 24°C 100% U IHM 1976LDa (44833) 134  
Medium: benzene.  $K((RhACl)_2 + 2L = 2RhALCl) = 3.67$ , A=1,5-Cyclooctadiene.  
 $DH = -30 \text{ kJ mol}^{-1}$ . In THF: 2.94,  $DH(B2) = -32 \text{ kJ mol}^{-1}$

\*\*\*\*\*

C6H9N3O2 HL Histidine CAS 71-00-1 (1)  
2-Amino-3-(4'-imidazolyl)propanoic acid; H2N.CH(CH2.C3H3N2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ cal oth/un 25°C 0.10M U HM 1977DSa (47608) 135  
 $K(Rh_2(O_2CCH_2OCH_3)_4 + L) = 4.38$   
 $K(Rh_2(O_2CCH_2OCH_3)_4L + L) = 2.79$

Medium: phosphate buffer, pH 7.4

\*\*\*\*\*

C6H14S L (6898)  
S-Ethyl-2-mercaptopbutane; CH3.CH(SCH2.CH3)CH2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ EMF non-aq 25°C 100% U K1=2.59 B2=4.53 1990MRc (51141) 136  
B3=6.25

Medium: Dimethylformamide, 0.1 M NaClO4; Rh/Pt-electrode

\*\*\*\*\*

C7H6O2S H2L Thiosalicylic CAS 147-93-3 (236)  
2-Mercaptobenzoic acid; HS.C6H4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ oth alc/w ? 40% U K1=8.55 B2=15.30 1973NNa (53915) 137

\*\*\*\*\*

C7H7NO L Benzamide CAS 55-21-0 (2328)  
Benzamide; C6H5.CO.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ sp NaClO4 25°C 1.0M U 1975ZFa (55150) 138  
 $K(Rh(NH_3)_5 + H - 1L) = 2.2$

\*\*\*\*\*

C7H13N L Quinuclidine CAS 100-76-5 (1784)  
1-Azabicyclo[2.2.2]octane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Rh+++ cal non-aq 24°C 100% U HM 1976LDa (57423) 139

Medium: benzene. K((RhACl)2+2L=2RhALC1)=1.3, A=1,5-Cyclooctadiene.

DH=-29 kJ mol-1

\*\*\*\*\*

C7H16S L (6899)  
S-Ethyl-2-methyl-2-mercaptopbutane; H3C.CH2.S.C(CH3)2.CH2.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	EMF	non-aq	25°C	100%	U	I		K1=2.32    B2=4.12 B3=5.81	1990MRC	(58097) 140

Medium: Dimethylformamide, 0.1 M NaClO4; Rh/Pt-electrode

In acetone: K1=3.71, B2=6.99, B3=9.27

\*\*\*\*\*

C8H13N06S H3L (5675)  
2-Mercapto-1-aminoethane-N,N,S-triethanoic acid; HOOC.CH2.S.CH2.CH2.N(CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	gl	oth/un	25°C	0.10M	U				1983ESa	(61830) 141

K(RhL+H)=3.65  
K(RhHL+H)=3.2

\*\*\*\*\*

C8H18S L CAS 544-40-1 (2346)  
Bis(n-butyl)sulfide; C4H9.S.C4H9

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	EMF	non-aq	25°C	100%	U	I		K1=4.05    B2=7.75 B3=10.80	1990MRC	(63008) 142

Medium: Acetone, 0.1 M NaClO4; Rh/Pt-electrode. In DMF K1=2.61, B2=4.70,  
B3=6.56

\*\*\*\*\*

C9H7N3O2S H2L TAR CAS 2246-46-0 (707)  
4-(2'-Thiazolylazo)-resorcinol; C3H2NS.N:N.C6H3(OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	sp	oth/un	?	?	U				1968BIB	(64723) 143

K(Rh+HL)=8.45

Rh+++	sp	alc/w	25°C	50%	U				1967NPB	(64724) 144
-------	----	-------	------	-----	---	--	--	--	---------	-------------

K(?)=12

Medium: 50% MeOH, 0.1 M NaClO4

\*\*\*\*\*

C9H18O2S L (6900)  
S-Butyl-0-(2-butyl)thiocarbonate; CH3.CH2.CH(CH3).O.CO.S.CH2.CH2.CH2.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	EMF	non-aq	25°C	100%	U			K1=1.96    B2=3.45	1990MRC	(67961) 145

B3=4.81

Medium: Dimethylformamide, 0.1 M NaClO4; Rh/Pt-electrode

C10H14N5O7P H2L AMP-5 CAS 18422-05-4 (842)

Adenosine-5'-monophosphoric acid, 5-Adenylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	cal	oth/un	25°C	0.10M	U	HM			1977DSa (72484)	146
								K(Rh2(O2CCH2OCH3)4+L)=3.45		
								K(Rh2(O2CCH2OCH3)4L+L)=2.70		

Medium: phosphate buffer, pH 7.4

Rh+++	sp	oth/un	22°C	0.10M	U	M			1975RHa (72485)	147
								K(RhA+L)=3.18		
								K(RhB+L)=3.28		
								K(RhY+L)=3.63		
								K(RhAL+L)=2.20		

At pH 7. K(RhBL+L)=2.31; K(RhCL+L)=2.54. HA=CH<sub>3</sub>.CO.COOH; HB=CH<sub>3</sub>.COOH;  
HC=C<sub>2</sub>H<sub>5</sub>.COOH

C10H15N5O10P2 H3L ADP CAS 20398-34-9 (2181)

Adenosine-5'-diphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	sp	oth/un	22°C	0.10M	U		K1=3.06	B2=5.10	1975RHa (73012)	148
								Cation is RhCH <sub>3</sub> COO <sup>+</sup> and ionic medium is a K-phosphate buffer		

C10H16N5O13P3 H4L ATP CAS 56-65-5 (403)  
Adenosine-5'-triphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	sp	oth/un	22°C	0.10M	U				1975RHa (74815)	149
								K(Rh(CH <sub>3</sub> COO)+L)=3.27		
								K(Rh(CH <sub>3</sub> COO)L+L)=2.11		
								K(Rh(C <sub>2</sub> H <sub>5</sub> COO)+L)=3.65		
								K(Rh(C <sub>2</sub> H <sub>5</sub> COO)L+L)=2.52		

Medium: 0.1 M phosphate buffer, pH 7.5

C12H24O2S L (6901)

S-Pentyl-0-(hexyl)thiocarbonate; C<sub>6</sub>H<sub>13</sub>.O.CO.S.C<sub>5</sub>H<sub>11</sub>

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	EMF	non-aq	25°C	100%	U		K1=1.89	B2=3.30	1990MRc (83114)	150
								B3=4.51		

Medium: Dimethylformamide, 0.1 M NaClO4; Rh/Pt-electrode



C10H8N2 L 2,2'-Bipyridyl CAS 366-18-7 (25)  
 2,2'-Bipyridine; (C5H4N)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Rh+++	sp	none	25°C	0.0	U				1982CCc (69637)	158

$$\begin{aligned} K(2\text{Rh(I)L}_2 &= [\text{RhL}_2]_2) = 4.0 \\ K(\text{Rh(I)L}_2 + \text{H}_3\text{O}^+ &= \text{RhL}_2(\text{H})\text{H}_2\text{O}) = 7.3 \\ K([\text{Rh(I)L}_2]_2 + \text{H}^+ &= [\text{RhL}_2]_2\text{H}) = 9.3 \end{aligned}$$

## REFERENCES

- 2002Ra S Otto,A Roodt; Inorg.Chim.Acta,331,199 (2002)  
 2000BNa A Bunn,Y Ni,B Wayland; Inorg.Chem.,39,5576 (2000)  
 2000KYb Y Kitamura,L Yano,K Fujimori; Bull.Chem.Soc.Jpn.,73,2025 (2000)  
 1999CEa S Cayemittes,H Elias,A Merbach; Inorg.Chem.,38,4309 (1999)  
 1998KTa A Kudryavtsev,A Teleshev,W Linert; Inorg.Chim.Acta,267,293 (1998)  
 1997SAa L Spiccia,J Aramini,S Crimp,A Drljaca; J.Chem.Soc.,Dalton Trans.,4603  
 (1997)  
 1995MPa V Mironov,G Pashkov et al; Zh.Neorg.Khim.,40,1670 (1995)  
 1994RGA M Read,J Glaser,I Persson,M Sandstrom; J.Chem.Soc.,Dalton Trans.,3243  
 (1994)  
 1992LPa P Lahuerta,J Paya,A Bianchi; Inorg.Chem.,31,5336 (1992)  
 1992SPa J Springborg; Acta Chem.Scand.,46,956,1047 (1992)  
 1990MRC V Maistrenko,I Rusakov et al; Zh.Obschh.Khim.,60,851 (1990)  
 1988AMA M Aquino,D Macartney; Inorg.Chem.,27,2868 (1988)  
 1987DMb M Doyle,S Mahapatra et al; Inorg.Chem.,26,3070 (1987)  
 1986SKa L Skibsted; Acta Chem.Scand.,A40,364 (1986)  
 1985PSc A Pyartman,M Sof'in; Zh.Neorg.Khim.,30,1230 (1985)  
 1985SNc C Sharma,S Narvi; Thermochim.Acta,90,1 (1985)  
 1984OSa B Oby,L Skibsted; Acta Chem.Scand.,A38,399 (1984)  
 1983ESa N Ezerskaya,L Schubochkin; Zh.Neorg.Khim.,28,1515(854) (1983)  
 1983HSc K Howland,L Skibsted; Acta Chem.Scand.,A37,647 (1983)  
 1983ZYa Zhang Jianmin,Yang Bingyu,H Z,M G; Acta Chimica Sinica,284 (1983)  
 1982CCc M Chou,C Creutz,D Mahajan et al; Inorg.Chem.,21,3989 (1982)  
 1982HNb M Hancock,B Nielsen,J Springborg; Inorg.Chim.Acta,41,25 (1982)  
 1981BJa S Balt,A Jelsma; J.Chem.Soc.,Dalton Trans.,1289 (1981)  
 1980SAC P Srivastava,S Adhya,B Banerjee; J.Indian Chem.Soc.,57,985 (1980)  
 1980SFb L Skibsted,P Ford; Acta Chem.Scand.,A34,109 (1980)  
 1979DTa R Drago,S Tanner,R Richman et al; J.Am.Chem.Soc.,101,2897 (1979)  
 1978Fpa N Falendish,E Parkhomenko et al; Zh.Neorg.Khim.,23,2130(1170) (1978)  
 1977DSa K Das,E Simmons,J Bear; Inorg.Chem.,16,1268 (1977)  
 1977HRa J Halpern,D Riley,S Chan et al; J.Am.Chem.Soc.,99,8055 (1977)  
 1977KLa V Kalinina,V Lyakushina; Zh.Neorg.Khim.,22,3325(1814) (1977)  
 1977KYa V Kalinina,K Yatsimirskii et al; Zh.Neorg.Khim.,22,2488(1344) (1977)  
 1977PVa A Peloso,L Volponi; J.Chem.Soc.,Dalton Trans.,2356 (1977)  
 1977SPa M Sofin,A Pyartman et al; Zh.Fiz.Khim.,51,1281 (1977)  
 1976B0a A Balch,M Olmstead; J.Am.Chem.Soc.,98,2354 (1976)  
 1976DSA K Das,J Bear; Inorg.Chem.,15,2093 (1976)  
 1976LDA M Li,R Drago; J.Am.Chem.Soc.,98,5129 (1976)

- 1976MNa N Masleyi,B Nabivanets et al; Ukr.Khim.Zh.,42,247 (1976)  
 1975FOa D Forster; J.Am.Chem.Soc.,97,951 (1975)  
 1975LMa G Lalor,H Miller; J.Inorg.Nucl.Chem.,37,1832 (1975)  
 1975PAa M Pavelich; Inorg.Chem.,14,982 (1975)  
 1975PHa D Palmer,G Harris; Inorg.Chem.,14,1316 (1975)  
 1975RHa L Rainen,R Howard,A Kimball et al; Inorg.Chem.,14,2752 (1975)  
 1975ZFa A Zanella,P Ford; Inorg.Chem.,14,700 (1975)  
 1974MMd M Mihailov,V Mihailova,V Khalkin; J.Inorg.Nucl.Chem.,36,115 (1974)  
 1974PKa A Pyartman,N Kolobov,L Merkuleva et al; Zh.Neorg.Khim.,19,1691(E:920)  
 (1974)  
 1974TAb T Takamatsu; Bull.Chem.Soc.Jpn.,47,118 (1974)  
 1974TMa C Tolman,P Meakin,D Lindner,J Lesson; J.Am.Chem.Soc.,96,2762 (1974)  
 1973MOa F Monacelli; Inorg.Chim.Acta,7,65 (1973)  
 1973NNa C Nair,H Nigam; Curr.Sci.,42,495 (1973)  
 1972FOa D Forster; Inorg.Chem.,11,1686 (1972)  
 1972MRe V Mironov,G Ragulin,I Umova et al; Zh.Fiz.Khim.,46,257(E:155) (1972)  
 1972RPb A Radushev,E Prokhorenko; Zh.Anal.Khim.,27,11,2209 (1972)  
 1971ARa J Amosse,M Rubaud et al; Compt.Rend.,273C,1708 (1971)  
 1971IBa V Ivanov,A Busev,V Gresl,A Zagruzina; Zh.Anal.Khim.,26,8,1553 (1971)  
 1971IBb B Ivanov-Emin,L Borzova et al; Zh.Neorg.Khim.,16,2766(E:1474) (1971)  
 1971PWb D Palmer,D Watts; Inorg.Chem.,10,281 (1971)  
 1970BPb H Bott,A Poe,K Shaw; J.Chem.Soc.(A),1745 (1970)  
 1970CHb A Cunningham,D House,H Powell; Australian J.Chem.,23,2375 (1970)  
 1970DLa C Davis,G Lalor; J.Chem.Soc.(A),445 (1970)  
 1969RSa D Robb,M Steyn,H Kruger; Inorg.Chim.Acta,3,383 (1969)  
 1969SEa V Shlenskaya,O Efremenko et al; Izv.Akad.Nauk(USSR),18,1643 (1969)  
 1968BIb A Busev,V Ivanov,V Gresl; Zh.Anal.Khim.,23,10,1570 (1968)  
 1968BPb H Bott,A Poe,K Shaw; J.Chem.Soc.,Chem.Comm.,793 (1968)  
 1968LBb G Lalor,G Bushnell; J.Chem.Soc.(A),2520 (1968)  
 1968M0b F Monacelli; Inorg.Chim.Acta,2,263 (1968)  
 1968STb P Staples; J.Chem.Soc.(A),2731 (1968)  
 1968T0b K Thomas,J Osborn,A Powell,G Wilkinson; J.Chem.Soc.(A),1801 (1968)  
 1967BPb H Bott,A Poe; J.Chem.Soc.(A),205 (1967)  
 1967NPb G Nickless,F Pollard,T Samuelson; Anal.Chim.Acta,39,37 (1967)  
 1967PSb A Poe,K Shaw,M Wendt; Inorg.Chim.Acta,1,371 (1967)  
 1967RSa W Robb,M de,V Steyn; Inorg.Chem.,6,616 (1967)  
 1966BPb H Bott,A Poe,K Shaw; J.Chem.Soc.,Chem.Comm.,793 (1966)  
 1966BPC A Belyaev,B Ptitsyn; Izv.Sib.Otd.Akad.Nauk SSR,136 (1966)  
 1966BPF E Bounsall,A Poe; J.Chem.Soc.(A),286 (1966)  
 1966BPG A Belyaev,B Ptitsyn; Zh.Neorg.Khim.,11,1345 (1966)  
 1966BPH A Belyaev,B Ptitsyn; Zh.Neorg.Khim.,11,1565 (1966)  
 1966SHb K Swaminathan,G Harris; J.Am.Chem.Soc.,88,4411 (1966)  
 1966SNb S Sinha,H Nigam,S Sangal; Chim.Anal.,48,515 (1966)  
 1965BPD H Bott,A Poe; J.Chem.Soc.,5931 (1965)  
 1965BPE E Blasius,W Preetz; Z.Anorg.Chem.,335,1 (1965)  
 1965BPG A Belyaev,B Ptitsyn; Zh.Obshch.Khim.,35,1887 (1965)  
 1965RHa W Robb,G Harris; J.Am.Chem.Soc.,87,4472 (1965)  
 1964PHb W Plumb,G Harris; Inorg.Chem.,3,542 (1964)  
 1963WRa W Wolsey,C Reynolds,J Kleinberg; Inorg.Chem.,2,463 (1963)  
 1961CPb D Cozzi,F Pantani; J.Electroanal.Chem.,2,72;230 (1961)

1960C0c M Cola; Gazz.Chim.Ital.,90,1037 (1960)  
1959FAa J Forrester,G Ayres; J.Phys.Chem.,63,1979 (1959)  
1959GVa A Grinberg,L Vrublevskaya et al; Zh.Neorg.Khim.,4,1018 (1959)  
1958CPb D Cozzi,F Pantani; J.Inorg.Nucl.Chem.,8,385 (1958)  
1958MPa J van Muylder,M Pourbaix; Cebelcor Rapp.Tech.,59;62 (1958)  
1956J0a C Jorgensen; Acta Chem.Scand.,10,500;518 (1956)  
1952LAb W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)  
1948DSA F Dwyer,H Schafer; J.Proc.Roy.Soc.,NSW,82,294 (1948)  
1939LAa A Lamb; J.Am.Chem.Soc.,61,699 (1939)  
1938GAa G Grube,H Autenrieth; Z.Elektrochem.,44,296 (1938)  
1937GGa G Grube,B Gu; Z.Elektrochem.,43,397 (1937)  
1930GFa A Grunberg,G Faermann; Z.anorg.Chem., 193,193 (1930)  
1928BVa J Brondted,K Volqvartz; Z.Phys.Chem., 134,97 (1928)

#### EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES  
I Data with various BACKGROUNDS  
H Data for THERMOCHEMICAL quantities  
M Data for TERNARY Complexes

EVALUATION Flags are :-

---

END