

SC-Database

Software version = 5.81 Data version = 4.62

Experiment list contains 514 experiments for
(no ligands specified)

Metal : Tm+++

(no references specified)

(no experimental details specified)

e- HL Electron (442)

Electron;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	oth	none	25°C	0.0	U				1974J0b (988)	1
								$K(Tm+3e=Tm(s))=-117.7(-2.32V)$		
								$K(Tm+e=Tm(II))=-35(-2.1V)$		

Method: literature evaluated data

Tm+++	oth	none	25°C	0.0	U			1969NBa (989)	2
								$K(Tm+e=Tm(II))=-40.6(-2.4V)$	

Method:Estimated data

Tm+++	sp	oth/un	25°C	0.00	U			1964BDb (990)	3
								$K(Tm+e=Tm++) = -42, -2500 \text{ mV}$	

Tm+++	oth	none	25°C	0.0	U			1952LAb (991)	4
								$K(Tm+3e)=-115.5(-2280 \text{ mV})$	

AsO4--- H3L Arsenate CAS 7778-39-4 (1557)
Arsenate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sol	none	25°C	0.0	C				1992FIa (1163)	5
								$K_{so}(TmAsO4)=-23.08$		

Equilibrium monitored by EDTA and iodine titrations.

CO3-- H2L Carbonate CAS 465-79-6 (268)
Carbonate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.70M	C			$K1=5.96$	2004LBb (3401)	6
								$K(Tm+HC03=TmHC03)=1.47$		

Medium: 0.70 M NaClO4. Calculated for I=0, K1=7.68, B2=13.27,
 $K(Tm+HC03=TmHC03)=2.52$, $K(Tm+HL=TmL+H)=-2.65$, $K(Tm+2HL=TmL2+2H)=-7.39$

Tm+++	dis	NaClO4	25°C	0.70M	C	I		$K1=5.95$	$B2=10.75$	1998LBb (3402)	7
-------	-----	--------	------	-------	---	---	--	-----------	------------	----------------	---

Method: H2O/tributylphosphate distribution and ICP-mass spectrometry.

Values calculated for I=0.0 M, K1=7.93, B2=13.83.

Tm+++ sol none 25°C 0.0 C 1986FMa (3403) 8
Kso(Tm₂(CO₃)₃)=-31.58

Tm+++ sol none 25°C 0.0 C 1986HMa (3404) 9
Kso(Tm₂(CO₃)₃)=-31.58

Method: spectrophotometry.

Tm+++ dis oth/un 20°C 2.5M C 1979DBb (3405) 10
B4=15.71

Media: 2.5 M (NH₄)₂NO₃/hexane. Analysis by NAA. By competition with edta;

K1(Tm(edta))=19.24 recalculated for I=2.5 from J.Am.Chem.Soc., 75 1953, 4196

C₆N₆Fe--- H₃L Ferricyanide (2491)

Hexacyanoferrate (III); Fe(III)(CN)₆---

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ cal none 25°C 0.00 M H K1=3.67 1972SCd (3695) 11
DH(K1)=4.4 kJ mol⁻¹, DS=84.9 J K⁻¹ mol⁻¹

Cl- HL Chloride CAS 7647-01-0 (50)

Chloride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ cal non-aq 25°C 100% C HM K1=2.6 2002KNc (5900) 12
B(Tm(phen)Cl)=5.2
B(Tm(phen)Cl₂)=6.9
B(Tm(phen)Cl₃)=8.81

Medium: DMF, 0.20 M Et₄NClO₄. DH(K1)=27 kJ mol⁻¹, DH(Tm(phen)Cl)=4.0,
DH(Tm(phen)Cl₂)=28, DH(Tm(phen)Cl₃)=6.

Tm+++ dis NaCl 25°C 1.0M C K1=-0.14 1997HTb (5901) 13

Method: by solvent extraction from 1.0 M NaCl into CHCl₃, 0.1 M
1,1,1-trifluoro-4-(2-thienyl)-2,4-pentanedione.

Tm+++ cal non-aq 25°C 100% U H K1=2.57 B2=5.33 1991ITa (5902) 14
K3=2.04
K4=1.55

Medium: DMF, 0.2 M Et₄NClO₄. DH(K1)=27.4 kJ mol⁻¹, DH(K2)=16.6, DH(K3)=21
DH(K4)=20. DS(K1)=141, DS(K2)=109, DS(K3)=108 J K⁻¹ mol⁻¹

Tm+++ sol NaClO₄ 25°C ? U K1=0.25 1982MAa (5903) 15

Tm+++ cal non-aq 25°C 100% U K1=2.45 B2=4.82 1980VCa (5904) 16

Medium: diethylacetamide

F- HL Fluoride CAS 7644-39-3 (201)

Fluoride;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	ix	oth/un	25°C	0.02M	C T H		K1=3.77	B2= 6.09	2004LMa	(7270) 17
Medium: 0.025 M HNO ₃ . Applying Pitzer parameters: at I=0, K1=9.88. Data for 5 to 45 C. DH(K1)=10.6 kJ mol ⁻¹ , DH(B2)=20.6.										
Tm+++	ISE	NaClO ₄	25°C	0.0	C I		K1=4.29		2000LBa	(7271) 18
Method: Fluoride ISE. Values calc. from data for I=0.015-0.70 M NaClO ₄ . At I=0.70 M, K1=3.361.										
Tm+++	ix	KNO ₃	25°C	0.02M	C		K1=3.75	B2= 6.35	1999SBc	(7272) 19
Medium: 0.025 M HNO ₃ . Additional method: ICP-MS. Assumed K1(HF) = 3.03, derived from literature values.										
Tm+++	ISE	none	25°C	0.0	C H		K1=3.25	B2=6.94	1989MJa	(7273) 20
							Kso=-16.1			
Also by conductivity and radiometry. DH(Kso)=14.7 kJ mol ⁻¹ ; DS=-294.										
Tm+++	ISE	R4N.X	25°C	0.50M	C		K1=3.25	B2=6.94	1989MJb	(7274) 21
Tm+++	cal	NaClO ₄	25°C	1.00M	C H				1988GBa	(7275) 22
DH(K1)=10.8 kJ mol ⁻¹ ; DS(K1)= 104 J mol ⁻¹ K ⁻¹										
Tm+++	ISE	NaNO ₃	25°C	0.10M	U H				1987SMd	(7276) 23
							K(TmA+L)=2.09			
DH=-0.5kJ mol ⁻¹ , DS=38.2 J K ⁻¹ mol ⁻¹ . H3A=HEDTA										
Tm+++	ISE	NaCl	25°C	1.00M	C		K1=3.155		1985BBb	(7277) 24
Tm+++	gl	KCl	25°C	1.00M	U M				1981KTb	(7278) 25
							K(TmEDTA+F)=1.65			
							K(Tm(EDTA)F+F)=0.60			
Tm+++	oth	NaClO ₄	25°C	0.10M	U		K1=3.58		1973MSG	(7279) 26
method: electromigration or transference number										
Tm+++	EMF	NaClO ₄	25°C	1.0M	U H		K1=3.56		1967WCa	(7280) 27
By distribution: K1=3.57. By calorimetry: DH(K1)=36.2 kJ mol ⁻¹ , DS=189.8										

IO ₃ ⁻		HL	Iodate				CAS 7782-68-5	(1257)		
Iodate;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	dis	NaClO ₄	25°C	0.10M	U		K1=1.33		1973CBd	(8569) 28
Tm+++	sol	oth/un	25°C	0.0	U				1966FPb	(8570) 29
							Kso=-10.36			

I04- HL Periodate CAS 13444-71-8 (6063)
Periodate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sol	oth/un	25°C	dil	U				1974L0a (8616) 30	
								Kso(Tm(H ₂ I06)(H ₂ O) ₃)=-9.37		

Mo12O42U----- H8L (2922)
Uranium-12-molybdate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	oth/un	20°C	0.10M	U				1989SBb (8783) 31	
								B(TmHL)=8.26		
								B(Tm2L)=7.29		
								B(TmH2L)=10.55		

NO3- HL Nitrate CAS 7697-37-2 (288)
Nitrate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	cal	NaClO ₄	25°C	2.0M	C	IH		K1=-0.89	1998BMb (9968) 32	
DH(K1)=7.1 kJ mol-1. From Pitzer extrapolation to I=0.0, K1=-0.11,										
DH(K1)=5.6 kJ mol-1										

Tm+++	dis	NaClO ₄	25°C	1.0M	U			K1=-0.25	1965CSb (9969) 33	
-------	-----	--------------------	------	------	---	--	--	----------	-------------------	--

OH- HL Hydroxide (57)
Hydroxide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.0	C	IH			2000KBa (12342) 34	
								*K1=-7.39		
In 0.7 M NaClO ₄ , *K1=-7.70. DH(*K1)=49 kJ mol-1.										

Tm+++	gl	NaCl	25°C	0.10M	U	I			1999FBa (12343) 35	
								*B(1,3)=-20.86		
In 0.1 M Me4NCl, *B(1,3)=-21.97.										

Tm+++	dis	NaClO ₄	?	0.10M	U				1971GDb (12344) 36	
								*K1=-4.4		
Medium: LiClO ₄										

Tm+++	gl	NaClO ₄	25°C	0.30M	U				1966FKa (12345) 37	
								*K1=-7.95		

Tm+++ gl oth/un 25°C var U 1944MKa (12346) 38

Kso(Tm(OH)3)=-23.5

P04--- H3L Phosphate CAS 7664-38-2 (176)
Phosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ sol none 25°C 0.0 M 1997LBd (13349) 39

Kso(TmP04)=-25.03

Calculated from data for 0.10 M HClO₄ solution.

Tm+++ sol oth/un 25°C 0.0 C I 1993FKb (13350) 40
Kso(TmP04)=-26.68

In synthetic seawater, K_s(TmP04)=-24.08.

Tm+++ sol none 25°C 0.0 C 1991FBa (13351) 41
Kso(TmP04)=-26.05

P3010---- H5L CAS 10380-08-2 (1001)
Tripolyphosphate; from (HO)2PO.O.PO(OH).O.PO(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KN03 25°C 0.10M U T H B2=9.7 1974KRa (13915) 42
K(Tm+2HL)=7.3

K(Tm+2HL)=7.5 and B2=9.8 (35 °C), K(Tm+2HL)=7.1 and B2=9.4 (45 °C)

DH(Tm+2HL)=-19 kJ mol⁻¹; DH(B2)=-28

ReO4- HL Perrhenate (2581)
Rhenate(VII), Perrhenate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ sp oth/un rt 1.00M U K1=-0.89 1970POa (14112) 43

Medium: HReO₄

SCN- HL Thiocyanate CAS 463-56-9 (106)
Thiocyanate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ dis oth/un 25°C 1.0M C K1=0.42 1997HTb (15309) 44

Method: by solvent extraction from 1.0 M NaSCN into CHCl₃, 0.1 M 1,1,1-trifluoro-4-(2-thienyl)-2,4-pentanedione.

Tm+++ cal non-aq 25°C 100% U H K1=1.7 B2=3.0 1992T1a (15310) 45
K3 = 0.4

Medium: DMF, 0.2 M R4NX. DH(K1)=9 kJ mol⁻¹, DH(B2)=6, DH(B3)=40

Tm+++ dis oth/un 30°C 1.0M C T H K1=0.07 B2= 0.42 1980KMe (15311) 46
In 1.0 M NH4ClO4/NH4SCN. Extraction of 170Tm into hexane/ammonium dinonyl-
naphthalene sulfonate. Data for 15-45 C. DH(K1)=-1.5 kJ mol-1, DH(K2)=-4.9

S04-- H2L Sulfate CAS 7664-93-9 (15)
Sulfate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ sol oth/un 25°C 0.66M C K1=1.81 2004SBb (16610) 47
Method: solubility of BaSO4 in 0.117 m TmCl3 solution.
Calculated for I=0, K1=3.48.

Tm+++ cal none 25°C 0.0 U H 1974POa (16611) 48
DH(K1)=20.0 kJ mol-1

Tm+++ cal oth/un 25°C 0.0 U H 1969FPa (16612) 49
DH(K1)=13.2 kJ mol-1

Tm+++ cal oth/un 25°C 0.0 U H K1=3.41 B2=5.21 1969IEa (16613) 50
DH(K1)=15.1 kJ mol-1, DH(K2)=3.6; DS(K1)=115.8 J K-1 mol-1, DS(K2)=44.7

Tm+++ ISE NaClO4 25°C 2.0M U H K1=1.15 B2=1.59 1967CCd (16614) 51
By calorimetry: DH(K1)=17.6 kJ mol-1, DS=81.1 J K-1 m-1; DH(K2)=4.2, DS=22.6

CHO3F3S HL CAS 1493-13-6 (6755)
Trifluoromethanesulfonic acid; CF3SO3H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ sp non-aq 25°C 100% U 1993BCc (17470) 52
K3=2.41

Medium: MeCN

C2H02C13 HL Trichloroacetic CAS 76-03-9 (1205)
Trichloroethanoic acid; Cl3C.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ cal NaClO4 25°C 2.00M U K1=0.23 1980ECa (18336) 53

C2H02C12 HL CAS 79-43-6 (1282)
Dichloroethanoic acid; Cl2CH.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ cal NaClO4 25°C 2.00M U K1=0.53 1980ECa (18402) 54

C2H03 HL Glyoxylic acid CAS 298-12-4 (1142)
Glyoxylic acid; OHC.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	20°C	0.10M	U			K1=2.61 K3=1.7	B2=4.61	1964PSd (18432)

C2H2O4		H2L		Oxalic acid			CAS	144-62-7	(24)	
Ethanedioic acid; (COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	ix	R4N.X	25°C	0.05M	C			K1=5.97 K(Tm+HL)=2.18	B2=10.46	2001SBf (19112)
Medium: 0.05 M NH4NO3. At I=0, K1=6.89, B2=11.65.										
Tm+++	gl	KCl	25°C	1.0M	U	M			1988KTa (19113)	57
K(Tm(edta)+L)=3.50										
Tm+++	oth	oth/un	25°C	0.10M	U			K1=5.60	B2=9.52	1971STe (19114)
Method : electrical migration or transference number										
Tm+++	ix	oth/un	18°C	0.10M	U			K1=3.40 B3=1.0	B2=3.45	1967ABa (19115)

C2H3O2Cl		HL		Chloroacetic			CAS	79-11-8	(34)	
Chloroethanoic acid; ClCH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	cal	NaClO4	25°C	2.00M	U			K1=0.92		1980ECa (19388)

C2H4O2		HL		Acetic acid			CAS	64-19-7	(36)	
Ethanoic acid; CH3.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	20°C	0.10M	U			K1=2.02	B2=3.61	1962KPa (20207)

C2H4O2S		H2L		Thioglycolic			CAS	68-11-1	(596)	
Mercaptoethanoic acid; HS.CH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.20M	U			K1=5.71	B2=10.74	1998PJb (20377)

Tm+++	gl	NaClO4	20°C	0.10M	U				1964PKa (20378)	63
K(Tm+HL)=1.98 K(TmHL+HL)1.11										

C2H4O3		HL		Glycolic acid			CAS	79-14-1	(33)	

2-Hydroxyethanoic acid; HO.CH₂.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	g1	KNO3	32°C	0.10M	U				1980PPf (20640)	64
								$K(Tm+HL=TmL+H)=-0.38$		
								$*K(TmL)=-5.55$		
								$K(Tm+2HL=TmL2+2H)=-1.64$		
								$*K(TmL2)=-5.48$		
Tm+++	g1	NaClO4	20°C	0.10M	U			K1=3.055 B2=5.33 B3=7.00	1964PKb (20641)	65

C₂H₅NO₂ HL Glycine CAS 56-40-6 (85)

2-Aminoethanoic acid: H₂N.CH₂.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	EMF	KCl	25°C	1.0M	U	M		K(TmA+L)=4.39 K(TmA+HL)=3.01 K(TmA+H2L)=3.03	1977GMA (21737)	66

Method: Pt/H₂ electrode. H3A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.

C₂H₆OS | DMSO CAS 67-68-5 (329)

Dimethylsulfoxide: (CH₃)₂.SO

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	non-aq	25°C	100%	U				1992MBb (22128)	67
							K8=0.7			
							K9=0.3			

Medium: MeCN. Method: FT-IR and Raman spectroscopy

Medium-Weight Microgauze: TPI IR and Raman Spectroscopy

C₂H₆O₂ | Ethyleneglycol | CAS 107-21-1 (924)

1,2-Dihydroxyethane (Ethane-1,2-diol): HO-CH₂-CH₂-OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	22°C	0.10M	U				1972MCd (22159)	68
								$K(TmH-1L+H) = 6.80$		

C2H8N2 L Ethyl

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Tm+++	ISE	non-aq	25°C	100%	C	H		K1=2.86 B3=7.04	B2=5.36	1992CBa (23242)	69

Medium: DMSO, 0.10 M Et4NClO4. By calorimetry, DH(K1)=-21.6, DH(B2)=-40.7, DH(B3)=-84.0 kJ mol-1.

C3H4O3 HL Pyruvic acid CAS 127-17-3 (1152)

2-Oxopropanoic acid; CH₃.CO.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ nmr NaClO4 25°C 2.00M U H K1=1.89 1980CCa (24075) 70

DH=-4.64 kJ mol-1. Alternative method: Calorimetry.

C3H4O4 H2L Malonic acid CAS 141-82-2 (79)

Propanedioic acid; CH₂(COOH)₂

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO4 25°C 0.10M U K1=4.91 B2=7.95 1972DCC (24572) 71

Tm+++ gl NaClO4 25°C 1.00M U K1=3.85 B2=6.42 1971DGA (24573) 72

B3=7.62

B(TmHL)=6.26

B(TmHL2)=9.98

Tm+++ gl KN03 25°C 0.10M U K1=4.42 B2=7.01 1968PFA (24574) 73

C3H4O6 H2L CAS 560-27-0 (4233)

Dihydroxypropanedioic acid; HOOC.C(OH)2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 0.20M U K1=3.67 1973LPb (24634) 74

C3H5N02 HL (4234)

Isonitrosoacetone; CH₃.CO.CH:N.OH, anti-Pyruvic aldehyde oxime

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl diox/w 20°C 50% U K1=6.07 1971MAF (24651) 75

Medium: 50% dioxan, 0.1 M NaClO4

C3H6N2O2 L Methylglyoxime CAS 2140-03-6 (2981)

Methylglyoxime; CH₃.C(:N.OH).CH:N.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl diox/w 20°C 50% U K1=7.27 B2=13.42 1971MAF (24813) 76

Medium: 50% dioxan, 0.1 M NaClO4

C3H6O2 HL Propionic acid CAS 79-09-4 (35)

Propanoic acid; CH₃.CH₂.COOH

C3H6O3 HL Methoxyacetic CAS 625-45-6 (29)
Methoxyethanoic acid; CH₃.O.CH₂.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO₄ 20°C 0.10M U K1=2.08 B2=3.23 1964PKa (25609) 86

C3H7NO2 HL Alanine CAS 56-41-7 (86)
2-Aminopropanoic acid; H₂N.CH(CH₃).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KN03 25°C 0.10M U K1=4.7 1967EMb (26281) 87

C3H7NO2S H2L Cysteine CAS 52-90-4 (96)
2-Amino-3-mercaptopropanoic acid; H₂N.CH(CH₂.SH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO₄ 20°C 0.0 U T H K1=7.998 B2=15.90 1980SDc (26846) 88
Extrapolated from data for I=0.10-1.0 M. Data for 35 and 45 C.
DH(K1)=-22.8 kJ mol⁻¹, DS=75 J K⁻¹ mol⁻¹; DH(K2)=-34.4, DS(K2)=34.

C3H8O2 L Propyleneglycol CAS 57-55-6 (2025)
Propan-1,2-diol; CH₃.CH(OH).CH₂(OH)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO₄ 22°C 0.10M U 1972MCd (27687) 89
K(TmH-1L+H)=6.85

C3H8O3 L Glycerol CAS 56-81-5 (2707)
Propane-1,2,3-triol; HO.CH₂.CH(OH).CH₂.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO₄ 22°C 0.10M U 1972MCd (27755) 90
K(TmH-1L+H)=6.75

Tm+++ gl NaCl 25°C 0.10M U 1970PKe (27756) 91
K(TmH-1L+H)=6.50

C3H12N09P3 H6L NTPA CAS 6419-19-8 (2920)
Nitrilotris(methylenephosphonic acid); N(CH₂PO₃H₂)₃

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KN03 25°C 0.10M C 1991SKb (28593) 92
K(TmL+H)=7.01
K(TmHL+H)=5.6

C4H204 H2L Squaric acid CAS 2892-51-5 (439)
3,4-Dihydroxy-3-cyclobutene-1,2-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	cal	NaClO4	25°C	0.10M	U	H		K1=2.78 B2=4.21	19760Ca (28668)	93
DH(K1)=9.8 kJ mol-1, DS=86 J K-1 mol-1; DH(B2)=16.8, DS=137										
Tm+++	gl	NaClO4	25°C	0.10M	C	H		K1=2.779 B2= 4.22	19760Cb (28669)	94
By calorimetry: DH(K1)=9.75 kJ mol-1, DS(K1)=85.8 J K-1 mol-1; DH(B2)=16.8, DS(B2)=137.										

C4H404 H2L Maleic acid CAS 110-16-7 (111)
cis-Butenedioic acid; HOOC.CH:CH.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.10M	U			K1=3.62	1973CDc (29143)	95

Tm+++ gl NaClO4 25°C 0.10M U K1=3.62 B2=5.64 1970RFA (29144) 96

C4H404 H2L Fumaric acid CAS 110-17-8 (289)
trans-Butenedioic acid; HOOC.CH:CH.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.10M	C			K1=2.44	1986LCa (29223)	97
								B(TmHL)=5.99		
								K(Tm+HL)=1.91		

Tm+++ gl NaClO4 25°C 0.10M U K1=2.81 1973CDc (29224) 98

C4H5N05 H2L (7375)
Oxalohydroxamic acid; HOOC.CO.CH2.CO.NHOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KN03	25°C	0.1M	M			K1=11.71 B2=22.62	1989LWa (29317)	99
								K3=10.25		

C4H604 H2L Me-Malonic Acid CAS 516-15-2 (816)
Methylpropanedioic acid; HOOC.CH(CH3).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	0.20M	U			K1=4.38 B2=7.05	1975PLa (30140)	100

C4H604S H3L Thiomalic acid CAS 70-49-5 (109)
2-Mercaptosuccinic acid, 2-Sulfanyl-1,4-butanedioic acid; HOOC.CH(SH).CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.20M	U			K1=5.93 B2=11.58	1998PJb (30369)	101

C4H6O5		H2L		Malic acid		CAS	617-48-1	(393)		
2-Hydroxybutane-1,4-dioic acid, Hydroxy-succinic acid; HOOC.CH2.CH(OH).COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO3	30°C	0.10M	U	M			1984AIa (30742)	102
K(Tm(EDTA)+L)=1.982										
Tm+++	gl	KNO3	20°C	0.10M	U				1980SDa (30743)	103
B(TmHL)=7.80										
Tm+++	gl	KNO3	20°C	0.10M	U		K1=4.75	B2=7.95	1980SDb (30744)	104
K(Tm+HL)=1.11										
Tm+++	gl	NaClO4	25°C	0.10M	U		K1=5.01	B2=8.50	1970RFa (30745)	105

C4H6O5		H2L		Diglycolic acid	CAS	110-99-6	(243)			
Di(carboxy)methyl ether, 2,2'-Oxydiethanoic acid; HOOC.CH2.O.CH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	1.0M	U	M			1988KTa (30939)	106
K(Tm(edta)+L)=1.30										
Tm+++	cal	NaClO4	25°C	1.0M	C	H			1963GRd (30940)	107
DH(K1)=6.586 kJ mol-1, DS(K1)=128 J K-1 mol-1; DH(B2)=4.874, DS(B2)=213; DH(B3)=-15.98, DS(B3)=200.										
Tm+++	EMF	NaClO4	20°C	1.00M	U		K1=5.49	B2=10.22	1963GTa (30941)	108
B3=13.29										
Method: quinhydrone electrode										

C4H6O6		H2L		L-Tartaric acid	CAS	87-69-4	(92)			
L-Tartaric acid, L-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	ix	NaClO4	25°C	0.10M	U		B2=6.35		198000a (31378)	109
K(Tm+2HL)=4.10										
K(Tm+HL+L)=5.99										
Tm+++	sp	oth/un	25°C	0.0	U	T	H	K1=5.31	1975YBa (31379)	110
DH(K1)=11.7 kJ mol-1, DS=142.2 J K-1 mol-1										
Tm+++	gl	alc/w	25°C	40%	U	I		K1=5.09	1972SSj (31380)	111

Medium: 0-40% EtOH, 0.05 M. 40% EtOH, I=0: K1=6.51

C4H7N04 H2L Aspartic acid CAS 56-84-8 (21)
Aminobutanedioic acid; H2N.CH(CH2.COOH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO4 30°C 0.10M U K1=5.87 B2=10.80 1984YLa (31956) 112

Tm+++ gl KCl 25°C 0.10M U K1=6.10 B2=11.10 1968DRb (31957) 113

C4H7N04 H2L IDA CAS 142-73-4 (118)
Iminodiethanoic acid; HN(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 1.0M U M 1988KTa (32380) 114
K(Tm(edta)+L)=3.03

Tm+++ EMF KCl 25°C 1.0M U M 1977GMa (32381) 115
K(TmA+L)=5.12
K(TmA+H2L)=0.98
K(TmA+H3L)=2.21

Method: Pt/H2 electrode. H3A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.

Tm+++ cal KN03 20°C 0.10M U HM 1971GKb (32382) 116
K(TmA+L)=2.86

DH(TmA+L)=-27.20 kJ mol-1, DS=-38.1 J K-1 mol-1. DH(SmA)= -35.02, DS=305.
H4A=EDTA

Tm+++ gl KN03 25°C 0.10M U M K1=7.22 B2=12.90 1962THa (32383) 117
Ternary complexes with N-(2-hydroxyethyl)diaminoethane-triethanoic acid

C4H8N202 H2L Dimethylglyoxim CAS 95-45-4 (2032)
2,3-Butanedione dioxime, Dimethylglyoxime; CH3.(C:NOH).(C:NOH).CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl diox/w 20°C 50% U K1=8.63 B2=16.20 1971MAF (32552) 118
Medium: 50% v/v dioxan, 0.1 M NaClO4

C4H8N203 HL Asparagine CAS 70-47-3 (17)
2-Aminobutanedioic acid 4-amide; H2N.CH(CH2.CO.NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO4 30°C 0.10M U K1=4.22 B2=7.31 1984YLa (32735) 119

C4H8N204 H2L HDA CAS 19247-05-3 (1025)

Hydrazine-N,N'-diethanoic acid; HOOC.CH2.NH.NH.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	60°C	0.10M	U			K1=6.41 B2=11.11 B3=10.95	1978Nba (33095)	120

C4H8N204 H2L CAS 39156-77-9 (3008)

Hydrazine-N,N-diethanoic acid; H2N.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO3	30°C	0.10M	U	M			1984AIa (33116)	121

$$K(T_m(\text{EDTA})+L)=2.143$$

C4H8O2 HL Isobutyric acid CAS 79-31-2 (573)

2-Methylpropanoic acid; CH3.CH(CH3).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	2.00M	U	H		K1=1.61 B2=2.67	1965CGa (33251)	122

By calorimetry: DH(K1)=22.6 kJ mol-1, DS=107 J K-1 mol-1; DH(K2)=17.1, DS=78

Tm+++	gl	NaClO4	25°C	0.50M	U			K1=1.69 B2=2.28	1964SPa (33252)	123
-------	----	--------	------	-------	---	--	--	--------------------	-----------------	-----

C4H8O3 HL CAS 594-61-6 (81)

2-Hydroxy-2-methylpropanoic acid; (CH3)2C(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.20M	U			K1=3.10 K3=1.92 K4=1.62	1964DVA (33529)	124

Tm+++	gl	NaClO4	20°C	0.10M	U			K1=3.515 B2=6.22 B3=8.39	1964PKb (33530)	125
-------	----	--------	------	-------	---	--	--	--------------------------------	-----------------	-----

Tm+++	gl	NaClO4	25°C	0.50M	U			K1=3.13 B2=5.62 B3=7.84	1964SPa (33531)	126
-------	----	--------	------	-------	---	--	--	-------------------------------	-----------------	-----

C4H8O4 HL CAS 21620-60-0 (2326)

2,3-Dihydroxy-2-methylpropanoic acid; HO.CH2.C(OH)(CH3).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO3	25°C	0.10M	C			K1=3.22 K3=1.83	1975PFb (33687)	127

C4H8O5 HL CAS 56309-80-9 (2365)

2,3-Dihydroxy-2-hydroxymethylpropanoic acid; HO.CH2.C(CH2.OH)(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	EMF	KNO ₃	25°C	0.10M	U		K1=3.08 K3=2.04	B2=5.60	1976PKb (33715)	128
Tm+++	gl	NaClO ₄	25°C	0.50M	U		K1=2.85 B3=6.51	B2=4.97	1964SPa (33716)	129

C4H11N		L	Butylamine				CAS 109-73-9	(159)		
1-Aminobutane; CH ₃ .CH ₂ .CH ₂ .CH ₂ .NH ₂										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	cal	non-aq	25°C	100%	U	H	K1=4.38 B3=10.17 B4=11.67	B2=7.82	1997CDa (34773)	130
Medium: MeCN. DH(K1)=-35.4 kJ mol ⁻¹ , DS=35, DH(B2)=-70.4, DS=87; DH(B3)=-103, DS=151, DH(B4)=-135, DS=229										

C4H11O4P		HL					(4276)			
Diethylphosphoric acid; (C ₂ H ₅ O) ₂ .PO.OH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	oth	oth/un	25°C		U		K1=2.18		1971MGb (35270)	131
Estimated										

C4H12N20		L					CAS 2752-17-2	(312)		
Bis-(2-aminoethyl)ether; H ₂ N.CH ₂ .CH ₂ O.CH ₂ .CH ₂ .NH ₂										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	EMF	non-aq	25°C	100%	C	H	K1=2.68 Method: comp. reactn. using Ag electrode. Medium: DMSO, 0.10 M Et ₄ NCI ₀₄ . Calorimetry: DH(K1)=-12 kJ mol ⁻¹ , DS=11 J K ⁻¹ mol ⁻¹ ; DH(B2)=-30, DS=-11.	B2= 4.64	2002Cdb (35509)	132

C4H13N3		L	Dien				CAS 111-40-0	(584)		
1,4,7-Triazaheptane, 2,2'Iminobis(ethylamine), diethylenetriamine; NH ₂ .(CH ₂) ₂ .NH.(CH ₂) ₂ .NH ₂										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	EMF	NaClO ₄	25°C	100%	C	H	K1=6.57 By calorimetry: DH(K1)=-49.1, DH(B2)=-96.9 kJ mol ⁻¹ .	B2=10.68	2000CDa (35819)	133
Medium: DMF, 0.10 M Et ₄ N[CF ₃ SO ₃]. Method: Ag/Ag ⁺ electrode.										

Tm+++	ISE	non-aq	25°C	100%	C	H	K1=3.97 Medium: DMSO, 0.1 M Et ₄ NCI ₀₄ . Method: Ag ⁺ ISE. By calorimetry, DH(K1)=-34.8 kJ mol ⁻¹ , DS=-41; DH(B2)=-79.5, DS=128.	B2=7.25	1993CCb (35820)	134

C5H205 H2L Croconic acid CAS 488-86-8 (1643)
4,5-Dihydroxycyclopent-4-ene-1,2,3-trione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ cal NaClO4 25°C 0.10M U H K1=2.91 B2=4.59 1978C0a (35951) 135
DH(K1)=11.0 kJ mol-1, DS=92.8; DH(K2)=7.02, DS=55.6

C5H403 HL CAS 488-93-7 (1166)
Furan-3-carboxylic acid; C4H3O.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ cal NaClO4 25°C 2.00M U H K1=1.48 1976YCa (36312) 136
DH=8.95 kJ mol-1 and DS=58.16 J mol-1 K-1.

C5H604 H2L Itaconic acid CAS 97-65-4 (398)
Methylenesuccinic acid; HOOC.CH2.C(:CH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 0.20M U K1=2.45 1989MFa (37453) 137
K(Tm+HL)=1.57

C5H7N03 HL (4313)
Isonitrosoacetylacetone; HO.N:CH.CO.CH2.CO.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl diox/w 20°C 50% U K1=5.38 B2=9.15 1971MAf (37534) 138
Medium: 50% v/v dioxan, 0.1 M NaClO4

C5H8N203 H2L (4317)
Methylacetylglyoxime; CH3.C(:N.OH).C(:N.OH).CO.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl diox/w 20°C 50% U K1=6.28 B2=11.49 1971MAf (37711) 139

C5H8O2 HL Acetylacetone CAS 123-54-6 (164)
Pentane-2,4-dione; CH3.CO.CH2.CO.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ dis NaClO4 25°C 1.0M C B2=10.43 1989ALa (38106) 140
B3=13.82
B4=15.66

Method: extraction of 170Tm from 1.0 M NaClO4 into benzene/HL.

Tm+++ gl NaClO₄ 20°C 0.10M U M 1973TZA (38107) 141
 K(Tm(EDTA)+L)=3.66

Tm+++ gl NaClO₄ 25°C 2.0M U K1=6.03 B2=10.75 1964YCA (38108) 142

Tm+++ gl oth/un 30°C 0.10M U K1=6.09 B2=10.85 1960GFA (38109) 143
 K3=3.48

C5H8O₄ H2L CAS 601-75-2 (479)
 Ethylpropanedioic acid; HOOC.CH(C₂H₅).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	0.20M	U			K1=4.51	1989ZPA (38252)	144
In 70.4% v/v EtOH/H ₂ O:								K1 = 6.43		

C5H8O₄ H2L CAS 498-21-5 (2234)
 Methylsuccinic acid; HOOC.CH₂.CH(CH₃).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.10M	U			K1=3.08 B2=5.14	1970RFA (38270)	145

C5H₉N₀2 HL Proline CAS 147-85-3 (44)
 Pyrrolidine-2-carboxylic acid; C₄H₈N.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.10M	U			B2=6.08	1981ZLA (38649)	146

C5H₉N₀3 HL Hydroxyproline CAS 51-35-4 (416)
 4-Hydroxy-2-pyrrolidinecarboxylic acid; C₄H₇N(OH)(COOH)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaCl	37°C	0.15M	U			K1=3.47	1997GMA (38756)	147

Tm+++ gl NaClO₄ 25°C 0.10M U B2=5.55 1981ZLA (38757) 148

C5H₉N₀4 H2L MIDA CAS 4408-64-4 (190)
 N-Methyliminodiethanoic acid; CH₃.N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	0.10M	U			K1=7.35 B2=13.44 B3=15.38	1980MGc (39288)	149

B(Tm+20H+L)=18.67

C5H10O₃ HL CAS 3739-30-8 (3612)
 2-Hydroxy-2-methylbutanoic acid, Methylethylglycolic acid; CH₃.CH₂.C(OH)(CH₃).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	25°C	0.10M	U			K1=3.37 B2=6.13 K3=1.92	1969PCa (40265)	150

C5H10O4		HL					CAS	4767-03-7	(4297)	
2,2-Bis(hydroxymethyl)propanoic acid; CH ₃ .C(CH ₂ OH) ₂ .COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.10M	U			K1=2.31 B2=3.93	1970RDa (40305)	151

C5H10O4		HL					CAS	19860-56-1	(2327)	
2,3-Dihydroxy-2-methylbutanoic acid; CH ₃ .CH(OH).C(OH)(CH ₃).COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	25°C	0.10M	C			K1=3.15 B2=5.62 K3=1.73	1975PFb (40320)	152

C6H5N02		HL		Picolinic acid		CAS	98-98-6	(391)		
2-Pyridine-carboxylic acid; C5H ₄ N.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.50M	U			K1=4.05 B2=7.52 B3=10.58	1977GGb (42608)	153

Tm+++	gl	KNO ₃	25°C	0.10M	U			K1=4.33 K3=2.87 K4=2.04	1968PIa (42609)	154

Tm+++	gl	NaClO ₄	25°C	2.0M	U			K1=4.31 B2=7.48	1965YCa (42610)	155

Tm+++	gl	KNO ₃	25°C	0.10M	U			K1=4.36 B2=7.98 B3=11.2	1964THb (42611)	156

C6H5N03		HHL					CAS	824-40-8	(878)	
Pyridine-2-carboxylic acid N-oxide (Picolinic acid N-oxide); C5H ₄ N(0)COO										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	2.0M	U			K1=3.16 B2=5.85	1965YCa (42841)	157

C6H5N04		H2L					CAS	3163-07-3	(2711)	
2,4-Dihydroxy-1-nitrobenzene; O ₂ N.C ₆ H ₃ (OH) ₂										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Tm+++	sp	KCl	25°C 0.10M	M I	K1=6.38	1989PEa (42961) 158

C6H504Br		L			CAS 40838-32-2 (1084)	
6-Bromo-5-hydroxy-2-(hydroxymethyl)-4H-pyran-4-one;						

Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo

Tm+++	sp	KCl	25°C 0.10M	U	K1=5.60	1987PLa (43117) 159

C6H504I		L			(1085)	
6-Iodo-5-hydroxy-2-hydroxymethyl-4H-pyran-4-one;						

Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo

Tm+++	sp	KCl	25°C 0.10M	U	K1=5.68	1987PLa (43159) 160

C6H602		H2L	Catechol		CAS 120-80-9 (534)	
1,2-Dihydroxybenzene, pyrocatechol; H0.C6H4.OH						

Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo

Tm+++	gl	NaClO4	25°C 0.20M	U	K1=9.98	1998PJb (43853) 161

Tm+++	EMF	NaCl	25°C 0.10M	U	K1=11.56	1969PKe (43854) 162

C6H603		H3L	Pyrogallol		CAS 87-66-1 (696)	
1,2,3-Trihydroxybenzene; C6H3(OH)3						

Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo

Tm+++	gl	NaClO4	25°C 0.20M	U	K1=11.08	1998PJb (43989) 163

C6H604		HL	Kojic acid		CAS 501-30-4 (1800)	
5-Hydroxy-2-(hydroxymethyl)-4H-pyran-4-one;						

Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo

Tm+++	sp	KCl	25°C 0.10M	C I	K1=6.322	1987PEa (44246) 164
In 0.087 M KCl, K1=6.349.						

Tm+++	gl	NaClO4	25°C 2.0M	U	K1=6.00 B2=11.55	1964YCa (44247) 165

C6H608S2		H4L	Tiron		CAS 149-45-1 (104)	
4,5-Dihydroxybenzene-1,3-disulfonic acid; (HO)2.C6H2(SO3H)2						

Metal	Mtd	Medium	Temp	Conc	Cal Flags Lg K values	Reference ExptNo

Tm+++	gl	NaClO4	25°C 0.50M	C	K1=12.96 B2=22.50	1976Lab (44503) 166
B(TmHL2)=30.06						

Tm+++ gl NaClO₄ 25°C 0.10M U K1=14.36 1970SSi (44504) 167
 K(Tm+HL)=5.67

C6H₇NO HL 2-Aminophenol CAS 95-55-6 (2868)
 2-Amino-1-hydroxybenzene; HO.C₆H₄.NH₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	mixed	25°C	50%	U	I		K1=4.48 B2=8.50	1969BCa (44939)	168
Medium: 50% DMSO, 0.12 M NaClO ₄ . In 0.12 M NaClO ₄ , 50% dioxan: K1=5.65, K2=4.34. Medium: 0.12 NaClO ₄ , 50% EtOH: K1=5.01, K2=4.20										

C6H₈O₄ H₂L CAS 2583-25-7 (958)
 2-Allylpropanedioic acid; HOOC.CH(CH₂.CH:CH₂).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	0.20M	U			K1=4.03	1989ZPa (45476)	169
In 70.4% v/v EtOH/H ₂ O: K1 = 6.16										

C6H₈O₆ H₂L Ascorbic acid CAS 50-81-7 (285)
 Ascorbic acid (Vitamin C);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	2.00M	U	IH			1988HSa (45663)	170
K(Tm+HL)=1.41										
DH=6.8 kJ mol ⁻¹ , DS=49.9 J K ⁻¹ mol ⁻¹										

C6H₈O₇ H₃L Citric acid CAS 77-92-9 (95)
 2-Hydroxypropane-1,2,3-tricarboxylic acid; HOOCCH₂.CH(OH)(COOH).CH₂COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	25°C	1.0M	M				1986SZb (46286)	171
K(Tm+H ₃ L=TmHL+2H)=-2.46										
K(Tm+H ₃ L=TmL+3H)=-5.88										
K(Tm+H ₃ L=TmH-1L+4H)=-11.13										
K(Tm+2H ₃ L=TmH2L2+4H)=-6.35										
K(Tm+2H ₃ L=TmL2+6H)=-13.70, K(Tm+2H ₃ L=TmH-2L2+8H)=-28.1,										
K(Tm+2H ₃ L=TmH-3L2+9H)=-27.5, K(Tm+2H ₃ L=TmH-4L2+10H)=-35.4.										

Tm+++ gl KNO₃ 25°C 0.10M U M 1975TDa (46287) 172
 B(Tm(IDA)L)=10.2

Tm+++ dis NaClO₄ 25°C 0.15M U 1973HHc (46288) 173
 K(Tm+HL+L)=11.43

Tm+++ gl alc/w 25°C 25% U I K1=8.84 1972BKd (46289) 174
 Medium: EtOH/H₂O, 0.05 M (NaCl,NaClO₄). 0%, K1=8.00; 50%, K1=9.99

Tm+++ ix NaCl 25°C 0.10M U K1=7.51 B2=12.74 197200a (46290) 175
 $K(Tm+HL)=5.60$
 $K(Tm+2HL)=9.01$

Tm+++ dis oth/un ? ? U 1972PGd (46291) 176
 $K(Tm+HL+L)=10.18$

Tm+++ oth oth/un 25°C 0.10M U K1=8.06 B2=11.36 1971STe (46292) 177
 $K(TmL+HL)=2.60$

Constants obtained by survey of literature data

C6H9N06 H3L NTA CAS 139-13-9 (191)
 Nitrilotriethanoic acid; N(CH₂.COOH)₃

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Tm+++ ISE NaClO₄ 25°C 0.10M C I K1=11.98 1997LBb (47063) 178

Method: Cu ISE and competitive complexation by Cu. Data for 0.1-5.0 M.

At I=0.0 M, K1=13.83.

Tm+++ ISE KN03 25°C 0.10M C K1=12.20 1980NSf (47064) 179

Competitive method using Cd ion-selective electrode.

Tm+++ gl KN03 20°C 1.0M C K2=8.47 1978GHb (47065) 180

Tm+++ gl NaClO₄ 25°C 0.50M U K1=11.95 1977GGb (47066) 181

Tm+++ EMF KCl 25°C 1.0M U M 1977GMa (47067) 182

$K(TmA+L)=5.73$

$K(TmA+H2L)=1.80$

$K(TmA+H3L)=2.25$

$K(TmA+H4L)=3.37$

Method: Pt/H₂ electrode. H₃A is N-hydroxyethyl-1,2-diaminoethane-N,N',N'-triethanoic acid.

Tm+++ cal KN03 20°C 0.10M U HM 1971GKb (47068) 183

$K(TmA+L)=3.13$

H4A=EDTA. DH(TmA+L)=-28.24 kJ mol⁻¹, DS=-36.4 J K⁻¹ mol⁻¹.

DH(TmA)= -36.1 kJ mol⁻¹, DS=307 J K⁻¹ mol⁻¹

Tm+++ gl oth/un 20°C 0.20M U 1970VMa (47069) 184

$B(TmL(OH))=6.62$

Tm+++ gl KN03 25°C 0.10M U T H T K1=12.22 B2=21.45 1962MFb (47070) 185

15 C: K1=12.21, K2=9.32; 20 C: 12.20, 9.25; 30 C: 12.28, 9.22; 35 C: 12.27, 9.17; 40 C: 12.30, 9.16. DH(K1)=8.0 kJ mol⁻¹, DS=261; DH(K2)=-9.9, DS=144

Tm+++ vlt KN03 20°C 0.10M U 1957NOa (47071) 186

$B(Tm2L3)=38.28$

C6H10O3 HL CAS 16841-19-3 (3649)
1-Hydroxycyclopentanecarboxylic acid; HO.C5H8.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.10M	U			K1=3.110 K3=1.99 K4=1.30	1966PRb (47998)	187

C6H10O6 H2L CAS 23243-68-7 (242)
1,2-Bis(carboxymethoxy)ethane: HOOC-CH₂-O-CH₂-CH₂-O-CH₂-COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ oth NaClO4 25°C 0.10M U K1=4.69 1984AFa (48357) 188
Laser excitation spectroscopy, competition method.

C6H11NO5 H2L HIMDA CAS 93-62-9 (192)
N-(2-Hydroxyethyl)iminodiethanoic acid: HO₂CH₂-CH₂-N(CH₂-COOH)₂

Metal Mtd Medium Temp Conc CaL Flags Ig K values Reference ExptNo

Tm+++ g1 KN03 20°C 1.00M U K1=8.52 B2=16.23 1974CMd (48801) 190
K(YbL2(OH)₃)=9.12

Tm+++ oth NaNO₃ 20°C 0.10M U M K1=9.1 B2=16.90 1966JMc (48802) 191
 Method: paper electrophoresis. Ternary complexes with HEDTA

Tm+++, g1, KC1, 25°C, 0.10M, U, K1=9.03, B2=16.34, 1965DTa (48803), 192

Tm+++, TSE, KNO₃, 25°C, 0-10M, II, K1=9.35, B2=17.23, 1963Tl a (48804), 193

C6H12N2O4 H2L EDDA CAS 5657-17-0 (119)
1,2-Diaminoethane-N,N'-diethanoic acid: HOOC.CH2.NH.CH2.CH2.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ g1 R4N.X 25°C 0.10M C K1=8.75 1988CCb (49276) 194

C6H12O2 HL CAS 142-62-1 (964)
Hexanoic acid; CH₃.(CH₂)₄.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Tm+++ gl NaCl 20°C 0.10M U K1=2.37 1986GKb (49429) 195

C6H12O4 HL CAS 1112-33-0 (1246)
2,3-Dihydroxy-2,3-dimethylbutanoic acid; (CH₃)₂.C(OH).C(OH)(CH₃).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	g1	KNO ₃	25°C	0.10M	U			K1=3.44 K3=1.81	1979PPa (49501)	196

C6H13NO2 HL Norleucine CAS 616-06-8 (602)
 2-Aminohexanoic acid (2-Aminocaproic acid) CH₃.(CH₂)₃.CH(NH₂).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	20°C	0.20M	U			K1=4.18 B2=8.88	1990PLa (50196)	197

C6H13NO4 HL Bicine CAS 150-25-4 (2124)
N,N-Bis(2-hydroxyethyl)glycine; (HO.CH₂.CH₂)₂N.CH₂.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	20°C	0.10M	U			K1=5.35	B2=9.90	1982RFa (50414) 198
Tm+++	gl	KCl	30°C	0.10M	U			K1=5.52	B2=9.65	1973MSe (50415) 199

C6H13N3O3 HL Citrulline (579)
2-Amino-5-ureidovaleric acid: H₂N-CO-NH-CH₂-CH₂-CH₂-CH(NH₂)-COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaCl	37°C	0.15M	U	M	K1=3.16 B(TmHL)=11.10 B(TmH2AL)=24.47		1997GMA (50589)	200

Ligand is DL-citrulline. HA is L-hydroxyproline.

C6H18N4 L Tren CAS 4097-89-6 (817)
2,2',2'''-Triaminotriethylamine; (H₂N.CH₂.CH₂)₃N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ ISE non-aq 25°C 100% C H K1=5.84 B2=7.27 1993CCb (52211) 201
Medium: DMSO, 0.1 M Et4NClO4. Method: Ag+ ISE. By calorimetry, DH(K1)=-54.8
k1 mol-1 DS=-72; DH(B2)=-82.0 DS=-136

C6H20N2O12P4 H8L EDTPA CAS 1429-50-1 (434)
Ethane-1,2-bis(iminobis(methylenephosphonic acid)); ((H2O3PCH2)2NCH2.)2

Metal Mtd Medium Temp Conc CaI Flags Ig K values Reference ExptNo

Tm+++ g1 KNO₃ 25°C 0.10M C 1991SKb (52367) 202

$$K(TmL+H)=7.29$$

$$K(TmHL+H)=5.98$$

Tm+++	gl	KCl	25°C	0.10M	U	K1=21.41 K(Tm+HL)=16.17 K(Tm+H2L)=12.88 K(Tm+H3L)=10.28 K(Tm+H4L)=8.04	1967KDa (52368)	203
-------	----	-----	------	-------	---	--	-----------------	-----

$$K(Tm+H5L)=4$$

C7H4N2O7	H2L	CAS 609-99-4 (400)
3,5-Dinitrosalicylic acid; (O2N)2.C6H2(OH).COOH		

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	oth/un	24°C	0.20M	U		K1=5.61	1972PSd (52503)	204

Medium: LiCl

C7H5N04	H2L	Dipicolinic aci	CAS 449-83-2 (418)
2,6-Pyridinedicarboxylic acid; C5H3N.(COOH)2			

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	cal	NaClO4	25°C	0.50M	C	H		1963GRd (52814)	205

DH(K1)=-7.67 kJ mol-1, DS(K1)=143 J K-1 mol-1; DH(B2)=-22.89, DS(B2)=239; DH(B3)=-53.85, DS(B3)=239.

Tm+++	EMF	oth/un	20°C	0.50M	U	K1=8.83 K3=5.50	B2=16.54	1961GRA (52815)	206
-------	-----	--------	------	-------	---	--------------------	----------	-----------------	-----

C7H5N04	HL	CAS 121-92-6 (490)
3-Nitrobenzoic acid; O2N.C6H4.COOH		

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.10M	C	H	K1=1.60	1986CLc (52874)	207

DH=9.3 kJ mol-1, DS=62 J K-1 mol-1

C7H5O2F	HL	CAS 445-29-4 (5711)
3-Fluorobenzoic acid; F.C6H4.COOH		

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.10M	C	H	K1=1.73	1986CLc (53243)	208

DH=9.0 kJ mol-1, DS=63 J K-1 mol-1

C7H5O2F	HL	CAS 456-22-4 (5710)
4-Fluorobenzoic acid; F.C6H4.COOH		

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Tm+++ gl NaClO4 25°C 0.10M C H K1=1.85 1986CLc (53263) 209
DH(K1)=11.0 kJ mol-1, DS=72 J K-1 mol-1

C7H5O6BrS H2L (1626)
3-Bromo-5-sulfosalicylic acid; Br.C6H2(OH)(COOH).SO3H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO4 25°C 0.10M C T 1993ALa (53377) 210
B(1,1,1)=12.34
B(1,0,1)=7.69
B(1,0,2)=13.24
B(1,-2,1)=-7.15

B(p,q,r); pTm+qH+rL=(Tm)pHqLr

C7H6O2 HL Tropolone CAS 533-75-5 (3129)
2-Hydroxycyclohepta-2,4,6-trien-1-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KN03 25°C 0.10M U K1=7.60 B2=13.99 1969CMb (53697) 211
K3=5.40
K4=3.80

C7H6O2 HL Benzoic Acid CAS 65-85-0 (462)
Benzene carboxylic acid; C6H5.CO0H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ cal NaClO4 25°C 0.10M U H K1=1.94 B2=3.63 1982CBc (53859) 212
DH1= 9.9 kJ mol-1, DS1= 70 J K-1 mol-1

C7H6O3 H2L Salicylic acid CAS 69-72-7 (14)
2-Hydroxybenzoic acid, Salicylic acid; HO.C6H4.CO0H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO4 25°C 0.1M C H 1996HYa (54317) 213
By calorimetry: DH(K1)=3.34 kJ mol-1, DH(B2)=6.97 J K-1 mol-1

Tm+++ gl NaClO4 25°C 0.10M C T 1989HMa (54318) 214
K(Tm+HL)=1.75
K(TmHL+HL)=1.92

C7H6O3 H2L CAS 99-06-9 (1370)
3-Hydroxybenzoic acid; HO.C6H4.CO0H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO₄ 25°C 0.10M C 1988LLa (54391) 215
 K(Tm+HL)=1.93
 ****=
 C7H6O3 H2L CAS 99-96-7 (1371)
 4-Hydroxybenzoic acid; HO.C₆H₄.COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO₄ 25°C 0.10M C 1988LLa (54435) 216
 K(Tm+HL)=2.08
 ****=
 C7H6O4 H3L Protocatechuic CAS 99-50-3 (875)
 3,4-Dihydroxybenzoic acid; C₆H₃(OH)₂.COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO₄ 25°C 0.20M U K1=10.58 1998PJb (54705) 217
 ****=
 C7H6O6S H3L CAS 5965-83-3 (399)
 5-Sulfosalicylic acid, 2-Hydroxy-5-sulfobenzoic; HO₃S.C₆H₃(OH).COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO₄ 20°C 1.0M U K1=7.28 B2=13.15 1972CBb (55060) 218

 Tm+++ sp NaClO₄ 20°C 0.10M U K1=8.34 B2=14.95 1968KTb (55061) 219
 K(Tm+HL)=2.27
 ****=
 C7H6O9S2 H3L CAS 56507-30-3 (2659)
 3,5-Disulfosalicylic acid; (HO₃S)₂.C₆H₂(OH).COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO₄ 25°C 0.50M C T K1=8.85 B2=14.70 1976LAc (55103) 220
 ****=
 C7H7N02 HL Anthranilic CAS 118-92-3 (1589)
 2-Aminobenzoic acid, Anthranilic acid; H₂N.C₆H₄.COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO₄ 25°C 0.10M C K1=2.22 B2=4.39 1989HMa (55267) 221
 ****=
 C7H7N02 HL CAS 150-13-0 (1376)
 4-Aminobenzoic acid; H₂N.C₆H₄.COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KCl 25°C 0.20M U K1=2.14 1977EBa (55395) 222
 ****=
 C7H7N03 H2L CAS 89-73-6 (204)

2-Hydroxybenzohydroxamic acid (salicylhydroxamic acid); HO.C6H4.CO.NHOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	25°C	0.1M	M			K1=12.00 K2=23.05 K3=10.32	1989LWa (55612)	223

C7H7NO6S H3L CAS 6201-86-1 (7899)
3-Amino-5-sulfosalicylic acid:

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 0.20M M T H K1=8.85 1991BPb (55696) 224
 $K(Tm+OH+L)=16.06$

DH(K1)=-115 kJ mol⁻¹, DS(K1)=-216 J K⁻¹ mol⁻¹. DH(Tm(OH)L)=-171, DS(Tm(OH)L)=-265. Also data for 35, 45 and 55 C.

C7H8O2 H2L Methylcatechol CAS 452-86-8 (525)
1,2-Dihydroxy-4-methylbenzene; CH₃.C₆H₃(OH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Tm+++ gl mixed 25°C 50% U I K1=4.74 B2=9.29 1969BCb (56080) 225
 Medium: 50% DMSO, 0.12 M NaClO4. In 50% dioxan, 0.12 M NaClO4: K1=5.80,
 K2=4.81; 50% EtOH, 0.12 M NaClO4: K1=5.36, K2=4.50

C7H8O4 HL Methyl kojic CAS 1506-07-8 (2686)
3-Hydroxy-6-(hydroxymethyl)-2-methyl-4H-pyran-4-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++, sp KC1 25°C 0.10M M I K1=6.70 1986PLb (56135) 226

C7H8O5 HL CAS 2029-29-4 (2687)
3-Hydroxy-2,6-bis(hydroxymethyl)-4H-pyran-4-one:

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ sp KCl 25°C 0.10M M I K1=6.39 1986PLb (56154) 227

C7H10O4 H2L CAS 5802-62-3 (71)
Cyclopentane-1,1-dicarboxylic acid; C5H8.(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ g1 KN03 25°C 0.10M U K1=4.25 B2=6.82 1971PJb (56737) 228

C7H11NO4 H2L CAS 499-82-1 (3163)
Piperidine-2,6-dicarboxylic acid; C5H9N(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	KNO ₃	25°C	0.10M	U		K1=6.53	B2=12.30	1963THb (56814)	229
<hr/>										
C7H11N06		H3L					(2926)			
2-Aminobutanoic-N-propane-1,3-dioic acid; HOOC.CH(C ₂ H ₅).NH.CH(COOH) ₂										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	KNO ₃	25°C	0.1M	U		K1=9.16		1982KKc (56853)	230
<hr/>										
C7H11N06		H3L	MNTA				(1026)			
Nitrilo(2-propanoic)-diethanoic acid; HOOC.CH(CH ₃).N(CH ₂ .COOH) ₂										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	KNO ₃	20°C	0.10M	U		K1=13.01	B2=22.70	1974RMg (56920)	231
<hr/>										
C7H12O4		H2L					CAS 510-20-3 (482)			
Diethylpropanedioic acid (Diethylmalonic acid); HOOC.C(C ₂ H ₅) ₂ .COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	KNO ₃	25°C	0.10M	U		K1=4.70	B2=7.31	1968PFa (57373)	232
<hr/>										
C7H13N06		H2L					CAS 32013-58-4 (6079)			
N-(2,3-Dihydroxypropyl)iminodiethanoic acid; HO.CH ₂ .CH(OH).CH ₂ .N(CH ₂ .COOH) ₂										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	KNO ₃	20°C	0.10M	U		K1=8.95	B2=16.77	1980RPa (57621)	233
<hr/>										
C7H14O3		HL					CAS 65311-45-1 (6266)			
3-Hydroxy-3,4-dimethyl-pentanoic acid; CH ₃ .CH ₂ .C(OH)(CH ₃).CH(CH ₃).COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	NaClO ₄	25°C	0.10M	C		K1=2.99	B2=4.88	1976SPa (57881)	234
<hr/>										
C7H15N04		HL					CAS 41244-51-3 (4459)			
N,N-Bis(2'-hydroxyethyl)alanine; (HO.CH ₂ .CH ₂) ₂ .N.CH(CH ₃).COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	KNO ₃	20°C	0.10M	U		K1=5.07	B2=9.58	1982RFA (57944)	235
<hr/>										
C8H5N5O6		H3L	Murexide				(453)			
Purpuric acid (Murexide is ammonium salt);										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

 Tm+++ sp KNO₃ 12°C 0.10M U 1965GEa (58542) 236
 K(Tm+H₂L)=3.36
 ****=
 C8H5O2F3S HL TTA CAS 326-91-0 (165)
 4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione; F3C.CO.CH₂.CO.C4H3S

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ cal non-aq 25°C 100% C H 2004MIa (58689) 237
 Method: calorimetric titration. Medium: chloroform. DH(TmL3+A)=6.7 kJ
 mol-1, DS=77 J K-1 mol-1; DH(TmL3+2A)=-5.0, DS=77. HA is benzoic acid.

 Tm+++ gl alc/w 22°C 80% U K1=6.35 B2=12.23 1995MTa (58690) 238
 K3=4.93
 Medium: 0.1 M NaClO₄ in 80% (v/v) EtOH/H₂O.
 ****=
 C8H6O4 H₂L Phthalic acid CAS 88-99-3 (113)
 Benzene-1,2-dicarboxylic acid; C₆H₄(COOH)₂

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO₄ 30°C 0.10M U K1=4.45 B2=7.80 1966KPb (59020) 239
 ****=
 C8H6O4 H₂L Isophthalic aci CAS 212-91-5 (1619)
 Benzene-1,3-dicarboxylic acid; C₆H₄(COOH)₂

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ cal NaClO₄ 25°C 0.10M U H K1=2.57 1982CBc (59062) 240
 DH= 17.15 kJ mol-1, DS= 107 J K-1 mol-1
 ****=
 C8H7N02 HL CAS 532-54-7 (4363)
 Isonitrosoacetophenone, Phenylglyoxal 2-oxime;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl diox/w 20°C 50% U K1=6.49 B2=12.10 1971MAf (59109) 241
 Medium: 50% v/v dioxan, 0.1 M NaClO₄
 ****=
 C8H7N03 HL (7376)
 benzoylhydroxamic acid; C₆H₅COCONHOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KNO₃ 25°C 0.1M M K1=10.87 B2=20.99 1989LWa (59130) 242
 K3=9.19
 ****=
 C8H8N2O2 HL Phenylglyoxime (3222)
 Phenylglyoxime; C₆H₅.C(:N.OH).CH:N.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	diox/w	20°C	50%	U		K1=7.55	B2=14.07	1971MAf (59344)	243
Medium: 50% dioxan, 0.1 M NaClO4										

C8H8O2		HL		Phenylacetic			CAS	103-82-2	(1361)	
Phenylethanoic acid; C6H5.CH2.COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	NaClO4	25°C	0.1M	C	H	K1=1.73		1996HYa (59566)	244
By calorimetry: DH(K1)=16.73 kJ mol-1										
<hr/>										
Tm+++	gl	NaClO4	25°C	0.10M	C	H	K1=1.73		1990HYa (59567)	245
By calorimetry: DH(K1)=16.7 J K-1 mol-1										

C8H8O3		HL		o-Anisic acid			CAS	579-75-9	(2337)	
2-Methoxybenzoic acid; CH3O.C6H4.COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	NaClO4	25°C	0.10M	M	H	K1=1.83		1988CLb (59755)	246
DH=10.7 kJ mol-1, DS=71 J K-1 mol-1										
<hr/>										
Tm+++	gl	alc/w	25°C	42%	U		K1=2.5		1983PMa (59756)	247

C8H8O3		HL		Mandelic Acid			CAS	611-72-3	(80)	
2-Phenyl-2-hydroxyethanoic acid; C6H5.CH(OH).COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	NaClO4	25°C	0.10M	C		K1=3.20	B2=5.56	1989HMa (59881)	248
<hr/>										
Tm+++	gl	NaClO4	25°C	2.0M	U		T	K1=2.71	1972DCb (59882)	249

C8H8O3		HL		m-Anisic acid			CAS	586-38-9	(2804)	
3-Methoxybenzoic acid; CH3O.C6H4.COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	NaClO4	25°C	0.10M	M	H	K1=2.05		1988CLb (59921)	250
DH=11.9 kJ mol-1, DS=79 J K-1 mol-1										

C8H8O3		HL		p-Anisic acid			CAS	100-09-4	(1373)	
4-Methoxybenzoic acid; CH3O.C6H4.COOH										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	NaClO4	25°C	0.10M	M	H	K1=2.02		1988CLb (59965)	251

DH=14.5 kJ mol-1, DS=87 J K-1 mol-1

C8H8O4 HL CAS 520-45-6 (4478)

3-Acetyl-2-hydroxy-6-methylpyran-4-one, Dehydroethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	diox/w	35°C	50%	U			K1=5.02 B2=8.89	1971MAa (60099)	252

Medium: 50% dioxan, 0.1 M NaClO4

C8H8O9 H4L (6951)

Tetrahydrofuran-2,3,4,5-tetracarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	cal	NaClO4	25°C	0.10M	C	H			2000MNa (60137)	253

DH(Tm+HL)=7.76 kJ mol-1, DS=185 J K-1 mol-1. DH(Tm+H2L)=5.42, DS=137.

Tm+++	gl	NaClO4	25°C	0.10M	C			K1=10.37 B2=14.93	1995JNa (60138)	254
								B(TmH2L)=17.38		
								B(TmHL)=14.78		
								B(TmH-1L)=2.62		
								B(TmH-2L)=-7.12		

B(TmH2L2)=24.91, B(TmHL2)=20.00

C8H9NO4 H2L (4520)

Dehydroethanoic acid oxime;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	diox/w	35°C	50%	U				1971MAa (60505)	255
								K(Tm+HL)=4.92		
								K(Tm+2HL)=8.52		

Medium: 50% dioxan, 0.1 M NaClO4

C8H10O4 L CAS 34241-51-5 (5701)

3-Acetyl-6-methylhydropyrane-2,4-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	alc/w	22°C	20%	U			K1=4.77 B2=8.51	1988ZTa (60856)	256
								K3=3.37		

C8H10O5 H2L CAS 145-73-7 (138)

7-Oxa-bicyclo[2.2.1]-heptan-2,3-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	30°C	0.10M	C			K1=5.71 B2=9.99	1996SZa (60877)	257

For the -5-en-2-exo isomer, K1=6.07, B2=10.83.

C8H11N08 H4L CAS 7408-20-0 (2608)
Amino-di(butanedioic acid);HN(CH(COOH)CH₂.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	0.10M	U			K1=11.32 B2=18.05 B(TmHL)=15.77	1979Beb (61219)	258

C8H12N208 H4L CAS 35039-85-1 (4537)
1,2-Diaminoethane-N,N'-dimalonic acid; (HOOC)2.CH.NH.CH₂.CH₂.NH.CH(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	20°C	0.10M	U			K1=12.40 B2=18.28	1975DPA (61530)	259
Tm+++	gl	KNO ₃	25°C	0.10M	U			K1=11.32	1972GBd (61531)	260

By polarography K1=11.18

C8H12O4 H2L CAS 1076-97-9 (2224)
Cyclohexane-1,4-dicarboxylic acid; C₆H₁₀.(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.10M	M	H		K1=4.33	1986CDb (61717)	261

DH=19.0 kJ mol⁻¹, DS=147 J K⁻¹ mol⁻¹

C8H13N06 H3L (3835)
2-Amino-2-carboxypropane-N,N-diethanoic acid; HOOC(CH₃)₂N(CH₂COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	20°C	0.10M	U			K1=10.42 B2=17.77	1974RMg (61772)	262

C8H13N06 H3L (5681)
2-Aminobutanoic-N,N-diethanoic acid; CH₃CH₂CH(COOH)N(CH₂COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	20°C	0.10M	U			K1=12.07 B2=20.81	1974RMg (61797)	263

C8H19O4P HL CAS 107-66-4 (2130)
Dibutylphosphoric acid; (C₄H₉O)₂P(O)OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	dis oth/un	26°C	0.10M	C	I				1992SNc (63194)	264

K(Tm+5HL(org))=TmL3(HL)2(org)+3H)=19.1. Method: extraction of 170Tm from HNO₃ solution into CFC-112. For extraction into benzene, K=6.2.

Tm+++ kin oth/un 25°C ? U K1=3.29 1971MGb (63195) 265

 C9H5NOI2 HL CAS 83-73-8 (3280)
 5,7-Di-iodo-8-hydroxyquinoline;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl diox/w 35°C 75% U K1=7.60 B2=13.70 1971MAb (63572) 266
 K3=5.20
 Medium: 75% v/v dioxan, 0.1 M NaClO4

 C9H5NO4 HL CAS 22308-86-7 (4607)
 3-Nitroso-4-hydroxycoumarin (oximidobenzotetronic acid);

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ sp diox/w 20°C 50% U K1=2.88 B2=4.84 1977MBb (63615) 267

 C9H6N04BrS H2L CAS 3062-37-1 (3889)
 7-Bromo-8-hydroxyquinoline-5-sulfonic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO4 25°C 0.10M U K1=5.82 B2=10.55 1973MAa (63705) 268
 K3=3.9

 C9H6N04IS H2L Ferron CAS 547-91-1 (275)
 7-Iodo-8-hydroxyquinoline-5-sulfonic acid; (HO)(HO3S)C9H4NI

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl oth/un 20°C 0.10M U K1=6.50 1977SKd (63832) 269

 C9H6O6 H3L Hemimellitic ac CAS 569-51-7 (1621)
 1,2,3-Benzenetricarboxylic acid; C6H3.(COOH)3

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO4 25°C 0.10M U H K1=4.81 1994CRa (63978) 270
 K(Tm+HL)=2.88
 DH(K1)=20.2 kJ mol-1; DS=160 J K-1 mol-1

 C9H7NO HL Oxine CAS 148-24-3 (504)
 8-Hydroxyquinoline (8-quinolinol);

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ sol none RT 0.0 U 1981FCa (64363) 271
 Kso(TmL3)=-33.03

Method: spectrophotometry.

C9H1003 HL CAS 1878-49-5 (1600)
 2-Phenyl-2-methoxyethanoic acid; C6H5.CH(OCH3)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.10M	C			K1=2.14 B2=3.86	1989HMa (65468)	280

C9H1003 HL CAS 529-64-6 (1601)
 2-Phenyl-3-hydroxypropanoic acid; HO.CH2.CH(COOH)C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.10M	C			K1=2.02 B2=3.78	1989HMa (65482)	281

C9H1004 H2L (7232)
 Bicyclo[2.2.1]hept-5-en-2-endo,3-cis-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	30°C	0.10M	C			K1=4.13 B2=6.68	1996Sza (65579)	282

For the -2,5-dien-2-exo isomer, K1=4.20, B2=7.96.

C9H1004 H2L CAS 3853-88-1 (5687)
 endo-cis-Bicyclo-[2.2.1]-5-hepten-2,3-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	24°C	0.10M	U			K1=4.40	1986ZBa (65594)	283

K(Tm+HL)=1.50

C9H1005 H2L CAS 54384-22-4 (8406)
 1-Methyl-(exo,exo)-7-oxabicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	30°C	0.10M	U			K1=5.15 B2= 8.14	1996Sza (65611)	284

C9H1005 H2L (7233)
 1-Methyl-7-oxa-bicyclo[2.2.1]hept-5-en-2-exo,3-cis-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	30°C	0.10M	C			K1=5.15 B2=8.14	1996Sza (65626)	285

C9H11N02 HL Phenylalanine CAS 63-91-2 (2)
 2-Amino-3-phenylpropanoic acid; H2N.CH(CH2.C6H5)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Tm+++ gl NaCl 25°C 0.15M U H K1=3.88 1992ZNa (65981) 286
 By calorimetry: DH(K1)=3.41 kJ mol-1, DS(K1)=85.74 J K-1 mol-1.

 C9H12N2010 H5L CAS 80921-06-8 (2924)
 2,3-Diaminopropanoic-N,N'-di-1,3-propanedioic acid;
 (HOOC)2CH.NH.CH(COOH).CH2.NH.CH(COOH)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ ISE KN03 25°C 0.10M U K1=12.46 1983KBd (66748) 287
 Hg-electrode.

 C9H13N06 H3L (3881)
 2,6-Dicarboxypiperidyl-N-ethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KN03 25°C 0.10M U K1=11.54 B2=20.17 1968TKe (66896) 288

 C9H15N06 H3L (7177)
 2-Aminopentanoic-N,N-diethanoic acid; C3H7C(COOH)N(CH2COOH)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KN03 20°C 0.10M U K1=11.93 B2=20.52 1974RMg (67416) 289

 C9H16N206 H3L MEDTA CAS 40423-02-7 (5717)
 N-Methyldiaminoethane-N,N',N'-triethanoic acid; HOOC.CH2.N(CH3)CH2.CH2.N(CH2.COOH)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ cal NaClO4 25°C 0.50M M IH K1=13.74 1986RCa (67646) 290
 DH=-13.9 kJ mol-1, DS=216 J K-1 mol-1

 C9H16O4 H2L CAS 1636-27-7 (485)
 Dipropylpropanedioic acid (Di-n-propylmalonic acid);

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KN03 25°C 0.10M U K1=4.76 B2=7.39 1968PFa (67780) 291

 C10H502F7S L (6996)
 1-(2-Thienyl)-3-heptafluoropropylpropane-1,3-dione; C3F7.C(O)CH2C(O)C4H3S

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl alc/w 22°C 80% U K1=6.36 B2=11.88 1995MTa (68435) 292
 K3=5.56
 Medium: 0.1 M NaClO4 in 80% (v/v) EtOH/H2O.

C10H6O8 H4L Pyromellitic Ac CAS 89-05-4 (519)
Benzene-1,2,4,5-tetracarboxylic acid; C₆H₂.(COOH)₄

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.10M	U	H		K1=4.58 K(Tm+HL)=3.67	1994CRa (68531)	293

DH(K1)=25.4 kJ mol⁻¹, DS=173 J K⁻¹ mol⁻¹; DH(Tm+HL)=15.5, DS=122

C10H7N02 HL CAS 131-91-9 (2668)

1-Nitroso-2-naphthol, alpha-Nitroso-beta-naphthol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	KCl	25°C	0.10M	M	I		K1=4.38	1976PEa (68596)	294

C10H7N02 HL CAS 132-53-6 (2524)

2-Nitroso-1-naphthol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	25°C	0.10M	U			K1=6.00 B2=11.42	1982LPC (68664)	295

C10H7N05S H2L CAS 14090-74-5 (2676)

1-Nitroso-2-hydroxynaphthalene-7-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	0.10M	M			K1=4.26	1979LSb (68820)	296

C10H7N05S H2L (4766)

1-Nitroso-2-hydroxynaphthalene-6-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	KCl	25°C	0.10M	C			K1=4.47	1973PMb (68856)	297

C10H7N05S H2L CAS 31005-79-9 (1814)

2-Nitroso-1-hydroxynaphthalene-8-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	KCl	25°C	0.10M	M			K1=4.97	1978PPb (68953)	298

C10H7N08S2 H3L Nitroso-R acid CAS 525-05-3 (1811)

1-Nitroso-2-hydroxynaphthalene-3,6-disulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	oth/un	25°C	0.10M	U			K1=5.32 B2=9.82	1990ATa (69032)	299

C10H7N505 HL CAS 102964-51-2 (6212)
5-(2'-Nitrophenylazo)barbituric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	diox/w	25°C	75%	U			K1=5.82 B2=11.46	1986MIA (69103)	300

C10H702F3 HL CAS 326-06-7 (196)
3-Benzoyl-1,1,1-trifluoroacetone; CF₃.CO.CH₂.CO.C₆H₅

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	alc/w	22°C	80%	U			K1=7.41 B2=13.37 K3=6.02	1995MTA (69164)	301

Medium: 0.1 M NaClO₄ in 80% (v/v) EtOH/H₂O.

C10H8N403 HL CAS 43168-60-1 (6209)
5-Phenylazobarbituric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	diox/w	25°C	75%	U			K1=6.08 B2=11.89	1986MIA (69737)	302

C10H802 H2L CAS 92-44-4 (1658)
2,3-Dihydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	20°C	0.10M	U	M			1973PAC (69781)	303

K(TmA+L)=7.95, H4A=EDTA

C10H805S H3L DHNSA (877)
2,3-Dihydroxynaphthalene-6-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.50M	C			K1=10.37 B2=18.92 B3=23.3	1976LAD (69866)	304

B(TmHL2)=25.73

C10H1006 H2L CAS 5411-14-3 (2394)
1,2-Phenylenedioxodiethanoic acid; C₆H₄(O.CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	25°C	0.10M	M			K1=3.94	1977HCb (70862)	305

C10H12N204 H2L CAS 16598-05-3 (967)
2-Pyridylmethyliminodiethanoic acid; C₅H₄N.CH₂.N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	25°C	0.10M	U			K1=9.40 B2=17.01	1964THa (71278)	306

C10H14N5O7P		H2L		AMP-5				CAS 18422-05-4	(842)	
Adenosine-5'-monophosphoric acid, 5-Adenylic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	R4N.X	25°C	0.10M	C		T	K1=4.59 K(Tm+HL)=2.70	1991SMa (72499)	307
IUPAC evaluation										
C10H16N2O8		H4L		EDDS				CAS 52759-67-8	(1100)	
1,2-Diaminoethane-N,N'-di-1,4-butanedioic acid; (CH ₂ .NH.CH(COOH)CH ₂ .COOH) ₂										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	0.10M	U			K1=13.42 K(Tm+HL)=7.06	1980MMe (73191)	308
Tm+++	gl	KCl	25°C	0.10M	U			K2=4.00	1979MMe (73192)	309
Tm+++	gl	KNO ₃	20°C	0.10M	U			K1=14.00 B2=19.35	1975DPa (73193)	310
Tm+++	vlt	KNO ₃	25°C	0.10M	U			K1=14.0	1971BGb (73194)	311

C10H16N2O8		H4L		EDTA				CAS 60-00-4	(120)	
1,2-Diaminoethane-N,N,N',N'-tetraethanoic acid, Sequestric acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	20°C	0.02M	U	M			1982MPd (74249)	312
								K(TmL+PO ₄)=3.12		
Tm+++	vlt	KNO ₃	20°C	0.10M	U			K1=19.48	1978NLb (74250)	313
Tm+++	gl	NaClO ₄	25°C	0.50M	U			K1=17.80	1977GGb (74251)	314
Tm+++	gl	KCl	25°C	1.00M	U			K2=1.55 K(TmL+HL)=1.15 K(2TmL+L)=4.28	1976BKa (74252)	315
Tm+++	gl	KCl	25°C	1.0M	U				1976GMb (74253)	316
								K(TmL+H)=1.19		
Tm+++	sp	KCl	25°C	0.10M	U			K2=1.55 K(2TmL+L)=4.28 K(TmL+HL)=1.15	1975BKa (74254)	317

Tm+++	EMF	KCl	25°C	0.10M	U	T	1974BKb (74255) 318
						K(TmL+H)=0.8	
Tm+++	gl	KCl	25°C	1.0M	C	K2=1.55 K(TmL+HL)=1.15 K(2TmL+L=Tm2L3)=4.28	1974BKe (74256) 319
Tm+++	gl	KNO ₃	25°C	0.10M	U T M	K(TmL+HA)=5.10 K(TmL+A)=7.64	1973TRb (74257) 320
						K(TmL+HA)(2 C)=5.30, K(35 C)=5.19, K(45 C)=4.95, K(TmL+A)(2 C)=7.80, K(35 C)=7.71, K(45 C)=7.40, H5A=tripolyphosphoric acid	
Tm+++	gl	KNO ₃	25°C	0.10M	U T M	K(TmL+A)=6.5	1973TRb (74258) 321
						K(2 C)=6.6, K(35 C)=6.4, K(45 C)=6.2, H4A=adenosine triphosphate	
Tm+++	dis	oth/un	25°C	?	U	K1=18.04	1969PJ _a (74259) 322
Method:	paper electrophoresis.	Medium:	pH=1.86				
Tm+++	ix	KCl	25°C	0.10M	U H	K1=18.64	1959BD _b (74260) 323
DH(K1)=6.6 kJ mol ⁻¹ , DS=379 J K ⁻¹ mol ⁻¹							
Tm+++	gl	oth/un	20°C	0.01M	U	K1=19.49	1955WS _a (74261) 324
Tm+++	vlt	KNO ₃	20°C	0.10M	U	T K1=19.32	1954SG _a (74262) 325
Tm+++	gl	KCl	20°C	0.10M	U I	T K1=18.59	1953WS _a (74263) 326
By polarography	K1=18.62.	In 0.1 M KNO ₃	K1=19.07				

C10H16N5O13P3	H4L	ATP				CAS 56-65-5 (403)	
Adenosine-5'-triphosphoric acid;							
Metal	Mtd	Medium	Temp	Conc	Cal Flags	Lg K values	Reference ExptNo
Tm+++	gl	R4N.X	25°C	0.10M	C	T K1=6.80 K(Tm+HL)=3.67	1991SM _a (74834) 327
IUPAC evaluation							
Tm+++	gl	KCl	25°C	0.10M	U	K1=6.50 B2=10.56 K(Tm+HL)=4.09	1988SSd (74835) 328
Tm+++	kin	oth/un	25°C	0.05M	C	K1=7.42	1983MC _c (74836) 329
Method:	inhibition of the hexokinase reaction,	pH 8.0 (0.05 M TAPS).					
Tm+++	gl	KNO ₃	35°C	0.10M	U M	K(Tm(EDTA)+L)=6.8	1972TRc (74837) 330

C10H18N2O7	H3L	HEDTA				CAS 150-39-0 (392)	

N-(Hydroxyethyl)diaminoethane-N,N',N'-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.50M	U		K1=15.04	1977GGb (75520)	331
Tm+++	EMF	KCl	25°C	1.0M	U		K2=3.77 K(TmL+HL)=2.11 K(TmL+H2L)=0.16 K(TmL+H4L)=1.71	1977GMa (75521)	332

Method: Pt/H2 electrode.

Tm+++	EMF	KCl	25°C	1.0M	U	M		1977GMa (75522)	333
							K(Tm(edta)+L)=2.50 K(Tm(edta)+HL)=1.95 K(Tm(edta)+H2L)=1.96 K(Tm(edta)+H3L)=1.74		

Method: Pt/H2 electrode.

Tm+++	gl	NaClO4	25°C	1.0M	U		K2=3.16 K(TmL+HL)=2.19 K(TmL+H2L)=1.09 K(TmL+H3L)=1.54	1973NMa (75523)	334
-------	----	--------	------	------	---	--	---	-----------------	-----

Tm+++	ix	oth/un	?	?	U			1968MDa (75524)	335
							K(TmL+HL)=2.65 K(TmL2H+H)=6.15		

Tm+++	gl	KNO3	25°C	0.10M	U	M		1963TLb (75525)	336
							K(TmL+A)=4.95 K(TmL+B)=4.26		

Id=iminodiacetic acid

Tm+++	EMF	oth/un	20°C	0.10M	U		K1=16.00	1962PMa (75526)	337
-------	-----	--------	------	-------	---	--	----------	-----------------	-----

Tm+++	gl	KNO3	15°C	0.10M	U	T	H	K1=15.66	1961MFb (75527)	338
K1=15.64(20 C), 15.59(25 C), 15.62(30 C), 15.72(35 C), 15.69(40 C) DH(K1)=3.9 kJ mol-1(25 C), DS=312 J K-1 mol-1										

Tm+++	gl	KNO3	25°C	0.10M	U		K1=15.38	1956SPa (75528)	339
-------	----	------	------	-------	---	--	----------	-----------------	-----

By polarography K1=15.5

C10H20N2O4 H2L (4753)

N,N'-Diethylethylenedinitrilo-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Tm+++	gl	KNO3	25°C	0.10M	U		K1=7.1	1973PSb (75786)	340
-------	----	------	------	-------	---	--	--------	-----------------	-----

C10H22O5 L Tetraglyme CAS 143-24-8 (121)

C11H9N3O2 H2L PAR CAS 1141-59-9 (636)
4-(2'-Pyridylazo)-1,3-dihydroxybenzene; C5H4N.N:N.C6H3(OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	sp	NaNO ₃	25°C	0.10M	C		K1=10.57 K(Tm+HL)=4.34 *K(TmHL)=-6.07	19840Ha (77593)	347

Medium pH 4.8-6.3.

Tm+++	sp	KCl	20°C	0.10M	U			1971EKa (77594)	348
							K(Tm+HL)=3.77		

C11H10N4O3 HL CAS 92265-24-2 (6211)
5-(2'-Methylphenylazo)barbituric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	diox/w	25°C	75%	U		K1=6.02 B2=11.45	1986MIa (77735)	349

C11H10N4O4 HL CAS 92265-26-4 (6210)
5-(2'-Methoxyphenylazo)barbituric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	diox/w	25°C	75%	U		K1=6.23 B2=12.25	1986MIa (77750)	350

C11H12N2O5S HL CAS 56475-09-3 (8410)
3-(4'-Sulfophenylhydrazo)-pentane-2,4-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	oth/un	30°C	0.10M	U		B2=21.85	1985EEb (78329)	351

Medium: not stated. For 3'-sulfophenylhydrazo-, B2=22.11; for 2'-sulfo-phenylhydrazo-, B2=25.13; for 4'-methyl-2'-sulfophenylhydrazo-, B2=23.75.

C11H13N04 L CAS 15658-60-3 (4587)
Diethyl 2,6-pyridinedicarboxylate; Dipicolinic acid diethyl ester;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	sp	non-aq	20°C	100%	C		K1=7.0 B2=13.70 B3=17.6	1997RPa (78539)	352

Medium: acetonitrile.

C11H13N05 H3L HBIDA CAS 7372-13-6 (1603)
N-(2-Hydroxybenzyl)iminodiethanoic acid; HO.C6H4.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Tm+++	gl	KNO ₃	25°C 0.10M C	K1=14.48 B2=26.48 1989YSa (78643) 353 K(Tm+HL)=6.40
Tm+++	gl	KNO ₃	20°C 0.10M U	K1=14.53 B2=25.77 1983MSC (78644) 354

C11H14N204		H2L		(1880)
N-(6-Methyl-2-pyridylmethyl)iminodiethanoic acid; CH ₃ C ₅ H ₃ NCH ₂ N(CH ₂ COOH) ₂				
Metal	Mtd	Medium	Temp Conc Cal Flags Lg K values	Reference ExptNo
Tm+++	gl	KNO ₃	25°C 0.10M U	K1=7.54 B2=12.81 1964THa (78894) 355

C11H18N208		H4L	PDTA	CAS 4408-81-5 (1655)
1,2-Diaminopropane-N,N,N',N'-tetraethanoic acid;				
Metal	Mtd	Medium	Temp Conc Cal Flags Lg K values	Reference ExptNo
Tm+++	vlt	KNO ₃	20°C 0.10M U	K1=15.69 1981NSc (79344) 356
Tm+++	EMF	KNO ₃	25°C 0.10M U	K1=16.47 1980KBc (79345) 357
Tm+++	vlt	KNO ₃	20°C 0.10M U	K1=20.05 1978NLb (79346) 358
Tm+++	vlt	KNO ₃	20°C 0.10M U	K1=20.08 1964ICb (79347) 359

C11H18N208		H4L		CAS 38539-29-0 (2573)
1,3-Diaminopropane-N,N'-di(1,4-butanedioic acid)				
Metal	Mtd	Medium	Temp Conc Cal Flags Lg K values	Reference ExptNo
Tm+++	gl	KNO ₃	25°C 0.10M U	K1=11.12 1976GKd (79375) 360

C11H18N209		H4L	HDPTA	CAS 3148-72-9 (431)
1,3-Diamino-2-hydroxypropane-N,N,N',N'-tetraethanoic acid;				
Metal	Mtd	Medium	Temp Conc Cal Flags Lg K values	Reference ExptNo
Tm+++	gl	KNO ₃	25°C 0.10M M	K1=15.31 1986PLc (79579) 361

C11H18N209		H4L		CAS 668-21-1 (2562)
2-Hydroxy-1,3-diaminopropane-N,N'-di(1,4-butanedioic) acid				
Metal	Mtd	Medium	Temp Conc Cal Flags Lg K values	Reference ExptNo
Tm+++	gl	KNO ₃	25°C 0.10M U	K1=12.34 1976GKd (79608) 362

C11H2004		H2L		CAS 2283-16-1 (2854)
2,2-Dibutylpropanedioic acid; HOOC.C(C ₄ H ₉) ₂ .COOH				

C12H18N20S5 H2L CAS 80459-15-0 (1595)
2-Nitroso-5-(N-propyl-3-sulfopropylamino)phenol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	25°C	0.10M	C			K1=6.03	1988YSa (81821)	370

C12H18N208 H2L CAS 93031-52-8 (5829)
1,4-Dioxa-7,10-diazacyclododecane-5,12-dione-7,10-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	R4N.X	25°C	0.10M	C			K1=6.53	1988CCb (81845)	371

C12H18N208 H4L CAS 76079-31-7 (2587)
trans-1,2-Diaminocyclohexane-N,N'-di(propanedioic acid)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	EMF	KNO ₃	25°C	0.10M	U			K1=14.22	1985SGa (81881)	372

Tm+++ EMF KNO₃ 25°C 0.10M U K1=15.63 1980SGb (81882) 373

C12H20N208 H4L CAS 1798-13-6 (4935)
1,2-Diaminobutane-N,N,N',N'-tetraethanoic acid;
(HOOC.CH₂)₂N.CH₂.CH(C₂H₅).N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	vlt	KNO ₃	20°C	0.10M	U			K1=20.52	1968NLa (82036)	374

C12H20N208 H4L CAS 40623-42-5 (1101)
1,2-Diaminoethane-N,N'-di(2-pentane-1,5-dioic acid); (CH₂NHCH(COOH)CH₂CH₂COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Tm+++	gl	KNO ₃	20°C	0.10M	U			K1=9.59	B2=15.54	1975DPa (82105)	375

Tm+++ gl KNO₃ 25°C 0.10M U K1=9.26 1973GBd (82106) 376

C12H20N208 H4L CAS 61368-60-3 (3389)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-propanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	vlt	KNO ₃	20°C	0.10M	U			K1=18.91	1976NKa (82147)	377

C12H20N208 H4L CAS 40623-42-5 (3388)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-dipropanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.10M	U	IH		K1=14.25 B(Tm+HL)=6.66	1988RNA (82181)	378
$DH(K1)=3.74 \text{ kJ mol}^{-1}$, $DH(Tm+HL)=27.9$, $DS(K1)=285 \text{ J K}^{-1} \text{ mol}^{-1}$										
C12H20N208		H4L					CAS	2458-58-4	(922)	
1,4-Diaminobutane-N,N,N',N'-tetraethanoic acid; $(HOOC.CH_2)_2N.(CH_2)_4.N(CH_2.COOH)_2$										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO4	25°C	0.50M	M	H		K1=11.25 K(TmL+H)=6.05 K(TmHL+H)=4.85	1985CBa (82238)	379
$DH(K1)=23.3 \text{ kJ mol}^{-1}$, $DS=293 \text{ J K}^{-1} \text{ mol}^{-1}$ (by calorimetry)										
C12H20N208		H4L	BDTA				CAS	868-43-9	(1742)	
DL-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid; $(HOOC.CH_2)_2N.CH(CH_3).CH(CH_3).N(CH_2.COOH)_2$										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	NaClO4	20°C	0.10M	U			K1=20.44	1971ISa (82340)	380
Tm+++	vlt	oth/un	20°C	0.10M	U			K1=20.96	1966DMa (82341)	381
Tm+++	vlt	KNO3	20°C	0.10M	U			K1=20.96	1966NSb (82342)	382
C12H20N208		H4L					CAS	22968-57-6	(3992)	
meso-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid; $(HOOC.CH_2)_2N.CH(CH_3).CH(CH_3).N(CH_2.COOH)_2$										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	NaClO4	20°C	0.10M	U			K1=17.87	1971ISa (82424)	383
Tm+++	vlt	oth/un	20°C	0.10M	U			K1=17.87	1966DMa (82425)	384
C12H20N208S		H4L	TEDTA				CAS	923-74-0	(3394)	
2,2'-Thiobis(ethyliminodiethanoic acid); $S(CH_2.CH_2.N(CH_2.COOH)_2)_2$										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO3	25°C	0.10M	C			K1=14.41	1985TPa (82479)	385
C12H20N209		H4L	EEDTA				CAS	923-73-9	(2112)	
Oxa-bis(ethyleneimino)diethanoic acid; $((HOOC.CH_2)_2N.CH_2.CH_2)_2O$										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Tm+++ EMF KN03 20°C 0.10M U K1=17.83 1962MMc (82572) 386

 C12H2008N2 H4L (6908)
 2-Methyl-1,2-diaminopropane-N,N,N'N'-tetraethanoic acid;
 (HOOC.CH2)2N.CH2.C(CH3)2.N(CH2.COOH)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ vlt KN03 20°C 0.10M C K1=17.79 1978NLa (82683) 387

 C12H21N06 H3L (7209)
 1-Carboxy-1-aminoheptane-N,N-diethanoic acid; HOOC.CH(C6H13)N(CH2.COOH)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl alc/w 20°C 40% U K1=11.80 1985LBc (82707) 388
 Medium: 40% v/v MeOH/H2O, 0.1 M KN03

 C12H24N404 H2L (7343)
 1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid);

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl R4N.X 25°C 0.10M C K1=13.19 1998CCb (83094) 389

 C12H26N204 L Cryptand 2,2 CAS 23978-55-4 (925)
 4,7,13,16-Tetraoxa-1,10-diazacyclooctadecane;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl alc/w 25°C 100% C K1=9.46 1983ANb (83912) 390
 The equilibration took 7-12 days. Medium: MeOH, 0.05 M Et4NC104

 C12H2606 L Pentaglyme CAS 1191-87-3 (2498)
 2,5,8,11,14,17-Hexaoxaoctadecane; (CH3.O.CH2.CH2.O.CH2.CH2.O.CH2.)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl non-aq 25°C 100% C K1=4.56 1989BPa (84026) 391
 Medium: anhydrous propylene carbonate, 0.1 M Et4NC104

 C12H28N209P2 H4L (7242)
 1,4,10-Trioxa-7,13-diazacyclopentadecane-7,13-diylidemethylenediphosphonic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl R4N.X 25°C 0.10M U K1=13.80 1996BJa (84167) 392
 K(Tm+HL)=10.22
 K(Tm+H2L)=5.86
 Medium: 0.1 M Me4NCl

C12H30N6 L CAS 296-35-5 (143)
1,4,7,10,13,16-Hexaazacyclooctadecane; cyclo(-(NH.CH2.CH2)6-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	NaNO ₃	25°C	0.20M	C		K1=8.95	1991KKa	(84359) 393
Tm+++	gl	NaCl	20°C	0.10M	C		K1=10.4	1988SJb	(84360) 394

C13H502F13S L (6997)

1-(2-Thienyl)-3-tridecafluorohexylpropane-1,3-dione; C₆F₁₃.CO.CH₂.CO.C₄H₃S

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	alc/w	22°C	80%	U		K1=5.72 K3=4.32	B2=11.11	1995MTa (84463) 395

Medium: 0.1 M NaClO₄ in 80% (v/v) EtOH/H₂O.

C13H11N02 HL CAS 304-88-1 (181)

N-Phenylbenzohydroxamic acid; C₆H₅.CO.N(C₆H₅).OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	dis	oth/un	23°C	0.01M	C			1997AAa	(85182) 396

Method: extraction of 170Tm from 0.01 M borate buffer into benzene-ligand solution. K(Tm+3HL(org)=TmL₃(org)+3H)=-13.54.

C13H12N203S HL (6203)

Salicylidenesulfanilamide, 4-(N-(2-Hydroxybenzylene))aminosulanilamide;

H₂NSO₂C₆H₄N:CHC₆H₄OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	gl	oth/un	25°C	0.10M	U		K1=12.763	1987KSc	(85367) 397

C13H12N40 L Diphenylcarbaz. CAS 538-62-5 (1195)

Diphenylcarbazone; C₆H₅.NH.NH.CO.N:N.C₆H₅

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	EMF	alc/w	20°C	50%	U		K1=3.75	1971MAC	(85420) 398

Medium: 50% EtOH, 0.1 M NaClO₄

C13H12N4S L Dithizone CAS 60-10-6 (1801)

Diphenylthiocarbazone; C₆H₅.NH.NH.CS.N:N.C₆H₅

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Tm+++	EMF	alc/w	20°C	50%	U		K1=2.25	1971MAC	(85476) 399

Medium: 50% EtOH, 0.1 M NaClO4

C13H20N208 H4L CAS 123064-92-6 (7929)

trans-1,3-Cyclopentanediaminotetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KCl	25°C	1.0M	U			K1=14.43 K(TmHL+H)=3.06 K(TmL+H)=3.76	1989CMb (86129)	400

C13H22N208 H4L CAS 1798-14-7 (921)

(Pentamethylenedinitrilo)tetraethanoic acid; ((HOOC.CH2)2N.CH2.CH2)2CH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO3	25°C	0.10M	C			K1=11.19 K(Tm+HL)=7.24	1982PPd (86210)	401

C13H22N208 H4L CAS 1198-14-7 (5004)

1,2-Diaminopentane-N,N,N',N'-tetraethanoic acid; (HOOCCH2)2NCH2CH(C3H7)N(CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	vlt	KNO3	20°C	0.10M	U			K1=20.46	1974NLa (86238)	402

C13H22N208 H4L (7164)

2,4-Diaminopentane-N,N,N',N'-tetraethanoic acid;
(HOOCCH2)2NCH(CH3)CH2CH(CH3)N(CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	vlt	KNO3	20°C	0.10M	U			K1=13.63	1981NSc (86266)	403

C13H22N208 H4L (5003)

3-Methyl-1,2-diaminobutane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	vlt	KNO3	20°C	0.10M	U			K1=20.38	1968NLb (86293)	404

C13H22N209 H4L DETAP CAS 36829-96-6 (5602)

Bis(2-aminoethyl)ether-N,N,N',N'-triethanoic acid-N'-(3-propanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO3	25°C	0.10M	C			K1=14.97 K(Tm+HL)=9.29	1985PLa (86312)	405

C14H8O4 H2L Alizarin CAS 72-48-0 (1058)

1,2-Dihydroxyanthraquinone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	oth/un	25°C	0.10M	U			K1=12.73	1981EIa (86652)	406

C14H9N5Cl2 L CAS 7071-45-6 (8463)

1,5-Bis(4-chlorophenyl)-3-cyanoformazan;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Tm+++	gl	diox/w	25°C	70%	U			K1=6.39	B2=12.65	1996DAb (86854)	407

Medium: 70% dioxane/H₂O, 0.10 M NaClO₄.

C14H11N5 L CAS 7014-08-6 (8461)

1,5-Diphenyl-3-cyanoformazan;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Tm+++	gl	diox/w	25°C	70%	U			K1=7.33	B2=14.18	1996DAb (87003)	408

Medium: 70% dioxane/H₂O, 0.10 M NaClO₄.

C14H12N2O3 H2L CAS 4870-46-6 (3432)

2-Hydroxy-5-methyl-2'-carboxy-azobenzene; HO.C6H3(CH₃).N:N.C6H4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Tm+++	gl	diox/w	25°C	50%	U	I		K1=3.92	B2=7.78	1985ANa (87224)	409

C14H15N2O3Cl H2L (8285)

5,5'-Dimethylcyclohexane-2-(2'-hydroxy-4'-chlorophenyl)hydrazone-1,3-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Tm+++	gl	mixed	30°C	0.10M	U	T	H	K1=12.68	B2=23.12	1988TRb (87727)	410

Medium: 0.1 M KNO₃ in 75% v/v isopropanol/water

C14H16N2O2S HL CAS 189231-67-2 (8475)

2-Thiophenylhydrazodimedone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
Tm+++	gl	diox/w	25°C	75%	C	T	H	K1=13.71	B2=25.81	1997EIa (87876)	411

Medium: 75% v/v dioxane/H₂O, 0.10 M KNO₃. Data for 10-40 C. DH(K1)=-8.48 kJ mol⁻¹, DS(K1)=-13.50 J K⁻¹ mol⁻¹; DH(K2)=-7.38, DS(K2)=-11.63.

C14H16N2O3 H2L (8284)

5,5'-Dimethylcyclohexane-2-(2'-hydroxyphenyl)hydrazone-1,3-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Tm+++ gl mixed 30°C 0.10M U T H K1=12.90 B2=23.65 1988TRb (87894) 412
Medium: 0.1 M KNO₃ in 75% v/v isopropanol/water

C14H16N208 H4L CAS 40774-59-2 (1901)
1,2-Diaminobenzene-N,N,N',N'-tetraethanoic acid; C6H₄(N(CH₂.COOH)₂)₂

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl NaClO₄ 25°C 1.00M C H K1=15.87 1992YNa (87971) 413
By calorimetry: DH(K1)=6.7 kJ mol⁻¹, DS=326 J K⁻¹ mol⁻¹

C14H22N208 H4L cis-1,2-CDTA CAS 92761-75-6 (2846)
cis-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 1.0M U K1=4.40 1987CMe (88436) 414
K(TmHL+H)=5.13
K(TmL+H)=6.93

C14H22N208 H4L cis-1,3-CDTA CAS 92681-23-7 (2847)
cis-1,3-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 1.0M U K1=8.30 1987CMe (88450) 415
K(TmHL+H)=4.98
K(TmL+H)=7.12

C14H22N208 H4L cis-1,4-CDTA CAS 92681-25-9 (2848)
cis-1,4-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 1.0M U K1=9.47 1987CMe (88464) 416
K(TmHL+H)=5.42
K(TmL+H)=5.75

C14H22N208 H4L CDTA CAS 482-54-2 (200)
trans-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 1.0M U K1=20.98 1987CMe (88808) 417
K(TmL+H)=1.22

Tm+++ gl KCl 25°C 1.00M U K1=20.98 1984MFa (88809) 418

Tm+++ gl NaClO₄ 25°C 0.50M U K1=19.58 1977GGb (88810) 419

 Tm+++ EMF KNO₃ 25°C 0.10M U T H K1=20.46 1962MHa (88811) 420
 DH(K1)=-6.7 kJ mol⁻¹, DS=368 J K⁻¹ mol⁻¹. At 20 C: K(TmL+H)=2.20

 Tm+++ vlt KNO₃ 20°C 0.10M U K1=20.96 1954SGa (88812) 421
 ****=
 C14H22N208 H4L trans-1,3-CDTA CAS 92681-24-8 (2849)
 trans-1,3-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KCl 25°C 1.0M U K1=8.66 1987CMe (88843) 422
 K(TmHL+H)=4.44
 K(TmL+H)=7.12
 ****=
 C14H22N208 H4L trans-1,4-CDTA CAS 92681-26-0 (2843)
 trans-1,4-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KCl 25°C 1.0M U K1=9.69 1987CMe (88871) 423
 K(TmHL+H)=5.56
 K(TmL+H)=5.70

 Tm+++ gl KCl 25°C 1.00M U K1=9.69 1984MFb (88872) 424
 ****=
 C14H22N209 H2L CAS 93031-53-9 (5830)
 1,4,7-Trioxa-10,13-diazacyclopentadecane-8,15-dione-10,13-diethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl R4N.X 25°C 0.10M C K1=7.98 1988CCb (88887) 425
 ****=
 C14H23N3010 H5L DTPA CAS 67-43-6 (238)
 Diethylenetriamine-pentaethanoic acid; HOOC.CH₂.N(CH₂.CH₂.N(CH₂.COOH)2)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ cal KNO₃ 25°C 0.10M C T 1988MIa (89418) 426
 DH(K1)=-26.52 kJ mol⁻¹, DS=346.0 J mol⁻¹ K⁻¹. Also data for 283 and 313 K

 Tm+++ cal NaClO₄ 25°C 0.50M U H 1977CGc (89419) 427
 DH(K1)=-36.6 kJ mol⁻¹

 Tm+++ gl NaClO₄ 25°C 0.50M U K1=21.15 1977GGb (89420) 428

 Tm+++ cal KNO₃ 27°C 0.10M U H 1968CLd (89421) 429
 DH(K1)=-27.6 kJ mol⁻¹, DS=343 J K⁻¹ mol⁻¹

 Tm+++ EMF KNO₃ 25°C 0.10M U H K1=22.72 1962MTc (89422) 430

DH(K1)=-23.0 kJ mol-1, DS=358 J K-1 mol-1

Tm+++ gl oth/un 25°C 0.10M U K1=22.97 1959HCA (89423) 431

C14H24N208 H4L (5075)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-butyric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ vlt KNO3 20°C 0.10M U K1=18.45 1969NDc (89521) 432

C14H24N208 H4L (7165)
1,2-Diaminohexane-N,N,N',N'-tetraethanoic acid; (HOOCCH2)NCH2CH(C4H9)N(CH2COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ vlt KNO3 20°C 0.10M U K1=20.40 1974NLa (89540) 433

C14H24N208 H4L HMDTA CAS 1633-00-7 (920)
1,6-Diaminohexane-N,N,N',N'-tetraethanoic acid; ((HOOC.CH2)2N.CH2.CH2.CH2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KCl 25°C 1.00M U M 1976BKa (89610) 434
K(TmEDTA+L)=2.4
K(TmEDTA+HL)=2.2

Tm+++ gl KCl 25°C 0.10M U 1974KPd (89611) 435
K(Tm+HL)=7.18

C14H24N208 H4L CAS 1633-00-7 (5076)
4-Methyl-1,2-diaminopentane-N,N,N',N'-tetraethanoic acid;
(HOOCCH2)2NCH2CH(N(CH2COOH)2CH2CH(CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ vlt KNO3 20°C 0.10M U K1=20.40 1968NLb (89644) 436

C14H24N208 H2L CAS 17619-53-3 (5833)
Diaminoethane-N,N'-Di(ethylaceto)-N,N'-diethanoic acid;
(-CH2.N(CH2.COONa)CH2.COOC2H5)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl R4N.X 25°C 0.10M C K1=10.44 1988CCb (89658) 437

C14H24N208 H4L EDTP (2936)
Diaminoethane-N,N,N',N'-tetrapropanoic acid; (HOOC.CH2CH2)2N.CH2CH2.N(CH2CH2.COONa)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaClO4 25°C 0.10M U 1995HAa (89692) 438
 K(Tm+HL)=4.68
 K(Tm+H2L)=3.57
 K(Tm+H3L)=2.44
 B(TmHL)=14.11
 B(TmH2L)=19.12, B(TmH3L)=22.16
 ****=
 C14H24N209 H4L BPETA CAS 87720-52-3 (5077)
 Bis-(3-di(carboxymethyl)aminopropyl)ether;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KN03 25°C 0.10M U K1=11.99 1984TPa (89739) 439
 K(Tm+HL)=7.93
 ****=
 C14H24N2010 EGTA CAS 67-42-5 (349)
 Ethyleneglycol-0,0'-bis(2-aminoethyl ether)-N,N,N',N'-tetraethanoic acid; H4L

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KC1 25°C 1.0M U M K2=1.66 1985KBb (89953) 440
 K(TmL+ida)=1.4

 Tm+++ EMF KN03 20°C 0.10M U K1=17.48 1962MMc (89954) 441
 ****=
 C14H25N308 H4L DEATA CAS 97315-55-4 (5601)
 N,N-Bis(2-aminoethyl)ethylamine-N',N',N'',N"-tetraethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KN03 25°C 0.10M C K1=17.60 1985TPa (90108) 442
 ****=
 C14H26N207 H2L (1567)
 1,4,10-Trioxa-7,13-diazacyclopentadecane-N,N'-diethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl R4N.X 25°C 0.10M M K1=10.79 1986COb (90211) 443
 ****=
 C14H28N206 HL CAS 82353-42-2 (5850)
 1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7-ethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl R4N.X 25°C 0.10M C K1=6.49 1988CCc (90489) 444
 ****=
 C14H2807 L 21-Crown-7 CAS 33089-36-0 (2264)
 1,4,7,10,13,16,19-Heptaoxacycloheicosane;

C15H25N3010	H5L	(5127)									
Diethylenetriamine-N,N,N',N"-tetraethanoic acid-N'-propanoic acid;											
<hr/>											
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
<hr/>											
Tm+++	EMF	KCl	?	0.10M	U			K1=16.71	1966VLa (92385)	452	
<hr/>											
C15H25N3010	H5L	(6100)									
Diethylenetriamine-N,N,N',N"-tetraethanoic acid-N"-propanoic acid;			<hr/>								
<hr/>											
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
<hr/>											
Tm+++	gl	KNO ₃	25°C	0.10M	C			K1=19.41 K(Tm+HL)=13.11	1989SPa (92401)	453	
<hr/>											
C15H26N409	H4L	(7685)									
Diethylenetriamine-N,N,N',N",N"-pentaethanoic acid N'-methylamide;			<hr/>								
<hr/>											
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
<hr/>											
Tm+++	gl	KCl	25°C	0.10M	C			K1=20.4	2000SBb (92439)	454	
<hr/>											
C15H26N409	H4L	CAS 137076-43-8 (5085)									
Diethylenetriamine-N,N,N',N",N"-pentaethanoic acid N-methylamide;			<hr/>								
<hr/>											
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
<hr/>											
Tm+++	gl	KCl	25°C	0.10M	C			K1=19.1	2000SBb (92454)	455	
<hr/>											
C16H9N20Br3	HL	CAS 84317-74-8 (5169)									
1-(2,4,6-Tribromophenylazo)-2-hydroxynaphthalene;			<hr/>								
<hr/>											
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
<hr/>											
Tm+++	kin	oth/un	25°C	0.02M	U			K1=5.45	1972GSe (92667)	456	
<hr/>											
C16H11N3010S2	H4L	Chromotrope 2B	CAS 548-80-1 (896)								
2-((4-Nitrophenyl)azo)chromotropic acid;			<hr/>								
<hr/>											
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
<hr/>											
Tm+++	sp	oth/un	25°C	?	U				1967SAa (92870)	457	
<hr/>											
<hr/>											
C16H11N504	H2L	(5153)									
1,5-Bis(2-carboxyphenyl)-3-cyanoformazan;			<hr/>								
<hr/>											
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo	
<hr/>											
Tm+++	gl	diox/w	25°C	70%	U	I		K1=11.06	B2=19.95	1996DAb (92901)	458

Medium: 70% dioxane/H₂O, 0.10 M NaClO₄. In 50% EtOH/H₂O, 0.10 M NaClO₄, K₁=11.86, K₂=9.69.

C16H13N2010AsS2 H5L Thorin I CAS 3688-92-4 (2609)
1-((2-Arsonophenyl)azo)-2-hydroxy-3,6-naphthalyl disulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaClO ₄	30°C	0.10M	U				1976NDa (93215)	459
								K(T _m +H ₂ L=T _m H ₂ L)=6.05		
								K(T _m HL+H)=6.80		
								K(T _m L+H)=8.80		
								K(T _m L+OH)=3.10		

C16H13N2011AsS2 H6L Arsenazo I CAS 520-10-5 (277)
2-(2'-Arsonophenylazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	oth/un	20°C	0.10M	U				1971SSd (93271)	460
								K(T _m +H ₂ L)=8.33		

C16H15N5 L CAS 7014-14-4 (8462)
1,5-Bis(4-methylphenyl)-3-cyanoformazan;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	diox/w	25°C	70%	U			K ₁ =8.95 B ₂ =16.80	1996DAb (93644)	461

Medium: 70% dioxane/H₂O, 0.10 M NaClO₄.

C16H20N208 H4L CAS 6411-02-5 (1919)
1-Phenyl-ethylenediamine-N,N,N',N'-tetraethanoic acid (DL)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	vlt	KNO ₃	20°C	0.10M	U			K ₁ =19.34	1969NDb (94054)	462

C16H26N2010 H2L CAS 93031-54-0 (5831)
1,4,7,10-Tetraoxa-13,16-diazacyclooctadecane-11,18-dione-13,16-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	R4N.X	25°C	0.10M	C			K ₁ =8.56	1988CCb (94578)	463

C16H27N508 H3L (6621)
1,4,7-Tris(carboxymethyl)-1,4,7,10,13-pentaazacyclopentadecan-9,14-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	KCl	25°C	0.08M	U			K ₁ =11.2	1994FCa (94678)	464

C16H27N508 H3L (6915)
4,10,13-Tris(carboxymethyl)-1,4,7,10,13-pentaazacyclopentadeca-8,15-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	sp	KCl	25°C	0.08M	U			K1=14.7	1994FCa (94692)	465

C16H28N208 H4L (5167)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-(3-methyl)butanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	KNO ₃	20°C	0.10M	U			K1=15.20	1969NDc (94723)	466

By polarography: K1=15.31

C16H28N208 H4L (5168)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-pentanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	vlt	KNO ₃	20°C	0.10M	U			K1=18.45	1969NDc (94749)	467

C16H28N208 H4L (5138)
1,2-Diaminoctane-N,N,N',N'-tetraethanoic acid;
(HOOCCH₂)₂N.CH₂.CH(C₆H₁₃)N(CH₂COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	vlt	KNO ₃	20°C	0.10M	U			K1=20.39	1979MBd (94775)	468

C16H28N408 H4L DOTA CAS 60239-18-1 (1017)
1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	NaCl	37°C	1.0M	C			K1=23.7	1994TBb (94935)	469

Method: Competitive reaction with Eu³⁺ ion.

C16H30N208 H2L CAS 72912-01-7 (1568)
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	gl	R4N.X	25°C	0.10M	U			K1=11.10	1983CRb (95061)	470

C16H32N205 L Cryptand 2,2,1 CAS 31364-42-8 (837)
1,10-Diaza-4,7,13,16,21-pentaoxabicyclo[8,8,5]tricosane (2,2,1);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

 Tm+++ gl R4N.X 25°C 0.25M C K1=6.88 1981BBe (95304) 471
 Medium: Me4NC1
 ****=
 C16H35O4P HL CAS 298-07-7 (1625)
 Di-(2-ethylhexyl)-phosphoric acid; (C2H5C6H12O)2P(0)OH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ dis oth/un 20°C 0.10M C 1992SNb (95516) 472
 Extraction of 170Tm from 0.10 M LiNO3/HNO3 medium into 90% CFC-112/benzene
 $K(Tm+4HL(\text{org})) = TmL3(HL)(\text{org}) + 3H = 5.58$
 ****=
 C17H14N2O2 L CAS 4551-69-3 (698)
 4-Benzoyl-3-methyl-1-phenyl-2-pyrazolin-5-one;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaNO3 20°C 0.10M U M 1981GCa (95904) 473
 $B(Tm+3L+2TBP) = 24.35$
 $B(Tm+3L+TB\text{Poxide}) = 23.6$
 $B(Tm+3L+4TB\text{Poxide}) = 34.7$
 ****=
 C17H20N3O3F HL (7845)
 1-Ethyl-6-fluoro-7-(4-methylpyperazine-1-yl)-4-oxo-1,4-dihydroquinoline-3-carboxylic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl alc/w 22°C 0.1M U K1=5.60 B2=10.08 2000TBb (96292) 474
 Medium: 0.1 M NaClO4 in 70% v/v EtOH/H2O
 ****=
 C17H23N4O4BrS H2L (1594)
 2-(5-Bromo-2-pyridylazo)-5-(N-propyl-3-sulfopropylamino)phenol;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ sp NaNO3 25°C 0.10M C K1=8.65 19880Ha (96427) 475
 $K(Tm+HL) = 2.76$
 ****=
 C17H29N3O10 H4L CAS 89378-46-1 (5528)
 (Bis(3-(bis(carboxymethyl)amino)propyl)methylammonio)ethanoate;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl KN03 25°C 0.10M U K1=9.69 1984TPa (96579) 476
 $K(Tm+HL) = 6.34$
 ****=
 C18H20N2O6 H4L EHPG CAS 10328-28-6 (429)
 N,N'-Ethylene-bis-(2-(2'-hydroxyphenyl))glycine; (HOOCCH(C6H4OH)NHCH2.)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	KNO ₃	20°C	0.10M	U			K1=20.31 K(TmL+H)=5.02 K(TmHL+H)=4.65	1985SNb (100017)	489
<hr/>										
C20H24O6		L	DiBz-18-Crown-6	CAS 14187-32-7	(604)					
2,3:11,12-Dibenzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2,11-diene										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	oth/un	25°C	0.0	U	H		K1=3.21	1991HJa (100255)	490
<hr/>										
C20H35N5O10		H5L						(6545)		
1,4,7,10,13-Pentaazacyclopentadecane-N,N',N",N'',N'''-pentaethanoic acid;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	NaNO ₃	25°C	0.20M	C			K1=16.61	1991KKa (100548)	491
<hr/>										
C20H35N5O10		H3L						(6623)		
1,4,7-Tris(carboxymethyl)-13,16-dioxa-1,4,7,10,19-pentaazacycloheneicos-9,20-dione										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	sp	KCl	25°C	0.08M	U			K1=17.1	1994FCa (100565)	492
<hr/>										
C21H17N5		L						(7365)		
2,6-Bis(1-methylbenzimidazol-2-yl)pyridine										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	gl	non-aq	25°C	100%	C				1997PBa (101094)	493
<hr/>										
Medium: CH ₃ CN; 0.1 M Et ₄ NClO ₄										
<hr/>										
C22H14O9		H5L						CAS 4431-00-9 (3513)		
Aurintricarboxylic acid;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
<hr/>										
Tm+++	sp	oth/un	25°C	?	U				1967SAa (101511)	494
<hr/>										
K(Tm+HL)=5.1(?)										
<hr/>										
C22H17AsN4O14S3		H6L	Arsenazo	M	CAS 3563-69-7 (623)					
2-(2-Axonophenylazo)-7-(3-sulfophenylazo)-1,8-dihydroxynaphthalene-3,6-disulfonic acid;										
<hr/>										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Tm+++ sp oth/un ? ? U K1=16.14 1971SSi (101555) 495

C22H18N4014As2S2 H8L Arsenazo III CAS 1668-00-4 (1148)
2,7-Bis(2'-arsonophenylazo)chromotropic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ sp oth/un 20°C ? U 1972SSi (101653) 496
K(Tm+H4L)=15.22

C22H24N2010 H4L CAS 132796-79-3 (8113)
1,2-Bis(2-aminophenoxy)ethane-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ EMF KN03 25°C 0.10M C T H K1=11.60 1990HLa (101905) 497
K(TmL+H)=3.45

Method: Competitive reaction with Hg++, using Hg indicator electrode.

Data for 15-35 C. DH(K1)=-42.0 kJ mol-1, DS(K1)=81.3 J K-1 mol-1.

C22H26N4010 H4L BAPTA (7230)
1,2-Bis(o-aminophenoxy)ethane-N,N,N',N'-tetraethanoic acid;
((HOOCCH2)2NCH2(OC6H4NH2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl R4N.X 25°C 0.10M C K1=10.51 1993YTa (101988) 498

C22H37N5014 H7L CAS 3234-59-1 (2425)
Tetraethylenepentamineheptaethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ gl KN03 25°C 0.10M U K1=20.11 1968MIC (102346) 499
K(Tm+HL)=13.98
B(TmH-1L)=5.15

C23H18O9S H4L Eriochrome cyan CAS 3564-18-9 (433)
4'-Hydroxy-3,3'-dimethyl-2''-sulfofuchsone-5,5'-dicarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Tm+++ sp oth/un 25°C ? U B2=9.6 1968MDc (102638) 500

C23H24N402 L Trichachnine CAS 1251-85-0 (2606)
4,4'-Diantipyrylmethane,
4,4'-phenylmethylene-bis-(1,2-dihydro-1,5-dimethyl-2-phenylpyrazol-3-one

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ sp diox/w 25°C 100% U K1=4.13 1995KMa (102680) 501

 C24H42N6O12 H6L (6546)

 1,4,7,10,13,16-Hexaazacyclooctadecane-N,N',N",N'',N''',N'''-hexaethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl NaNO₃ 25°C 0.20M C K1=24.09 1991KKa (103389) 502

 K(T_m+H₂L)=16.82

 C26H23N5O2 HL (5918)

 Hippuric monohydrazone-3-hydrazino-4-benzyl-6-phenylpyridazine;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl diox/w 30°C 75% U K1=11.70 B2=22.28 1985RSb (103889) 503

 C26H27N3O10 H4L (7231)

 2-((2-Amino-5-methylphenoxy)-methyl)-6-methoxy-8-aminoquinoline-N,N,N',N'-tetraethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl R4N.X 25°C 0.10M C K1=14.35 1993YTa (103974) 504

 C27H24N4O L BAHP (1023)

 Benzoylacetone-monohydrazone-3-hydrazino-4-benzyl-6-phenylpyridazine;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl diox/w 30°C 75% U K1=8.82 1983RSa (104392) 505

 C27H29N011 L Adriamycin CAS 25316-40-9 (2407)

 Doxorubicin;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ sp oth/un 25°C 0.02M U T H K1=4.82 1985LSa (104464) 506

 Medium: 0.02M pH 7.6 buffer

 C28H40O6 L CAS 29471-17-8 (1262)

 2,3:11,12-Bis(4'-tert-butylbenzo)-1,4,7,10,13,16-hexaoxacyclooctadecane;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Tm+++ gl non-aq 25°C 100% U K1=2.94 1980MDb (104853) 507

 Medium: Propylene carbonate.

 Medium: propylene carbonate

C31H24N40	HL	CAS 88700-85-0 (1409)
1,2-Diphenyl-1,2-ethanedione-3-(4-benzyl-6-phenyl)-pyridazinyl hydrazone;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Tm+++	gl diox/w 30°C 75% U I	K1=10.04 1983RRa (105411) 508
In 75% MeOH: K1=7.79; 75% DMF: 6.63		
<hr/>		
C32H34N402	L	CAS 163892-66-8 (7329)
1-Phenyl-1,1-di(2,3-dimethyl-1-phenyl-3-pyrazolyl-5-one)butane; C6H5C(C3H7)((C2N2(O)(CH3)2(C6H5))2		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Tm+++	sp diox/w 25°C 100% C	1997KMa (105637) 509
K(La(NO ₃) ₃ +L)=4.07		
<hr/>		
C33H45N7O3	L	CAS 345349-93-1 (9178)
Tris[6-((2-N,N-diethylcarbamoyl)pyridyl)methyl]amine;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Tm+++	nmr KCl 25°C 1.0M C H	K1=2.10 2004BRa (105976) 510
Method: ¹ H nmr measurements in D ₂ O. DH(K1)=29 kJ mol ⁻¹		
DS(K1)=138 J mol ⁻¹ K ⁻¹		
<hr/>		
C36H60030	L α-Cyclodextrin	CAS 10016-20-3 (6946)
alpha-Cyclodextrin, Cyclohexaamylose;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Tm+++	gl NaCl 25°C 0.10M U I	K1=2.65 1999FBa (106474) 511
In 0.1 M Me ₄ NCl, K1=3.0.		
<hr/>		
C37H44N2013S	H ₆ L MeThymol Blue	(428)
3,3'-Bis(N,N-di(carboxymethyl)aminomethyl)thymolsulfonephthalein;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo
<hr/>		
Tm+++	gl NaClO ₄ 30°C 0.10M U	1980NAb (106623) 512
K(Tm+H ₃ L)=4.65		
K(Tm+H ₂ L)=7.59		
K(TmH ₂ L+H)=4.20		
Also data for TmHnL(OH) species		
<hr/>		
C47H46N6O4	L	(7367)
2,6-Bis(1-(3,5-dimethoxybenzyl)benzimidazol-2-yl)-4-(4-diethylamino)phenyl)pyridine ;		
<hr/>		
Metal	Mtd Medium Temp Conc Cal Flags Lg K values	Reference ExptNo

Tm+++ gl non-aq 25°C 100% C K2=7.0 1997PBa (107321) 513
K3=3.9

Medium: CH3CN; 0.1 M Et4NClO4

C48H80040 L g-Cyclodextrin CAS 17465-86-0 (7612)

Cyclooctaamyllose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Tm+++	nmr	oth/un	25°C		C	M			1999ZBa (107431) 514	
								K(Tm(DOTA)+L)=-0.48		
								K(2TM(DOTA)+L)=0.53		

DOTA: 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraethanoic acid.

Method: 1H nmr. Medium: D2O

REFERENCES

- 2004BRa F Bravard, C Rosset, P Delangle; J.Chem.Soc., Dalton Trans., 2012 (2004)
2004LBb Y Luo,R Byrne; Geochim.Cosmo.Acta,68,691 (2004)
2004LMa Y Luo,F Millero; Geochim.Cosmo.Acta,68,4301 (2004)
2004MJa I Matsubayashi,E Ishiwata,Y Hasegawa; Talanta,63,625 (2004)
2004SBb J Schijf,R Byrne; Geochim.Cosmo.Acta,68,2825 (2004)
2002CDB C Comuzzi,P Di Bernardo,M Tolazzi; Polyhedron,21,1385 (2002)
2002KNC M Komiya,Y Nishikido,Y Umebayashi; J.Solution Chem.,31,931 (2002)
2001SBF J Schijf,R Byrne; Geochim.Cosmo.Acta,65,1037 (2001)
2000CDA C Comuzzi,P Di Bernardo,M Tolazzi; Polyhedron,19,2427 (2000)
2000KBA G Klungness,R Byrne; Polyhedron,19,99 (2000)
2000LBa Y Luo,R Byrne; J.Solution Chem., 29,1089 (2000)
2000MNa L Morss,K Marsh,D Ensor; J.Chem.Soc., Dalton Trans.,285 (2000)
2000SBb L Sarka,I Banyai,E Brucher; J.Chem.Soc., Dalton Trans.,3699 (2000)
2000TBB O Teslyuk,S Bel'tyukova et al.; Zh.Neorg.Khim.,45,2103 (2000)
1999FBa N Fatin-Rouge,J-C Bunzli; Inorg.Chim.Acta,293,53 (1999)
1999SBC J Schijf,R Byrne; Polyhedron,18,2839 (1999)
1999ZBa E Zitha-Bovens,H van Bekkum,J Peters; Eur.J.Inorg.Chem.,287 (1999)
1998BMB C Bonal,J-P Morel,N Morel-Desrosiers; J.Chem.Soc.,Faraday Trans.,94,1431
(1998)
1998CCB C Chang,Y-H Chen,H-Y Chen,F-K Shieh; J.Chem.Soc., Dalton Trans.,3243
(1998)
1998LBb X Liu,R Byrne; J.Solution Chem., 27,803 (1998)
1998PJb V Patel,J Joshi; J.Indian Chem.Soc.,75,100 (1998)
1998YHa S Yajima,Y Hasegawa; Bull.Chem.Soc.Jpn.,71,2825 (1998)
1997AAa M Ahmed,S Ahmed,M Saeed,M Iqbal; J.Radioanal.Nucl.Chem.,220,207 (1997)
1997CDA A Cassol,P di Bernardo,R Portanova; Inorg.Chim.Acta,262,1 (1997)
1997EIA M Eid; J.Indian Chem.Soc.,74,97 (1997)
1997GMA F Gao,Y-T Ma,C-J Niu,J-Z Ni; Chem.J.of Chin.Univ.,18,1929 (1997)
1997HTB Y Hasegawa,K Takashima,F Watanabe; Bull.Chem.Soc.Jpn.,70,1047 (1997)
1997KMA M Kuznetsov,Y Medvedev; Koord.Khim.,23,223 (1997)
1997LBb B Li,R Byrne; Aquatic Geochem.,3,99 (1997)
1997LBD X Liu,R Byrne; Geochim.Cosmo.Acta,61,1625 (1997)

- 1997PBa S Petoud,J-C Bunzli,F Renaud et al; Inorg.Chem.,36,5750 (1997)
 1997RPa F Renaud,C Piguet,J-C Bunzli; Chem.Eur.J.,3,1660 (1997)
 1997RPb F Renaud,C Piguet,J-C Bunzli; Chem.Eur.J.,3,1646 (1997)
 1996BJa L Burai,S Jakab,R Kiraly,I Lazar,I Toth; J.Chem.Soc.,Dalton Trans.,1113
 (1996)
 1996DAb N Darwish,N Abdel-Ghani,Y Issa,A Tawansi; J.Indian Chem.Soc.,73,103
 (1996)
 1996HYa Y Hasegawa,N Yamazaki,S Usui; Bull.Chem.Soc.Jpn.,69,2169 (1996)
 1996SZa U Schilbach,K Zwietasch; Monatsh.Chem.,127,265 (1996)
 1996TKa E Toth,R Kiraly,J Platzek et al; Inorg.Chim.Acta,249,191 (1996)
 1995HAA V Hietapelto,R Anttila et al; J.Alloys and Compounds,225,312 (1995)
 1995JNa J F-Jenkins,K Nash,R Rogers; Inorg.Chim.Acta,236,67 (1995)
 1995KMa M Kuznetsov,Y Medvedev et al; Zh.Neorg.Khim.,40,1307 (1995)
 1995MTa S Meshkova,Z Topilova et al; Zh.Neorg.Khim.,40,1346 (1995)
 1994CRa G Choppin,E Rizkalla,T El-Ansi et al; J.Coord.Chem.,31,297 (1994)
 1994FCa S Frey,C Chang,J Carvalho et al; Inorg.Chem.,33,2882 (1994)
 1994TBb E Toth,E Brucher; Inorg.Chim.Acta,221,165 (1994)
 1993ALa R Anttila,L Lajunen et al; Acta Chem.Scand.,47,535 (1993)
 1993BCc P di Bernardo,G Choppin,R Portanova; Inorg.Chim.Acta,207,85 (1993)
 1993CCb A Cassol,G Choppin,P di Bernardo et al; J.Chem.Soc.,Dalton Trans.,1695
 (1993)
 1993FKb F Firsching,J Kell; J.Chem.Eng.Data,38,132 (1993)
 1993RAa A Ramadan,M A-Moez et al; Monatsh.Chem.,124,647 (1993)
 1993YTa A Yuchi,A Tanaka,M Hirai,T Ysaui et al; Bull.Chem.Soc.Jpn.,66,3377
 (1993)
 1992CBa A Cassol,P di Bernardo,R Portanova; J.Chem.Soc.,Dalton Trans.,469 (1992)
 1992FIa F Firsching; J.Chem.Eng.Data,37,497 (1992)
 1992MBb A M-Tang,J Bunzli; Inorg.Chim.Acta,192,201 (1992)
 1992SNb P Sladek,O Navratil,P Linhart; Coll.Czech.Chem.Comm.,57,1648 (1992)
 1992SNC P Sladek,O Navratil,P Linhart; Coll.Czech.Chem.Comm.,57,1639 (1992)
 1992TIA R Takahashi,S Ishiguro; J.Chem.Soc.,Faraday Trans.,88,3165 (1992)
 1992YNa M Yamamoto,N Nakasuka,M Tanaka; Bull.Chem.Soc.Jpn.65,1566 (1992)
 1992ZNa Y-F Zhang,C-J Niu,J-Z Ni; Acta Chimica Sinica,50,135 (1992)
 1991BPb T Baranova,S Pirkes,A Bugayevskii; J.Chem.Thermodyn.,23,543 (1991)
 1991FBa F Firsching,S Brune; J.Chem.Eng.Data,36,93 (1991)
 1991HJa X Huang,B Jiang,J Yin; Acta Chimica Sinica,49,359 (1991)
 1991ITa S-I Ishiguro,R Takahashi; Inorg.Chem.,30,1854 (1991)
 1991KKa M Kodama,T Koike,A Mahatma,K Kimura; Inorg.Chem.,30,1270 (1991)
 1991SKb K Sawada,M Kuribayashi,T Suzuki,Miyamoto; J.Solution Chem.,20,829 (1991)
 1991SMA R Smith,A Martell,Y Chen; Pure & Appl.Chem.,63,1015 (1991)
 1990ATa N Abdel-Ghani,A Tawansi et al; Bull.Soc.Chim.Fr.,127,188 (1990)
 1990HLa T-M Hseu,K-L Liu; J.Chih.Chem.Soc.(Taipei),37,237 (1990)
 1990HYa Y Hasegawa,N Yamazaki,S Usui,G Choppin; Bull.Chem.Soc.Jpn.,63,2169
 (1990)
 1990PLa E Proskurina,E Lebedeva et al; Zh.Neorg.Khim.,35,1908 (1088) (1990)
 1989ALa Y Albinsson; Acta Chem.Scand.,43,919 (1989)
 1989BPa J-C Bunzli,F Pilloud; Inorg.Chem.,28,2638 (1989)
 1989CMb J Charlier,E Merciny; Anal.Chim.Acta,220,187 (1989)
 1989HMa Y Hasegawa,Y Morita,M Hase et al; Bull.Chem.Soc.Jpn.,62,1486 (1989)
 1989LWa N Li,O Wahlberg,I Puigdomenech; Acta Chem.Scand.,43A,331 (1989)

- 1989MFa G Makoushova,B Feifel et al; *Zh.Neorg.Khim.*,34,628(349) (1989)
 1989MJa M Menon,J James; *J.Chem.Soc.,Faraday Trans.I*,85,2683 (1989)
 1989MJb M Menon,J James; *J.Solution Chem.*,18,735 (1989)
 1989PEa R Petrola; *Finn.Chem.Lett.*,16,29 (1989)
 1989SBb E Samokhvalova,A Borisova et al; *Zh.Neorg.Khim.*,34,2538 (1989)
 1989SPa D Sawyer,J Powell; *Polyhedron*,8,1425 (1989)
 1989YSa I Yoshida,F Sagara,K Ueno; *Bull.Chem.Soc.Jpn.*,62,2296 (1989)
 1989ZPa T Zakharova,S Pirkes et al; *Zh.Neorg.Khim.*,34,44(25) (1989)
 1988CCb C Chang,P H-L Chang,S-Y Qin; *Inorg.Chem.*,27,944 (1988)
 1988CCc C Chang,P H-L Chang et al; *Inorg.Chem.*,27,3786 (1988)
 1988CLb G Choppin,Q Liu,E Rizkalla; *Inorg.Chim.Acta*,145,309 (1988)
 1988GBa P Grant,P Baisden et al; *Inorg.Chem.*,27,1156 (1988)
 1988HSa Y Hasegawa,T Sugawara,G Choppin; *Inorg.Chim.Acta*,143,277 (1988)
 1988KTa R Kiraly,I Toth,L Zekany,E Brucher; *Acta Chim.Acad.Sci.Hung.*,125,519
 (1988)
 1988LLa L Lajunen,M Lajunen,G Choppin et al; *Inorg.Chim.Acta*,147,127 (1988)
 1988MJa P M Milyukov; *Izv.Vysh.Uchebn.Zaved.Khim.*,31,23 (1988)
 19880Ha E Ohyoshi; *Bull.Chem.Soc.Jpn.*,61,689 (1988)
 1988RNa E Rizkalla,C Niu,G Choppin; *Inorg.Chim.Acta*,146,135 (1988)
 1988SJb W Szczepaniak,B Juskowiak,W Ciszewska; *Inorg.Chim.Acta*,147,261 (1988)
 1988SSd I Svetlova,N Smirnova et al; *Zh.Neorg.Khim.*,33,1135(643) (1988)
 1988TRb A Taha,A Ramadan,M Abdel-Moez et al.; *Acta Chim.Acad.Sci.Hung.*,125,3
 (1988)
 1988YSa I Yoshida,F Sagara, and K Ueno; *Bull.Chem.Soc.Jpn.*,61,2639 (1988)
 1988ZTa I Zheltvai,M Tischenko,Z Hafagy; *Zh.Neorg.Khim.*,33,592(333) (1988)
 1987CMe J Charlier,E Merciny,J Fuger; *Anal.Chim.Acta*,192,95 (1987)
 1987HCa T Hseu,C Chang,Z Lin; *J.Chih.Chem.Soc.(Taipei)*,34,187 (1987)
 1987KSc L Khan, Siddiqi,N Khan, Kursehy, Zaidi; *Indian J.Chem.*,26A,969 (1987)
 1987MSa C Melios,J Souza-Campos et al; *Inorg.Chim.Acta*,139,163 (1987)
 1987PEa R Petrola; *Ann.Acad.Sci.Fennicae*,215 (1987)
 1987PLa R Petrola,P Lampen,S Lindroos; *Talanta*,34,445 (1987)
 1987SMd S Shetty,N Mahadevan,R Sathe; *Indian J.Chem.*,26A,76 (1987)
 1986BDa P Barthelemy,J Desreux,J Massaux; *J.Chem.Soc.,Dalton Trans.*,2497 (1986)
 1986CDb G Choppin,A Dadgar,E Rizkalla; *Inorg.Chem.*,25,3581 (1986)
 1986CLc G Choppin,L Lajunen; *Inorg.Chem.*,25,3512 (1986)
 1986COb C Chang,V Ochaya; *Inorg.Chem.*,25,355 (1986)
 1986FMa F Firsching,J Mohammadzadel; *J.Chem.Eng.Data*,31,40 (1986)
 1986GKb T Gushchina,G Kotenko; *Koord.Khim.*,12(3)325 (1986)
 1986HMa F Hirsching,J Mohammadzadei; *J.Chem.Eng.Data*,31,40 (1986)
 1986LCa L Lajunen,G Choppin; *Inorg.Chim.Acta*,119,83 (1986)
 1986LLc L Lajunen,M Lajunen,G Choppin; *Inorg.Chim.Acta*,119,87 (1986)
 1986MJa M Masoud,N Ibrahim et al; *Indian J.Chem.*,25A,389 (1986)
 1986PLb R Petrola,R Larja; *Finn.Chem.Lett.*,13,177 (1986)
 1986PLc J Powell,D Ling,P Tse; *Inorg.Chem.*,25,585,587 (1986)
 1986RCa E Rizkalla,G Choppin,W D'Olieslager; *Inorg.Chem.*,25,2327 (1986)
 1986SZb Y Sal'nikov,N Zhuravleva; *Zh.Neorg.Khim.*,31,873(E:496) (1986)
 1986ZBa I Zheltvai,L Belevich,M Tischenko; *Zh.Neorg.Khim.*,31,2149(1239) (1986)
 1985ANA S Ali,A Nassar et al; *Indian J.Chem.*,24A,537 (1985)
 1985BBb P Becker,B Bilal; *J.Solution Chem.*,14,407 (1985)
 1985CBa G Choppin,J Brock; *Inorg.Chim.Acta*,109,99 (1985)

- 1985EEb B El-Shetary,G El-Inany,A El-Atrash; *J.Chem.Soc.Pak.*,7,17 (1985)
 1985HWb T Hseu,S Wu,Z Lin; *J.Chih.Chem.Soc.(Taipei)*,32,287 (1985)
 1985KBb R Kiraly,E Brucher; *J.Less Common Metals*,112,227 (1985)
 1985LBc S Lubkeova,P Balgavy et al; *Chem.Zvesti*,39,317 (1985)
 1985LSa R Lenkinski,S Sierke; *J.Inorg.Biochem.*,24,59 (1985)
 1985Hb E Ohyoshi; *Bull.Chem.Soc.Jpn.*,58,405 (1985)
 1985PLa J Powell,D Ling; *Inorg.Chem.*,24,2967 (1985)
 1985RSb A Ramadan,M Seada et al; *Monatsh.Chem.*,116,463 (1985)
 1985SGa T Smirnova,I Gorelov,A Pavlov; *Zh.Neorg.Khim.*,30,551(310) (1985)
 1985SNb L Sirotkova,P Novomesky,E Dvorakova; *Chem.Zvesti*,39,639 (1985)
 1985TPa P Tse,J Powell; *Inorg.Chem.*,24,2727 (1985)
 1984AFa M Albin,G Farber,W Horrocks; *Inorg.Chem.*,23,1648 (1984)
 1984AIa S Ali,N Ibrahim et al; *Indian J.Chem.*,23A,1049 (1984)
 1984MFa E Merciny,J Fuger; *Anal.Chim.Acta*,160,87 (1984)
 1984MFb E Merciny,J Fuger; *Anal.Chim.Acta*,166,199 (1984)
 19840Ha E Ohyoshi; *Talanta*,31,1129 (1984)
 1984TPa P Tse,J Powell,M Potter et al; *Inorg.Chem.*,23,1437 (1984)
 1984YLa Yao Kemin,Liu Min,Wang Guangren et al; *Chem.J.of Chin.Univ.*,603 (1984)
 1983ANb M-C Almasio,F Arnaud-Neu et al; *Helv.Chim.Acta*,66,1296 (1983)
 1983CRb C Chang,M Rowland; *Inorg.Chem.*,22,3867 (1983)
 1983KBd Y Kozlov,V Babich et al; *Zh.Obshch.Khim.*,53,1606 (1983)
 1983MCC J Morrison,W Cleland; *Biochemistry*,22,5507 (1983)
 1983MPc N Mohanty,R Patnaik; *Indian J.Chem.*,22A,820 (1983)
 1983MSC J Majer,L Sirotkova,I Valaskova; *Chem.Zvesti*,37,183 (1983)
 1983PMa S Pirkes,G Makushova et al; *Zh.Neorg.Khim.*,28,2969(1684) (1983)
 1983RRa E Rizkalla,A Ramadan et al; *Polyhedron*,2,1155 (1983)
 1983RSA A Ramadan,M Seada; *Talanta*,30,245 (1983)
 1982CBc G Choppin,P Bertrand,Y Hasegawa et al; *Inorg.Chem.*,21,3722 (1982)
 1982KKc A Kapustnirov,Yu Kozlov,I Gorelov; *Zh.Obshch.Khim.*,52,663 (1982)
 1982LPC A Lapitskaya,S Pirkes et al; *Zh.Neorg.Khim.*,27,2148(1215) (1982)
 1982MAa V Mironov,N Avramenko et al; *Koord.Khim.*,8,636 (1982)
 1982MDa J Massaux,J Desseux; *J.Am.Chem.Soc.*,104,2967 (1982)
 1982MPd V Mischenko,N Poluekerov,L Ovchar; *Zh.Neorg.Khim.*,27,1397(787) (1982)
 1982PPd J Powell,M Potter,H Burkholder,E Potter; *Polyhedron*,1,277 (1982)
 1982RFA E Riecanska,E Fuleova,J Majer; *Chem.Zvesti*,36,501 (1982)
 1981BBe J Burns, C Baes; *Inorg.Chem.*,20,616 (1981)
 1981EIA S Etaiw,G El-Inany et al; *J.Inorg.Nucl.Chem.*,43,1920 (1981)
 1981FCa F Firsching,R Cuca; *J.Chem.Eng.Data*,26,116 (1981)
 1981GCa Gao Hongcheng,Chen Dian,Wu Jinguang etc; *Chem.J.of Chin.Univ.*,417 (1981)
 1981KTb R Kiraly,I Toth,E Brucher; *J.Inorg.Nucl.Chem.*,43,345 (1981)
 1981NSc V Novak,M Svicekova et al; *Chem.Zvesti*,35,481 (1981)
 1981ZLa S Zielinski,L Lomozik et al; *Monatsh.Chem.*,112,1245 (1981)
 1980CCa G Choppin,R Cannon; *Inorg.Chem.*,19,1889 (1980)
 1980ECA D Ensor,G Choppin; *J.Inorg.Nucl.Chem.*,42,1477 (1980)
 1980KBC Y Kozlov,V Babich; *Zh.Neorg.Khim.*,25,2852(1574) (1980)
 1980KMe P Khopkar,J Mathur; *Thermochim.Acta*,37,71 (1980)
 1980MDB J Massaux,J Desreux,C Delchambre et al; *Inorg.Chem.*,19,1893 (1980)
 1980MGc G Makhmeeva,V Gontar et al; *Zh.Neorg.Khim.*,25,855(467) (1980)
 1980MMe L Martynenko,N Muratova,A Borisova; *Zh.Neorg.Khim.*,25,713(591) (1980)
 1980NAb R Nayan; *J.Inorg.Nucl.Chem.*,42,1743 (1980)

- 1980NSF T Nakano,Y Suzuki; Nippon Kagaku Kaishi,10,1485 (1980)
- 198000a E Ohyoshi,A Ohyoshi; Bull.Chem.Soc.Jpn.,53,805 (1980)
- 1980PPf C Panda,R Patnaik; J.Indian Chem.Soc.,57,23 (1980)
- 1980RPa E Riccankk,Z Pikulikova,J Majer; Chem.Zvesti,34,190 (1980)
- 1980SDa A Samir,N Dobrynina et al; Zh.Neorg.Khim.,25,3250(1781) (1980)
- 1980SDb A Samir,N Dobrynina et al; Zh.Neorg.Khim.,25,2977(1637) (1980)
- 1980SDc C Sharma,T De; J.Less Common Metals,70,63 (1980)
- 1980SGb T Smirnova,I Gorelov; Zh.Neorg.Khim.,25,2967(1631) (1980)
- 1980VCa P Volpe,A Chagas,C Airolidi; J.Inorg.Nucl.Chem.,42,1321 (1980)
- 1979BEb A Borisova,A Evseev et al; Zh.Neorg.Khim.,24,1515(840) (1979)
- 1979DBb J Dumonceau,S Bigot,M Treuil; Compt.Rend.,287C,325 (1979)
- 1979JMa I Zheltvai,E Melenteva,M Tischenko; Zh.Neorg.Khim.,24,1214(675) (1979)
- 1979LAb L Lajunen et al; Finn.Chem.Lett.11 (1979)
- 1979LSb P Lehtonen et al; Finn.Chem.Lett.53 (1979)
- 1979MBd J Majer,P Butvin et al; Chem.Zvesti,33,742 (1979)
- 1979MMe N Muratova,L Martynenko; Zh.Neorg.Khim.,24,1543(855) (1979)
- 1979PLb A Passoja,L Lajunen; Finn.Chem.Lett.42 (1979)
- 1979PPa J Powell,M Potter et al; J.Inorg.Nucl.Chem.,41,1771 (1979)
- 1978C0a G Choppin,E Orebaugh; Inorg.Chem.,17,2300 (1978)
- 1978GHb Y Gfeller,A Merbach; Inorg.Chim.Acta,29,217 (1978)
- 1978MPb J Miller,J Powell; Inorg.Chem.,17,774 (1978)
- 1978NBa A Nabil,A Borisova et al; Zh.Neorg.Khim.,23,364(203) (1978)
- 1978NLa V Novak,J Lukansky et al; Chem.Zvesti,32,32 (1978)
- 1978NLb V Novak,J Lucansky,M Svicekova,J Majer; Chem.Zvesti,32,19 (1978)
- 1978PPb R Petrola,K Poppius et al; Anal.Chim.Acta,99,393 (1978)
- 1977CGc G Choppin,M Goedeken,T Gritmon; J.Inorg.Nucl.Chem.,39,2025 (1977)
- 1977EBa G Efremova,R Buchkova et al; Zh.Neorg.Khim.,22,954(527) (1977)
- 1977GGb T Gritmon,M Goedken,G Choppin; J.Inorg.Nucl.Chem.,39,2021 (1977)
- 1977GMa J Gatez,E Merciny,G Duyckaerts; Anal.Chim.Acta,94,91 (1977)
- 1977HCb Y Hasegawa,G Choppin; Inorg.Chem.,16,2931 (1977)
- 1977MBb G Manku,A Bhat; Indian J.Chem.,15A,138 (1977)
- 1977SKd N Skorik; Zh.Neorg.Khim.,22,1425(776) (1977)
- 1976BKa E Brucher,R Kiraly,I Toth; Inorg.Nucl.Chem.Lett.,12,167 (1976)
- 1976GKd I P Gorelov,A I Kapustnikov; Zh.Neorg.Khim.21,2554 (1976)
- 1976GMb J Gatez,E Merciny et al; Anal.Chim.Acta,84,383 (1976)
- 1976LAb L Lajunen; Finn.Chem.Lett.31 (1976)
- 1976LAc Lajunen,L H J; Finn.Chem.Lett.36 (1976)
- 1976LAd L Lajunen; Finn.Chem.Lett.53 (1976)
- 1976NDa R Nayan,A Dey; J.Coord.Chem.,6,13 (1976)
- 1976NKA V Novak,M Kotoucek,J Lukansky,J Majer; Chem.Zvesti,21,687 (1976)
- 19760Ca E Orebaugh,G Choppin; J.Coord.Chem.,5,1976 (1976)
- 19760Cb E Orebaugh,G Choppin; J.Coord.Chem.,5,123 (1976)
- 1976PEa R Petrola; Finn.Chem.Lett.157 (1976)
- 1976PKb J Powell,S Kulprathipanji; Inorg.Chem.,15,493 (1976)
- 1976SPa Y Suzuki,J Powell; Bull.Chem.Soc.Jpn.,49,2327 (1976)
- 1976YCa S Yun,G Choppin,D Blakeway; J.Inorg.Nucl.Chem.,38,587 (1976)
- 1975BKa E Brucher,E Kiraly,I Nagypal; J.Inorg.Nucl.Chem.,37,1009 (1975)
- 1975DPa E Dvorakova,Z Pikulikova,J Majer; Chem.Zvesti,29,44 (1975)
- 1975PFb J Powell,J Farrell et al; Inorg.Chem.,14,786 (1975)
- 1975PLa S Pyrkes,A Lapitskaya,T Zakharova; Zh.Neorg.Khim.,20,2929(1621) (1975)

- 1975T_{Da} M Tokmadjan,N Dobrynina et al; Izv.Akad.Nauk(USSR),2,460 (1975)
 1975Y_{Ba} S Yun,J Bear; J.Inorg.Nucl.Chem.,37,1757 (1975)
 1974B_{Kb} E Brucher CE Kukri,L Zekany; J.Inorg.Nucl.Chem.,36,2620 (1974)
 1974B_{Ke} E Brucher,R Kiraly,I Nagypal; Magyar Kem.Foly.,80,135 (1974)
 1974C_{Md} F Chatellain,A Merbach; Chimia,22,609 (1974)
 1974G_{Ga} I Grenthe,G Gardhammar; Acta Chem.Scand.,A28,125 (1974)
 1974J_{0b} D Johnson; J.Chem.Soc.,Dalton Trans.,1671 (1974)
 1974K_{Pd} N Kurkina,N Petrova,N Skorik; Zh.Neorg.Khim.,19,661(358) (1974)
 1974K_{Ra} M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,36,607 (1974)
 1974L_{Oa} A Lokio; Finn.Chem.Lett.,5 (1974)
 1974N_{La} V Novak,J Lukansky,M Svicekova,J Majer; Chem.Zvesti,28,324 (1974)
 1974P_{Oa} H Powell; J.Chem.Soc.,Dalton Trans.,1108 (1974)
 1974R_{Mg} E Riacanska,J Majer,A Bumbalova; Chem.Zvesti,28,768 (1974)
 1973C_{Bd} G Choppin,S Bertha; J.Inorg.Nucl.Chem.,35,1309 (1973)
 1973C_{Dc} G Choppin,A Dadgar,R Stampfli; J.Inorg.Nucl.Chem.,35,875;1703 (1973)
 1973G_{Bd} I Gorelov,V Babich; Zh.Neorg.Khim.,18,840 (1973)
 1973H_{Hc} S Hubert,M Hussonois,R Guillaumont; J.Inorg.Nucl.Chem.,35,2923 (1973)
 1973L_{Pb} A Lapitskaya,S Pirkes; Zh.Neorg.Khim.,18,1204 (1973)
 1973M_{Aa} G Manku; Bull.Chem.Soc.Jpn.,46,1704 (1973)
 1973M_{Se} Y Masuda,H Sakai,S Misumi; Japan Analyst,22,1577 (1973)
 1973M_{Sg} T Makarova,A Stepanov,B Shestakov; Zh.Neorg.Khim.,18,1485(E:783) (1973)
 1973N_{Ma} P Nedden,E Merciny,G Duyckaerts; Anal.Chim.Acta,64,197 (1973)
 1973P_{Ac} N Poluektov,L Alakaeva,M Tischenko; Zh.Neorg.Khim.,18,1,81 (1973)
 1973P_{Mb} R Petrola,O Makitie; Suomen Kem.,B46,10 (1973)
 1973P_{Sb} J Powell,T Swaminathan; J.Chromatography,76,459 (1973)
 1973T_{Rb} M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,35,2813;2821 (1973)
 1973T_{Za} M Tischenko,I Zheltvai,N Poluektov; Zh.Neorg.Khim.,18,2390 (1973)
 1972B_{Kd} T Beloedova,L Kazakova,N Skorik; Zh.Neorg.Khim.,17,6,1580 (1972)
 1972C_{Bb} A Cassol,P di Bernardo,R Portanova et al; Gazz.Chim.Ital.,102,1118
 (1972)
- 1972D_{Cb} A Dadgar,G Choppin; J.Inorg.Nucl.Chem.,34,1297 (1972)
 1972D_{Cc} G Degischer,G Choppin; J.Inorg.Nucl.Chem.,34,3823 (1972)
 1972G_{Bd} I Gorelov,V Babich; Zh.Neorg.Khim.,17,641 (1972)
 1972G_{Se} N Guseva,E Sklenskaya et al; Radiokhim.,14,1,132 (1972)
 1972M_{Cd} G Manku,R Chadha; J.Inorg.Nucl.Chem.,34,357 (1972)
 1972O_{0a} A Ohyoshi,E Ohyoshi,H Ono,S Yamakawa; J.Inorg.Nucl.Chem.,34,1955 (1972)
 1972P_{Gd} I Pyatnitskii,E Gavrilova; Ukr.Khim.Zh.,38,4,369 (1972)
 1972P_{SD} S Pirkes,M Shestakova et al; Zh.Neorg.Khim.,17,2,395 (1972)
 1972S_{Cd} R Stampfli,G Choppin; J.Inorg.Nucl.Chem.,34,205 (1972)
 1972S_{Si} P Spitsyn,V Shvarev,T Popyvanov; Zh.Neorg.Khim.,17,4,966 (1972)
 1972S_{Sj} G Shabanova,N Skorik; Zh.Obshch.Khim.,42,204 (1972)
 1972T_{Rc} M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,34,967 (1972)
 1971B_{Gb} V Babich,I Gorelov; Zh.Anal.Khim.,26,9,1832;1842;1943 (1971)
 1971D_{Ga} I Dellien,I Grenthe; Acta Chem.Scand.,25,1387 (1971)
 1971E_{Ka} V Egorova,V Kumok; Zh.Obshch.Khim.,4,8,1786 (1971)
 1971G_{Db} R Guillaumont,B Desire,M Galin; Radiochem.Radioanal.Lett.,8,189 (1971)
 1971G_{Kb} G Geier,U Karlen; Helv.Chim.Acta,54,135 (1971)
 1971I_{Sa} H Irving,K Sharpe; J.Inorg.Nucl.Chem.,33,203;217;233 (1971)
 1971M_{Aa} G Manku; Australian J.Chem.,24,925 (1971)
 1971M_{Ab} G Manku; J.Inorg.Nucl.Chem.,33,285 (1971)

- 1971MAC G Manku; J.Inorg.Nucl.Chem.,33,3173 (1971)
 1971MAf G Manku; Z.Anorg.Allg.Chem.,382,202 (1971)
 1971MGb A Mikhailichenko,N Guseva et al; Zh.Neorg.Khim.,16,11,3101 (1971)
 1971PJb J Powell,D Johnson; J.Inorg.Nucl.Chem.,33,3586 (1971)
 1971SSd P Spitsyn,V Shvarev,G Zvonareva; Isvest.VUZ.Khim.,14,1,28 (1971)
 1971SSI P Spitsyn,V Shvarev,M Korepina; Zh.Anal.Khim.,26,11,2121 (1971)
 1971STe A Stepanov; Zh.Neorg.Khim.,16,11,2981 (1971)
 1970GMB R Gupta,G Manku,A Bhat,B Jain; Australian J.Chem.,23,1387 (1970)
 1970PKe D Pakhomova,V Kumok,V Serebrennikov; Zh.Neorg.Khim.,15,5,1211 (1970)
 1970POa K Petrov,N Orlin et al; Zh.Neorg.Khim.,15,439,442(E:227,229) (1970)
 1970RDa R Roulet,T Duc; Helv.Chim.Acta,53,1873 (1970)
 1970RFa R Roulet,J Feuz,T Duc; Helv.Chim.Acta,53,1876 (1970)
 1970SSI L Shtenke,N Skorik,V Kumok; Zh.Neorg.Khim.,15,5,1214 (1970)
 1970VMa G Varlamova,N Mitrofanova et al; Zh.Neorg.Khim.,15,5,1239 (1970)
 1969BCa J Bear,M Clark; J.Inorg.Nucl.Chem.,31,1517 (1969)
 1969BCb J Bear,M Clark; J.Inorg.Nucl.Chem.,31,2811 (1969)
 1969CMb D Campbell,T Moeller; J.Inorg.Nucl.Chem.,31,1077 (1969)
 1969FPa D Fay,N Purdie; J.Phys.Chem.,73,3462 (1969)
 1969IEa R Izatt,D Eatough,J Christensen et al; J.Chem.Soc.(A),45;47 (1969)
 1969JCC A Jones,G Choppin; J.Inorg.Nucl.Chem.,31,3523 (1969)
 1969NBA L Nugent,R Baybarz,J Burnett; J.Phys.Chem.,73,1177 (1969)
 1969NDb V Novak,E Dvorakova,M Svicekova et al; Chem.Zvesti,23,330 (1969)
 1969NDc V Novak,E Dvorakova,M Svicekova et al; Chem.Zvesti,23,861 (1969)
 1969PCa J Powell,A Chughtai,J Ingemanson; Inorg.Chem.,8,2216 (1969)
 1969PJa G Popa,E Jercan; An.Univ.Bucuresti,Chim.,18,71 (1969)
 1969PKe D Pakhomova,V Kumok,V Serebrennikov; Zh.Neorg.Khim.,14,5,1434 (1969)
 1968CLd A Carson,P Laye,P Smith; J.Chem.Soc.(A),141,1384 (1968)
 1968CMa G Choppin,L Martinez-Perez; Inorg.Chem.,7,2657 (1968)
 1968DRb R Dreyer,J Redlich,R Syhre; Z.Phys.Chem.,238,417 (1968)
 1968KTb C Kanekar,N Thakar,S Jogdeo; Bull.Chem.Soc.Jpn.,968,41,759 (1968)
 1968MDa E Merciny,G Duyckaerts; J.Chromatography,35,549 (1968)
 1968MDc K Munshi,A Dey; Rev.Chim.Minerales,5,619 (1968)
 1968MIC S Misumi; Nippon Kagaku Kaishi,89,723 (1968)
 1968NLa V Novak,J Lucansky,J Majer; Chem.Zvesti,22,721 (1968)
 1968NLb V Novak,L Lucansky,J Majer; Chem.Zvesti,22,733 (1968)
 1968PFA J Powell,L Farrell,W Neillie,R Russell; J.Inorg.Nucl.Chem.,30,2223
 (1968)
 1968PIa J Powell,J Ingemanson; Inorg.Chem.,7,2459 (1968)
 1968TKe L Thompson,S Kundra; Inorg.Chem.,7,338 (1968)
 1967ABA Z Andreeva,V Bezuevskaya,I Kolosov et al; Dokl.Tim.Selskokhoz.Akad.,200
 (1967)
 1967CCd R Carvalho,G Choppin; J.Inorg.Nucl.Chem.,29,725;737 (1967)
 1967EMb A Elkhilyali,L Martynenko,V Spitsyn; Proc.Acad.Sci.(USSR),176,886 (855)
 (1967)
 1967KDa M Kabachnik,I Dyatlova,T Medved; Proc.Acad.Sci.(USSR),175,621 (351)
 (1967)
 1967SAa S Sangal; J.Prakt.Chem.,36,126 (1967)
 1967WCa J Walker,G Choppin; Adv.Chem.Series,71,127 (1967)
 1966DMA E Dvorakova,J Majer; Chem.Zvesti,20,233 (1966)
 1966FKa U Frolova,V Kumok,V Serebrennikov; Izv.VUZ.Khim.,9,176 (1966)

- 1966FPb F Firsching,T Paul; J.Inorg.Nucl.Chem.,28,2414 (1966)
 1966JMc V Jokl,J Majer,H Scharff,H Kroll; Mikrochim.Acta,63 (1966)
 1966KPb M Krishnamurthy,N Prasad; Indian J.Chem.,4,316 (1966)
 1966NSb V Novak,M Svicekova,J Majer; Chem.Zvesti,20,252 (1966)
 1966PRb J Powell,D Rowlands; Inorg.Chem.,5,819 (1966)
 1966VLa V Vasileva,O Lavrova et al; Zh.Obshch.Khim.,36,4,674 (1966)
 1965CGa G Choppin,A Graffeo; Inorg.Chem.,4,1254 (1965)
 1965CSb G Choppin,W Strazik; Inorg.Chem.,4,1250 (1965)
 1965DTa N Dyatlova,V Temkina,Y Belugin; Zh.Neorg.Khim.,10,612 (1131) (1965)
 1965GEa G Geier; Ber.Buns.Phys.Chem.,69,617 (1965)
 1965YCa H Yoneda,G Choppin,J Bear,A Graffeo; Inorg.Chem.,4,244 (1965)
 1964BDb J Barnes,P Day; J.Chem.Soc.,3886 (1964)
 1964DVa H Deelstra,F Verbeek; Anal.Chim.Acta,31,251 (1964)
 1964ICb H Irving,J Conesa; J.Inorg.Nucl.Chem.,26,1945 (1964)
 1964PKa J Powell,R Kolat,G Paul; Inorg.Chem.,3,518 (1964)
 1964PKb J Powell,R Karraker,R Kolat,J Farrell; Rare Earth Research II,New
 York,p.512-4 (1964)
 1964PSd J Powell,Y Suzuki; Inorg.Chem.,3,690 (1964)
 1964SPa R Stagg,J Powell; Inorg.Chem.,3,242 (1964)
 1964THa L Thompson; Inorg.Chem.,3,1015 (1964)
 1964THb L Thompson; Inorg.Chem.,3,1319 (1964)
 1964YCa H Yoneda,G Choppin,J Bear,J Quagliano; Inorg.Chem.,3,1642 (1964)
 1963GRd I Grenthe; Acta Chem.Scand.,17,2487 (1963)
 1963Gta I Grenthe,I Tobiasson; Acta Chem.Scand.,17,2101 (1963)
 1963THb L Thompson; J.Inorg.Nucl.Chem.,25,819 (1963)
 1963TLa L Thompson,J Loraas; Inorg.Chem.,2,594 (1963)
 1963TLb L Thompson,J Loraas; Inorg.Chem.,2,89 (1963)
 1962KPa R Kolat,J Powell; Inorg.Chem.,1,293 (1962)
 1962MFb T Moeller,R Ferrus; Inorg.Chem.,1,55 (1962)
 1962MHa T Moeller,T Hseu; J.Inorg.Nucl.Chem.,24,1635 (1962)
 1962MMC J Mackey,M Miller,J Powell; J.Phys.Chem.,66,311 (1962)
 1962MTc T Moeller,L Thomson; J.Inorg.Nucl.Chem.,24,499 (1962)
 1962PMa J Powell,J Mackey; Inorg.Chem.,1,418 (1962)
 1962THa L Thompson; Inorg.Chem.,1,490 (1962)
 1961GRA I Grenthe; J.Am.Chem.Soc.,83,360 (1961)
 1961MFb T Moeller,R Ferrus; J.Inorg.Nucl.Chem.,20,261 (1961)
 1960GFa I Grenthe,W Fernelius; J.Am.Chem.Soc.,82,6258 (1960)
 1959BDb R Betts,O Dahlinger; Can.J.Chem.,37,91 (1959)
 1959HCa R Harder,S Chaberek; J.Inorg.Nucl.Chem.,11,197 (1959)
 1957N0a W Noddak,G Oertel; Z.Elektrochem.,61,1216 (1957)
 1956SPa F Spedding,J Powell,E Wheelwright; J.Am.Chem.Soc.,78,34 (1956)
 1955WSa E Wheelwright,F Spedding; US AEC - ISC,637 (1955)
 1954SGa G Schwarzenbach,R Gut,G Anderegg; Helv.Chim.Acta,37,937 (1954)
 1953WSa E Wheelwright,F Spedding,G Schwarzenbach; J.Am.Chem.Soc.,75,4196 (1953)
 1952LAb W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)
 1944MKa T Moeller,H Kremers; J.Phys.Chem.,48,395 (1944)

EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES
I Data with various BACKGROUNDS
H Data for THERMOCHEMICAL quantities
M Data for TERNARY Complexes

EVALUATION Flags are :-

T or IUP=T signifies EVALUATION RATING = Tentative by IUPAC

END